

## DAFTAR PUSTAKA

- Aaronson, N., Ahmedzai, S., Bergman, B., Bullinger, M., Cull, A., Duez, N., Filiberti, A., Flechtner, H., Fleishman, S., Haes, J., Kaasa, S., Klee, M., Osoba, D., Razavi, D., Rofe, P., Schraub, S., Sneeuw, K., Sullivan, M. and Takeda, F. (1993). The European Organization for Research and Treatment of Cancer QLQ-C30: A Quality-of-Life Instrument for Use in International Clinical Trials in Oncology. *JNCI Journal of the National Cancer Institute*, 85(5), pp.365-376.
- Al-Naggar RA., Nagi NMS., Ali MMS., dan Almuasli M. (2011). Quality of life among Breast Cancer Patients in Yemen. *Asian Pacific Journal of Cancer Prevention*, 12, pp. 2335-2341
- Amadou, A., Hainaut, P. and Romieu, I. (2013). Role of Obesity in the Risk of Breast Cancer: Lessons from Anthropometry. *Journal of Oncology*, 2013, pp.1-19.
- Arndt V, Merx H, Sturmer T. (2004) Age specific determinants to quality of life among breast cancer patients one year after diagnosis. *Eur. J Cancer* 2004;40 pp. 673-680.
- Ashing-Giwa, K. and Lim, J. (2009). Examining the Impact of Socioeconomic Status and Socioecologic Stress on Physical and Mental Health Quality of Life Among Breast Cancer Survivors. *Oncology Nursing Forum*, 36(1), pp.79-88.
- Baan, R., Straif, K., Grosse, Y., Secretan, B., El Ghissassi, F., Bouvard, V., Altieri, A. and Coglianò, V. (2007). Carcinogenicity of alcoholic beverages. *The Lancet Oncology*, 8(4), pp.292-293.
- Badan Penyelenggara Jaminan Sosial (BPJS). Jumlah pengguna BPJS [online] diakses pada 20 Januari 2019 di <https://bpjs-kesehatan.go.id/bpjs/jumlahPeserta>
- Bagnardi, V., Blangiardo, M., Vecchia, C. and Corrao, G. (2001). A meta-analysis of alcohol drinking and cancer risk. *British Journal of Cancer*, 85(11), pp.1700-1705.
- Ben-Zur H. (2012). Loneliness, optimism, and well-being among married, divorced, and widowed individuals. *J Psychol*. 2012; 146:23-36.
- Bevers TB, et al. (2018). *NCCN clinical practice guidelines in oncology : breast cancer screening and diagnosis*. - *PubMed – NCBI*. [online] Ncbi.nlm.nih.gov. Dapat diakses di: <http://www.ncbi.nlm.nih.gov/pubmed/19930975> [Diakses pada 19 November 2018].
- Bofill M. (2003). Prevention and treatment of breast cancer in Cuba. *Med Review*. 6. pp. 2-3.
- Cancer.org. (2018). *Stages of Breast Cancer | Understand Breast Cancer Staging*. [online] Dapat diakses di: <https://www.cancer.org/cancer/breast-cancer/understanding-a-breast-cancer-diagnosis/stages-of-breast-cancer.html> [Diakses pada 13 Apr. 2018].
- Carraro, D., Koike Folgueira, M., Garcia Lisboa, B., Ribeiro Olivieri, E., Vitorino Krepischi, A., de Carvalho, A., de Carvalho Mota, L., Puga, R., do Socorro

- Maciel, M., Michelli, R., de Lyra, E., Grosso, S., Soares, F., de Souza Waddington Achatz, M., Brentani, H., Moreira-Filho, C. and Brentani, M. (2013). Comprehensive Analysis of BRCA1, BRCA2 and TP53 Germline Mutation and Tumor Characterization: A Portrait of Early-Onset Breast Cancer in Brazil. *PloS ONE*, 8(3), p.e57581.
- Cdc.gov. (2018). *CDC – What Are the Risk Factors for Breast Cancer?*. [online] Dapat diakses di: [https://www.cdc.gov/cancer/breast/basic\\_info/risk\\_factors.htm](https://www.cdc.gov/cancer/breast/basic_info/risk_factors.htm) [Diakses pada 21 Oktober 2018]
- Chalasan, P. et al., 2017. Breast Cancer Pathophysiology. Diakses di <https://emedicine.medscape.com/article/1947145-overview#a5> pada 10 Januari 2018.
- Clarke, P. J., Marshall, V.W., Ryff, C.D., & Rosenthal, C. J. (2000). Well being in Canadian seniors: Findings from the Canadian Study of Health and Aging. *Canadian Journal on Aging*, 19, 139-159. doi:10.1017/S0714980800013982.
- Croft L., Sorkin J., dan Glicchio, L. (2014). Marital status and optimism score among breast cancer survivors. *Support Care Cancer* ; 22(11). pp. 3027-3034.
- Depkes.go.id. (2018). [online] Dapat diakses di <http://www.depkes.go.id/resources/download/general/Hasil%20Risikesdas%202013.pdf> [Diakses pada 21 Desember 2018].
- Desantis CE, Fedewa SA, Sauer AG, Kramer JL, Smith RA, Jemal A. Breast Cancer Statistics, 2015 : Convergence of Incidence Rates Between Black and White Women. 2016; 66(1):31—42. DOI: 10.3322/caac.21320.
- Dewi, GA., Henrdati, LY. (2015). Analisis risiko kanker payudara berdasar riwayat pemakaian kontrasepsi hormonal dan usia menarche. Vol 3 No 1 Jan 2015 e-journal.unair.ac.id
- Dewi, Kadek Purnama, 2013. Hubungan antara dukungan sosial dengan kualitas hidup penderita kanker di RSUP Dr. Sardjito Yogyakarta.
- De Leo, D., Diekstra, R. F., Lonqvist, J., Trabucchi, M., Cleiren, M. H., Frisoni, G. B., . . . Sampaio-Faria, J. (1998). LEIPA D: An internationally applicable instrument to assess quality of life in the elderly. *Behavioral Medicine (Washington, D.C.)*, 24, 17-27. doi:10.1080/08964289809596377
- Diener, E., Suh, E. M., Lucas, R. E., & Smith, H. L. (1999). Subjective well-being: Three decades of progress. *Psychological Bulletin*, 125(2), 276-302. doi:10.1037/0033-2909.125.2.276
- DiSipio, et al., 2010. Does Quality of Life Among Breast Cancer Survivors One Year After Diagnosis Differ Depending on Urban and Non-Urban Residence? A Comparative Study.
- Drageset, S. et al., 2011. Being in suspense : women ' s experiences awaiting breast cancer surgery.
- Fakir SE., Rhazi KE., Zidouh A., Bennani M., Benider A., Errihani H., Mellas N., Bekkali R., dan Nejari C. (2016). Health-related quality of life among breast cancer patients and influencing factors in Morocco. *Asian Pacific Journal Cancer Prev* 17(12). pp. 5063-5069.
- Fayers PM, Aaronson NK, Bjordal K, Groenvold M, Curran D, Bottomley A,

- on behalf of the EORTC Quality of Life Group. The EORTC QLQ-C30 Scoring Manual (3rd Edition). Published by: European Organization for Research and Treatment of Cancer, Brussels; 2001.
- Fuss M. (2016). Increasing health care access in Yemen through community-based health insurance. *Indiana Journal of Global Legal Study*. 23(2) 14. pp. 795-818.
- Gangane N, Khairkar P, Hurtig AK, et al. Quality of Life Determinants in Breast Cancer Patients in Central Rural India. *Asian Pac J Cancer Prev*. 2017;18(12):3325–3332
- Gesis Leibniz Institute for the Social Sciences. Survey Guidelines Socio-demographic characteristics. Diakses di <https://www.gesis.org/en/gesis-survey-guidelines/instruments/survey-instruments/socio-demographic-variables/> pada 18 Maret 2018.
- IARC Working Group on the Evaluation of Carcinogenic Risks to Human, 2010. Alcohol consumption and ethyl carbamate. IARC Monogr Eval Carcinog Risk Hum, 96, 3-1383.
- Juwita DA, Almahdy, Afdhila, R. 2018. Pengaruh kemoterapi terhadap health related quality of life (HRQoL) pasien kanker payudara di RSUP Dr. M. Djamil Padang.
- Laporan hasil riset kesehatan dasar (Riskesdas), 2007. (2009). [Jakarta]: Badan Penelitian dan Pengembangan Kesehatan Nasional, Kementerian Kesehatan, Republik Indonesia.
- Laporan hasil riset kesehatan dasar (Riskesdas).(2013). [Jakarta]: Badan Penelitian dan Pengembangan Kesehatan Nasional, Kementerian Kesehatan, Republik Indonesia.
- Leng, TanMay et al. "Validation Of EORTC QLQ-C30 And QLQ-BR23 Questionnaires In The Measurement Of Quality Of Life Of Breast Cancer Patients In Singapore." *Asia-Pacific Journal of Oncology Nursing* 1.1 (2014): 22. Web. 25 Feb. 2018.
- Majed B, et al., 2008. Is obesity an independent prognosis factor in woman breast cancer? *Breast Cancer Res Treat* 111(2):329-342.
- Miller WR., 2004. Biological rationale for endocrine therapy in breast cancer.
- Musiał Z, Sendecka W. Zalewska–Puchała J. Jakość życia kobiet po mastektomii. *Probl Piel*. 2013;21:38–46.
- National Comprehensive Cancer Network, 2016. Breast Cancer Carcinoma In Situ.
- Noone AM, Howlader N, Krapcho M, et al. (editors). SEER Fast Stats, 1975-2015. Age-specific SEER incidence rates, 2011-2015. National Cancer Institute, Bethesda, MD. Diakses di <https://seer.cancer.gov/faststats/> pada 18 Desember 2018.
- Ogce F., Ozkan S., dan Baltalarli B. (2007). Psychosocial stressor, social support and socio-demographic variables as determinants of quality of life of Turkish breast cancer patients. *Asian Pac J Cancer Prev* (8), pp. 77-82.
- Ouakinin, S. et al., 2015. Stress reactivity , distress and attachment in newly diagnosed breast cancer patients *Health Psychology and Behavioral Medicine* Stress reactivity, distress and attachment in newly diagnosed breast cancer patients. , (January).

- Pedro W. (2001). Factors associated with mammography utilization among Jordanian women. *J of Transcultural Nursing*. 12. pp 284-91.
- Peraturan Pemerintah Republik Indonesia No 47 Tahun 2008 [daring] diunduh di <https://peraturan.bpk.go.id/Home/Details/4861/pp-no-47-tahun-2008> pada tanggal 13 Januari 2019
- Perwitasari DY, Atthobari J, Dwiprahasto I, Hakimi M, Gelderblom H, Putter H, Nortier JWR, Guchelaar HJ, Kaptein AA. Translation and validation of EORTC QLQ C-30 into Indonesian version for cancer patients in Indonesia. *Jpn J Clin Oncol*. 2011;41(4):5 19-29.
- Pudjiastuti SS., Utomo B. 2003. Fisioterapi pada lansia. Jakarta : EGC.
- Pilkington, F.B., & Mitchell, G.J., 2004. Quality of life for women living with a gynecologic cancer. *Nursing Science Quarterly*, 17(2), 147-155.
- Ramadas, A., Qureshi, AM., Dominic, NA., Botross, NP., Riad, A., Arasoo, VJ., Elangovan, S. (2015). *Asian Pac J Cancer Prev*, 16(4), pp.1479-1485.
- Rahman GA, Olatoke SA, Agodirin SO, Adeniji KA. Socio-demographic and clinical profile of immuno-histochemically confirmed breast cancer in a resource limited country. *Pan African Medical Journal*. 2014; 17:182 doi:10.11604.
- Ross JS., et al., 2003. The Her-2/neu gene and protein in breast cancer 2003 : biomarker and target of therapy.
- Rustam, DB. 2017. Faktor-faktor determinan yang berpengaruh pada kualitas hidup wanita penderita kanker payudara di RSUD Dr. Moewardi.
- Shandiz FH, Karimi FZ, Anbaran ZK, Abdollahi M, Rahimi N, Ghasemi M. (2017). Investigating the quality of life and the related factors in iranian women with breast cancer. *Asian Pac J Cancer Prev*, 18 (8) pp.2089-2092.
- Singh, G.K., Miller, B.A., Hankey, B.F., & Edwards, B.K. (2004). Persistent area socioeconomic disparities in the U.S. incidence of cervical cancer, mortality, stage, and survival, 1975-2000. *Cancer*, 101(5), 1051-1057.
- Sitorus, H., Ambarita, L. P., 2011. Gambaran aksesibilitas sarana pelayanan kesehatan di propinsi kepulauan bangka belitung (analisis data riskesdas 2007). SPIRAKEL
- Sparano, Joseph A. et al., 2017. Breast Cancer Staging. Diakses di <https://emedicine.medscape.com/article/2007112-overview> pada 10 Januari 2018.
- Sprangers MA, Groenvold M, Arraras JI, Franklin J, te Valde A, Muller M, et al. The European Organization for Research and Treatment of Cancer breast cancer-specific quality-of-life questionnaire module: first result from a three-country field study. *J Clin Oncol*. 1996;14:2756-68.
- Sripan, P., Sriplung, H., Pongnikorn, D., Virani, S., Bilheem, S., Chaisaengkhaum, U., Manesai, P., Waisri, N., Hanpragopsuk, C., Tansiri, P., Khamsan, V., Pounsombat, M., Mawoot, A., Chitapanarix, I. (2017). Trends in Female Breast Cancer by Age Group in the Chiang Mai Population. *Asian Pac J Cancer Prev*, 18(5), pp.1411-1416.
- Stewart BW, Wild CP., 2015. World Cancer Report 2014. IARC.
- Szymczyk A., Galka., Swiatoniowska N., dan Marcinkiewicz JT. (2018). The influence of selected socio-demographic factors and the perception of the

- applied therapy on quality of life of women with breast cancer. *Journal of Education, Health, and Support eisnn* 2392-8306 7
- Thakur P., et al., 2017. Breast cancer risk factor evaluation in a Western Himalayan case-control study and comparison with the Western World. *South Asian J Cancer* 2017;6:106-9.
- Thomas AA., Gallagher P., O’Ceilleachair A., Pearce A., Sharp L., dan Molcho M. (2014). Distance from treating hospital and colorectal cancer survivors’ quality of life: a gendered analysis. *Support Care Cancer* (2015) 23. pp.741-751.
- Valachis A., et al., 2010. Partial breast irradiation or whole breast radiotherapy for early breast cancer: a meta-analysis of randomized controlled trials.
- Vaselić, N. et al., 2015. Negative emotional states and quality of life in women with breast cancer Negativna emocionalna stanja i zadovoljstvo životom žena sa karcinomom dojke. , 21(4), pp.251–254.
- Veronesi U., et al., 2005. Breast cancer.
- Watters JM, Yau JC, O’Rourke K. 2003. Functional status is well maintained in older women during adjuvant chemotherapy for breast cancer. *Ann. Oncol.* 2003;14 pp.1744-1750.
- Widnyana, IG. 2016. Faktor-faktor yang mempengaruhi kualitas hidup penderita kanker payudara stadium lanjut lokal yang dirawat sesuai protokol bedah onkologi di RSUP Dr. Sardjito Yogyakarta.
- Yager JD., Davidson NE., 2006. Estrogen carcinogenesis in breast cancer.
- Yi M., et al., 2010. Trends in and outcomes from sentinel lymph node biopsy (SLNB) alone v.s. SLNB with axillary lymph node dissection for node-positive breast cancer patients: experience from the SEER database.