

## DAFTAR PUSTAKA

- Abdel-Aal, E.-S. M., Hucl, P. 2003. *Composition and stability of anthocyanins in blue-grained wheat*. J. Agric. Food Chem. 51: 2174–2180.
- Agus Mertayasa, I Gede. 2012. *Food and Beverage Service Operational*. Yogyakarta: Andi.
- Alan, Miller, N.D., 1996. *Antioxidant flavonoid structural usage alternative medical Review* (2) : 103-111.
- Amr, A. dan E. Al-Tamimi. 2007. *Stability of the Crude Extracts of Ranunculus Asiaticus Anthocyanins and Their Use as Food Colourants*. International Journal of Food Science & Technology. 42(8) : 985–991.
- Andarwulan, N. dan Fitri, F., .2012. *Pewarna Alami Untuk Pangan*. SEAFast Center, Institut Pertanian Bogor : Bogor.
- Anli, R.E. dan Vural, N. 2009. *Antioxidant phenolic substances of Turkish red wines from different wine regions*. Molecules 14: 289-297.
- AOAC. 2005. *Official Methods of Analysis Association of Official Analytical Chemist (AOAC): Iron in Flour (944.02)*, Association of Official Analytical Chemist Inc, Virginia.
- Balai besar Penelitian Tanaman Padi. 2010. *Deskripsi Varietas Padi*. Badan Penelitian dan Pengembangan Pertanian.
- Barbusinski, K .2009. *Fenton Reaction Controversy Concerning the Chemistry*. Ecological Chemistry and Engineering 14(3):347-358.
- Bagchi, K., Puri, S. 1998. *Radikal Bebas dan Antioksidan dalam Kesehatan dan Penyakit*. Kesehatan Mediterania Jurnal Timur 4: 350-360.
- Brand-Williams, W., Cuvelier, M., and Berset, C. 1995. *Use of a Free Radical Method to Evaluate Antioxidant Activity*. Lebensmittel-Wissenschaft-und-Technologie. 28:25-30.
- Brouillard R. 1982. *Chemical Structure of Anthocyanins*. In P. Markakis (Ed.), *Anthocyanins as Food Colours*. p. 26–28. New York: Academic Press.

- Cahayanti, Novi Dwi. 2006. *Pengaruh Cara Pemasakan dan Lama Penyimpanan Nasi dalam Magic Jar Terhadap Kadar Karbohidrat dan Protein serta Kualiatas Fisik Nasi dari Berbagai Jenis Varietas Nasi* .(Skripsi).Program Studi Kesehatan Masyarakat. Universitas Jember: Jember
- Cavalcanti, R.N., Santos, D.T. and Meireles, A.A. 2011. *Non thermal stabilization mechanisms of anthocyanins in model and food systems- An overview*. Food Research International 44: 499-509.
- Chang, Te-tzu and E.A. Bardenas. 1965. *The Morphology and Varietal Characteristics of The Rice Plant*. The International Rice Research Institute. Manila 5-9.
- Connor A. M., Luby, J. J., Hancock, J. F., Berkheimer, S., & Hanson, E. J., 2002. *Changes in fruit antioxidant activity among blueberry cultivars during cold- temperature storage*. Journal of Agricultural and Food Chemistry 50 : 893– 898.
- Damayanthi E, Tjing LT dan Arbianto L. 2007. *Rice Bran*. Depok: Panebar Swadaya. Hal. 28.
- DeMan, M John. 1997. *Kimia Makanan*. Bandung : ITB
- Drdak, M. dan Daucik, P. 1990. *Changes Of Elderberry (Sambucus Nigra) Pigments During The Production Of Pigment Concentrates*. Acta Aliment 19: 3-7.
- Fibriyanti, Y. 2012. *Kajian Kualitas Kimia dan Biologi Beras Merah (Oryza nivara) Dalam Beberapa Pewadahan Selama Penyimpanan*.THP. Fakultas Pertanian. Universitas Sebelas Maret Surakarta
- Gealy, David R., dan Bryant, Rolfe J.,. 2009. *Seed Physicochemical Characteristics of Field- grown US Weedy Rice (Oryza sativa) Biotypes: Contrasts with Commercial Cultivars*. Journal of Cereal Science 49 : 239-245
- Giusti, M.M. and R. E. Wrolstad. 2001. Characterization and Measurement of Anthocyanins by UV-Visible Spectroscopy Unit F1.2 in Current

- Protocols. Food Analytical Chemistry. John Wiley and Sons, Inc. New York.
- Harborne, J.B. 1987. *Metode Fitokimia Penuntun Cara Modern Menganalisis Tumbuhan*. Penerbit ITB. Bandung.
- Harborne, J.B. 2006. *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan (alih bahasa: Kosasih Padmawinata & Iwang Soediro)*. Bandung : Penerbit ITB.
- Hardoko. 2010. *Pemanfaatan Ubi Jalar Ungu (Ipomoea batatas L. Poir) Sebagai Pengganti Sebagian Tepung Terigu pada Roti Tawar*. Universitas Pelita Harapan. Jakarta. Jurnal Teknologi Dan Industri Pangan.
- Harjosuwono, B. A., Arnata, I. W. & Puspawati, G. A. K. D. 2011. *Rancangan Percobaan Teori, Aplikasi SPSS dan Excel*. Malang: Lintas Kata Publishing
- Haq, I. G., Permatasari, A., dan Sholihin, H. 2010. *Aktivitas Penggunaan Sari Buah Jeruk Nipis Terhadap Tetahanan Nasi*. Jurnal Sains dan Teknologi Kimia 1(1).
- Heinonen, I.M., Meyer, A.S. dan Frankle, F.N. (1998). *Antioxidant Activity of Berry Phenolics on Human Low Density Lipoprotein and Liposome Oxidation*. Journal of Agriculture Food Chemistry. 46, (10), 4107-4112
- Hyun, J. W., and Chung, H. S., .2004. *Cyanidin and Malvidin from Oryza sativa cv. Heungjinjubyeo Mediate Cytotoxicity Against Human Monocytic Leucimia Cell by Arrest of G2/M phase and Induction of Apoptosis*, J.Agric. Food Chem 52: 2213-2217
- Jackman R. L. dan Smith J.L., .1996. *Anthocyanins and Betalains*. Di dalam Hendry. G. A. P dan J. D. Houghton (eds). Natural
- Juniarti, O.D., Yuhernita. 2009. *Kandungan senyawa kimia, uji toksisitas (BSLT) dan antioksidan (1,1-diphenyl-2-pikrilhydrazyl) dari ekstrak daun saga*. Makara Sains. 13(1):50-54.
- Karyadi, E., .1997. *Antioksidan: Resep Awet Mudat dan Umur Panjang From Uji Aktivitas Antiradikal Dengan Metode DPPH dan Penetapan*

- Kadar Fenol Total Ekstrak Daun Keladi Tikus (Thyponium divaricatum (Linn) Decne).* Pharmacon 6(2) : 51-56.
- konczak, I., and Zhang, W.,.2004. *Anthocyanins—more than Nature’s Colours.* *Journal of Biomedicine and Biotechnology* : 239–240.
- Lachman, L., & Lieberman, H. A., . 1994. *Teori dan Praktek Farmasi Industri* :1091-1098, UI Press, Jakarta.
- Lee J, Durst W, Wrolstad RE. 2005. *Determination of total monomeric anthocyanin pigment content of fruit juices, beverages, natural colorants, and wines by the pH differential method: Collaborative study.* J AOAC Int 88: 1269–1278.
- Loebis, E. H., & Junaidi, L. (2017). *Karakterisasi mutu dan nilai gizi nasi mocaf dari beras analog*, 33–46.
- Low, W. J., Mary A., Nadia O., Benedito C., Filipe Z. & David T. 2007. *Ensuring the Supply of and Creating Demand for a Biofortified Crop with a Visible Trait: Lessons Learned from the Introduction of Orange-Fleshed Sweet Potato in Drought-Prone Areas of Mozambique.* Food and Nutrition Bulletin 28 (2): S258 – S270.
- Mangiri, J., Mayulu, N., Kawengian, S.E.S. 2016. *Gambaran Kandungan Zat Gizi pada Beras Hitam (Oryza sativa L.) Kultivar Pare Ambo Sulawesi Selatan.* Jurnal e-Biomedik, 4(1):1-5
- Marco PH, Poppi RJ, Scarminio IS, Tauler R. 2011. *Investigation of the pH effect and UV radiation on kinetic degradation of anthocyanin mixtures extracted from Hibiscus acetosella.* Food Chem 125: 1020–1027. DOI: 10.1016/j.foodchem.2010.10.009.
- Markakis, P . 1982. *Anthocyanins as Food Additives.* Di dalam Markakis, P . (Ed). Anthocyanin as Food Colors. Academic Press. New York. 293 pp.
- Muntana N, Prasong S. 2010. *Study on total phenolic contents and their antioxidant activities of Thai white, red and black rice bran extracts.* Pak J Biol Sci 13: 170-174

- Molyneux, P.. 2004. *The Use of The Stable Free Radical Diphenylpicrylhydrazyl (DPPH) for Estimating Antioxidant Activity*. Songklanakarin J. Sci. Technol. , 26(2), 211-21
- Naidu, K.A., Shobana, S. 2000. *Antioxidant activity of selected Indian spices*, 62(2): 107-10.
- Narwidina, P. 2009. *Pengembangan Minuman Isotonik Antosianin Beras Hitam (Oryza sativa L.indica) dan Efeknya Terhadap Kebugaran dan Aktivitas Antioksidan pada Manusia Pasca Stres Fisik: A Case Control Study*. Program Pascasarjana Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Tesis
- Oki, Tomoyuki, et al., .2002. *Polymeric . Proanthocyanidin as Radical-Scavenging Component in Red Hulled Rice*, J.Agric.Food Chem.,50(26):861- 1192
- Ovando-Martinez, M., Sayago- Ayerdi, S., Agama-Acevedo, E., Goni, I., and Bello-Perez, L. A. 2009. *Unripe Banana Flour As an Ingredient to Increase The Undigestible Carbohydrate of Pasta*. Food Chemistry. Vol 113: 121-126.
- Packer L dan Colman C. 1999. *The Antioxidant Miracle: Your Complete Plan for Total Health and Healing*. New York: John Wiley & Sons.
- Palupi, NS., Zakaria, FR., dan Prangdimurti E. 2007. *Pengaruh Pengolahan terhadap Nilai Gizi Pangan*. Departemen Ilmu dan Teknologi Pangan Fateta IPB. Bogor.
- Park, Sam Y, Kim SJ, and Chang HI .2008. *Isolation of anthocyanin from black rice (Heugjinjubyeo) and screening of its antioxidant activities*. Kor J Microbiol Biotechnol 2008, 36 (1): 55–60.
- Poei-Langston, M. S. dan Wrolstad, R. E.. 1981. *Color degradation in ascorbic acid-anthocyanin-flavonol model system*. Journal of Food Science, 46:1218-1222.
- Prabhu, A. A., dan Jayadeep, A. 2015. *Enzymatic processing of pigmented and non pigmented rice bran on changes in oryzanol, polyphenols and antioxidant activity*. Journal of Food Science and Technology 52(10) : 6538–6546

- Proestos, C., Bakogianis, A., Psarianos, C., Koutinas, A.A., Kanellaki, M. dan Komaitis, M. 2005. *High performance liquid chromatography analysis of phenolic substances in Greek wines. Journal of Food Control* 16: 319-323.
- Rabbani, G. H. & M. Ali. 2009. *Rice bran : A Nutrient-dense Mill-waste for Human Nutrition*. The ORION Medical Journal. 32 (3): 694-701.
- Rein, M. 2005. Copigmentation Reactions and Color Stability of Berry Anthocyanins [Disertasi]. Departemen Mikrobiologi dan Kimia Terapan. Universitas Helsinki.
- Raghuvanshi, RS; Dutta, A; Tewari, G dan Suri, S. 2017. *Qualitative Characteristics of Red Rice and White Rice Procured from Local Market of Uttarakhand: A Comparative Study*. Journal of Rice Research 10 (1):1-9.
- Rahmawati. 2011. *Pembuatan dan Karakterisasi Sel Surya Titanium Dioksida Sensitisasi Dye Antosianin dari Ekstrak Buah Strawberry*. (Skripsi). Jurusan Fisika IPB. Bogor.
- Rahmawati, Fitri, Gebi Dwiyaniti, Hayat Sholihin. 2013. *Kajian Aktivitas Antioksidan Produk Olahan Buah Jambu Biji Merah (Psidium guajava L.)*. Jurnal Sains dan Teknologi Kimia. 4.1 .Bandung: Universitas Pendidikan Indonesia.
- Ratnaningsih, N. Dan Ekawatiningsih, P. 2010. *Potensi Beras Hitam Sebagai Sumber Antosianin dan Aplikasi pada Makanan Tradisional Yogyakarta*. Abstrak. Universitas Negeri Yogyakarta
- Reddy, K. J. ; Reddy, G. V. K. ; Reddy, M. B. ; Rao, M. R., .1995. *Utilization of sorghum (Sorghum vulgare) grain by crossbred dairy heifers*. Livestock Adviser, 20 (2): 11-13
- Rein, M. and M. Heinonen. 2004. *Stability and Enhancement of Berry Juice Color*. Journal of Agricultural and Food Chemistry. 52 (25): 3106-311
- Rein, M. 2005. *Copigmentation Reactions and Color Stability of Berry Anthocyanins [Disertasi]*. Departemen Mikrobiologi dan Kimia Terapan. Universitas Helsinki..

- Saha, S. 2016. *Black Rice: The New Age Super Food (An Extensive Review)*. American International Journal of Research in Formal, Applied & Natural Sciences. 16(1): 51-55
- Santika, A., dan Rozakurniati. 2010. *Teknik Evaluasi Mutu Beras Hitam dan Beras Merah pada Beberapa Galur Padi Gogo*. Buletin Teknik Pertanian Vol. 15 No. 1 Hal. 1-5.
- Santoni, A., Darwis, D. & Syahri, S. 2013. *Isolasi Antosianin dari Buah Pucuk Merah Syzgium campanulatum korth Serta Pengujian Antioksidan dan Aplikasi sebagai Pewarna Alam*. Prosiding Semirata FMIPA Universitas Lampung.
- Shao, Y., Xu, F., Sun, X., Bao, J., & Beta, T. (2014). Identification and quantification of phenolic acids and anthocyanins as antioxidants in bran, embryo and endosperm of white, red and black rice kernels (*Oryza sativa* L.). *Journal of Cereal Science* 59(2) : 211–218.
- Suardi, D. dan I. Ridwan. 2009. *Beras Hitam, Pangan Berkhasiat yang Belum Populer*. *Warta Penelitian dan Pengembangan Pertanian Indonesia*. 31(2):10 .
- Suda, I., Nishiba, Y. dan Yamakawa, O. (1998). *High tert-butylperoxyl radical scavenging activities of sweet potato cultivars with purple*. *Food Science and Technology International of Tokyo* 4: 33-35.
- Suhartatik, N., Cahyanto, M. N., Rahardjo, S., & Rahayu, E. S. 2013. *Stabilitas Antosianin Beras Ketan Hitam selama Proses Pemanasan dan Penyimpanan*. *Agritech* 33 : 384– 390.
- Suhartono, E., Fujiati, Aflanie, I. 2002. *Oxygen Toxicity by Radiation and Effect of Glutamic Piruvat Transamine (GPT) Activity Rat Plasma Treatmen*. Internatinal after Vitamine CDiajukan pada seminar on Environmental Chemistry and Toxicology. Yogyakarta..
- Supriyono, T. 2008. *Kandungan  $\beta$ -Karoten, Polifenol Total dan Aktivitas “Merantas” Radikal Bebas Kefir Susu Kacang Hijau (*Vigna radiata*) oleh Pengaruh Jumlah Strater (*Lactobacillus bulgaricus* dan *Candida kefir*) dan Konsentrasi Glukosa*. Tesis. Semarang: Universitas Diponegoro.

- Sutharut, J. and Sudarat, J. 2012. *Total anthocyanin content dan antioxidant activity if germinated colored rice*. International Food Research Jornal 19(1): 215-221
- Sompong R, Siebenhandl-Ehn S, Linsberger-Martin G, Berghofer E. 2011. *Physicochemical and antioxidative properties of red and black rice varieties from Thailand, China and Sri Lanka*. J. Food Chem. 124 (2011) 132–140. Doi:10.1016.
- Takahata Y, Kai Y, Tanaka M, Nakayama H, Yoshinaga M. 2011. *Enlargement of the variances in amount and composition of anthocyanin pigments in sweetpotato storage roots and their effect on the differences in DPPH radical-scavenging activity*. Hortic-Amsterdam 127: 469– 474. DOI: 10.1016/j.scienta.2010.10.010.
- Takahashi, T., T. Sugimoto, T. Miura, Y. Wasizu, and K. Yoshihawa. 1989. *Isolation and identification of red rice pigments*. Nippon Jozo Kyokai Zasshi 84:807-812
- Tamaroh,siti,S Rahrdo,M Agnes , A Sri.2018. *Perubahan Antosianin dan Aktivitas Antioksidan Tepung Uwi Ungu selama Penyimpanan*.J.Aplikasi Teknologi Pangan .vol 7 no.1
- Timberlake, C.F. dan Bridle, P.(1980). *Anthocyanins*. Dalam Development In Food Colours 1.
- Tomoyuki, Masuda, Miami, Kobayashi, Mio, Yoichi, Furata, Shu, .2003. *Physiological Functionality Of Purple-Fleshed Sweet Potatoes Containing Anthocyanins And Their Utilization In Foods*. Japan Agricultural Research Quarterly (JARQ)”. Vol.37. No.3
- Tsuda, T., F. Horio, K. Uchida, H. Aoki, and T. Osawa. 2003. *Dietary cyanidin 3-O-beta-D-glucoside-rich purple corn color prevents obesity and ameliorates hyperglycemia in mice*. J. Nutrion 133(7):2125-2130.
- Volden, J., Borge, G.I. A., Bengtsson, G. B., Hansen, M., Thygesen, I.E. dan Wicklund, T. 2008. *Effect of thermal treatment on glucosinolates and antioxidant-related parameters in red cabbage (Brassica oleracea L. ssp. capitata f. rubra)*. Food Chemistry 109: 595-605.

- Wang, C. S., Y. J. Tsai, G. H. Kou & S. N. Chen. 1997. *Detection of white spot syndrome disease virus infection in wild caught greasyback shrimp, *Metapenaeus ensis* (dehaan) in Taiwan*. Fish Pathology, 32 (1): 35-41.
- Widyawati, Paini Sri., A M Suteja, T I Putut, P Monicaa, W Sapujaya, CLiguori. 2014. *Pengaruh Perbedaan Warna Pigmen Beras Organik Terhadap Aktivitas Antioksidan*. Jurnal AGRITECH, Vol. 34, No. 4. Surabaya : Universitas Katolik widya Mandala.
- Wijaya, L.S., Widjanarko, S.B. & Susanto, T. 2001. *Ekstraksi dan Karakterisasi Pigmen dari Kulit Buah Rambutan (*Nephelium Lappaceum* var. *Binjai*)*. Biosain, 1(2): 42-53.
- Winarti, S. 2010. *Makanan Fungsional*. Kaisius, Yogyakarta.
- Winarsi, H. 2007. *Antioksidan Alami dan Radikal Bebas*. Penerbit Kanisius. Yogyakarta
- Xia, M., W.H. Ling, J. Ma, D.D. Kitts, and J. Zawistowsk. 2003. *Supplementation of diets with black rice pigment fraction attenuates atherosclerotic plaque formation in apolipoprotein E-deficient mice*. J Nutr. 133: 744-751.
- Yang, D.S., Lee, K.S., Jeong, O.Y., Kim, K.J. dan Kays, S.J. 2008. *Characterization of volatile aroma compounds in cooked black rice*. Journal of Agricultural and Food Chemistry 56: 235-240
- Yodmanee, S., Karrila, T.T. and Pakdeechnuan, P. 2011. *Physical Chemical, and Antioxidant Properties of Pigmented Rice Grown in Southern Thailand*. International Food Research Journal 18(3): 901-906.
- Yoshida, Hiromi, Tomiyama, Yuka, dan Mizushina, Yoshiyuki .2010. *Lipid Components, Fatty Acids and Triacylglycerol Molecular Species of Black and Red Rices*. Food Chemistry 123 : 210-215
- Yuniarto ,Prayoga F., Endang Sri R., Dewi Ekowati. 2012. *Gel Buah Apel Hijau (*Pyrus malus* L.) sebagai Antioksidan dengan Kombinasi Basis Carbopol 940 dan Gliserin secara Simplex Lattice Optimasi Formula Design*. Jurnal Farmasi Indonesia.

- Ziegler, V., Ferreira, C. D., Hoffmann, J. F., Chaves, F. C., Vanier, N. L., de Oliveira, M., & Elias, M. C. 2018. *Cooking quality properties and free and bound phenolics content of brown, black, and red rice grains stored at different temperatures for six months*. Food Chemistry, 242, 427–434.
- Zhang MW, Zhang RF, Zhang FX, and Liu RH. 2004. *Phenolic profiles and antioxidant activity of black rice bran of different commercially available varieties*. J Agric Food Chem 2010. 58: 7580–758
- Ardiansyah. 2007. *Antioksidan dan Peranannya Bagi Kesehatan*. <http://www.Berita iptek.com>. Diakses pada 28 Oktober 2018 jam 13:00 WIB.
- Kuswardani, indah . 2013. *Agribisnis*. [www.fakultaspertanianunpad.com](http://www.fakultaspertanianunpad.com). Diakses pada 16 Desember 2018 pada jam 20:40 WIB.
- Suzery, Meiny., Lestari, Sri., Cahyono, Bambang., . 2010. Penentuan Total Antosianin dari Kelopak Bunga Rosela (*Hibiscus sabdariffa* L) dengan Metode Maserasi dan Sokshletasi, [http://eprints.undip.ac.id/3025/1ABSTRAK\\_PDF.pdf](http://eprints.undip.ac.id/3025/1ABSTRAK_PDF.pdf). Diakses tanggal 12 Desember 2018 pada jam 15:00 WIB.