



## DAFTAR PUSTAKA

- Acarli S, Lok A. 2008. Larvae Development Stages of the European Flat Oyster (*Ostrea edulis*). *The Israeli Journal of Aquaculture-Bamidgeh*. 61 (2): 114-120.
- Adiwidjaja, D., Yusuf, N.H., S. Aris dan Hadi. 1997. Budidaya Udang Windu Pada Tambak Plastik dengan Sistem Semi Resirkulasi Tertutup. Laporan Budidaya Udang Windu BBAP 1996-1997:101-112.
- Adiwidjaya, D., Supito., I. Sumantri. 2008. Penerapan Teknik Budidaya Udang Vanamei (*Litopenaeus vannamei*) Semi-Intensif pada Lokasi Tambak Salinitas Tinggi. Departemen Kelautan dan Perikanan. Direktorat Jenderal Perikanan Budidaya.Balai Besar Pengembangan Budidaya Air Payau Jepara.19 h.
- Amri, K., dan I. Kanna. 2008. *Budidaya Udang Vannamei*. Jakarta: PT. Gramedia Pustaka Utama.
- Anand, P.S.S, S. M. Pillai, S. Kumar, A. Panigrahi, P. Ravichandran, A.G. Ponniah and T.K. Ghoshal, 2014. Growth, survival, and length-weight relationship of *Fenneropenaeus merguiensis* at two different stocking densities in low saline zero water exchange brackishwater ponds. *Indian Journal of Geo-Marine Science* Vol.43(10). 1955-1966.
- American Public Health Association (APHA). 2005. *Standard Method for the Examination of Water and Wastewater* 21 th ed. Washington DC: American Public Health.
- Appelbaum, J., Garada, S., and J.K. Mishra. 2002. Growth and survival of the white leg shrimp (*Litopenaeus vannamei*) reared intensively in the brackish water of the Israeli Negev desert. *Isr. J. Aquac.* 54, 41–48.
- Araneda, M, Perez. and E. P. Gasca-Leyva. 2008. White shrimp *Penaeus vannamei* culture in freshwater at three densities: Condition state based on length and weight, *Aquaculture*, 283.13–18.
- Arndt, R.E. and E.J. Wagner. 2004. Rapid and Slow Sand Filtration Techniques and Their Efficacy at Filtering Triactinomyxons of *Myxobolus cerebralis* from Contaminated Water. *North American Journal of Aquaculture* 66:261–270.
- Atjo, H. 2013. Budidaya udang vaname supraintensif Indonesia. Dipresentasikan pada Launching Budidaya Udang Vaname Supraintensif Indonesia. Barru, 24 Oktober 2013. MAI-SCI Sulawesi Selatan, 4 p.
- Arnold, S.J., Sellars, M.J., Crocos, P.J., and G.J. Coman. 2006. An evaluation of stocking density on the intensive production of juvenile brown tiger shrimp (*Penaeus esculentus*). *Aquaculture* 256, 174–179.
- Atjo H. 2013. Budi daya udang vaname supra-intensif Indonesia. Dipresentasikan pada Launching Budi Daya Udang Vaname Super Intensif Indonesia. Barru, 24 Okt 2013. MAI-SCI Sulawesi Selatan (ID). 4 hal.
- Audelo-Naranjo, J. M., L.R. Martinez-Cordova, D. Voltolina and S. Gomez-Jimenez. 2011. Water quality, production parameters and nutritional condition of



*Litopenaeus vannamei* (Boone, 1931) grown intensively in zero water exchange mesocosms with artificial substrates. *Aquaculture Research*, 42, 1371-1377.

Avnimelech, Y. and G. Ritvo. 2001. Aeration, mixing and sludge control in shrimp ponds. *Glob. Aquac. Alliance Advocate* 4, 51–53.

Avnimelech Y. and G. Ritvo. 2003. Shrimp and Fish Pond Soils: Processes and Management. *Aquaculture* 220: 549-567.

Avnimelech, Y., G. Ritvo, M. Kochva. 2004. Evaluating the active redox and organic fractions in pond bottom soils: EOM, easily oxidized material. *Aquaculture* 233, 283-292.

Babu, D., Ravuru and J.N. Mude. 2014a. Effect of Density on Growth and Production of *Litopenaeus vannamei* of Brackish Water Culture System in Summer Season with Artificial Diet in Prakasam District, India. *American International Journal of Research in Formal, Applied & Natural Sciences*, 5(1). pp 10 - 13.

Babu, D., Ravuru and J.N. Mude. 2014b. Effect of Density on Growth and Production of *Litopenaeus vannamei* of Brackish Water Culture System in Rainy Season with Artificial Diet in Prakasam District, India. *Euro. J. Exp. Bio.*, 2014, 4(2): 342-346.

Bauer, W., P.C. Abreu, and L.H. Poersch. 2017. Plankton and water quality variability in an estuary before and after the shrimp farming effluents: possible impacts and regeneration. *Brazilian Journal of Oceanography*, 65 (3): 495-508.

Blalock, E.E. 2004. The Use A Tilapia Hybrid to Remove Nitrogen and Phosphorous from Wastewater. University of North Carolina. Tesis. 61 p.

Boyd, C.E., 1985. Chemical budgets for channel catfish ponds. *Trans. Am. Fish. Soc.* 114, 291-298.

Boyd, C.E. 1998. *Water Quality for Pond Aquaculture*. Department od Fisheries and Allied Aquacultures. Auburn University. Alabama. 39 p.

Boyd, C.E. 2001a. Water Quality Standards: Total Phosphorus. Production Sustainable Aquaculture Practice. *The Advocate*.

Boyd, C.E. 2001b. Water Quality Standards: Total Ammonia Nitrogen. Production Sustainable Aquaculture Practice. *The Advocate*.

Boyd C.E. and J.F. Queiroz, 2001. Nitrogen, Phosphorus Loads Vary by System. USEPA should consider system variables in setting new effluent rules. *Global Aquaculture Advocate*, vol. 4, no. 6, pp. 84-86.

Briggs. M, S.F. Smith, R. Subanghe and M. Phillips. 2004. Introduction and movement of *Penaeus vannamei* and *P. stylirostris* in Asia and the Pacific. FAO. Bangkok. P. 40.

Budiardi, T., A. Marzuki dan N.B.P. Utomo. 2005. Produksi Udang Vaname



(*Litopenaeus vannamei*) di Tambak Biocrete Dengan Padat Penebaran Berbeda. *Jurnal Akuakultur Indonesia*, 4(2): 109–113.

Budiardi, T., I. Widyaya and D. Wahjuningrum. 2007. Correlation of Phytoplankton Community and *Litopenaeus vannamei* Productivity in Biocrete Pond. *Jurnal Akuakultur Indonesia*, 6(2): 119–125. 7 pp.

Budiardi, T. 2008. Keterkaitan Produksi dengan Beban Masukan Bahan Organik pada Sistem Budidaya Intensif Udang Vaname (*Litopenaeus Vannamei* Boone 1931). Institut Pertanian Bogor. Disertasi. Bogor. 118 hal.

Burford, M.A., N.P., Preston, P.M. Gilbert and W. C. Dennison. 2002. Tracing the fate of <sup>15</sup>N-enriched feed in an intensive shrimp system. *Aquaculture* 206: 199–216.

Burford, M. A. and Lorenzen, K. 2004. Modelling Nitrogen Dynamics in Intensive Shrimp Ponds: the Role of Sediment Remineralization. *Aquaculture* 229: 129–145.

Case, M., E.E. Lec, S.N. Leita˜o, E.E.S. Anna, R.S., and A.T.M. Junior. 2008. Plankton community as an indicator of water quality in tropical shrimp culture ponds. *Marine Pollution Bulletin*. (56). 1343–1352.

Castillo-Soriano, F.A., V. Ibarra-Junquera, P. Escalante-Minakata, O. Mendoza-Cano, J. J. Ornelas-Paz, J.C. Almanza-Ramírez and A. O. Meyer-Willerer. 2013. Nitrogen dynamics model in zero water exchange, low salinity intensive ponds of white shrimp, *Litopenaeus vannamei*, at Colima, Mexico *Lat. Am. J. Aquat. Res.*, 41(1): 68–79.

Castine, S.A., A.D. McKinnon, N.A. Paul, L.A. Trott, R. de Nys. 2013. Wastewater treatment for land-based aquaculture: improvements and value-adding alternatives in model systems from Australia. *Aquacult Environ Interact*. Vol. 4: 285–300.

Chàvez-Crooke, P. and J. Obreque-Conteras. 2010. Bioremediation of Aquaculture Wastes. *Biotechnology*. 21, 313–317.

Cremen M.C.M., MR. Martinez-Goss, V.L. Corre Jr, R.V. Azanza. (2016). Phytoplankton bloom in commercial shrimp ponds using green-water technology. *Journal Apply Phycology*. 19: 615–624.

Daniels, H.V., Boyd, C.E., 1988. Pond bottom degradation. *Coastal Aquacult*. 5, 2–5.

Davis, D.A., and C.R. Arnold. 1998. The design, management, and production of recirculating raceway system for the production of marine shrimp. *Aquac Eng*. 17, 193–211.

Dempster, P.W., Baird, D.J., & Beveridge, M.C.M. 1995. Can fish survive by filter feeding on microparticles? Energy balance in tilapia grazing on algal suspensions. *Journal of Fish Biology*, 47, 7–17.

De Silva, S.S., B. A. Ingram, P. T. Nguyen, T. M. Bui, G. J. Gooley, and G. M. Turchini. 2010. Estimation of Nitrogen and Phosphorus in Effluent from the Striped Catfish Farming Sector in the Mekong Delta, Vietnam. *Ambio*. 39:504–514.



Direktorat Jenderal Perikanan Budidaya. 2013. Budidaya Udang Vaname Teknologi Intensif Plastik Mulsa. Subdit Informasi dan Promosi.

Djumanto, Ustadi, Rustadi, and B.Triyatmo. 2016. Feasibility Study on the Profitability of Vannamei Shrimp Aquaculture on Coastal Area of Keburuhan Village, Purworejo Regency. *Aquacultura Indonesiana*. 17 (1) : 7-11.

Djumanto, Ustadi, Rustadi and B. Triyatmo. 2018. Utilization of Wastewater from Vannamei Shrimp Pond for Rearing Milkfish in Keburuhan Coast Purworejo Sub-District. *Aquacultura Indonesiana*. 19 (1): 38-46.

Drennan D.G., K.C. Hosler, M. Francis, D. Weaver, E. Aneshansley, G. Beckman, C.H. Johnson, C.M. Christina. 2006. Standardized evaluation and rating of biofilters II. Manufacturer's and user's perspective. *Aquaculture Engineering* 34: 403-416.

Drenner, R.W., D.J.Day, Basham, S.J. Smith and S.I. Jensen. 1997. Ecological water treatment system for removal of phosphorus and nitrogen from polluted water. *Ecological Applications*, 7(2), 381-390.

Duy, H.N., G. J. Coman, M. Wille, R. Wouters, H. N. Quoc, Th. Vu, D. T. Kim, H. Ng. Van, and P. Sorgeloos. 2012. Effect of water exchange, salinity regime, stocking density, and diets on growth and survival of domesticated black tiger shrimp *Penaeus monodon* (Fabricius, 1798) reared in sand-based recirculating systems. *Aquaculture* 338–341. 253–259.

Eding E.H., A. Kamstra, J.A.J.Verreth, E.A.Huisman, A.Klapwijk. 2006. Design and operation of nitrifying trickling filters in recirculating aquaculture: a review. *Aquaculture Engineering* 3: 234-260.

Effendi, H. 2003. *Telaah Kualitas Air Bagi Pengelolaan Sumberdaya dan Lingkungan Perairan*. Kanisius. 258h.

Effendie, I., M. A. Suprayudi, E.H. Surawidjaja, E. Supriyono, M. Zairin and Sukenda. 2016. Production performance of white shrimp (*Litopenaeus vannamei*) undersea floating net cages with biofloc and periphyton juvenile. AACL *Bioflux*, Volume 9, Issue 4.

Effiendie, I. 2016. Budidaya Intensif Udang Vaname *Litopenaeus vannamei* di Laut: Kajian Lokasi, Fisiologis dan Biokimia. Disertasi. Institut Pertanian Bogor. 104 h.

Erler, D., P. Songsangjinda, T. Keawtawee and K. Chaiyakam. 2007. Nitrogen Dynamics in The Settlement Ponds of a Small-scale Recirculating Shrimp Farm (*Penaeus monodon*) in Rural Thailand. *Aquacult Int* 15:55–66.

Fahrur, M., M.Ch. Undu dan Rachmansyah. 2016. Performa Instalasi Pengolah Air (IPAL) tambak Udang Vaname Superintensif. *Prosiding Forum Inovasi Teknologi Akuakultur*. p. 285-293.

Fang, Sh.Q., X.F. Hu and H. Wu. 2004. Technology of aquaculture waste water treatment and application. *Tecnicas and equipment for environmental pollution control*. 5: 51-55.



- FAO, 2006. International Principles for Responsible Shrimp Farming. Network of Aquaculture Centres in Asia-Pacific (NACA). Bangkok, Thailand. 20 p.
- Food and Agriculture Organization (FAO). 2014. Fishery and Aquaculture Statistics. Roma. 105p.
- Febriwahyudi, Ch.T. dan W. Hadi. 2012. Resirkulasi Air Tambak Bandeng Dengan *Slow Sand Filter*. *Jurnal Teknik Pomits*. Vol. 1, No. 1. 1-5.
- Fua, J.L. 2008. Penurunan Tingkat Pencemaran Limbah Organik Tambak Udang Menggunakan Kerang Darah (*Anadara granosa* L) Sebagai Bioremediator. Tesis. Universitas Gadjah Mada. Yogyakarta.
- Gaber, M.M., E.A. Omar, M. Abdel-Rahim, A.M.Nour, M.A.Zaki, and T.M. Srour. 2012. Effects of Stocking Density and Water Exchange Rates on Growth Performance of Tiger Shrimp, *Penaeus semisulcatus* Cultured in Earthen Ponds. *J Aquacult Res Dev*, 3:6.
- Gomez-Galindo, C. 2000. A Nitrogen-Based Assessment of Aquaculture: Shrimp Farming In Northwest Mexico. Dissertation. The University Of British Columbia. 169p.
- Grepin G. 2010. Impact of aquaculture on environment. e-Bulletin Fisheries and Aquaculture Department (<http://www.fao.org/fishery/topic/14894/en>).
- Gunalan. B., T.S.Nina, P. Soundarapandian, T. Anand. 2011. Nutritive Value of Cultured White Leg Shrimp *Litopenaeus vannamei*. CAS in Marine Biology, Faculty of Marine Sciences, Annamalai University, Parangipettai, Tamil Nadu, India. 166-169.
- Hamsiah, D. Djokosetyianto, E. M. Adiwilaga dan K. Nirmala. 2002. Peranan Keong Bakau *Telescopium telescopium* L., Sebagai Biofilter Dalam Pengelolaan Limbah Budidaya Tambak Udang Intensif. *Jurnal Akuakultur Indonesia*. 1(2):57-63.
- Harán, N., J. Mallo and J. Fenucci. 2004. Density influence on growth and development of the petasma in juvenile shrimps *Pleocarcinus muelleri* (Decapoda, Penaeoidea). *Invest. Mar.* 32, 11–18.
- Hardy, R.W., and D. Gatlin. 2002. Nutritional strategies to reduce nutrient losses in intensive aquaculture. In: Cruz-Suárez, L.E., Ricque-Marie, D., Tapia-Salazar, M., Gaxiola-Cortés, M. G., Simoes, N. (Eds.). Avances en Nutrición Acuícola VI. Memorias del VI Simposium Internacional de Nutrición Acuícola. 3 al 6 de Septiembre del 2002. Cancún, Quintana Roo, México.
- Hargreaves, J.A. 1998. Nitrogen biogeochemistry of aquaculture ponds. *Aquaculture*, 166, 181-212.
- Horowitz, A and S. Horowitz. 2000. Microorganisms and feed management in aquaculture. Global Aquaculture Alliance, *The Advocate*. Vol. 3. Issue 2. p. 33-34.
- Hossain, M.I., A. M. Shahabuddin, M. A. B. Bhuyain, M. A. Mannan, M. N. D. Khan



and R. Ahmed. 2013. Scaling Up of Stocking Density of Tiger Shrimp (*Penaeus monodon*) under Improved Farming System in Khulna Region of Bangladesh. *American Journal of Experimental Agriculture*. 3(4): 839-848.

Islam, M.S., M.J. Sarker., T. Yamamoto., M.A. Wahab and M. Tanaka. 2004 Water and Sediment Quality, Partial Mass Budget and Effluent N Loading in Coastal Brackishwater Shrimp Farms in Bangladesh. *Marine Pollution Bulletin*. 48:471-485.

Kawasaki, N., M. R. M. Kushairi, N. Nagao, F. Yusoff, A. Imai, and A. Kohzu. 2016. Release of Nitrogen and Phosphorus from Aquaculture Farms to Selangor River, Malaysia. *Int. J. Env. Sci. and Dev.*, Vol. 7, No. 2:113-116.

Keawtawee T., K. Fukami, P. Songsangjinda and P. Muangyao. 2012. Nutrient, phytoplankton and harmful algal blooms in the shrimp culture ponds in Thailand. *Kuroshio Science*. 5: 129–136.

Kementerian Kelautan dan Perikanan. 2015. Kelautan dan Perikanan Dalam Angka Tahun 2014. Pusat Data, Statistik dan Informasi. 340 h.

Khodami S, G. Attaran-Fariman, J. Ghasemzadeh and M. Mortazavi 2011. Comparison of different nitrogen compounds in three different environments of the Gwatar shrimp farms complex in the Gwatar Gulf region (Baluchestan-Iran). *Iranian Journal of Fisheries Sciences* 10(4) 663-677.

Khoi, L.V. and R. Fotedar. 2010. Effects of stocking density on the nutrient budget and growth of the western king prawn (*Penaeus latisulcatus*, Kishinouye) in a recirculating aquaculture system. *Aquaculture Research*, 41, 624-633.

Kumar, D.P. and P.V. Krishna. 2015. Survival and Growth Performance of Pacific White Shrimp *Litopenaeus vannamei* (Boone1931) Under Different Stocking Densities. *IOSR Journal of Agriculture and Veterinary Science*. Volume 8, Issue 5 Vol. I, 17-19.

Krummenauer, D., R.O. Cavalli, E.L.C. Ballester and W. Wasielesky. 2010. Feasibility of Pacific white shrimp *Litopenaeus vannamei* culture in southern Brazil: effects of stocking density and a single or a double CROP management strategy in earthen ponds. *Aquaculture Research*. 41, 240-248.

Lazur, A., 2007. *Grow out Pond and Water Quality Management*. JIFSAN Good Aquacultural - Practices Program University of Maryland USA.

Lazzari R and B. Baldisserotto. 2008. Nitrogen and phosphorus waste in fish farming. *B.Inst.Pesca*, Sao Paulo, 34 (4): 591-600.

Lekang, O.I. 2007. *Aquaculture Engineering*. Blackwell Publishing Ltd. 354p.

Lemonnier, H. and R. Brizard. 2001. Number of shrimp crops and shrimp density effects on sediment accumulation on earthen pond bottoms. World Aquaculture Society meeting, January 21–25, 2001, Disney's Coronado Springs Resort Lake Buena Vista, Florida. Book of Abstracts, 365 p.

Lemonnier, H. and S. Faninoz, 2006. Effect of Water Exchange on Effluent and Sediment Characteristics and On Partial Nitrogen Budget in Semi-intensive Shrimp Ponds in New Caledonia. *Aquaculture Research*. Vol. 37, 9 : 938.



Li, X., S. Dong, Y. Lei and Y. Li. 2007. The effect of stocking density of Chinese mitten crab *Eriocheir sinensis* on rice and crab seed yields in rice crab culture systems. *Aquaculture*. 273:487-493.

Lin, Y.F., S.R. Jing, D.Y. Lee, and T.W. Wang. 2002. Nutrient removal from aquaculture waste water using a constructed wetlands system. *Aquaculture*. 209: 169– 184.

Lin, C.K. and Y. Yi. 2003. Minimizing environmental impacts of freshwater aquaculture and reuse of pond effluents and mud. *Aquaculture*. 226:57– 68.

Logsdon, G.S. 2008. *Water Filtration Practices : Including Slow Sand Filters and Precoat Filtration*. 1st Ed. American Water Works Association. 314 p.

Lorena S, V. CristeaV, and L. Oprea. 2008. Nutrients dynamic in an aquaponic recirculating system for sturgeon and lettuce (*Lactuca sativa*) production. *Zootehnie si Biotehnologii*, vol 41:(2). p. 137-143.

Makmur, Rachmansyah, dan M. Fahrur. 2011. Hubungan Antara Kualitas Air dan Plankton di Tambak Kabupaten Tanjung Jabung barat Provinsi Jambi. *Prosiding Forum Inovasi Teknologi Akuakultur*.

Malik, I. 2014. Better Management Practices-Budidaya Udang Vannamei. Seri Panduan Perikanan Skala Kecil Versi 1. Tambak Semi Intensif dengan Instalasi Pengolahan Air Limbah ( IPAL ). WWF Indonesia.

Marinho-Soriano, E., R.A. Panucci, M.A.A. Carneiro, and D.C. Pereira. 2009. Evaluation of *Gracilaria caudata* J. Agardh for bioremediation of nutrients from shrimp farming wastewater. *Bio. Tech.* 100: 6192–6198.

Maryani, D., A. Masduqi dan A. Moesriati. 2014. Pengaruh Ketebalan Media dan Rate filtrasi pada Sand Filter dalam Menurunkan Kekeruhan dan Total Coliform. *Jurnal Teknik Pomits*. Vol. 3, No.2, (2014) ISSN: 2337-3539. p. 76-81.

Mena-Herrera, A., C. Gutierrez-Corona, M. Linan-Cabello and H. Sumano-Lopez. 2006. Effects of Stocking Densities on Growth of the Pacific White Shrimp (*Litopenaeus vannamei*) in Earthen Ponds. *The Israeli Journal of Aquaculture-Bamidgeh*. 58(3), 205-213.

Metcalf dan Eddy. 1991. *Wastewater Engineering Treatment, Disposal, Reuse*. New Delhi: McGraw-Hill Book Company.

Montoya, R. and M. Velasco. 2000. Role of bacteria on nutritional and management strategies in aquacultures systems. Global Aquaculture Alliance. *The Advocate*, Vol. 3, Issue 2. p. 35-38.

Moss, K.K. and S. Moss. 2004. Effects of Artificial Substrate and Stocking Density on the Nursery Production of Pacific White Shrimp *Litopenaeus vannamei*. *Journal of the World Aquaculture Society*. Volume 35, No. 4.

Napaumpaiporn, T., N. Chuchird and W. Taparhudee. 2013. Study on the Efficiency of Three Different Feeding Technique in the Culture of Pacific Shrimp (*Litopenaeus vannamei*). *Kasetsart University Fisheries Research Bulletin*, Vol 37(2). pp. 8-16.

Naranjo-Paramo J., A. Hernandez-Llamas and H. Villarreal. 2004. Effect of stocking



density on growth, survival and yield of juvenile redclaw crayfish *Cherax quadricarinatus* (Decapoda: Parastacidae) in gravel-line commercial nursery ponds. *Aquaculture*. 242, 197–206.

Naylor, R.L., R.J. Goldburg, J.H. Primavera, N. Kautsky, M.C.M. Beveridge, J. Clay C. Folke, J. Lubchenco, H. Mooney, and M. Troell. 2000. Effect of aquaculture on world fish supplies. *Nature*. 405, 1017–1024.

Neal, R.S., S.D. Coyle and J.H. Tidwell. 2010. Evaluation of Stocking Density and Light Level on the Growth and Survival of the Pacific White Shrimp, *Litopenaeus vannamei* Reared in Zero-Exchange Systems. *J. World Aquac. Soc.* Vol. 41, No. 4. 533–544.

Neori, A., T. Chopin, M. Troell, A. Buschmann, G. Kraemer, C. Halling, M. Shpigel and C. Yarish. 2004. Integrated aquaculture: rationale, evolution and state of the art emphasizing seaweed biofiltration in modern mariculture. *Aquaculture*, 231: 361–391.

Nguyen, V. T., S. Momtaz and K. Zimmerman. 2007. Water pollution concerns in shrimp farming in Vietnam: a case study of Can Gio, Ho Chi Minh City. *The International Journal of Environmental, Cultural, Economic and Social Sustainability*, 3(2): 129–136.

Nunez, A. A. C. 2000. Evaluation and Modelling of the Nitrogen and Solid Dynamics in Recirculating Aquaculture Systems. *Disertasi*. University of Puerto Rico. 190 p.

Nur, A. 2011. Manajemen Pemeliharaan Udang Vaname. Direktorat Jenderal Perikanan Budidaya. Balai Besar Pengembangan Budidaya Air Payau Jepara. 40h.

Pantjara, B., E.A. Hendrajat dan H.S. Suwoyo. 2010. Pemanfaatan Biofilter Pada Budidaya Udang Windu di Tambak Marjinal. *Prosiding Forum Inovasi Teknologi Akuakultur*. P. 221–231.

Pedersen LF, I.Karin, K.I.Suhr, J.Dalsgaard, P.B. Pedersen, and E. Arvin. 2012. Effects of feed loading on nitrogen balances and fish performance in replicated recirculating aquaculture systems. *Aquaculture*. 338–341: 237–245.

Perez-Velazquez, M., A. Davis, D. Roy, L. A. and M.L. González-Félix. 2012. Effects of Water Temperature and Na<sup>+</sup>:K<sup>+</sup> Ratio on Physiological and Production Parameters of *Litopenaeus vannamei* Reared in Low Salinity Water. *Aquaculture* 342:13–17.

Poernomo, A. 2004. Teknologi Probiotik untuk Mengatasi Permasalahan Tambak Udang dan Lingkungan Budidaya. Makalah disampaikan pada Simposium Nasional Pengembangan Ilmu dan Inovasi Teknologi dalam Budidaya. Semarang , 27–29 Januari. 2004. 24h.

Preetha, V.V., A. Belayneh, A. Palavesam, G. Immanuel and Z. Tadesse. 2012. Effect of Dietary Nutrient Sources on Nitrogen and Phosphorus Loading from Culture of Tiger Shrimp (*Penaeus monodon*). *J Aquacult Res Dev*. 3:6.

Primavera, J.H. 2004. Overcoming the impacts of aquaculture on the coastal zone.

*Ocean & Coastal Management*, 49: 531–545.

- Rachmansyah, H.S Suwoyo, M.C.Undu dan Makmur. 2006. Pendugaan nutrien budget tambak intensif udang vaname, *Litopenaeus vannamei*. *Jurnal Riset Akuakultur*, 1(2), 181-202.
- Ray, A.J., K.S. Dillon and J.M. Lotz. 2011. Water quality dynamics and shrimp (*Litopenaeus vannamei*) production in intensive, mesohaline culture systems with two levels of biofloc management. *Aquacult. Eng.* 45. 127–136.
- Ruiz-Velazcoa, J.M.J., A. Hernández-Llamasc, and V.M. Gomez-Munoz. 2010. Management of stocking density, pond size, starting time of aeration, and duration of cultivation for intensive commercial production of shrimp *Litopenaeus vannamei*. *Aquacult. Eng.* 43:114–119.
- Rustadi, R. Kuwabara and H.N. Kamiso. 2002. Water Quality and Planktological Approach to Monitor Eutrophication by Cage-Culture of Red Tilapia (*Oreochromis* sp.) at the Sermo Reservoir, Yogyakarta Indonesia. *Asian Fisheries Science*. 15: 135-144.
- Rustadi. 2008. Kelimpahan Plankton dan Pemanfaatannya oleh Ikan Nila Merah dalam Hapa Pemberian dan Pendederan di Waduk Sermo. *Jurnal Perikanan. J.Fish.Sci.* X(1): 20-29.
- Rustadi. 2014. Pemanfaatan Air Limbah Budidaya Tambak Untuk Pembesaran Ikan Nila Merah (*Oreochromis* sp.) di Pesisir Desa Keburuan Kabupaten Purworejo. *Laporan Akhir Hasil*. UGM. 20h.
- Rustadi. 2015. Kajian Kualitas Air dan Kuantifikasi Air Limbah Budidaya Udang Vaname (*Litopenaeus vannamei*) pada Tambak Kolaborasi di Desa Keburuan Kabupaten Purworejo. *Laporan Penelitian Hibah Lab. Akuakultur*. 20h.
- Sahu, B.C., S. Adhikari, A. S. Mahapatra and L. Dey. 2013. Carbon, nitrogen, and phosphorus budget in scampi (*Macrobrachium rosenbergii*) culture ponds. *Environ. Monit. Assess.* 185:10157–1016.
- Samocha, T., M. Addison, L. Lawrence, A. Craig, F.L. Collins, W.A. Castille, C.J. Bray, P.G. Davies, Lee and G., Wood, F. 2004. Production of the Pacific white shrimp, *Litopenaeus vannamei*, in high-density greenhouse- enclosed raceways using low salinity groundwater. *J. Appl. Aquac.* 15, 1–19.
- Saraswathy, R., M. Muralidhar, M. Kailasam, P. Ravichandran, B.P. Gupta, K.K. Krishnani, A.G. Ponniah, J.K. Sundaray, A. Panigrahi and A. Nagavel. 2013. Effect of stocking density on soil, water quality and nitrogen budget in *Penaeus monodon* (Fabricius, 1798) culture under zero water exchange system. *Aquaculture Research*, 44, 1578–1588.
- Schuler, D.J. 2008. Acute Toxicity of Ammonia and Nitrite to White Shrimp (*L. vannamei*) at Low Salinities. *Thesis*. The Virginia Polytechnic Institute and State University. 76p.
- Sivanandavel, P. and P. Soundarapandian, 2010. Effect of stocking density on growth and survival of cage-reared Indian white shrimp *Penaeus indicus* (H.Milne Edwards) at vellar estuary, *Asian J. Agricultural Sci.*, (2).1-4.



Songsangjinda, P. 2004. Integrated physical and biological technologies for water recycling in shrimp farms. In: Promotion of mangrove-friendly shrimp aquaculture in Southeast Asia (pp. 36-49). Tigbauan, Iloilo, Philippines: Aquaculture Department, Southeast Asian Fisheries Development Center.

Songsangjinda, P., T. Yamamoto, K. Fukami and T. Keawtawee. 2006. Importance of controlling community structure of living organism in intensive shrimp culture ponds. *Coast. Mar. Sci.* 30: 91–99.

Sookying, D., F.S.D. Silva, D.A. Davis, and T.R. Hanson. 2011. Effects of stocking density on the performance of Pacific white shrimp *Litopenaeus vannamei* cultured under pond and outdoor tank conditions using a high soybean meal diet. *Aquaculture* 319. pp 232–239.

Sonnenholzner, S. and C.E. Boyd. 2000. Chemical and Physical Properties of Shrimp Pond Bottom Soils in Ecuador. *Journal of the World Aquaculture Society*. Vol. 31, No. 3. p.358-375.

Sowers, A.D. and J.R.Tomasso. 2006. Production characteristics of *Litopenaeus vannamei* in low-salinity water augmented with mixed salts. *J. World Aquac. Soc.* 37, 214–217.

Standar Nasional Indonesia (SNI). 2008. Perencanaan Instalasi Saringan Pasir Lambat. *Badan Standarisasi Nasional*. SNI-033981:2008.

Standar Nasional Indonesia (SNI). 2015. Produksi Udang Vaname (*Litopenaeus vannamei*, Boone 1931) Super Intensif di Tambak Lining. *Badan Standarisasi Nasional*. SNI 8118:2015.

Subandar, A. 2000. Site Selection of Suitable Shrimp Culture the Within An Integrated Coastal Zone Management Framework : Case Study of Sowth Sulawesi Province, Indonesia Center for Coastal Management, School of Resource Science and Management Southern Cross University, Australia PhD *Desertation*. 367 p.

Sun, W. dan C.E. Boyd. 2013. Phosphorus and Nitrogen Budgets for Inland, Saline Water Shrimp Ponds in Alabama. *Fish Aquac J* 2013, 4:1.

Suriya, M., S.Shanmugasundaram, and P. Mayavu. 2016. Stocking density, Survival rate and Growth performance of *Litopenaeus vannamei* - (Boon, 1931) in different cultured shrimp farms. *Int. J. Curr. Res. Biol. Med.* 1(5): 26-32.

Suwoyo, H.S., Gunarto dan Rachmansyah. 2009. Studi Sedimentasi dan Kualitas Substrat Dasar Tambak Intensif Udang Vaname (*Litopenaeus vannamei*). *Prosiding Seminar Nasional Tahun VI Hasil Penelitian Perikanan dan Kelautan Tahun 2009, Jilid I Budidaya Perikanan*. Jurusan Perikanan dan Kelautan, Fakultas Pertanian UGM, Yogyakarta, 25 Juli 2009, hlm. RB-04, 1-16.

Thakur, D.P. and C.K. Lin. 2003. Water quality and nutrient budget in closed shrimp (*Penaeus monodon*) culture systems. *Aquac. Eng.*, 27: 159- 176.

Teichert-Coddington, D.R., D. Martinez and E. Ramirez. 2000. Partial nutrient budgets for semi-intensive shrimp farms in Honduras. *Aquaculture* 190 : 139–154.



Tharavathy, N.C. 2014. Water quality management in shrimp culture. Research Article, *Acta Biologica Indica*, 3(1):536-540.

Triyatmo, B. 2012. Pola Pengembangan Budidaya Perikanan Tambak Berbasis Karakteristik Lingkungan di Pesisir Antara Sungai Bogowonto dan Sungai Jali. *Disertasi*. Yogyakarta. 223h.

Turker, H. A.G. Eversole and D. Brune. 2003. Comparative Nile tilapia and silver carp filtration rates of partitioned aquaculture system phytoplankton. *Aquaculture*, 220: 449–457.

Wasielesky.W.J., L.H. Poersch, L. Jensen and A. Bianchini. 2001. Effect of stocking density on pen-reared pink shrimp *Farfantepenaeus paulensis* (Decapoda, Penaeidae). *Nauplius* 9,163-167.

Widigdo B. 2002. Perkembangan dan Peranan Perikanan dalam Pembangunan. IPB, Bogor.

Widigdo, B. 2013. *Bertambak Udang dengan Teknologi Biocrete*. Penerbit Buku Kompas. 104h.

Widigdo, B. dan Y. Wardiatno. 2013. Dinamika Komunitas Fitoplankton dan Kualitas Perairan di Lingkungan Perairan Tambak Udang Intensif: Sebuah Analisis Korelasi. *Jurnal Biologi Tropis*. Vol.1 3 No. 2.

Williams, A.S., Davis, D.A., and C.R. Arnold. 1996. Density-dependent growth and survival of *Penaeus setiferus* and *Penaeus vannamei* in a semi-closed recirculating system. *J. World Aquac. Soc.* 27, 107–112.

Wyban, J., W.A. Walsh and D.M. Godin. 1995. Temperature effects on growth, feeding rate and feed conversion of the Pacific white shrimp (*Penaeus vannamei*). *Aquaculture*. 138. 267-279.

Xia, L.Z., L.Z. Yang and M.C. Yan. 2004. Nitrogen and Phosphorus Cycling in Shrimp Ponds and the Measures for Sustainable Management. *Environmental Geochemistry and Health*. 26: 245-251.

Yanfeng, C., L. Peng, H.U. Chaoqun and R. Chunhua. 2015. Effect of shrimp (*Litopenaeus vannamei*) farming waste on the growth, digestion, ammonium-nitrogen excretion of sea cucumber (*Stichopus monopterygius*). *Journal of Ocean University of China*, 14(1): 484-490.

Zakai, M. A., A.A. Nour, M. M. Abdel Rahim and T.M. Srour. 2004. Effect of stocking density on survival, growth performance, feed utilization and production of marine shrimp *Penaeus semisulcatus* in earthen ponds, *Egypt. J. Aquat. Res.*, 30. 429-442.

Zar, J.H., 2010. *Biostatistical analysis*, 5<sup>th</sup> ed. Prentice-Hall. Inc., New Jersey. 946 pp.

Zweig, R.D., J.D. Morton, M.M. Stewart. 1999. *Source Water Quality for Aquaculture: a Guide for Assessment*. World Bank, Washington, DC, US.