

DAFTAR PUSTAKA

- Ariefiandy, Achmad, Deni Purwandana, Graeme Coulson, David M Forsyth, Tim S Jessop., 2013. "Monitoring the Ungulate Prey of the Komodo Dragon *Varanus Komodoensis* Distance Sampling or Faecal Counts? *Wildlife Biology* 19 (2): 126–37. doi:10.2981/11-098.
- Ayotte, J. B., Parker, K. L., & Gillingham, M. P. (2008). Use of natural licks by four species of ungulates in Northern British Columbia. *Journal of Mammalogy* (89), 1041-1050.
- Bambang, Y. S. (2000). *Sapi Potong*. Jakarta: Penebar Swadaya.
- Bardsen, B., and J.L. Fox, (2006). "Evaluation of line transect sampling for density estimates of chiru *Pantholops hodgsoni* in the Aru Basin, Tibet." *Wildlife Biology* 12:89-100.
- Bassi, E., E. Donaggio, A. Marcon, M.o Scandura, M. Apollonio (2011). "Trophic niche overlap and wild ungulate consumption by red fox and wolf in a mountain area in Italy." *Mammalian Biology* 77 369–376
- Belgacem, A. O., Tarhouni, M., & Louhaichi, M. (2013). Effect of protection on plant community dynamics in the Mediterranean arid zone of southern Tunisia: a case study from Bou Hedmanational park. *Land Degradation Dev.* , 24, 57–62.
- Bello, Joaquin, Sonia Gallina, and Miguel Equihua. 2001. "Characterization and Habitat Preferences by White-Tailed Deer in Mexico." *Journal Of Range Management* 54 (September): 537–45.
- Bender, L. C., Lomas, L. A., & Kamienski, T. (2007). Habitat Effects on Condition of Doe Mule Deer in Arid Mixed Woodland-Grassland. *60*, 277–284.
- Boano, Giovanni, Mus Civ, St Nat, and P O Box. 2002. "A Line Western Survey Po Of Wintering Of Northern In The Plain Of Northern Italy" *36* (2): 128–35.
- Bongi, P, S Ciuti, M Del Frete, S Simi, D Gandelli, and M Apollonio. 2008. "Anti-Predator Behwolf Areaaviour, Space Use and Habitat Selection in Female Roe Deer during the Fawning Season in a." *Journal of Zoology* 276: 242–51. doi:10.1111/j.1469-7998.2008.00481.x.
- Borkowski, J., & Ukalska, J. (2008). Winter habitat use by red and roe deer in pine-dominated forest. *Forest Ecology and Management* (255), 468-475.
- Bourliere F., Hadley M., 1983. "Present-day savannas: an overview. In: Bourliere F (ed) *Tropical savannas*, vol 13." Elsevier, Amsterdam.
- Bowyer, R Terry, Vernon C Bleich, Kelley M Stewart, Jericho C Whiting, and Kevin L Monteith. 2014. "Density Dependence in UngulateA Review of Causes , and Concepts with Some Clarifications." *California Fish and Game* 100 (3): 550–72.
- Buckland, S.T., A.J. Plumptre, L. Thomas, and E.A. Rexstad (2010), "Line transect sampling of primates: Can animal-to-observer distance method work?" *International Journal of Primatology* 31:485-499.

- Buckland, S.T., J.L. Laake, and D.L. Borchers. 2009. "Double- observer line transect methods: Level of independence." *Biometrics* 66:169-177.
- Brncic, Terry, Bala Amarasekaran, and Anita Mckenna. 2015. "Large Mammal Diversity and Their Conservation in the Human-Dominated Land-Use Mosaic of Sierra Leone," 2417–38. doi:10.1007/s10531-015-0931-7.
- BTNB. (2014). *Rencana Pengelolaan Taman Nasional Baluran Tahun 2014-2023*. Situbondo: Balai Taman Nasional Baluran.
- Chen, Huapeng, Feng Li, Liyang Luo, and Huai Wang. 1999. "Winter Bed-Site Selection by Red Deer *Cervus* and Roe Deer *Capreolus Capreolus* Bedfordi in Forests of Northeastern China" 44 (2): 195–206.
- Chillo, V., D. Rodríguez, R. A. Ojeda, 2010. "Niche partitioning and coexistence between two mammalian herbivores in the Dry Chaco of Argentina." *Acta Oecologica* 36:611-616.
- Collier, Bret A, Robert A McCleery, Kirby W Calhoun, Kim G Roques, and Ara Monadjem. 2011. "Detection Probabilities of Ungulates in the Eastern Swaziland Lowveld" 41 (April): 61–67.
- Coughenour, M., & Singer, F. (2000). *The concept of over- grazing and its application to Yellowstone's northern range. - In: Keiter, R.B. & Boyce, M.S. (Eds.); The Greater Yellow- stone ecosystem. Redefining America's wilderness heritage*. New Haven and London: Yale University Press.
- Deperno, Christopher S, Jonathan A Jenks, and Steven L Griffin. 2003. "Multidimensional Cover Characteristics : Is Variation In Habitat Selection Related To White-Tailed Deer Sexual Segregation ?" *Journal of Mammalogy* 84 (4): 1316–29.
- de Knegt, H. J., Groen, T. A., Van de Vijver, C. A., Prins, H. T., & Van Langevelde, L. (2008). Herbivores as architects of savannas: inducing and modifying spatial vegetation patterning. *117*, 543-554.
- Djufri. 2004. "Acacia Nilotica (L .) Willd . Ex Del . Dan Permasalahannya Di Taman Nasional Baluran Jawa Timur." *Biodiversitas* 5 (2): 96–104. doi:10.13057/biodiv/d050211.
- Djufri. (2013). Penurunan Kualitas Savana Bekol sebagai Feeding Ground bagi Rusa (*Cervus timorensis*) dan Banteng (*Bos javanicus*) di Taman Nasional Baluran Jawa Timur.
- Feldhamer, G., Drickamer, L., Vessey, S., Merritt, J., & Krajewski, C. (2007). *Mammalogy: Adaptation, Diversity, Ecology*. Baltimore, MD: Johns Hopkins University Press.
- Ferrari, Stephen F., Renata R.D. Chgas, and O Pedro Souza-alves. 2010. "Line Transect Surveying of Arboreal Monkeys Problems of Group Size and Spread in a Highly Fragmented Landscape" 1107 (December 2009): 1100–1107. doi:10.1002/ajp.20873.
- Fischer, J., Brosi, B., Daily, G. C., Ehrlich, P. R., Goldman, R., Goldstein, J., "Should agricultural policies encourage land sparing or wildlife-friendly farming?" *Frontiers in Ecology and the Environment* 6 (2008)., 380–385
- Foley, J. A., De Fries, R., & Asner, G. P. (2005). Global consequences of land use. *Science* ,

309, 570-74.

- Fonkwo, N.S., T.E. Angwafo, and M. Mbida, "Abundance and distribution of large mammals in the Bakossi landscape area, Cameroon." *Journal of Soil Science and Environmental Management* 2(2011):43-48.
- Fox, M. W. (1984). *The Whistling Hunter : The Field Study of Asiatic Wild Dog (*Cuon alpinus*)*. New York: State University of New York Press.
- Friedl, M. A., D. K. McIver, J. C. F. Hodges., "Global land cover mapping from MODIS: Algorithms and early results." *Remote Sensing of Environment* 83 (2002), 287–302.
- Frost, P. H., Medina, E., Menaut, C., Solbrig, O., Swift, M., & Walker, B. H. (1986). *Response of Savannas to Stress and Disturbance*. Paris: Biology International Special.
- Gaillard, J, N G Yoccoz, A Loison, and C To. 2000. "Components And Population Dynamics Of Large Herbivores."
- Gaillard, J., Festa-Bianchet, M., Yoccoz, N., Loison, A., & Toigo, C. (2000). Temporal variation in fitness components and population dynamics of large herbivore. *Annual Review of Ecology and Systematics* (31), 367-393.
- Groom, Rosemary J, and David Western. 2013. "Impact of Land Subdivision and Sedentarization on Wildlife in Kenya's Southern Rangelands." *Rangeland Ecology & Management* 66 (1): 1–9. doi:10.2111/REM-D-11-00021.1.
- Gudmundsson, O., & Bement, R. (1986). *Gudmundsson, O. (Ed.); Grazing research at northern latitudes*. New York and London: Plenum Press.
- Hall, Graham P., and Kate P. Gill. 2005. "Management of Wild Deer in Australia Author (S): Graham P . Hall and Kate P . Gill Published by Wiley on Behalf of the Wildlife Society Stable URL <http://www.jstor.org/stable/3803325>." *Journal of Wildlife Management* 69 (3): 837–44.
- Hedges, S., Duckworth, J. W., Timmins, R., Semiadi, G., & Dryden, G. (2015). *Rusa timorensis*.
- Henley, T. A. (1996). Potential role of deer (Cervidae) as ecological indicators of forest management. 88 (1-2), 199-204.
- Holmes, K., Jenkins, K. J., Mahalin, P., & Berini, J. (2011). "*Cervidae*" (On-line). Animal Diversity Web. Accessed December 31, 2017 at <http://animaldiversity.org/accounts/Cervidae/>.
- Horncastle, Valerie J, R Fenner Yarborough, Brett G Dickson, and S Steven. 2018. "Summer Habitat Use by Adult Female Mule Deer in a Restoration-Treated Ponderosa" 37 (4): 707–13. doi:10.1002/wsb.301.
- House, J.I., Archer, S., Breshears, D.D., Scholes, R.J., Coughenour, M.B., Dodd, M.B., et al., " *Conundrums in mixed woody-herbaceous plant systems*." *J. Biogeogr* 30 (2008). 1763–1777.
- Huffman, B. (2010). "*Cervidae*" (On-line). Ultimate Ungulate. Accessed May 17, 2016 at <http://www.ultimateungulate.com/cetartiodactyla/Cervidae.html>.

- Huffman, B. (1999). "*Sunda Sambar, Rusa Deer*" (*On-line*) . Accessed November 28, 2017 at <http://www.ultimateungulate.com/rusadeer.html>.
- Kairis, O., Karavitis, C., Salvati, L., Kounalaki, A., & Kosmas, K. (2015). Exploring the impact of overgrazing on soil erosion and land degradation in a dry Mediterranean Agro-Forest Landscape (Crete, Greece). 3.
- Kauffman, J. B., & Pike, D. A. (2001). *Range ecology, global livestock influences Encyclopedia of Biodiversity* (Vol. 5). San Diego CA: Academic.
- Kayat, Pudyatmoko, S., Maksum, M., & Imron, M. A. (2017). Potensi Konflik Penggembalaan Kuda pada Habitat Rusa Timor (*Rusa timorensis* Blainville 1822) di Kawasan Tanjung Torong Padang, Nusa Tenggara Timur. 11.
- Kennedy, J. F., Jenks, J. A. and Jenkins, K. J. (1995) 'Characteristics of Mineral Licks Used by White-Tailed Deer (*Odocoileus virginianus*)', 134(2), pp. 324–331.
- Kii, W Yape, and G Mcl Dryden. 2005. "Water Consumption by Rusa Deer (*Cervus Timorensis*) Stags as Infl Uenced by Different Types of Food," no. 1998: 83–88.
- Kosmas, C, C Ritsema, L Salvati, S Acikalin, M Alcalá, V Fassouli, W Fei, et al. 2014. "Evaluation and Selection of Indicators for Land Degradation and Desertification Monitoring : Types of Degradation , Causes , and Implications for Management," 971–82. doi:10.1007/s00267-013-0110-0.
- Krausman, By Paul R, David E Naugle, Michael R Frisina, Rick Northrup, Vernon C Bleich, William M Block, Mark C Wallace, and Jeffrey D Wright. 2009. "Livestock Grazing , Wildlife Habitat , and Rangeland Values." *Society for Range Management Livestock*, 15–19.
- Krebs, C. J., "Ecological Methodology." New York : Harper & Row Publisher, 1989.
- Krebs, C.J., N.B. Davies., "An Introduction to Behavioral Ecology 3rd Edition" Main Street, Malden, Blackwell Publishing, 1993.
- Kumara, H.N., S. Rathnakumar, R. Sasi, and M. Singh, "Conservation status of wild mammals in Bilgiri Rangaswamy Temple Wildlife Sanctuary, the Western Ghats, India." *Current Science* 103(2012):933-940.
- Levy, Ofir, Tamar Dayan, Warren P Porter, and Noga Kronfeld-Schor. 2018. "Time and Ecological Resilience: Can Diurnal Animals Compensate for Climate Change by Shifting to Nocturnal Activity?" *Ecological Society of America Time*, no. November: 1–21. doi:10.1002/ecm.1334.
- Luiselli, Luca, "Food niche overlap between sympatric potential competitors increases with habitat alteration at different trophic levels in rain-forest reptiles (omnivorous tortoises and carnivorous viper)." *Journal of Tropical Ecology* (2006) 22:695-704
- Long, Ryan A, John G Kie, R Terry Bowyer, and Mark A Hurley. 2009. "Resource Selection and Movements by Female Mule Deer *Odocoileus Hemionus*: Effects of Reproductive Stage" 298: 288–98. doi:10.2981/09-003.
- Long, J. L. (2003). *Introduced Mammals of the World : Their History, Distribution and Influence*. Oxon, UK: CSIRO Publishing.

- Masy'ud, B., Kusuma, I. H., & Rachmadani, Y. (2008). Potensi vegetasi pakan dan efektivitas perbaikan habitat rusa timor (*Rusa timorensis*, de Blainville 1822) di Tanjung Pasir Taman Nasional Bali Barat. *13* (2).
- McArthur, C., Banks, P. B., Boonstra, R., & Forbey, J. S. (2014). The dilemma of foraging herbivores: dealing with food and fear. *176* (3), 67-89.
- McComb, B. C. (2008). *Wildlife Habitat Management : Concept and Application in Forestry*. Boca Raton: CRC Press.
- McCullough, D. (1999). Density dependence and life-history strategies of ungulates. *Journal of Mammalogy* , *80*, 1130-1146.
- Mishra, C., Van Wierren, S. E., Ketner, P., Heitkonig, M. A., & Prins, H. H. (2004). Competition between domestic livestock and wild bharal, *Pseudois nayaur*, in the Indian Trans-Himalaya. (41), 344-354.
- Monteith, K., Bleich, V., Stephenson, T., Pierce, B., Conner, M., Kie, J., et al. (2014). Life-history characteristics of mule deer: effects of nutrition in a variable environment. *Wildlife Monographs* (186), 1-56.
- Morrison, M. L. (2002). *Wildlife Restoration : Technique for Analysis and Habitat monitoring*. Washington DC, USA: Island Press.
- Murray, I. W., A. Fuller, H. M. Lease, D. Mitchell, R. S. Hetem, "Ecological niche separation of two sympatric insectivorous lizard species in the Namib Desert." *Journal of Arid Environments* 124 (2016) 225-232
- Mysterud, A., Yoccoz, N., Stenseth, N., & Langvatn, R. (2001). The effects of age, sex and density on body weight of Norwegian red deer : evidence of density dependence senescence. *Proceeding Royal Society of London , B* (286), 911-919.
- Mysterud, Atle. 2006. "CURRENT MANAGEMENT The Concept of Overgrazing and Its Role in Management of Large Herbivores" 2.
- Mysterud, A. 2014. "Bed Site Selection by Adult Roe Deer *Capreolus Capreolus* in Southern Norway during Summer," no. June 1996. doi:10.2981/wlb.1996.038.
- Naughton-Treves, L., Holland, M. B. & Brandon, K.," *The role of protected areas in conserving biodiversity and sustaining local livelihoods.*" *Annual Review of Environment and Resources* 30 (2005) 219-252.
- Noon, B.R. 1981. "Techniques for sampling avian habitats." In *The Use of Multivariate Statistic in Studies of Wildlife Habitat*, by D.E. Capen. Rocky Mountain Forest and Range Experiment Station, Fort Collins: U.S. Department of Agriculture, Forest Service, General Technical Report RM-87.
- Nurvianto, S., Imron, M. A., & Herzog, S. (2016). The Feeding habit of Pack Living Canid Dhole (*Cuon alpinus*) in a dry deciduous Forest of East Java. 8.
- Oyo, T. Hidayat, Ida Heliati, and Ihat Solihat. 1997. "Teknik Budidaya Rumput *Brachiaria*." In *Lokakarya Fungsional Non Peneliti*.

- Pairah. (2007). *Tumpang tindih relung ekologis Banteng (*Bos javanicus*, d'Alton 1823) dan Rusa Timor (*Rusa timorensis*, Blainville 1822) di padang penggembalaan Sadengan, Taman Nasional Alas Purwo, Jawa Timur*. Universitas Gadjah Mada, Yogyakarta, Thesis.
- Peek, J. M., Scott, M. D., Nelson, M. J., & Pierce, D. J. (1982). Role of cover in habitat management for big game in northwestern United States. *Transactions of North American Wildlife and Natural Resources Conference* (47), 363-373.
- Pettorelli, N., Mysterud, A., Yoccoz, N. G., Langvatn, R., & Stenseth, N. C. (2005). Importance of climatological downscaling and plant phenology for red deer in heterogeneous landscapes. *Proceedings of the Royal Society Biological Sciences*, 272, 2357-2364.
- Phillips, K. (2007). *A Field Guide of the Mammals of Borneo*. Sabah, Malaysia: The Sabah Society.
- Poling, T. D., S. E. Hayslette, "Dietary Mourning Overlap Doves and and Foraging Eurasian Competition Between Collared-Doves." *The Journal of Wildlife Management* Vol. 70, No. 4 (2006), pp. 998-1004.
- Pudyatmoko, S., and Djuwantoko, "Sex ratio, herd size and composition and sexual segregation in Banteng in the Baluran National Park, Indonesia." *Journal of Biological Science* 6(2006): 370-374.
- Pudyatmoko, S., Djuwantoko, and Y. Sabarno, "Evidence of banteng (*Bos javanicus*) decline in Baluran National Park, Indonesia ." *Journal of Biological Science* 6(2007):854-859.
- Pudyatmoko, Satyawan. 2017. "Free-Ranging Livestock Influence Species Richness , Occupancy , and Daily Behaviour of Wild Mammalian Species in Baluran National Park , Indonesia." *Mammalian Biology* 86. Elsevier GmbH: 33-41. doi:10.1016/j.mambio.2017.04.001.
- Pudyatmoko, Satyawan, Arief Budiman, and Stein Kristiansen. 2018. "Forest Policy and Economics Towards Sustainable Coexistence: People and Wild Mammals in Baluran National Park , Indonesia." *Forest Policy and Economics* 90 (November 2017). Elsevier: 151-59. doi:10.1016/j.forpol.2018.02.006.
- Purnomo, D. W. (2010). A habitat selection model for Javan Deer (*Rusa Timorensis*) in Wanagama I Forest, Yogyakarta. 2, 84-89 .
- Rahman, Dede Aulia, Georges Gonzalez, Mohammad Haryono, Aom Muhtarom, Asep Yayus Firdaus, and Stephane Aulagnier. 2017. "Factors Affecting Seasonal Habitat Use , and Predicted Range of Two Tropical Deer in Indonesian Rainforest." *Acta Oecologica* 82: 41-51. doi:10.1016/j.actao.2017.05.008.
- Reyes, E. (2001). "*Rusa timorensis*" (On-line). Animal Diversity Web. Accessed January 21, 2017 at http://animaldiversity.org/accounts/Rusa_timorensis/.
- Ridgway, Mark S. 2010. "Line Transect Distance Sampling in Aerial Surveys for Double-Crested Cormorants in Coastal Regions of Lake Huron." *Journal of Great Lakes Research* 36 (3). Elsevier B.V.: 403-10. doi:10.1016/j.jglr.2010.06.003.

- Ringvall, A., G.P. Patil, and C. Taillie, "A field test of surveyors' influence on estimates in line transect sampling." *Forest Ecology and Management* 137(2000):103-111.
- Rodgers, A.R., C. Hutchison, and M.S. Simpson. 2008. *Methods for sampling small mammals and their habitats in Boreal Mixedwoods*. Thunder Bay, Ontario, Canada: CNFER Technical Report TR-001. Ontario Ministry of Natural Resources, Centre for Northern Forest Ecosystem Research.
- Sabarno, M yusuf. 2002. "Savana Taman Nasional Baluran." *Biodiversitas* 3 (1): 207–12. doi:10.13057/biodiv/d030107.
- Sams, M. G., Lochmiller, R. L., Qualls, C. W., Leisle, D. M., & Payton, M. E. (1996). Physiological correlates of neonatal mortality in an overpopulated herd of white-tailed deer. *Journal of Mammalogy* (77), 179-190.
- Santosa, Yanto, Diah Auliyani, and Agus Priyono Kartono. 2008. "(Estimation The Growth Model and Population Spatial Distribution of Timor Deer - Cervus." *Media Konservasi* 13 (1): 1–7.
- Sawadogo, L., Tiveau, D., & Nygård, R. (2005). Influence of selective tree cutting, livestock and prescribed fire on herbaceous biomass in the savannah woodlands of Burkina Faso, West Africa. *Agriculture, Ecosystems, and Environment*, 105, 335–345.
- Schieltz, J. M., & Rubenstein, D. I. (2016). Evidence based review: positive versus negative effects of livestock grazing on wildlife . What do we really know? Evidence based review : positive versus negative effects of livestock grazing on wildlife . What do we really know ? *Environ. Res. Lett.*, (11).
- Schlutz, S. R., & Johnson, M. K. (1992). Use of artificial mineral licks by white-tailed deer in Louisiana. *Journal of Range Management* (45), 546-548.
- Schroder, T. (1976). *Deer in Indonesia*. Wageningen: Nature Conservation Department, Agricultural University.
- Semiadi, G. (2004). *Biologi Rusa Bawean (Axis kuhlii)*. Bogor, Indonesia: Pusat Biologi LIPPI Press.
- Semiadi, G. (2006). *Biologi Rusa Tropis*. Cibinong: Pusat Penelitian Biologi, Lembaga Ilmu Pengetahuan Indonesia.
- Shaw, J. H. (1985). *Introduction to Wildlife Management*. New York: McGraw-Hill Book Company.
- Shrestha, Mahendra Kumar. 2004. "Relative Ungulate Abundance In A Fragmented Landscape : Implications For Tiger Conservation." *The Faculty Of The Graduate School Of The University Of Minnesota*.
- Spaggiari, J., and M. De Garine-Wichatitsky. 2006. "Home Range and Habitat Use of Introduced Rusa Deer (*Cervus Timorensis Russa*) in a Mosaic of Savannah and Native Sclerophyll Forest of New Caledonia." *New Zealand Journal of Zoology* 33 (3): 175–83. doi:10.1080/03014223.2006.9518442.
- Spaggiari, J, and M De Garine Wichatitsky. 2010. "Home Range and Habitat Use of Introduced Rusa Deer (*Cervus Timorensis Russa*) in a Mosaic of Savannah and Native

- Sclerophyll Forest of New Caledonia” 4223. doi:10.1080/03014223.2006.9518442.
- Solbrig, O. T., Medina, E., & Silva, J. F. (1995). *Biodiversity and Savana Ecosystem Processes*. London: Springer.
- Strand, O., Bevenger, K., & Falldorf, I. (2006). *Strand, O., Bevanger, K., Falldorf, T., 2006. Wild Reindeer Habitat Use at Hardan- gervidda: Final Report from the Hw7 Project*. Trondheim, Norway: NINA Rapport.
- Thoisy, Benoît De. (2000) “Line transects: Sampling application to a French Guianan rainforest.” *Mammalia* 64:101-112.
- Thoisy, Benoît De, Sébastien Brosse, and Marc A Dubois. 2008. “Assessment of Large-Vertebrate Species Richness and Relative Abundance in Neotropical Forest Using Line- Transect Censuses: What Is the Minimal E V Ort Required? 1 C,” 2627 –44. doi:10.1007/s10531-008-9337-0.
- Thomas, L., R. Williams, and D. Sandilands, “Designing line transect survey for complex survey regions.” *Journal of Cetacean Research and Management* 9(2007):1-13.
- Tokeshi, M. (1999). *Species coexistence. Ecological and evolu- tionary perspectives*. Oxford: Blackwell Science Ltd.
- Tull, J. C., & Krausman, P. R. (2007). Habitat Use Of A Fragmented Landscape By Females Population Of Desert Mule Deer. *51* (1).
- Tumber, J. C., Makalew, A., Salendu, A. H., & Endoh, E. K. (2014). Analisis Keuntungan Pemeliharaan Ternak Sapi Di Kecamatan Suluun Tareran Kabupaten Minahasa Selatan. *34*, 18-26.
- Usieta, H.O., S.A. Manu, and U. Ottoson, “Farmland conservation in West Africa: How do hedgerow characteristics affect bird species richness?” *Bird Study* 60(2013):102-110.
- Valenti, MW, MV Cianciaruso, and MA Batalha. 2008. “Seasonality of Litterfall and Leaf Decomposition in a Cerrado Site.” *Ecology* 68 (3): 459–65.
- Varman, K.S., and R. Sukumar, “The line transect method for estimating densities of large mammals in a tropical deciduous forest: An evaluation of models and field experiments.” *Journal of Biosciences* 20(1995):273-287.
- Wanyama, F., R. Muhabwe, A.J. Plumtre, C.A. Chapman, and J.M. Rothman, “Censusing large mammals in Kibale National Park: evaluation of the intensity of sampling required to determine change.” *African Journal of Ecology* 48(2009):953-961.
- Wells, M., Brandon K., “*People and parks: linking protected area management with local communities*.” Washington DC: TheWorld Bank, World Wildlife Fund and U.S. Agency for International Development, 1990.
- Wianti, Kristiani Fajar. 2014. “Land Tenure Conflict in The Middle of Africa van Java (Baluran National Park).” *Procedia Environmental Sciences* 20. Elsevier B.V.: 459–67. doi:10.1016/j.proenv.2014.03.058.
- Widyastuti, S.M., Sumardi., “Dasar-Dasar Perlindungan Hutan.” Yogyakarta, Gadjah Mada University, 2007.

- Wiemers, Dean W, Timothy E Fulbright, David B Wester, J Alfonso Ortega-s, G Allen, David G Hewitt, Mickey W Hellickson, et al. 2014. "Role of Thermal Environment in Habitat Selection by Male White-Tailed Deer during Summer in Texas , USA Role of Thermal Environment in Habitat Selection by Male White-Tailed Deer during Summer in Texas , USA." *Wildlife Biology* 20 (1): 47–56. doi:10.2981/wlb.13029.
- Wilson, Allan D, and Neil D Macleod. 1991. "Overgrazing: Present or Absent ?" *Journal of Range Management* 44 (5).
- Wilson, D. E., & Reeder, D. M. (2005). *Mammal Species of the World: A Taxonomic and Geographic Reference (3rd ed.)*. Maryland: Johns Hopkins University Press.
- Zhang, M., Liu, Z., & Teng, L. (2013). Seasonal habitat selection of the red deer (*Cervus elaphus alxaicus*) in the Helan Mountains, China. *ZOOLOGIA* , 30, 24–34.
- Zielinski, W. J., N. P. Duncan, "Diets of Sympatric Populations of American Martens (*Martes Americana*) and Fishers (*Martes Pennanti*) in California." *Journal of Mammalogy*, 85(2004):470-477