



DAFTAR PUSTAKA

- Atadashi, I.M., Aroua, M.K., Aziz, A.R.A., and Sulaiman, N.M.N., 2013, The effects of catalysts in biodiesel production : A review, *J. Ind. Eng. Chem.*, 19, 14–26.
- Banković-Ilić, I.B., Miladinović, M.R., Stamenković, O.S., and Veljković, V.B., 2017, Application of nano CaO-based catalysts in biodiesel synthesis, *Renew. Sustain. Energy Rev.*, 72, 746–760.
- Bet-Moushoul, E., Farhadi, K., Mansourpanah, Y., Nikbakht, A.M., Molaei, R., and Forough, M., 2016, Application of CaO-based/Au nanoparticles as heterogeneous nanocatalysts in biodiesel production, *Fuel*, 164, 119–127.
- Chouhan, A.P.S. and Sarma, A.K., 2011, Modern heterogeneous catalysts for biodiesel production : A comprehensive review, *Renew. Sustain. Energy Rev.*, 15, 4378–4399.
- Chuah, L.F., Bokhari, A., Yusup, S., Klemeš, J.J., Abdullah, B., and Akbar, M.M., 2016, Optimisation and Kinetic Studies of Acid Esterification of High Free Fatty Acid Rubber Seed Oil, *Arab. J. Sci. Eng.*, 41, 2515–2526.
- Colombo, K., Ender, L., and Barros, A.A.C., 2017, The study of biodiesel production using CaO as a heterogeneous catalytic reaction, *Egypt. J. Pet.*, 26, 341–349.
- Devyatkov, S.Y., Zinnurova, A. Al, Aho, A., Kronlund, D., Peltonen, J., Kuzichkin, N. V., et al., 2016, Shaping of Sulfated Zirconia Catalysts by Extrusion: Understanding the Role of Binders, *Ind. Eng. Chem. Res.*, 55, 6595–6606.
- Eom, H.J., Kim, M.S., Lee, D.W., Hong, Y.K., Jeong, G., and Lee, K.Y., 2015, Zirconia catalysts (ZrO₂ and Na-ZrO₂) for the conversion of phenethylphenyl ether (PPE) in supercritical water, *Appl. Catal. A Gen.*, 493, 149–157.
- Essamlali, Y., Amadine, O., Larzek, M., Len, C., and Zahouily, M., 2017, Sodium modified hydroxyapatite : Highly efficient and stable solid-base catalyst for biodiesel production, *Energy Convers. Manag.*, 149, 355–367.
- Farcăsiu, D., Li, J.Q., and Cameron, S., 1997, Preparation of sulfated zirconia catalysts with improved control of sulfur content II. Effect of sulfur content on physical properties and catalytic activity, *Appl. Catal. A Gen.*, 154, 173–184.
- Hajjari, M., Tabatabaei, M., Aghbashlo, M., and Ghanavati, H., 2017, A review on the prospects of sustainable biodiesel production: A global scenario with an emphasis on waste-oil biodiesel utilization, *Renew. Sustain. Energy Rev.*, 72, 445–464.
- Hannink, R.H.J., Kelly, P.M., and Muddle, B.C., 2004, Transformation Toughening in Zirconia-Containing Ceramics, *J. Am. Ceram. Soc.*, 83, 461–487.



- Hayyan, A., Mjalli, F.S., Hashim, M.A., Hayyan, M., AlNashef, I.M., Al-Wahaibi, T., and Al-Wahaibi, Y.M., 2014, A Solid Organic Acid Catalyst for the Pretreatment of Low-Grade Crude Palm Oil and Biodiesel Production, *Int. J. Green Energy*, 11, 129–140.
- Jia, R., Ren, J., Liu, X., Lu, G., and Wang, Y., 2014, Design and synthesis of sulfonated carbons with amphiphilic properties, *J. Mater. Chem. A*, 2, 11195–11201.
- Jin, T., Yamaguchi, T., and Tanabe, K., 1986, Mechanism of acidity generation on sulfur-promoted metal oxides, *J. Phys. Chem.*, 90, 4794–4796.
- Knothe, G., 2000, Monitoring a progressing transesterification reaction by fiber-optic near infrared spectroscopy with correlation to ¹H nuclear magnetic resonance spectroscopy, *J. Am. Oil Chem. Soc.*, 77, 489–493.
- Lestari, M., 2017, Katalis Heterogen SO₄/ZrO₂ dan Na₂O/ZrO₂: Preparasi, Karakterisasi, dan Aplikasinya untuk Konversi *Low Grade Crude Palm Oil* menjadi Biodiesel, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Li, Y., He, D., Zhu, Q., Zhang, X., and Xu, B., 2004, Effects of redox properties and acid-base properties on isosynthesis over ZrO₂-based catalysts, *J. Catal.*, 221, 584–593.
- Li, Y., Ye, B., Shen, J., Tian, Z., Wang, L., Zhu, L., et al., 2013, Optimization of biodiesel production process from soybean oil using the sodium potassium tartrate doped zirconia catalyst under Microwave Chemical Reactor, *Bioresour. Technol.*, 137, 220–225.
- Mahesh, S.E., Ramanathan, A., Begum, K.M.M.S., and Narayanan, A., 2015, Biodiesel production from waste cooking oil using KBr impregnated CaO as catalyst, *Energy Convers. Manag.*, 91, 442–450.
- Mansir, N., Teo, S.H., Rashid, U., Saiman, M.I., Tan, Y.P., Alsultan, G.A., and Taufiq-Yap, Y.H., 2018, Modified waste egg shell derived bifunctional catalyst for biodiesel production from high FFA waste cooking oil. A review, *Renew. Sustain. Energy Rev.*, 82, 3645–3655.
- Murad, A.M., Vianna, G.R., Machado, A.M., Da Cunha, N.B., Coelho, C.M., Lacerda, V.A.M., et al., 2014, Mass spectrometry characterisation of fatty acids from metabolically engineered soybean seeds, *Anal. Bioanal. Chem.*, 406, 2873–2883.
- Muthu, H., SathyaSelvabala, V., Varathachary, T.K., Kirupha Selvaraj, D., Nandagopal, J., and Subramanian, S., 2010, Synthesis of biodiesel from Neem oil using sulfated zirconia via tranesterification, *Brazilian J. Chem. Eng.*, 27, 601–608.
- Näfe, H. and Karpukhina, N., 2007, Na-Modified Cubic Zirconia—Link Between Sodium Zirconate and Zirconia in the Na₂O–ZrO₂ Phase Diagram, *J. Am. Ceram. Soc.*, 90, 1597–1602.



- Navio, J.A., Colón, G., Sánchez-Soto, P.J., and Macias, M., 1997, Effects of H₂O₂ and SO₄²⁻ Species on the Crystalline Structure and Surface Properties of ZrO₂ Processed by Alkaline Precipitation, *Chem. Mater.*, 9, 1256–1261.
- Noh, H.-J., Seo, D.-S., Kim, H., and Lee, J.-K., 2003, Synthesis and crystallization of anisotropic shaped ZrO₂ nanocrystalline powders by hydrothermal process, *Mater. Lett.*, 57, 2425–2431.
- Ouyang, F., Nakayama, A., Tabada, K., and Suzuki, E., 2000, Infrared Study of a Novel Acid–Base Site on ZrO₂ by Adsorbed Probe Molecules. I. Pyridine, Carbon Dioxide, and Formic Acid Adsorption, *J. Phys. Chem. B*, 104, 2012–2018.
- Pan, Y., Zhang, J., Xu, Y., Gao, Y., Chen, Z., and Wang, J., 2016, A facile one-pot hydrothermal process to synthesize sulfonated mesoporous ZrO₂, *J. Porous Mater.*, 23, 489–495.
- Pavia, D.L., Lampman, G.M., Kriz, G.S., and Vyvyan, J.A., 2009, Introduction to Spectroscopy, Cengage Learning, Belmont.
- Pirez, C., Tapia Reche, M., Lee, A.F., Manayil, J.C., Dos-Santos, V.C., and Wilson, K., 2015, Hydrothermal Saline Promoted Grafting of Periodic Mesoporous Organic Sulfonic Acid Silicas for Sustainable FAME Production, *Catal. Letters*, 145, 1483–1490.
- Popova, M., Szegedi, Á., Lazarova, H., Dimitrov, M., Kalvachev, Y., Atanasova, G., et al., 2017, Influence of the preparation method of sulfated zirconia nanoparticles for levulinic acid esterification, *React. Kinet. Mech. Catal.*, 120, 55–67.
- Pua, F., Fang, Z., Zakaria, S., Guo, F., and Chia, C., 2011, Direct production of biodiesel from high-acid value Jatropha oil with solid acid catalyst derived from lignin, *Biotechnol. Biofuels*, 4, 56–63.
- Qiu, F., Li, Y., Yang, D., Li, X., and Sun, P., 2011, Heterogeneous solid base nanocatalyst: Preparation, characterization and application in biodiesel production, *Bioresour. Technol.*, 102, 4150–4156.
- Rabee, A., Manayil, J., Isaacs, M., Parlett, C., Durndell, L., Zaki, M., Lee, A., Wilson, K., 2018, On the Impact of the Preparation Method on the Surface Basicity of Mg–Zr Mixed Oxide Catalysts for Tributyrin Transesterification, *Catalysts*, 8, 228–241.
- Ropero-Vega, J.L., Aldana-Pérez, A., Gómez, R., and Niño-Gómez, M.E., 2010, Sulfated titania [TiO₂/SO₄²⁻]: A very active solid acid catalyst for the esterification of free fatty acids with ethanol, *Appl. Catal. A Gen.*, 379, 24–29.
- Sambanthamurthi, R., Sundram, K., and Tan, Y.A., 2000, Chemistry and biochemistry of palm oil, *Prog. Lipid Res.*, 39, 507–558.
- Santório, R., Veloso, C.D.O., and Henriques, C.A., 2016, Chemical Preparation,



basic properties and catalytic activity of Mg/La and Al/La catalysts for biodiesel production from refined and acid soybean oil, *J. Mol. Catal. A. Chem.*, 422, 234–247.

Saravanan, K., Tyagi, B., and Bajaj, H.C., 2012, Esterification of caprylic acid with alcohol over nano-crystalline sulfated zirconia, *J. Sol-Gel Sci. Technol.*, 62, 13–17.

Sayılkın, F., Asiltürk, M., Burunkaya, E., and Arpaç, E., 2009, Hydrothermal synthesis and characterization of nanocrystalline ZrO₂ and surface modification with 2-acetoacetoxyethyl methacrylate, *J. Sol-Gel Sci. Technol.*, 51, 182–189.

Shah, K.A., Parikh, J.K., and Maheria, K.C., 2014, Optimization Studies and Chemical Kinetics of Silica Sulfuric Acid-Catalyzed Biodiesel Synthesis from Waste Cooking Oil, *BioEnergy Res.*, 7, 206–216.

Shi, G., Yu, F., Wang, Y., Pan, D., Wang, H., and Li, R., 2016, A novel one-pot synthesis of tetragonal sulfated zirconia catalyst with high activity for biodiesel production from the transesterification of soybean oil, *Renew. Energy*, 92, 22–29.

Sohn, J.R., Kim, H.W., Park, M.Y., Park, E.H., Kim, J.T., and Park, S.E., 1995, Highly active catalyst of NiO-ZrO₂ modified with H₂SO₄ for ethylene dimerization, *Appl. Catal. A. Gen.*, 128, 127–141.

Sohn, J.R., Lee, S.H., and Lim, J.S., 2006, New solid superacid catalyst prepared by doping ZrO₂ with Ce and modifying with sulfate and its catalytic activity for acid catalysis, *Catal. Today*, 116, 143–150.

Sohn, J.R. and Seo, D.H., 2003, Preparation of new solid superacid catalyst, zirconium sulfate supported on γ -alumina and activity for acid catalysis, *Catal. Today*, 87, 219–226.

Song, S.X. and Kydd, R.A., 1998, Activation of sulfated zirconia catalysts Effect of water content on their activity in n-butane isomerization, *J. Chem. Soc. - Faraday Trans.*, 94, 1333–1338.

Srinivasan, R., Sparks, D.E., and Davis, B.H., 1996, State of platinum in zirconia and sulfated zirconia catalysts, *Catal. Letters*, 40, 167–173.

Sturt, N.R.M., Vieira, S.S., and Moura, F.C.C., 2019, Catalytic activity of sulfated niobium oxide for oleic acid esterification, *J. Environ. Chem. Eng.*, 7, 102866.

Sun, Y., Ma, S., Du, Y., Yuan, L., Wang, S., Yang, J., et al., 2005, Solvent-free preparation of nanosized sulfated zirconia with brønsted acidic sites from a simple calcination, *J. Phys. Chem. B*, 109, 2567–2572.

Tanabe, K. and Yamaguchi, T., 1994, Acid-base bifunctional catalysis by ZrO₂ and its mixed oxides, *Catal. Today*, 20, 185–197.

Tuong, T., Tran, V., Kaiprommarat, S., Kongparakul, S., Reubroycharoen, P.,



Guan, G., et al., 2016, Green biodiesel production from waste cooking oil using an environmentally benign acid catalyst, *Waste Manag.*, 52, 367–374.

Wang, P., Zhang, J., Wang, G., Li, C., and Yang, C., 2016, Nature of active sites and deactivation mechanism for n-butane isomerization over alumina-promoted sulfated zirconia, *J. Catal.*, 338, 124–134.

West, A.R., 1984, Solid State Chemistry and Its Applications, John Wiley & Sons Ltd., New York.

Wijaya, K., Hadi, K., Herlina, I., and Kurnia, A.T., 2016, Nanomaterial: Aplikasinya dalam Pembuatan Biofuel, Gadjah Mada University Press, Yogyakarta.

Yamaguchi, T., 1994, Application of ZrO₂ as a catalyst and a catalyst support, *Catal. Today*, 20, 199–217.

Zhang, C., Miranda, R., and Davis, B.H., 1994, Platinum-sulfated-zirconia. Infrared study of adsorbed pyridine, *Catal. Letters*, 29, 349–359.