

LITERATURE CITED

- ACIAR, 2010, *Balsa: biology, production and economic in Papua New Guinea*, Australian Center for International Agriculture Research, Canberra, Australia.
- Alamsyah, E.M., L.C. Nan., M. Yamada, K. Taki, and H. Yoshida, 2006, *Bondability of Tropical Fast-Growing Tree Species I: Indonesian Wood Species*, *J Wood Sci* 53:40-46.
- Bendtsen, B.A., and J. Senft, 1986, *Mechanical and anatomical properties in individual growth rings of plantation-grown eastern cottonwood and loblolly pine*. *Wood and Fiber Sci.* 18(1):23-38.
- Bowyer, J.L., R. Shmulsky, and J. G. Haygreen, 2003, *Forest Product and Wood Science An Introduction Fourth Edition*, Iowa State Press A, Blackwell, Iowa.
- British Standard 373, 1957, *Methods of Testing Small Clear Specimen of Timber*, London.
- Brown, H.P., A.J. Panshin, and G.G. Forsainth, 1952, *Texbook of Wood Tecnology. Vol.II. The Physical, mechanical, and chemical properties of the commersial wood of the united states*, McGraw-Hill Book Company, New York.
- Brown S, A.E. Lugo, and J. Chapman, 1986, *Biomass of tropicl tree plantation and its implications for the global carbon budget*. *Can J For Res* 16:390-394.
- CABI, 2010, Balsa (*Ochroma pyramidale*), ([http: www.cabi.org/ochroma](http://www.cabi.org/ochroma) pyramidale) accessed on 3rd october 2013 at 10.00 am.
- Cave, I.D., and J.C.F Walker, 1994, *Stiffness of Wood in Fast-Grwon Plantation Softwood: the Influence of Micro fibril Angel*, *Forest Product Journal* 44(5), 43-48.
- Dadswell, H.E., 1958, *Wood Structure Variation Occuring During Tree Growth and Their Influence on Properties*, *Journal of the Institute of Wood Science* 1:11-32.
- Desch, H.E, 1996, *Timber : Structure, Properties, Conversion, and Use, 7th Edition*, Forest Product Press, New York.
- Desch, H.E and J.M. Dinwoodie, 1981, *Timber, It's Structure, Properties and Utilization, 6th Edition*, The Macmillan Press Ltd, London.

- Dirjen Bangunan, 1961, *Peraturan Konstruksi Kayu Indonesia Ni 15*, Dirjen bangunan, Jakarta
- Easterling, K.E., R. Harrysson, L.J. Gibson, and M.F. Ashby, 1982, *On the Mechanics of Balsa and Other Woods*, The Royal Society, Great Britain.
- FAO, 2012, *Forest Product*, Food and Agricultural Organization of United Nation, Rome.
- Fletcher, M.I., 1987, *Balsa-Production and Utilization*. University of Missouri
- FRANCIS, J.K, 1991, *Ochroma pyramidale Cav. Balsa – Bombacaceae*, SO. Institute of Tropical Forestry, USDA, SM-41, R'io Piedras, 6 pp.
- Gresik.co, 2013, *Budidaya Pohon Balsa dan Budidaya yang Menggiurkan*, (<http://gresik.co/teknik-budidaya/budidaya-pertanian/budidaya-pohon-balsa-dan-prospek-pasar-yang-menggiurkan>) accessed on September 1, 2013 at 10.15 am.
- Gryc, V. and H. Vavrík, 2009, *Variability of spruce (*Picea abies* [L.] Karst.) compression strength with present reaction wood*, Journal of Forest Science, 55, (9):415-422.
- Gryc V., H. Vavrčik, M. Rybníček, and E. Přemyslovská, 2008a, *The relation between the microscopic structure and the wood density of European beech (*Fagus sylvatica* L.)*, Journal of Forest Science, 54: 170–175.
- Hann, R. A., 1969, *Longitudinal shrinkage in seven species of wood. Res. Note FPL-0203*, USDA Forest Serv., Forest Products Lab., Madison.
- Hirofumi, IDO., N. Hirofumi, and K. Hideo, 2007, *Comparison between compression strength perpendicular to the grain and shear strength parallel to the grain of Western hemlock lumber*, Bulletin of FPPRI, 6, 402.
- Hiziroglu, H., 2010, *Dimensional Changes in Wood*, Oklahoma State University, Oklahoma.
- Hudnoff, Martin.,1980, *Tropical Timber of The World*, United State Departement of Agriculture, Madison.
- ITTO, 2002, *The Balsa Manual*, ITTO East Britain, Keravat, Papua New Guinea.

- Izekor, D.N., and W. W. Modugu, 2010, *Effects of density on variations in the mechanical properties of plantation grown Tectona grandis wood*, Department of Forestry and Wildlife, Faculty of Agriculture, University of Benin, P.M.B.1154, Benin City, Nigeria.
- Kaburagi, Z., 1950, *Forest-biological studies on the wood quality. Report 1. On the moisture content, the bulk density of the early and late-wood of green Todo-fir grown at Nopporo district in Hokkaido and their shrinkage*, (in Japanese with English summary). *Bull Gov Forest Exp Stat* 46:37-70.
- Kiaei, M., 2011, *Variation in the Wood Physical and Mechanical Properties of Zelcova carpinifolia Trees along Longitudinal Direction*, *Middle-East Journal Scientific Research* 9, 279- 284.
- Koch, P., 1972, *Utilization of Southern Pine Vol I: The Raw Material*, United State Department of Agriculture Forest Service, Madison..
- Koch, P., 1985, *Utilization of Hardwoods Growing on Southern Pines Sites Vol I*, USDA For.Serv. Handbook. 605, 465-548.
- Kojima, M., H. Yamamoto, K. Okumura, Y. Ojio, M. Yshida, K. Matsune, K. Nakamura, Y. Ide, S.N. Marsoem, M.H. Sahri, and Y.S. Hadi, 2009, *Effect of the Lateral Growth Rate on Wood Properties in Fast-Growing Hardwood Species*, *Journal of Wood Science*, 55:417-424.
- Kollman, F.P. Franz., and A. Cotejr. Wilfred, 1968, *Principle of Wood Science and Technology*, Volume I-II, New York.
- Kubler, H., 1980, *Wood as Building and Hobby Material*, John Wiley & Sons, New York.
- Lamond, A. and J. Hartley, 1979, *Seasoning of Timber*, Forestry Commission of New South Walles, New South Walles.
- Llic, J., R. Northway, and S. Pongratic, 2003, *Juvenile Wood Characteristic, Effects and Identification Literature Review*, ACIAR, Victoria.
- Lourenco, P.B., A.O. Feio and J.S. Machado, 2006, *Chestnut wood in compression perpendicular to the grain: Non-destructive correlations for test results in new and old wood*, *Science Direct, Construction and Building Material*, 21, 1617-1627.
- Lukasek, Jiri., A. Zeidler, and S. Barcik, 2011, *Shrinkage of Grand Fir Wood and its Variability Within the Stem*, *Drvna Industrija* 63(2) 121-128.

- Marenco, R.A., J.F. Goncalves, and G.deC. Vieira, 2001, *Photosynthesis and Leaf Nutrient Content in *Ochroma pyramidale* (Bombaceae)*, *Photosynthetica*, 39:539-543.
- Marsoem, S.N., 1996, *Sifat-Sifat Kayu untuk Bahan Baku Industri*, Diklat Manager Industri Kayu Kerjasama Fakultas Kehutanan UGM dan PT. Focus. Yogyakarta.
- Mentanis, I.G., R.A. Young, and R.M. Rowell, 1994, *Swelling of Wood Part II*, *Holzforchung*, 48: 480-490.
- Midgley, S., M. Blyth, N. Howcroft, D. Midgley, and A. Brown, 2010, *Balsa: Biology, Production and Economics in Papua New Guinea*, 73, ACIAR, Australia.
- Ministry of Forestry, 2012, *Forestry Statistic of Indonesia 2011*, Ministry of Forestry, Jakarta.
- Mitha, F.S., 2011, *Pengaruh Jenis Kayu dan Bagian Batang Terhadap Sifat Pengeringan Tiga Jenis Kayu Perdagangan Indonesia*, Institut Pertanian Bogor, Bogor.
- Mohammadi, M.S. and J.A. Nairn, 2007, *Crack propagation and fracture toughness of solid balsa used for cores of sandwich composites*, Oregon State University, Corvallis, USA.
- Muslim, R., 2011, *Pengaruh Pengawetan dengan Wood Injector Terhadap Sifat Fisis dan Kekuatan Kayu Pada Kayu Balsa (*Ochroma bicolor rowlee*) dan Akasia (*Acacia mangium willd.*)*, Institut Pertanian Bogor, Bogor.
- Nieto, V.M. and J. Rodriguez, 2004, *Ochroma Lagopus*, Corporacion Nacional de Investigacion Santafe de Bogota, Colombia
- Nugroho, A.F., 2012, *Variasi Sifat Fisika dan Mekanika Pada Berbagai Umur Jati (*Tectona grandis* Linn.f) Hasil Penjarangan di KPH Randublatung*, Fakultas Kehutanan, Universitas Gadjah Mada, Yogyakarta.
- Oey, D.S, 1964, *Pengumuman No.46 (1951) tentang: Berat Jenis dari jenis-jenis kayu Indonesia dan pengertian beratnya kayu untuk keperluan praktek*, Diterjemahkan oleh Soewarsono tahun 1990, Pusat Penelitian dan Pengembangan Hasil Hutan, Bogor.
- Panshin, A.J. and C.D. Zeeuw, 1980, *Textbook of Wood Technology: Volume I--Structure, Identification, Properties, and Uses of the Commercial Woods of the United States and Canada Fourth Edition*, McGraw-Hill Books, New York.

- Pentoney, R.E., 1953, *Mechanisms affecting tangential vs. Radial shrinkage*, J Forest Prod Res Soc 3:27–32, 86.
- Prasetyo, P. and S.N. Marsoem, 2010, *Variasi Aksial dan Radial Sifat Anatomi, Fisika, dan Mekanika Kayu Popohan (*Buchanania arborescens* (BL) BL Yang Tumbuh di Hutan Rakyat Kabupaten Bantul*. Bagian Teknologi Hasil Hutan Fakultas Kehutanan Universitas Gadjah Mada. Yogyakarta.
- Prawirohatmodjo, S., 2001, *Sifat-sifat Fisika Kayu*. Yayasan Pembina Fakultas Kehutanan Universitas Gadjah Mada. Yogyakarta.
- Sadegh, A.N., 2012, *Variation of Basic Density in *Eucalyptus camaldulensis* dehnh Wood Grown in Iran*, Middle-East Journal of Scientific Research, 11(10):1472 – 1474.
- Senft, J.F., B.A. Bendsten and W.L Galligan, 1985, *Weak Wood: Fast Growing Trees Make Problem Lumber*, Journal of Forestry 83(8):477-484.
- Shepard, R.K. and J.E. Shottafer, 1992, *Specific Gravity and Mechanical Property-age Relationships in Red Pine*, Forest Prod. J., 42(7/8): 60-66.
- Siau, J.F., 1984, *Transport Process in Wood*, Springer-Verlag, Berlin Heidelberg.
- Silva, D.A. and S. Kyriakides, 2007, *Compressive Response and Failure of Balsa Wood*, Science Direct, 44:8685-8717.
- Simpson, W. dan A. TenWolde, 1999, *Wood Handbook—Wood as an Engineering Material. Gen. Tech. Rep. FPL-GTR-113*, U.S.Department of Agriculture, Forest Service, Forest Products Laboratory, 436 p, Madison.
- Skarr, C., 1988, *Wood–water relations*, Springer, Berlin Heidelberg New York, pp 140–149.
- Sotannde, O.A., A.O. Oluyeye, P.F. Adeogun, and S.B. Maina, 2010, *Variation in Wood Density, Grain Orientation and Anisotropic Shrinkage of Plantation Grown *Azadirachta Indica**. Journal of Applied Science Research, 6(11): 1855-1861.
- Steel, R.G.D and J.H Torrie, 1993, *Prinsip dan Prosedur Statistik Suatu Pendekatan Biometrik Edisi 2*, PT Gramedia Pustaka Utama, Jakarta.
- Strong, A.B., 2008, *Fundamentals of composites manufacturing: Materials, methods and applications*, second edition, Dearborn, Michigan: Society of Manufacturing Engineers.

- Tsoumis, G., 1991, *Science and Technology of Wood. Structure, properties, Utilization*, Van Nostrand Reinhold, New York.
- UBC, 2005, *Tree Growth and Juvenile Formation*, University of British Columbia, Vancouver, Canada.
- USDA, 1969, *Longitudinal Shrinkage in Seven Species of Wood*, United State Department of Agriculture, Madison, WIS.
- USDA, 2010, *Wood Handbook: Wood as an Engineering Material*, Centennial Edition, United State Department of Agriculture, Washington DC.
- Vural, M., and G. Ravidchandran, 2003, *Dynamic Response and Energy Dissipation Characteristic of Balsa Wood: Experiment and Analysis*, International Journal of Solid Structure, 40: 21747-2140.
- Ward, J.C., and W.Y.Pong, 1980, *Wetwood in trees: a timber resource problem. General technical report PNW-112*, Pacific Northwest Forest and Range Experiment Station, US Department of Agriculture Forest Service, Portland, pp 1–56.
- Wiemann, M. C., and G. B. Williamson, 1987, *Extreme Radial Change in Wood Specific Gravity in Some Tropical Pioneer*, Wood and Fiber Science, 20(3), pp, 344-349.
- Wijayatrie, I.N.S., 2008, *Hubungan Antara Kecepatan Gelombang Ultrasonik dengan Sifat Fisis dan Mekanis Enambelas Jenis Kayu*, Insitutut Pertanian Bogor, Bogor.
- Winandy, J. E., 1994, *Wood properties*. In: Arntzen, C. J. ed. Encyclopedia of Agricultural Sciences. Orlando, FL: Academic press. Volume 4, pp. 549-561.
- Wiselius S.I., 1998, *Ochroma Sw. 'Plant resources of South East Asia No. 5(3). Timber trees: lesser-known timbers'*, ed. by M.S.M. Sosef, L.T. Hong and S. Prawirohatmodjo, Backhuys Publishers, Pp. 414–416, Leiden, Netherlands.
- Yamashita, K., Y. Hirakawa, H. Nakatani, and M. Ikeda, 2008, *Longitudinal Shrinkage Variations Within Sugi (Cryptomera Japonica) Cultivars*, The Japan Wood Research Society, 55:1-7.
- Yap, KHF., 1984, *Konstruksi Kayu*, Bina Cipta, Bandung.

Zhang, S.Y., 1995, *Effect of Growth Rate on Wood Specific Gravity and Selected Mechanical Properties in Individual Species From Distinct Wood Categories*, Wood Sci. and Technol., 29(6): 451-465.

Zobel, B.J, and J.P.van Buijtenen, 1989, *Wood variation – its cause and control*, Springer, Berlin Heidelberg New York, pp 72–131.