

DAFTAR PUSTAKA

- Abel, K. M., Drake, R., & Goldstein, J. M. 2010. Sex differences in schizophrenia. *International Review of Psychiatry*, 22(5):417-28. doi: 10.3109/09540261.2010.515205..
- Aguilera A, Lopez SR, Breitborde NJ, Kopelowicz A, Zarate R. 2010. Expressed emotion and sociocultural moderation in the course of schizophrenia. *Journal of Abnormal Psychology*, 119(4): 875–885. doi: 10.1037/a0020908
- Alvarez-jimenez, M., Priede, A., Hetrick, S. E., Bendall, S., Killackey, E., & Parker, A. G. 2012. Risk factors for relapse following treatment for first episode psychosis : A systematic review and meta-analysis of longitudinal studies. *Schizophrenia Research*, 139(1–3), 116–128. <https://doi.org/10.1016/j.schres.2012.05.007>
- Amaresha, A. C., & Venkatasubramanian, G. 2012. Expressed Emotion in Schizophrenia: An Overview. *Indian Journal of Psychological Medicine*, 34 (1): 12. doi: 10.4103/0253-7176.96149.
- American Psychiatric Association. 2013. *Diagnostic and Statistical Manual of Mental Disorders*. Fifth Edit. American Psychiatric Association. doi: 10.1176/appi.books.9780890425596.
- Bhugra, D., & McKenzie, K. 2003. Expressed emotion across cultures. *Advances in Psychiatric Treatment*, 9 (5): 342–348.
- Brown, G. W. 1959. Experiences of Discharged Chronic Schizophrenic Patients in Various Types of Living Group. *The Milbank Memorial Fund Quarterly*, 37 (2): 105. doi: 10.2307/3348588
- Butzlaff, R. L., & Hooley, J. M. 1998. Expressed emotion and psychiatric relapse: a meta-analysis. *Archives of General Psychiatry*, 55 (6): 547–552. doi: 10.1001/archpsyc.55.6.547.
- Carrà, G., Cazzullo, C. L., & Clerici, M. 2012. The association between expressed emotion, illness severity and subjective burden of care in relatives of patients with schizophrenia. Findings from an Italian population. *BMC Psychiatry*, 12 (1): 140.
- Caqueo-Urizar, A., Miranda-Castillo, C., Giráldez, S. L., Maturana, S. L. L., Pérez, M. R., & Tapia, F. M. 2014. An updated review on burden on caregivers of schizophrenia patients. *Psicothema*, 26 (2): 235–243. doi: 10.7334/psicothema2013.86
- Departemen Kesehatan RI. 1993. *Pedoman Penggolongan dan Diagnosis Gangguan Jiwa di Indonesia III*. Jakarta: Direktorat Jenderal Pelayanan Medik Departemen Kesehatan RI.
- Elia, H. 2000. Peran Ayah dalam Mendidik Anak. *Veritas: Jurnal Teologi dan Pelayanan*, 1(1): 105-113.
- Fatmasari, A.E., & Faturochman. 2013. Dinamika kedekatan hubungan orangtua-

anak laki-laki dan anak perempuan tahap remaja akhir pada keluarga jawa.
Universitas Gadjah Mada, Yogyakarta.

- Flyckt, L., Fatouros-Bergman, H., & Koernig, T. 2015. Determinants of subjective and objective burden of informal caregiving of patients with psychotic disorders. *International Journal of Social Psychiatry*, 61 (7): 684–692.
- Harrison, C. A., Dadds, M. R., & Smith, G. 1998. Family caregivers' criticism of patients with schizophrenia. *Psychiatric Services*, 49 (7): 918–924.
- Holubova, M., Prasko, J., Hruby, R., Kamaradova, D., Ociskova, M., Latalova, K., *et al.* 2015. Coping strategies and quality of life in schizophrenia: cross-sectional study. *Neuropsychiatric Disease and Treatment*, 3041. doi: 10.2147/NDT.S96559
- Hooley, J. M. 1985. Expressed emotion: A review of the critical literature. *Clinical Psychology Review*, 5 (2): 119–139. doi: 10.1016/0272-7358(85)90018-2
- Hooley, J.M., Gotlib, I.H. 2000. A diathesis-stress conceptualization of expressed emotion and clinical outcome. *Journal of Applied and Preventive Psychology*, 9 :135-151.
- Kazadi, N. J. B., Moosa, M. Y. H., & Jeenah, F. Y. 2008. Factors associated with relapse in schizophrenia. *South African Journal of Psychiatry*, 14 (2): 52–62.
- Kementerian Kesehatan RI. 2013. *Pokok-Pokok Hasil Riskesdas 2013*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI. doi: 10.1007/s13398-014-0173-7.2
- King, S. 2000. Is expressed emotion cause or effect in the mothers of schizophrenic young adults? Elsevier: *Schizophrenia Research*, 45: 65-78.
- King, S., Ricard, N., Rochon V., Steigher H., Neils S. 2003. Determinants of expressed emotion in mothers of schizophrenia patients. *Psychiatry Research*, 117(3):211-22.
- Koutra, K., Triliva, S., Roumeliotaki, T., Lionis, C., & Vgontzas, A. N. 2015. Identifying the socio-demographic and clinical determinants of family functioning in Greek patients with psychosis. *International Journal of Social Psychiatry*, 61 (3): 251–264.
- Le Grange, D., Hoste, R., Lock, J., Bryson, S.W. 2011. Parental Expressed Emotion of Adolescents with Anorexia Nervosa: Outcome in Family-Based Treatment. *International Journal of Eating Disorders*, 44 (8): 731-734
- Leff, J., Kuipers, L., Berkowitz, R., Eberlein-Vries, R., & Sturgeon, D. 1982. A controlled trial of social intervention in the families of schizophrenic patients. *The British Journal of Psychiatry*, 141(2): 121–134. doi:10.1192/bjp.141.2.121
- Li, C.-Y., & Lewis, F. M. 2013. Expressed emotion and depression in caregivers

- of older adults with dementia: results from Taiwan. *Aging & Mental Health*, 17 (8): 924–929. doi: 10.1080/13607863.2013.814098
- Marchira, C. R., Sumarni, P., & Lusia, P. W. 2008. Hubungan antara Ekspresi Emosi Keluarga Pasien dengan Kekambuhan Penderita Skizofrenia di RS Dr. Sardjito Yogyakarta. *Berita Kedokteran Masyarakat*, 24 (4): 172–175.
- Marchira, C. R., Supriyanto, I., Subandi, Soewadi, & Good, B. J. 2016. The association between duration of untreated psychosis in first psychotic episode patients and help seeking behaviors in Jogjakarta, Indonesia. *International Journal of Culture and Mental Health*, 9 (2): 120–126. doi: 10.1080/17542863.2015.1103276.
- Mahmood A., Niaz S., Rashid U., Chaudhry H. R. 2006. Expressed Emotion and Schizophrenia in Pakistan. *Pakistan Journal of Medical Science*, 22(4): 424-428.
- McGrath, J., Saha, S., Chant, D., & Welham, J. 2008. Schizophrenia: A Concise Overview of Incidence, Prevalence, and Mortality. *Epidemiologic Reviews*, 30 (1): 67–76. doi: 10.1093/epirev/mxn001.
- National Alliance for Caregiving. 2010. *Care for the Family Caregiver: A Place to Start*. EmblemHealth.
- Nirmala, B., Reddy, S., & Vranda, M. 2011. Expressed Emotion and Caregiver Burden in Patients with Schizophrenia. *Indian Journal of Psychological Medicine*, 33 (2): 119. doi: 10.4103/0253-7176.92052.
- Nurtanti, I. S. 2005. Penentuan validitas dan reliabilitas Family Questionnaire (FQ) dalam menilai ekspresi emosi pada keluarga yang merawat penderita skizofrenia di RSCM. *Tesis*. Universitas Indonesia, Jakarta
- Olivares, J. M., Sermon, J., Hemels, M., & Schreiner, A. 2013. Definitions and drivers of relapse in patients with schizophrenia: a systematic literature review. *Annals of General Psychiatry*, 12 (1): 32.
- Pardede, J. A., Sirait, D., Riandi, R., Emanuel, P., & Laia, R. 2016. Ekspresi Emosi Keluarga Dengan Frekuensi Kekambuhan Pasien Skizofrenia. *Idea Nursing Journal*, 7 (3): 53–61.
- Patel, K. R., Cherian, J., Gohil, K., Atkinson, D. 2014. Schizophrenia : Overview and Treatment Options, 39(9): 638–645.
- Perhimpunan Dokter Spesialis Kedokteran Jiwa Indonesia. 2011. *Konsensus Penatalaksanaan Gangguan Skizofrenia*. Jakarta: Perhimpunan Dokter Spesialis Kedokteran Jiwa Indonesia
- Peris TS., Miklowitz DJ. 2015. Parental Expressed Emotion and Youth Psychopathology: New Directions for an Old Construct. *Child Psychiatry and Human Development*, 46(6):863-873.
- Phillips, M. R., Pearson, V., Li, F., Xu, M., & Yang, L. 2002. Stigma and expressed emotion: a study of people with schizophrenia and their family

- members in China. *The British Journal of Psychiatry*, 181 (6): 488–493.
- Pickett, S. A., Greenley, J. R., & Greenberg, J. S. 1995. Offtimedness as a contributor to subjective burdens for parents of offspring with severe mental illness. *Family Relations*, 44, 185–201.
- Porcelli, S., Bianchini, O., De Girolamo, G., Aguglia, E., Crea, L., & Serretti, A. 2016. Clinical factors related to schizophrenia relapse. *International Journal of Psychiatry in Clinical Practice*, 20 (2): 54–69. doi: 10.3109/13651501.2016.1149195
- Prihandini, I. Y. 2012. Pengaruh Ekspresi Emosi Keluarga Terhadap Frekuensi Kekambuhan Pasien Skizofrenia Di Rumah Sakit Jiwa Daerah Surakarta. *Skripsi*. Universitas Sebelas Maret, Surakarta.
- Rienecke, R. D., Le Grange, D., Lock J., Accurso, E. C. 2016. Expressed emotion, family functioning and treatment outcome for adolescent with anorexia nervosa. *European Eating Disorder Review*, 24(1): 43-51.
- Roick, C., Heider, D., Bebbington, P., Angermeyer, M., Azorin, J., Brugha, T. 2007. Burden on caregivers of people with schizophrenia: Comparison between Germany and Britain. *British Journal of Psychiatry*, 190, 333–338.
- Roseliza-Murni, A., Oei, T. P. S., Fatimah, Y., & Asmawati, D. 2014. Schizophrenia relapse in Kuala Lumpur, Malaysia: Do relatives' expressed emotion and personality traits matter? *Comprehensive Psychiatry*, 55 (1): 188–198. doi: 10.1016/j.comppsy.2012.12.026
- Rössler, W., Joachim Salize, H., Van Os, J., & Riecher-Rössler, A. 2005. Size of burden of schizophrenia and psychotic disorders. *European Neuropsychopharmacology*, 15 (4): 399–409. doi: 10.1016/j.euroneuro.2005.04.009
- Sastroasmoro, S., & Ismael, S. (Eds.). 2016. *Dasar-dasar Metodologi Penelitian Klinis*. Edisi ke-5. Jakarta: Sagung Seto.
- Sadiq, S., Suhail, K., Gleeson, J., Alvarez-Jimenez, M. 2017. Expressed emotion and the course of schizophrenia in Pakistan. *Social Psychiatry and Psychiatric Epidemiology*. Springer Berlin Heidelberg, 52(5), pp. 587–593. doi: 10.1007/s00127-017-1357-1
- Subandi, M. A. 2011. Family Expressed Emotion in a Javanese Cultural Context. *Cultural Medicine of Psychiatry*, 35:331-346.
- Sulistiowati, N. M. D., Yuliastini, Putu, N. L., & Swedarma, K. E. 2015. Hubungan Persepsi Keluarga Tentang Skizofrenia Dan Ekspresi Emosi Keluarga Dengan Frekuensi Kekambuhan Skizofrenia Di IRD RSJ Provinsi Bali. Di dalam *Peningkatan Kualitas Kesehatan Jiwa Daerah Perbatasan Melalui Pelayanan Yang Komprehensif dan Integratif*. Dipresentasikan pada Konferensi Nasional XII Keperawatan Kesehatan Jiwa Kalimantan Barat, Pontianak.
- Tarrier, N. & Turpin, G. 1992. Psychosocial factors, arousal and schizophrenic

relapse. *British Journal of Psychiatry*, 161:3–11.

Wang, X., Chen, Q., & Yang, M. 2017. Effect of caregivers' expressed emotion on the care burden and rehospitalization rate of schizophrenia. *Patient Preference and Adherence*, Volume 11: 1505–1511. doi: 10.2147/PPA.S143873

Wearden A. J., Tarrrier N., & Barrowclough C. 2000. A Review of Expressed Emotion Research in Health Care. *Clinical Psychology Review*, 20(5): 633-666.

Weisman, A. G., Nuechterlein, K. H., Goldstein, M. J., & Snyder, K. 1998. Expressed emotion, attributions, and schizophrenia symptom dimensions. *Journal of Abnormal Psychology*, 107 (2): 355–359. doi: 10.1037/0021-843X.107.2.355