

DAFTAR PUSTAKA

- Abebe, T.B., Gebreyohannes, E.A., Tefera, Y.G., and Abegaz, T.M., 2016. Patients with HFpEF and HFrEF have different clinical characteristics but similar prognosis: A retrospective cohort study. *BMC Cardiovascular Disorders*.
- Ahmeti, A., Henein, M.Y., Ibrahim, P., Elezi, S., Haliti, E., Poniku, A., Batalli, A., and Bajraktari, G., 2017. Quality of life questionnaire predicts poor exercise capacity only in HFpEF and not in HFrEF. *BMC Cardiovascular Disorders*, 17 (1), 268.
- Alaloul, F., AbuRuz, M.E., Moser, D.K., Hall, L.A., and Al-Sadi, A., 2017. Factors associated with quality of life in Arab patients with heart failure. *Scandinavian Journal of Caring Sciences*, 31 (1), 104–111.
- Albrecht, G.L. and Devlieger, P.J., 1999. The disability paradox: high quality of life against all odds. *Social science & medicine (1982)*, 48 (8), 977–88.
- Alemzadeh-Ansari, M.J., Ansari-Ramandi, M.M., and Naderi, N., 2017. Chronic Pain in Chronic Heart Failure: A Review Article. *The journal of Tehran Heart Center*, 12 (2), 49–56.
- Anderson, T., Dangel, M., Anderson, S.D., Malloy, S., Jungklaus, T., Cleeton, T., Perez, J., Chapman, D., Schmalfuss, C., and Schofield, R.S., 2013. Quality of Life Is Equally Impaired in Reduced and Preserved Ejection Fraction Heart Failure after Hospitalization. *Journal of Cardiac Failure*, 19 (8), S41–S42.
- Aronow, W.S., Ahn, C., and Kronzon, I., 1998. Normal left ventricular ejection fraction in older persons with congestive heart failure. *Chest*, 113 (4), 867–9.
- Ather, S., Chan, W., Bozkurt, B., Aguilar, D., Ramasubbu, K., Zachariah, A.A., Wehrens, X.H.T., and Deswal, A., 2012. Impact of Noncardiac Comorbidities on Morbidity and Mortality in a Predominantly Male Population With Heart Failure and Preserved Versus Reduced Ejection Fraction. *Journal of the American College of Cardiology*, 59 (11), 998–1005.
- Ayas, N.T., Malhotra, A., and Parthasarathy, S., 2013. To Sleep, or Not to Sleep, That is the Question*. *Critical Care Medicine*, 41 (7), 1808–1810.
- Baert, A., De Smedt, D., De Sutter, J., De Bacquer, D., Puddu, P.E., Clays, E., and Pardaens, S., 2018. Factors associated with health-related quality of life in stable ambulatory congestive heart failure patients: Systematic review. *European Journal of Preventive Cardiology*, 25 (5), 472–481.
- Banerjee, A., Taillandier, S., Olesen, J.B., Lane, D.A., Lallemand, B., Lip, G.Y.H., and Fauchier, L., 2012. Ejection fraction and outcomes in patients with atrial

- fibrillation and heart failure: the Loire Valley Atrial Fibrillation Project. *European Journal of Heart Failure*, 14 (3), 295–301.
- Bartley, E.J. and Fillingim, R.B., 2013. Sex differences in pain: a brief review of clinical and experimental findings. *British journal of anaesthesia*, 111 (1), 52–8.
- Beale, A.L., Meyer, P., Marwick, T.H., Lam, C.S.P., and Kaye, D.M., 2018. Sex Differences in Cardiovascular Pathophysiology. *Circulation*, 138 (2), 198–205.
- van den Berg-Emons, H., Bussmann, J., Balk, A., Keijzer-Oster, D., and Stam, H., 2001. Level of activities associated with mobility during everyday life in patients with chronic congestive heart failure as measured with an ‘activity monitor’. *Physical therapy*, 81 (9), 1502–11.
- Bilbao, A., Escobar, A., García-Perez, L., Navarro, G., and Quirós, R., 2016. The Minnesota living with heart failure questionnaire: comparison of different factor structures. *Health and Quality of Life Outcomes*, 14 (1), 23.
- Borlaug, B.A., 2013. Heart failure with preserved and reduced ejection fraction: different risk profiles for different diseases. *European Heart Journal*, 34 (19), 1393–1395.
- Borlaug, B.A. and Paulus, W.J., 2011. Heart failure with preserved ejection fraction: pathophysiology, diagnosis, and treatment. *European heart journal*, 32 (6), 670–9.
- Brazier, J.E., Harper, R., Jones, N.M., O’Cathain, A., Thomas, K.J., Usherwood, T., and Westlake, L., 1992. Validating the SF-36 health survey questionnaire: new outcome measure for primary care. *BMJ (Clinical research ed.)*, 305 (6846), 160–4.
- Bui, A.L., Horwich, T.B., and Fonarow, G.C., 2011. Epidemiology and risk profile of heart failure. *Nature Reviews Cardiology*, 8 (1), 30–41.
- Calvert, M.J., Freemantle, N., and Cleland, J.G.F., 2005. The impact of chronic heart failure on health-related quality of life data acquired in the baseline phase of the CARE-HF study. *European Journal of Heart Failure*, 7 (2), 243–251.
- Carlson, B., Pozehl, B., Hertzog, M., Zimmerman, L., and Riegel, B., 2013. Predictors of Overall Perceived Health in Patients With Heart Failure. *The Journal of Cardiovascular Nursing*, 28 (3), 206–215.
- Castro, R.R.T., Sha, A.M., Joyce, E., Lewis, E.F., Lakdawala, N.K., Groarke, J., and Stevenson, L.W., 2017. Influence of LVEF History on Functional Capacity and Quality of Life in Mid-Range EF. *Journal of Cardiac Failure*, 23 (8), S57.
- Ceia, F., Fonseca, C., Mota, T., Morais, H., Matias, F., de Sousa, A., Oliveira, A., and EPICA Investigators, 2002. Prevalence of chronic heart failure in Southwestern

- Europe: the EPICA study. *European journal of heart failure*, 4 (4), 531–9.
- Chan, A.M., von Mühlen, D., Kritz-Silverstein, D., and Barrett-Connor, E., 2009. Regular alcohol consumption is associated with increasing quality of life and mood in older men and women: the Rancho Bernardo Study. *Maturitas*, 62 (3), 294–300.
- Chu, S.H., Lee, W.H., Yoo, J.S., Kim, S.S., Ko, I.S., Oh, E.G., Lee, J., Choi, M., Cheon, J.Y., Shim, C.Y., and Kang, S.-M., 2014. Factors affecting quality of life in Korean patients with chronic heart failure. *Japan Journal of Nursing Science*, 11 (1), 54–64.
- Clark, A.L., 2006. Origin of symptoms in chronic heart failure. *Heart (British Cardiac Society)*, 92 (1), 12–6.
- Cleland, J.G.F., Alamgir, F., Nikitin, N.P., Clark, A.L., and Norell, M., 2001. What is the optimal medical management of ischemic heart failure? *Progress in Cardiovascular Diseases*, 43 (5), 433–455.
- Coelho, R., Ramos, S., Prata, J., Bettencourt, P., Ferreira, A., and Cerqueira-Gomes, M., 2005a. Heart failure and health related quality of life. *Clinical practice and epidemiology in mental health : CP & EMH*, 1, 19.
- Coelho, R., Ramos, S., Prata, J., Bettencourt, P., Ferreira, A., and Cerqueira-Gomes, M., 2005b. Heart failure and health related quality of life. *Clinical practice and epidemiology in mental health : CP & EMH*, 1, 19.
- Comín-Colet, J., Enjuanes, C., González, G., Torrens, A., Cladellas, M., Meroño, O., Ribas, N., Ruiz, S., Gómez, M., Verdú, J.M., and Bruguera, J., 2013. Iron deficiency is a key determinant of health-related quality of life in patients with chronic heart failure regardless of anaemia status. *European Journal of Heart Failure*, 15 (10), 1164–1172.
- Conard, M.W., Haddock, C.K., Carlos Poston, W.S., Spertus, J.A., and Cardiovascular Outcomes Research Consortium, 2009. The Impact of Smoking Status on the Health Status of Heart Failure Patients. *Congestive Heart Failure*, 15 (2), 82–86.
- Corvera-Tindel, T., Doering, L. V., Roper, J., and Dracup, K., 2009. Emotional Functioning Drives Quality of Life in Men with Heart Failure. *Progress in Cardiovascular Nursing*, 24 (1), 2–11.
- Dai, S., Manoucheri, M., Gui, J., Zhu, X., Malhotra, D., Li, S., D'souza, J., Virkram, F., Chada, A., and Jiang, H., 2016. Kansas City Cardiomyopathy Questionnaire Utility in Prediction of 30-Day Readmission Rate in Patients with Chronic Heart Failure. *Cardiology Research and Practice*, 2016, 1–7.
- Davis, B.R., Kostis, J.B., Simpson, L.M., Black, H.R., Cushman, W.C., Einhorn, P.T.,

- Farber, M.A., Ford, C.E., Levy, D., Massie, B.M., Nawaz, S., and ALLHAT Collaborative Research Group, 2008. Heart Failure With Preserved and Reduced Left Ventricular Ejection Fraction in the Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial. *Circulation*, 118 (22), 2259–2267.
- Dedeli, O. and Kaptan, G., 2013. Spirituality and Religion in Pain and Pain Management. *Health psychology research*, 1 (3), e29.
- Dekker, R.L., Lennie, T.A., Albert, N.M., Rayens, M.K., Chung, M.L., Wu, J.-R., Song, E.K., and Moser, D.K., 2011. Depressive symptom trajectory predicts 1-year health-related quality of life in patients with heart failure. *Journal of cardiac failure*, 17 (9), 755–63.
- Desta Nur Ewika Ardini, 2007. Perbedaan Etiologi Gagal Jantung Kongestif pada Usia Lanjut dengan Usia Dewasa di Rumah Sakit Dr. Kariadi Januari-Desember 2006. Universitas Diponegoro.
- Devins, G.M., Binik, Y.M., Hutchinson, T.A., Hollomby, D.J., Barré, P.E., and Guttman, R.D., n.d. The emotional impact of end-stage renal disease: importance of patients' perception of intrusiveness and control. *International journal of psychiatry in medicine*, 13 (4), 327–43.
- Díez-Villanueva, P. and Alfonso, F., 2016. Heart failure in the elderly. *Journal of geriatric cardiology : JGC*, 13 (2), 115–7.
- Doll, R., Peto, R., Boreham, J., and Sutherland, I., 2004. Mortality in relation to alcohol consumption: a prospective study among male British doctors. *International Journal of Epidemiology*, 34 (1), 199–204.
- Dulai, R., Sheikh, A.S., Qureshi, A., Katechia, S., Peysakhova, Y., Johns, M., and Mazhar, S., 2016. Prevalence, clinical characteristics and outcomes of HF with preserved versus reduced ejection fraction. *British Journal of Cardiology*, 23 (1).
- Dunlay, S.M., Manemann, S.M., Chamberlain, A.M., Cheville, A.L., Jiang, R., Weston, S.A., and Roger, V.L., 2015. Activities of Daily Living and Outcomes in Heart Failure. *Circulation: Heart Failure*, 8 (2), 261–267.
- Dunlay, S.M. and Roger, V.L., 2014. Understanding the epidemic of heart failure: past, present, and future. *Current heart failure reports*, 11 (4), 404–15.
- Dyer, M.T., Goldsmith, K.A., Sharples, L.S., and Buxton, M.J., 2010. A review of health utilities using the EQ-5D in studies of cardiovascular disease. *Health and Quality of Life Outcomes*, 8 (1), 13.
- Eisenberg, E., Di Palo, K.E., and Piña, I.L., 2018. Sex differences in heart failure. *Clinical Cardiology*, 41 (2), 211–216.
- Enjuanes, C., Klip, Ij.T., Bruguera, J., Cladellas, M., Ponikowski, P., Banasiak, W.,

- van Veldhuisen, D.J., van der Meer, P., Jankowska, E.A., and Comín-Colet, J., 2014. Iron deficiency and health-related quality of life in chronic heart failure: Results from a multicenter European study. *International Journal of Cardiology*, 174 (2), 268–275.
- Erwinanto, Santoso A, Putranto J, Tedjasukmana P, Sukmawan R, Suryawan R, Rifqi S, and Kasiman S, 2017. *Panduan Tata Laksana Dislipidemia 2017*. Jakarta: Perhimpunan Dokter Spesialis Kardiovaskular Indonesia.
- Evangelista, L.S., Berg, J., and Dracup, K., 2001. Relationship between psychosocial variables and compliance in patients with heart failure. *Heart & Lung*, 30 (4), 294–301.
- Faridah, I.N., Perwitasari, D.A., Pusifita, M., and Jasman, H., 2017. Relationship between emotional distress and quality of life on type 2 diabetes mellitus patients in Meranti island regency hospital. In: *IOP Conference Series: Materials Science and Engineering*.
- Fisher, J.D., 1972. New York Heart Association Classification. *Archives of Internal Medicine*, 129 (5), 836.
- Fletcher, B., Magyari, P., Prussak, K., and Churilla, J., 2012. Physical training in patients with heart failure. *Revista Médica Clínica Las Condes*, 23 (6), 748–755.
- Foley, T.A., Mankad, S. V, Anavekar, N.S., Bonnichsen, C.R., Miller, M.F., Morris, T.D., and Araoz, P.A., 2012. Measuring Left Ventricular Ejection Fraction – Techniques and Potential Pitfalls. *European Cardiology Review*, 8 (2), 108.
- Gallagher, A.M., Lucas, R., and Cowie, M.R., 2018. Assessing health-related quality of life in heart failure patients attending an outpatient clinic: a pragmatic approach. *ESC Heart Failure*.
- Gan, Q., Zhang, F., Zhou, Q., Dai, L., Liu, Y., Chai, X., Wu, F., and Shen, W., 2012. Clinical significance of pain in patients with chronic heart failure. *Chinese medical journal*, 125 (18), 3223–7.
- Gopal, D.M., Kalogeropoulos, A.P., Georgiopoulou, V. V, Smith, A.L., Bauer, D.C., Newman, A.B., Kim, L., Bibbins-Domingo, K., Tindle, H., Harris, T.B., Tang, W.W.H., Kritchevsky, S.B., and Butler, J., 2012. Cigarette smoking exposure and heart failure risk in older adults: the Health, Aging, and Body Composition Study. *American heart journal*, 164 (2), 236–42.
- Gott, M., Barnes, S., Parker, C., Payne, S., Seamark, D., Gariballa, S., and Small, N., 2006. Predictors of the quality of life of older people with heart failure recruited from primary care. *Age and Ageing*, 35 (2), 172–177.
- Guo, Y., Lip, G.Y.H., and Banerjee, A., 2013. Heart failure in East Asia. *Current*

cardiology reviews, 9 (2), 112–22.

Heart Failure Society of America, 2010. Heart Failure Guidelines. *Journal of Cardiac Failure*, 16 (6), e126–e133.

Heo, S., Lennie, T.A., Okoli, C., and Moser, D.K., 2009. Quality of life in patients with heart failure: Ask the patients. *Heart & Lung*, 38 (2), 100–108.

Hidayat, B. and Thabrany, H., 2010. Cigarette smoking in Indonesia: examination of a myopic model of addictive behaviour. *International journal of environmental research and public health*, 7 (6), 2473–85.

Hoekstra, T., Lesman-Leegte, I., van Veldhuisen, D.J., Sanderman, R., and Jaarsma, T., 2011. Quality of life is impaired similarly in heart failure patients with preserved and reduced ejection fraction. *European Journal of Heart Failure*, 13 (9), 1013–1018.

Hogg, K., Swedberg, K., and McMurray, J., 2004. Heart failure with preserved left ventricular systolic function. *Journal of the American College of Cardiology*, 43 (3), 317–327.

International Society of Cardiovascular Pharmacotherapy, T.A., Mankad, S. V., Anavekar, N.S., Bonnichsen, C.R., Morris, M.F., Miller, T.D., and Araoz, P.A., 2012. *European cardiology*. European Cardiology. Radcliffe Publishing Ltd.

Iqbal, J., Francis, L., Reid, J., Murray, S., and Denvir, M., 2010. Quality of life in patients with chronic heart failure and their carers: a 3-year follow-up study assessing hospitalization and mortality. *European Journal of Heart Failure*, 12 (9), 1002–1008.

Jaarsma, T., Cameron, J., Riegel, B., and Stromberg, A., 2017. Factors Related to Self-Care in Heart Failure Patients According to the Middle-Range Theory of Self-Care of Chronic Illness: a Literature Update. *Current Heart Failure Reports*, 14 (2), 71–77.

Jessup, M. and Piña, I.L., 2004. Is it important to examine gender differences in the epidemiology and outcome of severe heart failure? *The Journal of Thoracic and Cardiovascular Surgery*, 127 (5), 1247–1252.

Jiang, W., Alexander, J., Christopher, E., Kuchibhatla, M., Gaulden, L.H., Cuffe, M.S., Blazing, M.A., Davenport, C., Califf, R.M., Krishnan, R.R., and O'Connor, C.M., 2001. Relationship of depression to increased risk of mortality and rehospitalization in patients with congestive heart failure. *Archives of internal medicine*, 161 (15), 1849–56.

Jiang, W., Kuchibhatla, M., Cuffe, M.S., Christopher, E.J., Alexander, J.D., Clary, G.L., Blazing, M.A., Gaulden, L.H., Califf, R.M., Krishnan, R.R., and O'Connor,

- C.M., 2004. Prognostic Value of Anxiety and Depression in Patients With Chronic Heart Failure. *Circulation*, 110 (22), 3452–3456.
- Jorge, A.J.L., Rosa, M.L.G., Correia, D.M. da S., Martins, W. de A., Ceron, D.M.M., Coelho, L.C.F., Soussume, W.S.N., Kang, H.C., Moscavitch, S.D., and Mesquita, E.T., 2017. Evaluation of Quality of Life in Patients with and without Heart Failure in Primary Care. *Arquivos brasileiros de cardiologia*, 109 (3), 248–252.
- Joyce, E., Chung, C., Badloe, S., Odutayo, K., Desai, A., Givertz, M.M., Nohria, A., Lakdawala, N.K., Stewart, G.C., Young, M., Weintraub, J., Stevenson, L.W., and Lewis, E.F., 2016. Variable Contribution of Heart Failure to Quality of Life in Ambulatory Heart Failure With Reduced, Better, or Preserved Ejection Fraction. *JACC: Heart Failure*, 4 (3), 184–193.
- Juenger, J., Schellberg, D., Kraemer, S., Haunstetter, A., Zugck, C., Herzog, W., and Haass, M., 2002. Health related quality of life in patients with congestive heart failure: comparison with other chronic diseases and relation to functional variables. *Heart (British Cardiac Society)*, 87 (3), 235–41.
- Keefe, F.J., Brown, G.K., Wallston, K.A., and Caldwell, D.S., 1989. Coping with rheumatoid arthritis pain: catastrophizing as a maladaptive strategy. *Pain*, 37 (1), 51–6.
- Kind, P., 1996. The EuroQol Instrument: An Index of Health-Related Quality of Life. *Quality of Life and Pharmacoeconomics in Clinical Trials*, 2, 191–201.
- King, M., Kingery, J., and Casey, B., 2012. Diagnosis and evaluation of heart failure. *American family physician*, 85 (12), 1161–8.
- Kitzman, D.W., Little, W.C., Brubaker, P.H., Anderson, R.T., Hundley, W.G., Marburger, C.T., Brosnihan, B., Morgan, T.M., and Stewart, K.P., 2002. Pathophysiological characterization of isolated diastolic heart failure in comparison to systolic heart failure. *JAMA*, 288 (17), 2144–50.
- Konstam, V., Moser, D.K., and De Jong, M.J., 2005. Depression and Anxiety in Heart Failure. *Journal of Cardiac Failure*, 11 (6), 455–463.
- Lam, C., Gamble, G., and Ling, L., 2018. Higher mortality in HFrEF patients compared to those with HFmrEF or HFpEF - PACE-CME. *European Heart Journal*.
- Lam, C.S.P., Donal, E., Kraigher-Krainer, E., and Vasan, R.S., 2011. Epidemiology and clinical course of heart failure with preserved ejection fraction. *European Journal of Heart Failure*, 13 (1), 18–28.
- Lewis, E.F., Lamas, G.A., O'Meara, E., Granger, C.B., Dunlap, M.E., McKelvie, R.S., Probstfield, J.L., Young, J.B., Michelson, E.L., Halling, K., Carlsson, J.,

- Olofsson, B., McMurray, J.J.V., Yusuf, S., Swedberg, K., Pfeffer, M.A., and CHARM Investigators, 2007. Characterization of health-related quality of life in heart failure patients with preserved versus low ejection fraction in CHARM. *European Journal of Heart Failure*, 9 (1), 83–91.
- Lilly, L.S. and Harvard Medical School., 2011. *Pathophysiology of heart disease : a collaborative project of medical students and faculty*. Wolters Kluwer/Lippincott Williams & Wilkins.
- Lip, G., Felmeden, D.C., Li-Saw-Hee, F.L., and Beevers, D.G., 2000. Hypertensive heart disease. A complex syndrome or a hypertensive ‘cardiomyopathy’? *European Heart Journal*, 21 (20), 1653–1665.
- Makowska, A., Rydlewska, A., Krakowiak, B., Kuczyńska, A., Sorokowski, P., Danel, D., Pawłowski, B., Banasiak, W., Ponikowski, P., and Jankowska, E.A., 2014. Psychological Gender of Men With Systolic Heart Failure. *American Journal of Men’s Health*, 8 (3), 249–257.
- Maurer, M.S., Sackner-Bernstein, J.D., El-Khoury Rumbarger, L., Yushak, M., King, D.L., and Burkhoff, D., 2009. Mechanisms Underlying Improvements in Ejection Fraction With Carvedilol in Heart Failure. *Circulation: Heart Failure*, 2 (3), 189–196.
- McCullough, P.A., Philbin, E.F., Spertus, J.A., Kaatz, S., Sandberg, K.R., and Weaver, W.D., 2002. Confirmation of a heart failure epidemic: findings from the Resource Utilization Among Congestive Heart Failure (REACH) study. *Journal of the American College of Cardiology*, 39 (1), 60–69.
- McKee, P.A., Castelli, W.P., McNamara, P.M., and Kannel, W.B., 1971. The Natural History of Congestive Heart Failure: The Framingham Study. *New England Journal of Medicine*, 285 (26), 1441–1446.
- McMurray, J. and Stewart, S., 2002. The burden of heart failure. *European Heart Journal Supplements*, 4 (suppl_D), D50–D58.
- McMurray, J.J. V., Adamopoulos, S., Anker, S.D., Auricchio, A., Bohm, M., Dickstein, K., Falk, V., Filippatos, G., Fonseca, C., Gomez-Sanchez, M.A., Jaarsma, T., Kober, L., Lip, G.Y.H., Maggioni, A.P., Parkhomenko, A., Pieske, B.M., Popescu, B.A., Ronnevik, P.K., Rutten, F.H., Schwitter, J., Seferovic, P., Stepinska, J., Trindade, P.T., Voors, A.A., Zannad, F., Zeiher, A., Bax, J.J., Baumgartner, H., Ceconi, C., Dean, V., Deaton, C., Fagard, R., Funck-Brentano, C., Hasdai, D., Hoes, A., Kirchhof, P., Knuuti, J., Kolh, P., McDonagh, T., Moulin, C., Popescu, B.A., Reiner, Z., Sechtem, U., Sirnes, P.A., Tendera, M., Torbicki, A., Vahanian, A., Windecker, S., McDonagh, T., Sechtem, U., Bonet, L.A., Avraamides, P., Ben Lamin, H.A., Brignole, M., Coca, A., Cowburn, P., Dargie, H., Elliott, P., Flachskampf, F.A., Guida, G.F., Hardman, S., Iung, B.,

- Merkely, B., Mueller, C., Nanas, J.N., Nielsen, O.W., Orn, S., Parissis, J.T., and Ponikowski, P., 2012. ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2012: The Task Force for the Diagnosis and Treatment of Acute and Chronic Heart Failure 2012 of the European Society of Cardiology. Developed in collaboration with the Heart Failure Association (HFA) of the ESC. *European Heart Journal*, 33 (14), 1787–1847.
- McNamara, R.L., Austin, B.A., Wang, Y., Smith, G.L., Vaccarine, V., and Krumholz, H.M., 2008. Systolic Function as a Predictor of Mortality and Quality of Life in Long-term Survivors with Heart Failure. *Clinical Cardiology*, 31 (3), 119–124.
- Megari, K., 2013. Quality of Life in Chronic Disease Patients. *Health psychology research*, 1 (3), e27.
- Messerli, F.H., Rimoldi, S.F., and Bangalore, S., 2017. The Transition From Hypertension to Heart Failure. *JACC: Heart Failure*, 5 (8), 543–551.
- Meta-analysis Global Group in Chronic Heart Failure (MAGGIC), 2012. The survival of patients with heart failure with preserved or reduced left ventricular ejection fraction: an individual patient data meta-analysis. *European Heart Journal*, 33 (14), 1750–1757.
- Miller, M., 2009. Dyslipidemia and cardiovascular risk: the importance of early prevention. *QJM*, 102 (9), 657–667.
- Mlinac, M.E. and Feng, M.C., 2016. Assessment of Activities of Daily Living, Self-Care, and Independence. *Archives of Clinical Neuropsychology*, 31 (6), 506–516.
- Moser, D.K., 2002. Psychosocial Factors and Their Association with Clinical Outcomes in Patients with Heart Failure: Why Clinicians Do not Seem to Care. *European Journal of Cardiovascular Nursing*, 1 (3), 183–188.
- Muhwezi, W.W., Okello, E.S., and Turiho, A.K., 2010. Gender-based profiling of Quality of Life (QOL) of primary health care (PHC) attendees in central Uganda: a cross sectional analysis. *African health sciences*, 10 (4), 374–85.
- Mukamal, K.J., Massaro, J.M., Ault, K.A., Mittleman, M.A., Sutherland, P.A., Lipinska, I., Levy, D., D’Agostino, R.B., and Tofler, G.H., 2005. Alcohol consumption and platelet activation and aggregation among women and men: the Framingham Offspring Study. *Alcoholism, clinical and experimental research*, 29 (10), 1906–12.
- National Clinical Guideline Centre, 2010. *Chronic Heart Failure: National Clinical Guideline for Diagnosis and Management in Primary and Secondary Care*. Chronic Heart Failure: National Clinical Guideline for Diagnosis and Management in Primary and Secondary Care: Partial Update. Royal College of Physicians (UK).

- Nesbitt, T., Doctorvaladan, S., Southard, J.A., Singh, S., Fekete, A., Marie, K., Moser, D.K., Pelter, M.M., Robinson, S., Wilson, M.D., Cooper, L., and Dracup, K., 2014. Correlates of quality of life in rural patients with heart failure. *Circulation. Heart failure*, 7 (6), 882–7.
- Páez-Rubio, M.I., Carrasco-Sánchez, F.J., Escobar-Cervantes, C., Sánchez-Gómez, N., Santiago-Ruiz, J.L., Yebra-Yebra, M., and Manzano, L., 2013. Heart failure with preserved and reduced ejection fraction: different phenotypes in old-elderly patients? *European journal of internal medicine*, 24 (4), 346–8.
- Pelegrino, V.M., Dantas, R.A.S., and Clark, A.M., 2011. Health-related quality of life determinants in outpatients with heart failure. *Revista Latino-Americana de Enfermagem*, 19 (3), 451–457.
- Ponikowski, P., Anker, S.D., AlHabib, K.F., Cowie, M.R., Force, T.L., Hu, S., Jaarsma, T., Krum, H., Rastogi, V., Rohde, L.E., Samal, U.C., Shimokawa, H., Budi Siswanto, B., Sliwa, K., and Filippatos, G., 2014. Heart failure: preventing disease and death worldwide. *ESC Heart Failure*, 1 (1), 4–25.
- Ponikowski, P., Voors, A.A., Anker, S.D., Bueno, H., Cleland, J.G.F., Coats, A.J.S., Falk, V., González-Juanatey, J.R., Harjola, V.-P., Jankowska, E.A., Jessup, M., Linde, C., Nihoyannopoulos, P., Parissis, J.T., Pieske, B., Riley, J.P., Rosano, G.M.C., Ruilope, L.M., Ruschitzka, F., Rutten, F.H., van der Meer, P., Filippatos, G., McMurray, J.J. V, Aboyans, V., Achenbach, S., Agewall, S., Al-Attar, N., Atherton, J.J., Bauersachs, J., John Camm, A., Carerj, S., Ceconi, C., Coca, A., Elliott, P., Erol, Ç., Ezekowitz, J., Fernández-Golfín, C., Fitzsimons, D., Guazzi, M., Guenoun, M., Hasenfuss, G., Hindricks, G., Hoes, A.W., Iung, B., Jaarsma, T., Kirchhof, P., Knuuti, J., Kolh, P., Konstantinides, S., Lainscak, M., Lancellotti, P., Lip, G.Y.H., Maisano, F., Mueller, C., Petrie, M.C., Piepoli, M.F., Priori, S.G., Torbicki, A., Tsutsui, H., van Veldhuisen, D.J., Windecker, S., Yancy, C., Zamorano, J.L., Zamorano, J.L., Aboyans, V., Achenbach, S., Agewall, S., Badimon, L., Barón-Esquivias, G., Baumgartner, H., Bax, J.J., Bueno, H., Carerj, S., Dean, V., Erol, Ç., Fitzsimons, D., Gaemperli, O., Kirchhof, P., Kolh, P., Lancellotti, P., Lip, G.Y.H., Nihoyannopoulos, P., Piepoli, M.F., Ponikowski, P., Roffi, M., Torbicki, A., Vaz Carneiro, A., Windecker, S., Sisakian, H.S., Isayev, E., Kurlianskaya, A., Mullens, W., Tokmakova, M., Agathangelou, P., Melenovsky, V., Wiggers, H., Hassanein, M., Uuetoa, T., Lommi, J., Kostovska, E.S., Juillière, Y., Aladashvili, A., Luchner, A., Chrysohoou, C., Nyolczas, N., Thorgeirsson, G., Marc Weinstein, J., Di Lenarda, A., Aidargaliyeva, N., Bajraktari, G., Beishenkulov, M., Kamzola, G., Abdel-Massih, T., Celutkienė, J., Noppe, S., Cassar, A., Vataman, E., Abir-Khalil, S., van Pol, P., Mo, R., Straburzynska-Migaj, E., Fonseca, C., Chioncel, O., Shlyakhto, E., Otasevic, P., Goncalvesová, E., Lainscak, M., Díaz Molina, B., Schaufelberger, M., Suter, T., Yilmaz, M.B., Voronkov, L., and Davies, C., 2016.

- 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. *European Heart Journal*, 37 (27), 2129–2200.
- Pourhoseingholi, M.A., Vahedi, M., and Rahimzadeh, M., 2013. Sample size calculation in medical studies. *Gastroenterology and hepatology from bed to bench*, 6 (1), 14–7.
- Purba, F.D., Hunfeld, J.A.M., Iskandarsyah, A., Fitriana, T.S., Sadarjoen, S.S., Ramos-Gofi, J.M., Passchier, J., and Busschbach, J.J. V., 2017. The Indonesian EQ-5D-5L Value Set. *PharmacoEconomics*, 35 (11), 1153–1165.
- Ramani, G. V, Uber, P.A., and Mehra, M.R., 2010. Chronic heart failure: contemporary diagnosis and management. *Mayo Clinic proceedings*, 85 (2), 180–95.
- Rani V, Thennarasu P, and Uma C, 2012. *Risk Assessment for Congestive Heart Failure in a South Indian Population: A Clinical Pharmacist's Perspective*. Indian Journal of Clinical Practice.
- Razzolini, R. and Dal Lin, C., 2015. Gender differences in heart failure. *Italian Journal of Gender-Specific Medicine*, 1, 15–20.
- Redfield, M.M., 2004. Understanding “Diastolic” Heart Failure. *New England Journal of Medicine*, 350 (19), 1930–1931.
- Redfield, M.M., 2016. Heart Failure with Preserved Ejection Fraction. *New England Journal of Medicine*, 375 (19), 1868–1877.
- Remme, W.J., 2000. Overview of the relationship between ischemia and congestive heart failure. *Clinical cardiology*, 23 (7 Suppl 4), IV4-8.
- Riedinger, M.S., Dracup, K.A., Brecht, M.L., Padilla, G., Sarna, L., and Ganz, P.A., 2001. Quality of life in patients with heart failure: do gender differences exist? *Heart & lung : the journal of critical care*, 30 (2), 105–16.
- Robinson, M.E., Riley, J.L., Myers, C.D., Papas, R.K., Wise, E.A., Waxenberg, L.B., and Fillingim, R.B., 2001. Gender role expectations of pain: Relationship to sex differences in pain. *The Journal of Pain*, 2 (5), 251–257.
- Roger, V.L., 2013. Epidemiology of Heart Failure. *Circulation Research*, 113 (6), 646–659.
- Sabbah, H.N., 2017. Silent disease progression in clinically stable heart failure. *European journal of heart failure*, 19 (4), 469–478.
- Sakata, Y. and Shimokawa, H., 2013. Epidemiology of heart failure in Asia. *Circulation journal : official journal of the Japanese Circulation Society*, 77 (9), 2209–17.

- Sanderson, J.E., 2016. Factors related to outcome in heart failure with a preserved (or normal) left ventricular ejection fraction. *European Heart Journal - Quality of Care and Clinical Outcomes*, 2 (3), 153–163.
- Santos, J.J.A. dos, Plewka, J.E.A., and Brofman, P.R.S., 2009. Quality of life and clinical indicators in heart failure: a multivariate analysis. *Arquivos brasileiros de cardiologia*, 93 (2), 159–66.
- Santos, R.M., Gonçalves, F., Nóbrega, J., Nascimento, L., and Ravara, L., n.d. Heart failure at an internal medicine department: a retrospective study. *Acta medica portuguesa*, 4 (1), 43–9.
- Serafini, G., Pompili, M., Innamorati, M., Iacorossi, G., Cuomo, I., Della Vista, M., Lester, D., De Biase, L., Girardi, P., and Tatarelli, R., 2010. The Impact of Anxiety, Depression, and Suicidality on Quality of Life and Functional Status of Patients With Congestive Heart Failure and Hypertension. *The Primary Care Companion to The Journal of Clinical Psychiatry*, 12 (6).
- Sidebotham, D., 2007. *Cardiothoracic critical care*. Butterworth-Heinemann.
- Simons, L.A., McCallum, J., Friedlander, Y., Ortiz, M., and Simons, J., 2000. Moderate alcohol intake is associated with survival in the elderly: the Dubbo Study. *The Medical journal of Australia*, 173 (3), 121–4.
- Skotzko, C.E., Vranceanu, A., Krueger, L., and Freudenberger, R., 2009. Alcohol use and congestive heart failure: incidence, importance, and approaches to improved history taking. *Heart Failure Reviews*, 14 (1), 51–55.
- De Smedt, D., Clays, E., and De Bacquer, D., 2016. Measuring health-related quality of life in cardiac patients: Table 1. *European Heart Journal - Quality of Care and Clinical Outcomes*, 2 (3), 149–150.
- Smith, Y.R., Stohler, C.S., Nichols, T.E., Bueller, J.A., Koeppe, R.A., and Zubieta, J.-K., 2006. Pronociceptive and antinociceptive effects of estradiol through endogenous opioid neurotransmission in women. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 26 (21), 5777–85.
- Solomon, S.D., Anavekar, N., Skali, H., McMurray, J.J.V., Swedberg, K., Yusuf, S., Granger, C.B., Michelson, E.L., Wang, D., Pocock, S., Pfeffer, M.A., and Candesartan in Heart Failure Reduction in Mortality (CHARM) Investigators, 2005. Influence of Ejection Fraction on Cardiovascular Outcomes in a Broad Spectrum of Heart Failure Patients. *Circulation*, 112 (24), 3738–3744.
- Somrongthong, R., Hongthong, D., Wongchalee, S., and Wongtongkam, N., 2016. The Influence of Chronic Illness and Lifestyle Behaviors on Quality of Life among Older Thais. *BioMed Research International*, 2016, 1–7.

- Son, Y.-J., Song, Y., Nam, S., Shin, W.-Y., Lee, S.-J., and Jin, D.-K., 2012. Factors Associated With Health-Related Quality of Life in Elderly Korean Patients With Heart Failure. *The Journal of Cardiovascular Nursing*, 27 (6), 528–538.
- Stampfer, M.J., Kang, J.H., Chen, J., Cherry, R., and Grodstein, F., 2005. Effects of Moderate Alcohol Consumption on Cognitive Function in Women. *New England Journal of Medicine*, 352 (3), 245–253.
- Staniute, M., Bunevicius, A., Brozaitiene, J., and Bunevicius, R., 2014. Relationship of health-related quality of life with fatigue and exercise capacity in patients with coronary artery disease. *European Journal of Cardiovascular Nursing*, 13 (4), 338–344.
- Strömberg, A. and Mårtensson, J., 2003. Gender Differences in Patients with Heart Failure. *European Journal of Cardiovascular Nursing*, 2 (1), 7–18.
- Tan, Z., Liang, Y., Liu, S., Cao, W., Tu, H., Guo, L., and Xu, Y., 2013. Health-related quality of life as measured with EQ-5D among populations with and without specific chronic conditions: a population-based survey in Shaanxi Province, China. *PloS one*, 8 (7), e65958.
- Testa, M.A. and Simonson, D.C., 1996. Assessment of Quality-of-Life Outcomes. *New England Journal of Medicine*, 334 (13), 835–840.
- Uchmanowicz, I., Wleklik, M., and Gobbens, R., 2015. Frailty syndrome and self-care ability in elderly patients with heart failure. *Clinical Interventions in Aging*, 10, 871.
- Udeoiji, D.U., Shah, A.B., Bharadwaj, P., Katsiyiannis, P., and Schwarz, E.R., 2012. Evaluation of the prevalence and severity of pain in patients with stable chronic heart failure. *World journal of cardiology*, 4 (8), 250–5.
- Vasan, R.S., Larson, M.G., Benjamin, E.J., Evans, J.C., Reiss, C.K., and Levy, D., 1999. Congestive heart failure in subjects with normal versus reduced left ventricular ejection fraction: prevalence and mortality in a population-based cohort. *Journal of the American College of Cardiology*, 33 (7), 1948–55.
- Velagaleti, R.S., Massaro, J., Vasan, R.S., Robins, S.J., Kannel, W.B., and Levy, D., 2009. Relations of lipid concentrations to heart failure incidence: the Framingham Heart Study. *Circulation*, 120 (23), 2345–51.
- Ware, J.E. and Gandek, B., 1998. Overview of the SF-36 Health Survey and the International Quality of Life Assessment (IQOLA) Project. *Journal of clinical epidemiology*, 51 (11), 903–12.
- Ware, J.E. and Sherbourne, C.D., 1992. The MOS 36-item short-form health survey (SF-36). I. Conceptual framework and item selection. *Medical care*, 30 (6), 473–

83.

- Webber, S.C., Porter, M.M., and Menec, V.H., 2010. Mobility in Older Adults: A Comprehensive Framework. *The Gerontologist*, 50 (4), 443–450.
- Weeks, C., 2011. Factors Influencing Self Care Behaviors of African Americans Adults with Type 2 Diabetes. University of North Carolina.
- Whelan, C.T., Jin, L., and Meltzer, D., 2004. Pain and Satisfaction With Pain Control in Hospitalized Medical Patients. *Archives of Internal Medicine*, 164 (2), 175.
- Yancy, C.W., Jessup, M., Bozkurt, B., Butler, J., Casey, D.E., Drazner, M.H., Fonarow, G.C., Geraci, S.A., Horwich, T., Januzzi, J.L., Johnson, M.R., Kasper, E.K., Levy, W.C., Masoudi, F.A., McBride, P.E., McMurray, J.J.V., Mitchell, J.E., Peterson, P.N., Riegel, B., Sam, F., Stevenson, L.W., Tang, W.H.W., Tsai, E.J., and Wilkoff, B.L., 2013. 2013 ACCF/AHA Guideline for the Management of Heart Failure. *Circulation*, 128 (16).
- Zubieta, J.-K., Smith, Y.R., Bueller, J.A., Xu, Y., Kilbourn, M.R., Jewett, D.M., Meyer, C.R., Koeppe, R.A., and Stohler, C.S., 2002. mu-opioid receptor-mediated antinociceptive responses differ in men and women. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 22 (12), 5100–7.
- Zubritsky, C., Abbott, K.M., Hirschman, K.B., Bowles, K.H., Foust, J.B., and Naylor, M.D., 2013. Health-related Quality of Life: Expanding a Conceptual Framework to Include Older Adults Who Receive Long-term Services and Supports. *The Gerontologist*, 53 (2), 205–210.