



REFERENCES

- Abdullah, N. and Sulaiman, F. (2013), "The properties of the washed empty fruit bunches of oil palm", *Journal of Physical Science*, Vol. 24 No. 2, pp. 117–137.
- Akahira, T. and Sunose, T. (1969), "Transactions of Joint Convention of Four Electrical Institutes", *Sci.Technol.*, Vol. 16, pp. 22–31.
- Al-Harashsheh, M., Al-Ayed, O., Robinson, J., Kingman, S., Al-Harashsheh, A., Tarawneh, K., Saeid, A., et al. (2011), "Effect of demineralization and heating rate on the pyrolysis kinetics of Jordanian oil shales", *Fuel Processing Technology*, Vol. 92, pp. 1805–1811.
- Ali, I., Bahaitham, H. and Naebulharam, R. (2017), "A comprehensive kinetics study of coconut shell waste pyrolysis", *Bioresource Technology*, Vol. 235, pp. 1–11.
- Anca-Couce, A., Mehrabian, R., Scharler, R. and Obernberger, I. (2014), "Kinetic scheme of biomass pyrolysis considering secondary charring reactions", *Energy Conversion and Management*, Vol. 87, pp. 687–696.
- Arni, S. Al. (2018), "Comparison of slow and fast pyrolysis for converting biomass into fuel", *Renewable Energy*, Vol. 124, pp. 197–201.
- Atkins, P. and Paula, J. De. (2010), *Physical Chemistry*, Ninth Edit., Oxford University Press, Madison.
- Basu, P. (2010), *Biomass Gasification and Pyrolysis*, Academic Press, Burlington.
- Di Blasi, C. (2008), "Modeling chemical and physical processes of wood and biomass pyrolysis", *Progress in Energy and Combustion Science*, Vol. 34, pp. 47–90.
- Burnham, A.K. and Braun, R.L. (1999), "Global Kinetic Analysis of Complex Materials", *Energy & Fuels*, Vol. 13 No. 1, pp. 1–22.
- Cao, H., Xin, Y., Wang, D. and Yuan, Q. (2014), "Pyrolysis characteristics of cattle manures using a discrete distributed activation energy model", *Bioresource Technology*, Vol. 172, pp. 219–225.
- Caprariis, B. De, Santarelli, M.L., Scarsella, M., Herce, C., Verdone, N. and



- Filippis, P. De. (2015), "Kinetic analysis of biomass pyrolysis using a double distributed activation energy model", *Journal of Thermal Analysis and Calorimetry*, Vol. 121, pp. 1403–1410.
- Ceylan, S. and Kazan, D. (2015), "Pyrolysis kinetics and thermal characteristics of microalgae *Nannochloropsis oculata* and *Tetraselmis* sp .", *Bioresource Technology*, Vol. 187, pp. 1–5.
- Ceylan, S., Topcu, Y. and Ceylan, Z. (2014), "Thermal behaviour and kinetics of alga *Polysiphonia elongata* biomass during pyrolysis", *Bioresource Technology*, Vol. 171, pp. 193–198.
- Chandrasekaran, A., Ramachandran, S. and Subbiah, S. (2017), "Determination of kinetic parameters in the pyrolysis operation and thermal behavior of *Prosopis juliflora* using thermogravimetric analysis", *Bioresource Technology*, Vol. 233, pp. 413–422.
- Chang, S.H. (2014), "An overview of empty fruit bunch from oil palm as feedstock for bio-oil production", *Biomass and Bioenergy*, Vol. 62, pp. 174–181.
- Chen, C., Ma, X. and He, Y. (2012), "Co-pyrolysis characteristics of microalgae *Chlorella vulgaris* and coal through TGA", *Bioresource Technology*, Vol. 117, pp. 264–273.
- Chen, D., Zhou, J. and Zhang, Q. (2014), "Effects of heating rate on slow pyrolysis behavior, kinetic parameters and products properties of moso bamboo", *Bioresource Technology*, Vol. 169, pp. 313–319.
- Collard, F.-X. and Blin, J. (2014), "A review on pyrolysis of biomass constituents: Mechanisms and composition of the products obtained from the conversion of cellulose, hemicelluloses and lignin", *Renewable and Sustainable Energy Reviews*, Vol. 38, pp. 594–608.
- Crombie, K., Masek, O., Sohi, S.P., Brownsort, P. and Cross, A. (2013), "The effect of pyrolysis conditions on biochar stability as determined by three methods", *GCB Bioenergy*, Vol. 5, pp. 122–131.
- Demirbas, A. (2004), "Effects of temperature and particle size on bio-char yield from pyrolysis of agricultural residues", *Journal of Analytical and Applied Pyrolysis*, Vol. 72, pp. 243–248.



- Dorez, G., Ferry, L., Sonnier, R., Taguet, A. and Lopez-Cuesta, J.M. (2014), "Effect of cellulose, hemicellulose and lignin contents on pyrolysis and combustion of natural fibers", *Journal of Analytical and Applied Pyrolysis*, Vol. 107, pp. 323–331.
- Doyle, C.D. (1962), "Estimating isothermal life from thermogravimetric data", *Journal of Applied Polymer Science*, Vol. 6 No. 24, pp. 639–642.
- Ebrahimi-Kahrizsangi, R. and Abbasi, M.H. (2008), "Evaluation of reliability of Coats-Redfern method for kinetic analysis of non-isothermal TGA", *Transactions of Nonferrous Metals Society of China*, Vol. 18, pp. 217–221.
- Edmund, C.O., Christopher, M.S. and Pascal, D.K. (2014), "Characterization of palm kernel shell for materials reinforcement and water treatment", *Journal of Chemical Engineering and Materials Science*, Vol. 5 No. 1, pp. 1–6.
- EIA. (2017), *International Energy Outlook 2017*, Washington DC.
- El-Sayed, S.A. and Mostafa, M.E. (2014), "Pyrolysis characteristics and kinetic parameters determination of biomass fuel powders by differential thermal gravimetric analysis (TGA/DTG)", *Energy Conversion and Management*, Vol. 85, pp. 165–172.
- Elyounssi, K., Collard, F., Mateke, J.N. and Blin, J. (2012), "Improvement of charcoal yield by two-step pyrolysis on eucalyptus wood: A thermogravimetric study", *Fuel*, Vol. 96, pp. 161–167.
- Flynn, J.H. and Wall, L.A. (1966), "A quick, direct method for the determination of activation energy from thermogravimetric data", *Journal of Polymer Science Part B: Polymer Letters*, Vol. 4 No. 5, pp. 323–328.
- Fogler, H.S. (2013), *Essentials of Chemical Reaction Engineering*, Fourth Edi., Pearson Education International, New Jersey.
- Friedman H. L. (1964), "Kinetics of thermal degradation of char-forming plastics from thermogravimetry. Application to a phenolic plastic", *Journal of Polymer Science Part C Polymer Letters*, Vol. 6 No. 1, pp. 183–195.
- Gai, C., Dong, Y. and Zhang, T. (2013), "The kinetic analysis of the pyrolysis of agricultural residue under non-isothermal conditions", *Bioresource Technology*, Vol. 127, pp. 298–305.



- Garcia-Perez, M., Chaala, A., Pakdel, H., Kretschmer, D. and Roy, C. (2007), "Characterization of bio-oils in chemical families", *Biomass and Bioenergy*, Vol. 31, pp. 222–242.
- Guedes, R.E., Luna, A.S. and Torres, A.R. (2018), "Operating parameters for bio-oil production in biomass pyrolysis : A review", *Journal of Analytical and Applied Pyrolysis*, Vol. 129, pp. 134–149.
- Hosoya, T., Kawamoto, H. and Saka, S. (2009), "J Role of methoxyl group in char formation from lignin-related compounds", *Journal of Analytical and Applied Pyrolysis*, Vol. 84, pp. 79–83.
- Hu, M., Chen, Z., Wang, S., Guo, D., Ma, C., Zhou, Y., Chen, J., et al. (2016), "Thermogravimetric kinetics of lignocellulosic biomass slow pyrolysis using distributed activation energy model, Fraser – Suzuki deconvolution, and iso-conversional method", *Energy Conversion and Management*, Vol. 118, pp. 1–11.
- Jiang, G., Nowakowski, D.J. and Bridgwater, A. V. (2010), "A systematic study of the kinetics of lignin pyrolysis", *Thermochimica Acta*, Vol. 498, pp. 61–66.
- Kee, N.S. (1972), *The Oil Palm, Its Culture, Manuring and Utilisation*, International Potash Institute.
- Kim, Y.S., Kim, Y.S. and Kim, S.H. (2010), "Investigation of Thermodynamic Parameters in the Thermal Decomposition of Plastic Waste - Waste Lube Oil Compounds", *Environment Science & Technology*, Vol. 44, pp. 5313–5317.
- Kissinger, H. (1957), "Reaction kinetics in differential thermal analysis", *Analytical Chemistry*, Vol. 29, pp. 1702–1706.
- Li, C. and Suzuki, K. (2009), "Kinetic analyses of biomass tar pyrolysis using the distributed activation energy model by TG / DTA technique", *Journal of Thermal Analysis and Calorimetry*, Vol. 98, pp. 261–266.
- Ly, H.V., Kim, J. and Kim, S.S. (2013), "Pyrolysis characteristics and kinetics of palm fiber in a closed reactor", *Renewable Energy*, Vol. 54, pp. 91–95.
- Mae, K., Hasegawa, I., Sakai, N. and Miura, K. (2000), "A New Conversion Method for Recovering Valuable Chemicals from Oil Palm Shell Wastes Utilizing Liquid-Phase Oxidation with H₂O₂ under Mild Conditions", *Energy*



& *Fuels*, Vol. 14, pp. 1212–1218.

- Maia, A.A.D. and Morais, L.C. De. (2016), “Kinetic parameters of red pepper waste as biomass to solid biofuel”, *Bioresource Technology*, Vol. 204, pp. 157–163.
- Mamleev, V., Bourbigot, S., Bras, M. Le and Yvon, J. (2009), “The facts and hypotheses relating to the phenomenological model of cellulose pyrolysis Interdependence of the steps”, *Journal of Analytical and Applied Pyrolysis*, Vol. 84, pp. 1–17.
- Mani, T., Murugan, P., Abedi, J. and Mahinpey, N. (2010), “Pyrolysis of wheat straw in a thermogravimetric analyzer: Effect of particle size and heating rate on devolatilization and estimation of global kinetics”, *Chemical Engineering Research and Design*, Institution of Chemical Engineers, Vol. 88 No. 8, pp. 952–958.
- McKendry, P. (2002), “Energy production from biomass (part 2): conversion technologies”, *Bioresource Technology*, Vol. 83, pp. 47–54.
- Mishra, G. and Bhaskar, T. (2014), “Non isothermal model free kinetics for pyrolysis of rice straw”, *Bioresource Technology*, Vol. 169, pp. 614–621.
- Miura, K. and Maki, T. (1998), “A Simple Method for Estimating $f(E)$ and $k_0(E)$ in the Distributed Activation Energy Model”, *Energy & Fuels*, Vol. 12, pp. 864–869.
- Mullen, C.A. and Boateng, A.A. (2011), “Characterization of water insoluble solids isolated from various biomass fast pyrolysis oils”, *Journal of Analytical and Applied Pyrolysis*, Vol. 90, pp. 197–203.
- Neves, D., Thunman, H., Matos, A., Tarelho, L. and Gómez-Barea, A. (2011), “Characterization and prediction of biomass pyrolysis products”, *Progress in Energy and Combustion Science*, Vol. 37, pp. 611–630.
- Ounas, A., Aboulkas, A., El harfi, K., Bacaoui, A. and Yaacoubi, A. (2011), “Pyrolysis of olive residue and sugar cane bagasse: Non-isothermal thermogravimetric kinetic analysis”, *Bioresource Technology*, Vol. 102, pp. 11234–11238.
- Ozawa, T. (1965), “A new method of analyzing thermogravimetric data”, *Bull. Chem. Soc. Jpn*, Vol. 38, pp. 1881–1886.



- Ozveren, U. and Ozdogan, Z.S. (2013), "Investigation of the slow pyrolysis kinetics of olive oil pomace using thermo-gravimetric analysis coupled with mass spectrometry", *Biomass and Bioenergy*, Vol. 58, pp. 168–179.
- Park, J., Lee, Y., Ryu, C. and Park, Y. (2014), "Slow pyrolysis of rice straw: Analysis of products properties , carbon and energy yields", *Bioresource Technology*, Vol. 155, pp. 63–70.
- Pasangulapati, V., Ramachandriya, K.D., Kumar, A., Wilkins, M.R., Jones, C.L. and Huhnke, R.L. (2012), "Effects of cellulose, hemicellulose and lignin on thermochemical conversion characteristics of the selected biomass", *Bioresource Technology*, Vol. 114, pp. 663–669.
- Poletto, M., Zattera, A.J., Forte, M.M.C. and Santana, R.M.C. (2012), "Thermal decomposition of wood: Influence of wood components and cellulose crystallite size", *Bioresource Technology*, Vol. 109, pp. 148–153.
- Qu, T., Guo, W., Shen, L., Xiao, J. and Zhao, K. (2011), "Experimental Study of Biomass Pyrolysis Based on Three Major Components: Hemicellulose , Cellulose , and Lignin", *Industrial & Engineering Chemistry Research*, Vol. 50, pp. 10424–10433.
- Ruvolo-Filho, A. and Curti, P.S. (2006), "Chemical Kinetic Model and Thermodynamic Compensation Effect of Alkaline Hydrolysis of Waste Poly (ethylene terephthalate) in Nonaqueous Ethylene Glycol Solution", *Industrial & Engineering Chemistry Research*, Vol. 45, pp. 7985–7996.
- Saha, B.C. (2003), "Hemicellulose bioconversion", *J Ind Microbiol Biotechnol*, Vol. 30, pp. 279–291.
- Shibata, M., Varman, M., Tono, Y., Miyafuji, H. and Saka, S. (2008), "Characterization in chemical composition of the oil palm (*elaeis guineensis*)", *Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy*, Vol. 87 No. 5, pp. 383–388.
- Shimadzu. (2006), *Simultaneous Measurements of Thermogravimetry and Differential Thermal Analysis DTG-60 DTH-60H Instruction Manual*, Tokyo, Japan.
- Shimadzu. (2012), *Thermal Analysis Instruments 60 Series*, Tokyo, Japan.



- Slopiecka, K., Bartocci, P. and Fantozzi, F. (2012), “Thermogravimetric analysis and kinetic study of poplar wood pyrolysis”, *Applied Energy*, Vol. 97, pp. 491–497.
- Soria-Verdugo, A., Goos, E. and García-Hernando, N. (2015), “Effect of the number of TGA curves employed on the biomass pyrolysis kinetics results obtained using the Distributed Activation Energy Model”, *Fuel Processing Technology*, Vol. 134, pp. 360–371.
- Stefanidis, S.D., Kalogiannis, K.G., Iliopoulou, E.F., Michailof, C.M., Pilavachi, P.A. and Lappas, A.A. (2014), “A study of lignocellulosic biomass pyrolysis via the pyrolysis of cellulose, hemicellulose and lignin”, *Journal of Analytical and Applied Pyrolysis*, Vol. 105, pp. 143–150.
- Sukiran, M.A., Kheang, L.S., Bakar, N.A. and May, C.Y. (2014), “Pyrolysis of Empty Fruit Bunches: Influence of Temperature on the Yields and Composition of Gaseous Product”, *American Journal of Applied Sciences*, Vol. 11 No. 4, pp. 606–610.
- Sulaiman, F. and Abdullah, N. (2011), “Optimum conditions for maximising pyrolysis liquids of oil palm empty fruit bunches”, *Energy*, Vol. 36, pp. 2352–2359.
- Turmanova, S.C., Genieva, S.D., Dimitrova, A.S. and Vlaev, L.T. (2008), “Non-isothermal degradation kinetics of filled with rice husk ash polypropylene composites”, *Express Polymer Letters*, Vol. 2 No. 2, pp. 133–146.
- USDA. (2017), *World’s Palm Oil Production*, Washington DC.
- Vamvuka, D., Kakaras, E., Kastanaki, E. and Grammelis, P. (2003), “Pyrolysis characteristics and kinetics of biomass residuals mixtures with lignite”, *Fuel*, Vol. 82, pp. 1949–1960.
- Vamvuka, D. and Sfakiotakis, S. (2011), “Effects of heating rate and water leaching of perennial energy crops on pyrolysis characteristics and kinetics”, *Renewable Energy*, Vol. 36 No. 9, pp. 2433–2439.
- Varhegyi, G., Bobaly, B., Jakab, E. and Chen, H. (2011), “Thermogravimetric Study of Biomass Pyrolysis Kinetics . A Distributed Activation Energy Model with Prediction Tests”, *Energy & Fuels*, Vol. 25, pp. 24–32.



- Velden, M. Van de, Baeyens, J., Brems, A., Janssens, B. and Dewil, R. (2010), "Fundamentals, kinetics and endothermicity of the biomass pyrolysis reaction", *Renewable Energy*, Vol. 35, pp. 232–242.
- Vlaev, L., Markovska, I. and Lyubchev, L. (2003), "Non-isothermal kinetics of pyrolysis of rice husk", *Thermochimica Acta*, Vol. 406, pp. 1–7.
- Wang, G., Li, B. and Chen, H. (2008), "TG study on pyrolysis of biomass and its three components under syngas", *Fuel*, Vol. 87, pp. 552–558.
- Wang, X., Hu, M., Hu, W., Chen, Z., Liu, S., Hu, Z. and Xiao, B. (2016), "Thermogravimetric kinetic study of agricultural residue biomass pyrolysis based on combined kinetics", *Bioresource Technology*, Vol. 219, pp. 510–520.
- Wei, L., Xu, S., Zhang, L., Zhang, H., Liu, C., Zhu, H. and Liu, S. (2006), "Characteristics of fast pyrolysis of biomass in a free fall reactor", *Fuel Processing Technology*, Vol. 87, pp. 863–871.
- White, J.E., Catallo, W.J. and Legendre, B.L. (2011), "Journal of Analytical and Applied Pyrolysis Biomass pyrolysis kinetics : A comparative critical review with relevant agricultural residue case studies", *Journal of Analytical and Applied Pyrolysis*, Vol. 91, pp. 1–33.
- Wooten, J.B., Seeman, J.I. and Hajaligol, M.R. (2004), "Observation and Characterization of Cellulose Pyrolysis Intermediates by ¹³C CPMAS NMR. A New Mechanistic Model", *Energy & Fuels*, Vol. 18 No. 1, pp. 1–15.
- Xu, Y. and Chen, B. (2013), "Investigation of thermodynamic parameters in the pyrolysis conversion of biomass and manure to biochars using thermogravimetric analysis", *Bioresource Technology*, Vol. 146, pp. 485–493.
- Yang, H., Yan, R., Chen, H., Lee, D.H. and Zheng, C. (2007), "Characteristics of hemicellulose, cellulose and lignin pyrolysis", *Fuel*, Vol. 86, pp. 1781–1788.
- Yao, F., Wu, Q., Lei, Y., Guo, W. and Xu, Y. (2008), "Thermal decomposition kinetics of natural fibers: Activation energy with dynamic thermogravimetric analysis", *Polymer Degradation and Stability*, Vol. 93, pp. 90–98.
- Yuan, X., He, T., Cao, H. and Yuan, Q. (2017), "Cattle manure pyrolysis process: Kinetic and thermodynamic analysis with isoconversional methods", *Renewable Energy*, Vol. 107, pp. 489–496.



UNIVERSITAS
GADJAH MADA

Thermogravimetry Analysis and Kinetic Study of Slow Pyrolysis on Oil-Palm Solid Waste
FREDY SURAHMANTO, Prof. Dr. -Ing. Ir. Harwin Saptoadi, MSE; Ir. Hary Sulisty, SU, Ph.D. Dr. Eng. Tri Agung Roh
Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhang, X., Xu, M., Sun, R. and Sun, L. (2006), “Study on Biomass Pyrolysis”,
Journal of Engineering Gas Turbines and Power, Vol. 128, pp. 493–496.