

DAFTAR PUSTAKA

- Aadil, R. M., Zeng, X.-A., Abbasi, A. M., Khan, M. S., Khalid, S., Jabbar, S., & Abid, M. (2014). Influence of power ultrasound on the quality parameters of grapefruit juice during storage. *Sci Lett.*, 3, 1–8.
- Adela, P., & Momeu, C. (2008). Beta-Cryptoxanthin Uptake in Retinal Pigmen Epithelial Cells. *Bul USAMW*, 65(1–2), 182–187.
- Adisakwattana, S., Anun, S. Y., Charoenlertkul, P., & Wongsasiripat, N. (2011). Cyanidin alleviates postprandial hyperglycemia and its synergism with acarbose by inhibition of intestinal α glucosidase. *J. Clin. Biochem. Nutr.*, 49(1), 36–41.
- Adisakwattana, S., Ngamrojanavanich, N., Kalampakorn, K., Tiravanit, W., Roengsumran, S., & Yibchok-anun, S. (2004). Inhibitory Activity of Cyanidin-3-rutinoside on α -Glucosidase. *J. Enzyme Inhibition and Med Chem*, 19(4), 313–316.
- Adisakwattana Sirichai, Sirintorn Yibchock Anun, Piyawan Charoenlertkul, N. W. (2011). Cyanidin-3-rutinoside alleviates postprandial hyperglycemia and its synergism with acarbose by inhibition of intestinal glucosidase. *J. Clin. Biochem. Nutr.*
- Adriawan, I. R., Andrie, M., Susilowati, R., Suwidjiyo, P., & Nugroho, A. E. (2014). HOMA-IR Index Evaluation and Antidiabetes Mellitus Effect of *Andrographis paniculata* (Burm.f) Nees Purified Ekstrakt and Andrographolide. *Trad. Med. J*, 19(1), 19–23.
- Aizawa, K., & Inakuma, T. (2007). Technical paper Quantitation of Carotenoids in Commonly Consumed Vegetables in Japan. *Food Sci. Technol. Res*, 13(3), 247–252.
- Akbar, S., Bellary, S., & Griffiths, H. R. (2011). Dietary antioxidant interventions in type 2 diabetes patients : a meta-analysis Review. *Br J Diabetes Vasc Dis*, 11, 62–68.
- Akkarachiyasit, S., Yibchok-Anun, S., Wacharasindhu, S., & Adisakwattana, S. (2011). In vitro inhibitory effects of cyandin-3-rutinoside on pancreatic α -amylase and its combined effect with acarbose. *Molecules*, 16(3), 2075–2083.
- Alamanou, A., Blattmann, C., Gould, A., & Winkler, J. (2013). Practica in Process Engineering II. *IPE Separat Proc Lab - ETH Zurich*, (Phase 1), 30.
- Altemimi, A., Watson, D. G., Choudhary, R., & Dasari, M. R. (2016). Ultrasound Assisted Extraction of Phenolic Compounds from Peaches and Pumpkins. *PLoS ONE*, 17, 1–20.
- American Diabetes Association (ADA). (2017). Standard of medical care in diabetes - 2017. *J. Clin. & Appl Res & Edu*, 40 (sup 1), s4–s128.

- Aminah, S., & Yusuf, M. (2015). Efisiensi Pakan, Berat Badan Dan Panjang Tulang Tikus Yang Mengkonsumsi Kejale Selama 6 Mnggu. *The 2nd University Research Coloquium*, 451–459.
- Amorim-Carrilho, K. T., Cepede, A., Fente, C., & Regal, P. (2014). Review of methods for analysis of carotenoids. *Trends in Anal Chem*, 56, 49–73.
- Annegowda, H. V., Bhat, R., & Min-tze, L. (2012). Influence of sonication treatments and extraction solvents on the phenolics and antioxidants in star fruits. *J. Food Sci Technol*, 49(4), 510–514.
- Apak, R., Özyürek, M., Güçlü, K., & Çapanoğlu, E. (2016). Antioxidant Activity/Capacity Measurement. 2. Hydrogen Atom Transfer (HAT)-Based, Mixed-Mode (Electron Transfer (ET)/HAT), and Lipid Peroxidation Assays. *J. Agric. Food Chem*, 64(5), 1028–1045.
- Aruoma, O. I. (1998). Free Radicals , Oxidative Stress , and Antioxidants in Human Health and Disease. *JAOCS*, 75(2), 199–212.
- Asmara, Y., Bayu, A. K., Adi, S. G. ., Aini, F., & Pudjihastuti, I. (2013). Rekayasa Proses Pembuatan Serbuk Pewarna Batik Biodegradable Berbahan Antosianin Limbah Kulit Terong Belanda (*Chypomandra betaceae*) dengan Kombinasi Ekstraksi Gelombang Ultrasonik dan Aqua Solvent. In *SNST ke-4* (pp. 17–21). Semarang, Indonesia.
- Asvita, S. M., & Berawi, K. N. (2016). Efektivitas Ekstrak Terong Belanda untuk Menurunkan Kadar Glukosa dan Kolesterol LDL Darah pada Pasien Obesitas. *Majority*, 5(1), 102–106.
- Atiqah, N. A. A. K., Maisarah, A. M., & Asah, R. (2014). Comparison of antioxidant properties of tamarillo (*Cyphomandra betacea*), cherry tomato *Solanumly copersicum* var . *cerasiform* and tomato (*Lyopersicon esulentum*). *Intern Food Res J*, 21(6), 2355–2362.
- Aura, A., Martin-Lopez, P., O’Leary, K. A., Williamson, G., Oksman-Caldentey, K. M., Poutanen, K., & Santos-Beulga, C. (2005). In vitro metabolism of anthocyanins by human gut microflora. *Eur J Nutr*, 44, 133–142.
- Aydin, M., & Çelîk, S. (2012). Effects of lycopene on plasma glucose , insulin levels , oxidative stress , and body weights of streptozotocin-induced diabetic rats. *Turk J Med Sci*, 42((Sup.2)), 1406–1413.
- Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., Omar, A. K. M. (2013). Techniques for extraction of bioactive compounds from plant materials : A review. *J. Food Eng*, 117(4), 426–436.
- Bakan, E., Akbulut, T. Z., & Inanc, A. L. (2014). Carotenoids in Foods and their Effects on Human Health. *Academic Food J*, 12(2), 61–68.
- Bakowska-Barczak, A. (2005). Acylated Anthocyanins As Stable, Natural Food Colorants – a Review. *Pol. J. Food Nutr.Sci*, 1455(2), 107–116.

- Benzie, I. F. F., & Strain, J. J. (1996). The Ferric Reducing Ability of Plasma (FRAP) as a Measure of “Antioxidant Power”: The FRAP Assay. *J. Antiox. Anal. Biochem*, 239, 70–76.
- Bilous, R., & Donnelly, R. (2010). *Handbook of diabetes* (4th editio). Hoboke, UK,USA: Wiley-Blackwell, A John Wiley & Sons, Ltd, Publication.
- Bischoff, B. (1994). Pharmacology of α -glucosidase inhibition. *European J. Clin Invest*, 24(3), 3–10.
- Bjelakovi, G., Stojanovi, I., & Bjelakovi, G. B. (2002). Competitive Inhibitors of Enzymes and Thier Therapeutic Application. *J. Med & Biol*, 9(3), 201–206.
- Blois, M. (1958). Antioxidant determinations by the use of a stable free radical. *Nature*, 181, 1199–1200.
- Boath, A. S., Grussu, D., Stewart, D., & Mcdougall, G. J. (2012). Berry Polyphenols Inhibit Digestive Enzymes : a Source of Potential Health Benefits ? *Food Dig.*, 3, 1–7.
- Boath, A. S., Stewart, D., & McDougall, G. J. (2012). Berry components inhibit α -glucosidase in vitro: Synergies between acarbose and polyphenols from black currant and rowanberry. *J. Food Chem*, 135, 929–936. 5
- Breemen, R. B. Van. (1997). Liquid chromatography/mass spectrometry of carotenoids. *Pure & Appl. Chem*, 69(10), 2061–2066.
- Breemen, R. B. Van, Dong, L., & Pajkovic, N. D. (2012). Atmospheric pressure chemical ionization tandem mass spectrometry of carotenoids Lycopene. *Inter. J Mass Spectro*, 312, 163–172.
- Britton, G. (1995). Structure and properties of carotenoids function. *FASEB J.*, 9, 1551–1558.
- Burri, B. J., La Frano, M. R., & Zhu, C. (2016). Absorption, metabolism, and functions of β -cryptoxanthin. *Nutr. Reviews*, 74(2), 69–82.
- Castañeda-ovando, A., Pacheco-hernández, M. D. L., Páez-hernández, M. E., Rodríguez, J. A., & Galán-vidal, C. A. (2009). Chemical studies of anthocyanins : A review. *J. Food Chem.*, 113(4), 859–871.
- Cazzonelli, C. I. (2011). Carotenoids in nature : insights from plants and beyond IN. *Funct & Palnt Biol*, 38, 833–847.
- Celli, G. B., Ghanem, A., & Brooks, M. S. (2015). Optimization of ultrasound-assisted extraction of anthocyanins from haskap berries (*Lonicera caerulea* L.) using Response Surface Methodology. *J. Ultsonc*, 27, 449–455.
- Cerhan, J. R., Saag, K. G., Merlino, L. A., Mikuls, T. R., & Criswell, L. A. (2003). Antioxidant micronutrients and risk of rheumatoid arthritis in a cohort of older women. *American J Epidemiol*, 157(4), 345–354.

- Chemat, F., Rombaut, N., Sicaire, A., Meullemiestre, A., & Abert-vian, M. (2017). Ultrasound assisted extraction of food and natural products . Mechanisms , techniques , combinations , protocols and applications . A review. *J.Ultsench*, 34, 540–560.
- Chemat, S., Aissa, A., Boumechhour, A., Arous, O., & Ait-amar, H. (2016). Extraction mechanism of ultrasound assisted extraction and its effect on higher yielding and purity of artemisinin crystals from *Artemisia annua* L. leaves. *J.Ultsench*, 1–20.
- Chen, F., Sun, Y., Zhao, G., Liao, X., Hu, X., Wu, J., & Wang, Z. (2007). Optimization of ultrasound-assisted extraction of anthocyanins in red raspberries and identification of anthocyanins in extract using high-performance liquid chromatography– mass spectrometry. *J.Ultsench*, 14, 767–778.
- Clifford, M. N. (2000). Review Anthocyanins-natur, occurrence and dietary burden. *J. Sci Food Agric.*, 80, 1063–1072.
- Coman, C., Rugină, O. D., & Socaciu, C. (2012). Plants and natural compounds with antidiabetic action. *J. Not Bot Horti Agrobo*, 40(1), 314–325.
- Correia, S. I., & Canhoto, J. M. (2012). Biotechnology of tamarillo (*Cyphomandra betacea*): From in vitro cloning to genetic transformation. *J. Sci Horti*, 148, 161–168.
- Cujic, Nada, N., Šavikin, K., Janković, T., Pljevljakušić, D., Zdunić, G., & Ibrić, S. (2016). Optimization of polyphenols extraction from dried chokeberry using maceration as traditional technique. *J. Food Chem.*, 194, 135–142.
- De Rosso, V. V., & Mercadante, A. Z. (2007a). HPLC – PDA – MS / MS of Anthocyanins and Carotenoids from Dovyalis and Tamarillo Fruits AND. *J. Agric. Food Chem*, 55, 9135–9141.
- De Rosso, V. V., & Mercadante, A. Z. (2007b). Identification and Quantification of Carotenoids , By HPLC-PDA-MS / MS , from Amazonian Fruits. *J Agric Food Chem*, 55, 5062–5072.
- Dong, M. W., & Zhang, K. (2014). Trends in Analytical Chemistry Ultra-high-pressure liquid chromatography (UHPLC) in method development. *Trends in Anal Chem*, 63, 21–30.
- During, A., & Harrison, E. H. (2004). Intestinal absorption and metabolism of carotenoids: insights from cell culture. *Archives Biochem & Biophys*, 430, 77–88.
- Eldahshan, O. A., Nasser, A., & Singab, B. (2013). Carotenoids. *J. Pharm & Phytochem*, 8192(1), 2668735–5.
- Ellis, H. (2007). Anatomy of the Pancreas. In *Hepatopancreatobiliary II* (pp. 8–11).

- Elmaniar, R., & Muhtadi. (2017). Aktivitas Penghambatan Enzim α - Glukosidase oleh Ekstrak Etanol Ubi Jalar Ungu (*Ipomoea batatas* L.). In *The 5th Urecol Proceeding* (pp. 825–831).
- Ernawita, Wahyuono, R. A., Hesse, J., Hipler, U. C., Elsner, P., & BÄhm, V. (2016). Carotenoids of indigenous citrus species from Aceh and its in vitro antioxidant, antidiabetic and antibacterial activities. *Eur Food Research & Technol*, 242(11), 1869–1881.
- Espin, S., Gonzalez-manzano, S., Taco, V., Poveda, C., Ayuda-durán, B., Gonzalez-paramas, A. M., & Santos-buelga, C. (2016). Phenolic composition and antioxidant capacity of yellow and purple-red Ecuadorian cultivars of tree tomato (*Solanum betaceum* Cav.). *Food Chem*, 194, 1073–1080.
- Fang, J. (2014). Bioavailability of anthocyanins. *Drug Metab Rev.*, 46(4), 508–520.
- Farida, R., & Nisa, F. C. (2015). Ekstraksi Limbah Kulit Manggis Metode Microwave Assisted Extraction (Lama Ekstraksi dan Rasio Bahan:Pelarat). *J Pangan & Agroindustri*, 3(2), 362–373.
- Fatchurrozak, Suranto, & Sugiyarto. (2013). Pengaruh Ketinggian Tempat terhadap Kandungan Vitamin C dan Zat Antioksidan pada Buah *Carica pubescens* di Dataran Tinggi Dieng. *El-Vivo*, 1(1), 24–31.
- Fernandes, I., Faria, A., Calhau, C., Freitas, V. de., & Mateus, N. (2014). Bioavailability of anthocyanins and derivatives. *J. Fuct Foods*, 7, 54–66.
- Fiedor, J., & Burda, K. (2014). Potential Role of Carotenoids as Antioxidants in Human Health and Disease. *Nutrients*, 6, 466–488.
- Finosh, G. T., & Jayabalan, M. (2013). Reactive oxygen species—Control and management using amphiphilic biosynthetic hydrogels for cardiac applications. *Advan in Biosci & Biotechnol*, 04(12), 1134–46.
- Gabrielska, J., & Oszmianki, J. (2005). Antioxidant activity of anthocyanin glycoside derivatives evaluated by the inhibition of liposome oxidation. *Z. Naturforsch*, 60(5–6), 399–407.
- Garvey, W. T., Maianu, L., Zhu, J., Brechtel-hook, G., Wallace, P., & Baron, A. D. (1998). Evidence for Defects in the Trafficking and Translocation of GLUT4 Glucose Transporters in Skeletal Muscle as a Cause of Human Insulin Resistance. *J Clin Invest*, 101(11), 2377–2386.
- Ghasemi, A., Khalifi, S., & Jedi, S. (2014). Streptozotocin-nicotinamide-induced rat model of type 2 diabetes of type 2 diabetes. *A Physiol Hugaric*, 101(4), 408–420.
- Ghosh, D., & Konishi, T. (2007). Anthocyanins and anthocyanin-rich extracts : role in diabetes and eye function. *Asia Pac J Clin Nutr*, 16(2), 200–208.
- Giusti, M. M., & Wrolstad, R. E. (2001). Characterization and Measurement of Anthocyanins by UV - Visible Spectroscopy. *Current Protocols in Food Anal*

Chem, F1.2.1-F1.2.13.

- Giusti, M. M., & Wrolstad, R. E. (2003). Acylated anthocyanins from edible sources and their applications in food systems. *J Biochem Eng*, 14, 217–225.
- Gondokesumo, M. E., Sari, H., Kusuma, W., & Widowati, W. (2017). α - β -Glucosidase and α -Amylase Inhibitory Activities of Roselle (*Hibiscus sabdariffa* L.) Ethanol Extract. *Mol Cell Biomed Sci*, 1(11), 34–40.
- Gothai, S., Ganesan, P., Park, S., Fakurazi, S., Choi, D., & Arulselvan, P. (2016). Natural Phyto-Bioactive Compounds for the Treatment of Type 2 Diabetes : Inflammation as a Target. *Nutrients*, 8(461), 1–28.
- Gowd, V., Jia, Z., & Chen, W. (2017). Anthocyanins as promising molecules and dietary bioactive components against diabetes – A review of recent advances. *Trends Food Sci & Technol*, 68, 1–13.
- Halliwell, B. (2006). Reactive Species and Antioxidants . Redox Biology Is a Fundamental Theme of Aerobic Life. *Plant Physiol*, 141, 312–322.
- He, F., Mu, L., Yan, G. L., Liang, N. N., Pan, Q. H., Wang, J., Duan, A. Q. (2010). Biosynthesis of Anthocyanins and Their Regulation in Colored Grapes. *Molecules*, 15, 9057–9091.
- Hidalgo, M., Oruna-concha, M. J., Walton, G. E., Kallithraka, S., Spencer, J. P. E., Gibson, G. R., & Pascual-teresa, S. De. (2012). Metabolism of Anthocyanins by Human Gut Micro fl ora and Their In fl uence on Gut Bacterial Growth. *J. Agric Food Chem*, 60, 3882–3890.
- Hofe, C. R., Feng, L., Zephyr, D., Stromberg, A. J., Hennig, B., & Gaetke, L. M. (2014). Fruit and vegetable intake , as reflected by serum carotenoid concentrations , predicts reduced probability of polychlorinated biphenyl – associated risk for type 2 diabetes : National Health and Nutrition Examination Survey 2003-2004. *Nutr Res*, 34(4), 285–293.
- Horbowicz, M., Kosson, R., Grzesiuk, A., & Debski, H. (2008). Anthocyanins of Fruits and Vegetables-Thier Occurrence, Analysis and Role in Human Nutrition. *Vegetable Crops Res Bulletin*, 68, 5–22.
- Hosseini, S., Gharachorloo, M., Ghiassi-Tarzi, B., & Ghavami, M. (2016). Evaluation of the organic acids ability for extraction of anthocyanins and phenolic compounds from different sources and their degradation kinetics during cold storage. *Pol J Food Nutr Sci*, 66(4), 261–269.
- Houstis, N., Rosen, E. D., & Lander, E. S. (2006). Reactive oxygen species have a causal role in multiple forms of insulin resistance. *Nature*, 440(7086), 944–948.
- Hurtado, N. H., Morales, A. L., González-miret, M. L., Escudero-gilete, M. L., & Heredia, F. J. (2009). Colour , pH stability and antioxidant activity of anthocyanin rutinosides isolated from tamarillo fruit (*Solanum betaceum*

Cav.). *Food Chem*, 117(1), 88–93.

IDF. (2017). *Eighth edition 2017*.

Idris, I. W., Usmar, & Taebe, B. (2011). Uhi Efek Hipokolesterolemik Sari Buah Terong Belanda (*Cyphomandra betacea* Sendt) pada Tikus Putih (*Ratus norvegicus*). *Majalah Farmasi Dan Farmakologi*, 15(2), 105–111.

Illanes, A. (2008). *Enzyme Biocatalysis*. (A. Illanes, Ed.), *Principles and Applications* (Vol. 1). Chile.

Indrianingsih, A. W., Tachibana, S., & Itoh, K. (2015). In Vitro Evaluation of Antioxidant and α -Glucosidase Inhibitory Assay of Several Tropical and Subtropical Plants. *Procedia Environ Sci*, 28 (Sustain 2014), 639–648.

International Diabetes Federation (IDF). (2017). *IDF Diabetes Atlas 8th edition*. *Idf.Org*.

Ivanovic, J., Tadic, V., Dimitrijevic, S., Stamenic, M., Petrovic, S., & Zizovic, I. (2014). Antioxidant properties of the anthocyanin-containing ultrasonic extract from blackberry cultivar “Čačanska Bestrna.” *Industrial Crops and Prod*, 53, 274–281.

Jabbar, S., Abid, M., Hu, B., Wu, T., Muhammad, M., Lei, S., ... Zeng, X. (2014). Quality of carrot juice as influenced by blanching and sonication treatments. *LWT - Food Sci Technol*, 55(1), 16–21.

Jakus, V. (2000). The role of free radicals, oxidative stress and antioxidant systems in diabetic vascular disease. *Bratisl Lek Listy*, 101(10), 541–551.

Janić, M., Volčanšek, Š., Lunder, M., & Janež, A. (2017). Metformin: from mechanisms of action to advanced clinical use. *J. Zdrav Vestn*, 86(8), 138–157.

Jayaprakasam, B., Vareed, S. K., Olson, L. K., & Nair, M. G. (2005). Insulin Secretion by Bioactive Anthocyanins and Anthocyanidins Present in Fruits. *J.Agric.Food Chem.*, 53, 28–31.

Kadir, N. A. A. A., Rahmat, A., & Jaafar, H. Z. . (2015). Protective Effects of Tamarillo (*Cyphomandra betacea*) Extract against High Fat Diet Induced Obesity in Sprague-Dawley Rats. *J Obes*, 1–8.

Kaku, K. (2010). Pathophysiology of Type 2 Diabetes and. *Res Rev*, 138(1), 41–46.

Kalra, S., Aamir, A., Das, A., Azad Khan, A., Md Fariduddin, Jawad, F., Sahay, R. (2015). Place of sulfonylureas in the management of type 2 diabetes mellitus in South Asia: A consensus statement. *Indian J Endocrinol & Metab*, 19(5), 577–560.

Kamble, P. M., Choudhari, S. C., & Yadav, A. S. (2015). “ Study of Lipid Profile, Oxidative Stress, And Antioxidant Status, In Type-2 Diabetes Mellitus.” *J WIM*, 2(1), 28–36.

- Kanter, M., Meral, I., Yener, Z., Ozbek, H., & Demir, H. (2003). Partial regeneration/proliferation of the beta-cells in the islets of langerhans by *Nigella sativa* L. in Streptozotocin-induced diabetic rats. *Tohoku J. Exp.Med.*
- Kato, M., Tani, T., Terahara, N., & Tsuda, T. (2015). The Anthocyanin Delphinidin 3-Rutinoside Stimulates Glucagon-Like Peptide-1 Secretion in Murine GLUTag Cell Line via the Ca²⁺/Calmodulin-Dependent Kinase II Pathway. *Plos One*, 1–13.
- Khanh, N. Di. (2015). Advances in the extraction of anthocyanin from vegetables. *J. Food Nutr Sci*, 3(1–2), 126–134.
- Klevanova, V., & Trzhetsynskiy, S. (2015). Antidiabetic activity of *Poterium sanguisorba* L . extract on streptozotocin- nicotinamide induced diabetic rats. *J Chem & Pharmceut Res*, 7(9), 771–776.
- Koo, J.-R., & Vaziri, N. D. (2003). Effects of diabetes , insulin and antioxidants on NO synthase abundance and NO interaction with reactive oxygen species. *J Kidney Inter*, 63, 195–201.
- Korfmacher, W. A. (2005). Principles and applications of LC-MS in new drug discovery. *Drug Discover Today*, 10(20), 1357–67.
- Kou, M., Yen, J., Hong, J., Wang, C., Lin, C., & Wu, M. (2009). *Cyphomandra betacea* Sendt . phenolics protect LDL from oxidation and PC12 cells from oxidative stress. *LWT - Food Sci Technol*, 42(2), 458–463.
- Kowalczyk, E., Krzesiński, P., Kura, M., Szmigiel, B., & Baszczyk, J. (2003). Anthocyanins in Medicine. *Pol J Pharmacol*, 55, 699–702.
- Krentz A. J. and Bailey C. J. (2006). Oral antidiabetic agents: current role in type 2 diabetes mellitus,”. *Drugs*, 65(3), 385– 411.
- Krinsky, N. I. (1993). Micronutrients and Their Influence on Mutagenicity and Malignant Transformation. *Annals New York Academ Sci*, 686(1), 229–242.
- Kurniawan, M., Izzati, M., Nurchayati, Y., Biologi, L., Tumbuhan, F., Biologi, J., Universitas, K. (2010). Kandungan Klorofil , Karotenoid , dan Vitamin C pada Beberapa Spesies Tumbuhan Akuatik. *Buletin Anatom Fisiol*, XVIII(1), 28–40.
- Lemmens, L., Colle, I., Van Buggenhout, S., Palmero, P., Van Loey, A., & Hendrickx, M. (2014). Carotenoid bioaccessibility in fruit- and vegetable-based food products as affected by product (micro)structural characteristics and the presence of lipids: A review. *Trends Food Sci Technol*, 38(2), 125–135.
- Levonen, A. L., Inkala, M., Heikura, T., Jauhiainen, S., Jyrkkänen, H. K., Kansanen, E., Ylä-Herttuala, S. (2007). Nrf2 gene transfer induces antioxidant enzymes and suppresses smooth muscle cell growth in vitro and reduces oxidative stress in rabbit aorta in vivo. *Arterioscler Thromb Vasc Biol*, 27(4),

741–747.

- Liang, N., & Kitts, D. D. (2014). Antioxidant property of coffee components: Assessment of methods that define mechanism of action. *Molecules*, *19*(11), 19180–19208.
- Liao, Z.-X., Zhang, B.-B., Ding, L.-S., & Zhou, Y. (2013). Development of an UPLC-QTOF-MS method for qualitative and quantitative analysis of *Saussurea eopygmaea*. *Acta Chromatograph*, *25*(1), 171–180.
- Lin, Z., Fischer, J., & Wicker, L. (2016). Intermolecular binding of blueberry pectin-rich fractions and anthocyanin. *Food Chem*, *194*, 986–993.
- Lister, C. E., Morrison, S. C., Kerkhofs, N. S., & Wright, K. M. (2005). *The nutritional composition and health benefits of New Zealand tamarillos*. New Zealand.
- Lorenzo, Y., Azqueta, A., Luna, L., Collins, A. R., & Domi, G. (2009). The carotenoid b -cryptoxanthin stimulates the repair of DNA oxidation damage in addition to acting as an antioxidant in human cells. *J. Carcin*, *30*(2), 308–314.
- Lucioli, S. (2012). Anthocyanins : Mechanism of action and therapeutic efficacy. In *Medicinal Plants as Antioxidant Agents: Understanding Their Mechanism of Action and Therapeutic Efficacy*, (Vol. 661, pp. 27–57). Roma.
- Luengo, E., Ñ • lvarez, I., & Raso, J. (2014). Improving Carotenoid Extraction from Tomato Waste by Pulsed Electric Fields. *Frontiers Nutr*, *1*, 1–10.
- Majid, I., Nayik, G. A., & Nanda, V. (2015). Ultrasonication and food technology : A review. *Cogent Food & Agric*, *20*(1), 1–11.
- Mancini, A., Ettore, G., Magini, M., Festa, R., Raimondo, S., Silvestrini, A., Meucci, E. (2015). Oxidative stress and metabolic syndrome : Effects of a natural antioxidants enriched diet on insulin resistance. *Clin Nutr ESPEN*, *10*(2), e52–e60.
- Mann, E., & Bellin, M. D. (2016). Secretion of Insulin in Response to Diet and Hormones. *Pancreapedia*, *1*(1), 1–16.
- Markovic, J. M. D., Pejin, B., Milenkovic, D., Amic, D., Begovic, N., Mojovic, M., & Markovic, Z. S. (2017). Antiradical activity of delphinidin , pelargonidin and malvin towards hydroxyl and nitric oxide radicals : The energy requirements calculations as a prediction of the possible antiradical mechanisms. *Food Chem*, *218*, 440–446.
- Marsono, Y., Noor, Z., & Rahmawati, F. (2003). Pengaruh Diet Kacang Merah Terhadap Kadar Gula Darah Tikus Diabetik Induksi Alloxan. *Jurnal. Teknol. Dan Industri Pangan*, *14*(1), 1–7.
- Mateus, N., & Freitas, V. De. (2009). Anthocyanins as Food Colorants. In *Anthocyanins* (pp. 283–303).

- Matsui, T., Ueda, T., Oki, T., Sugita, K., & Terahara, N. (2001). Alfa-Glucosidase Inhibitory Action of Natural Acylated Anthocyanins . 2 . alfa -Glucosidase Inhibition by Isolated Acylated Anthocyanins. *J. Agric. Food Chem*, 49, 1952–1956.
- Matsumoto, H., Ichiyanagi, T., Iida, H., Ito, K., Tsuda, T., Hirayama, M., & Konishi, T. (2006). Ingested Delphinidin-3-rutinoside Is Primarily Excreted to Urine as the Intact Form and to Bile as the Methylated Form in Rats. *J. Agric. Food Chem*, 54, 578–582.
- Mayur, B., Sandesh, S., Shruti, S., & Sung-yum, S. (2010). Antioxidant and -glucosidase inhibitory properties of *Carpesium abrotanoides* L . *J Med Plant Res*, 4(15), 1547–1553.
- Mcdougall, G. J., Fyffe, S., Dobson, P., & Stewart, D. (2005). Anthocyanins from red wine – Their stability under simulated gastrointestinal digestion. *Phytochem*, 66, 2540–2548.
- Medina-torres, N., Ayora-talavera, T., Espinosa-andrews, H., Sanchez-Contreras, A., & Pacheco, N. (2017). Ultrasound Assisted Extraction for the Recovery of Phenolic Compounds from Vegetable Sources. *Agronomy*, 7(47), 1–19.
- Merentek, E. (2006). Resistensi Insulin Pada Diabetes Melitus Tipe 2. *Cermin Dunia Kedokteran*, (150), 38–41.
- Mertz, C., Brat, P., Caris-veyrat, C., & Gunata, Z. (2010). Characterization and thermal lability of carotenoids and vitamin C of tamarillo fruit (*Solanum betaceum* Cav .). *Food Chem*, 119(2), 653–659.
- Mertz, C., Gancel, A., Gunata, Z., Alter, P., Dhuique-mayer, C., Vaillant, F., Rica, C. (2009). Phenolic compounds , carotenoids and antioxidant activity of three tropical fruits. *J Food Compos & Anal*, 22, 381–387.
- Milic, P. S., Rajkovic, K. M., Steamenkovic, O. S., & Veljkovic, V. B. (2013). Kinetic modeling and optimization of maceration and ultrasound-extraction of resinoid from the aerial parts of white lady ' s bedstraw (*Galium mollugo* L .). *J. Ultsonc*, 20, 525–534.
- Mohammed, H. A., Al-Shamma, G. A., & Hashim, H. M. (2006). Beta-Carotene , Glycemic Control And Dyslipidemia In Type 2 Diabetes Mellitus Summary : *J Fac Med Baghdad*, 48(4), 435–441.
- Mohan, C., Long, K. D., & Mutneja, M. (2013). *An Introduction to Inhibitors and Their Biological Applications* (1st Editio). EMD Millipore, Germany.
- Molyneux, P. (2004). The use of the stable free radical diphenylpicryl- hydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin J. Sci.Technol*, 26(2), 212–219.
- Monroy, M. L. de la V., & Fernadez-Mejia, C. (2013). Oxidative Stress in Diabetes Mellitus and the Role Of Vitamins with Antioxidant Actions. In *Intech* (pp. 1–

24).

- Mortensen, A. (2006). Carotenoids and other pigments as natural colorants. *Pure and Applied Chemistry*, 78(8), 1477–1491.
- Murillo, A. G., & Fernandez, M. L. (2011). Potential of Dietary Non-Provitamin A Carotenoids in the Prevention and Treatment of Diabetic Microvascular Complications. *Am. Soc. Nutr.*, (March), 14–24.
- Mutalib, M. A., Rahmat, A., Ali, F., Othman, F., & Ramasamy, R. (2017). Nutritional Compositions and Antiproliferative Activities of Different Solvent Fractions from Ethanol Extract of Cypho Nutritional Compositions and Antiproliferative Activities of Different Solvent Fractions from Ethanol Extract of Cyphomandra betace. *Malays J. Med Sci*, 24(5), 19–32.
- Ngaha Njila, M. I., Mahdi, E., Lembe, D. M., Nde, Z., & Nyonseu, D. (2017). Review on Extraction and Isolation of Plant Secondary Metabolites. In *Agric Chem Biol Environmen Sci* (pp. 67–72). Kuala Lumpur, Malaysia.
- Nizamutdinova, I. T., Jin, Y. C., Chung, J. Il, Shin, S. C., Lee, S. J., Seo, H. G., Kim, H. J. (2009). The anti-diabetic effect of anthocyanins in streptozotocin-induced diabetic rats through glucose transporter 4 regulation and prevention of insulin resistance and pancreatic apoptosis. *Mol Nurt Food Res*, 53, 1419–1429.
- Oancea, S., & Oprean, L. (2011). Anthocyanin, from Biosynthesis in Plant to Human Health Benefits. *Acta Univ Cibiensis Food Technol*, XV(1), 7–9.
- Osorio, C., Hurtado, N., Dawid, C., Hofmann, T., Heredia-mira, F. J., & Lucía, A. (2012). Chemical characterisation of anthocyanins in tamarillo (*Solanum betaceum* Cav .) and Andes berry (*Rubus glaucus* Benth .) fruits. *Food Chem*, 132(4), 1915–1921.
- Osorio, C., Hurtado, N., Dawid, C., Hofmann, T., Heredia-Mira, F. J., & Morales, A. L. (2012). Chemical characterisation of anthocyanins in tamarillo (*Solanum betaceum* Cav.) and Andes berry (*Rubus glaucus* Benth.) fruits. *Food Chemistry*, 132(4), 1915–1921.
- Palozza, P., Serini, S., Ameruso, M., & Verdecchia, S. (2009). Modulation of Intracellular Signalling Pathways by Carotenoids. In *Carotenoids* (Vol. 5, pp. 211–234).
- Percival, M. (1998). Antioxidants. *Clin Nutr Insight*, 031, 1–4.
- Pervaiz, T., Songtao, J., Faghihi, F., Haider, M. S., & Fang, J. (2017). Naturally Occurring Anthocyanin, Structure, Functions and Biosynthetic Pathway in Fruit Plants. *J Plant Biochem Physiol*, 05(02), 1–9.
- Phan, A. D. T., Netzel, G., Wang, D., Flanagan, B. M., D’Arcy, B. R., & Gidley, M. J. (2015). Binding of dietary polyphenols to cellulose : Structural and nutritional aspects. *Food Chem*, 171, 388–396.

- Pingret, D., Fabiano-Tixier, A. S., & Chemat, F. (2013). Degradation during application of ultrasound in food processing: A review. *Food Control*, 31(2), 593–606.
- Pitt, J. J. (2009). Principles and applications of liquid chromatography-mass spectrometry in clinical biochemistry. *Clin Biochem Rev*, 30(1), 19–34.
- Prameswari, O. M., & Widjanarko, S. B. (2014). Uji Efek Ekstrak Air Daun Pandan Wangi terhadap Penurunan Kadar Glukosa Darah dan Histopatologi Tikus Diabetes. *J. Pangan & Agroindustri*, 2(2), 16–27.
- Prihantini, A. I., Tachibana, S., & Itoh, K. (2014). Evaluation of Antioxidant and Alfa Glucosidase Inhibitory Activities of Some Subtropical Plants. *Pak J Biol Sci*, 17(10), 1106–1114.
- Qinna, N. A., & Badwan, A. A. (2015). Impact of streptozotocin on altering normal glucose homeostasis during insulin testing in diabetic rats compared to normoglycemic rats. *Drug Design Develop Therap*, 9, 2515–2525.
- Quiros, A. R.-B. de., & Costa, H. S. (2006). Analysis of carotenoids in vegetable and plasma samples : A review. *J Food Compos & Anal*, 19, 97–111.
- Rahimi, R., Nikfar, S., Larijani, B., & Abdollahi, M. (2005). A review on the role of antioxidants in the management of diabetes and its complications. *J Biomed Phamacotherap*, 59, 365–373.
- Ramli, N. S., Ismail, P., & Rahmat, A. (2014). Influence of Conventional and Ultrasonic-Assisted Extraction on Phenolic Contents , Betacyanin Contents , and Antioxidant Capacity of Red Dragon Fruit (*Hylocereus polyrhizus*). *Scient Word J*, 1–7.
- Reeves, P. G., Nielsen, F. H., & Fahey, G. C. (1993). Committee Report AIN-93 Purified Diets for Laboratory Rodents : Final Report of the American Institute of Nutrition Ad Hoc Writing Committee on the Reformulation of the AIN-76A Rodent Diet. *J Nutr*, 1939–1951.
- Rena, G., Hardie, D. G., & Pearson, E. R. (2017). The mechanisms of action of metformin. *Diabetologia*, 60, 1577–1585.
- Rivera, S. M., Christou, P., Canela-garayoa, R., & Introduction, I. (2013). Identification of Carotenoid Using Mass Spectrometry, 1–20.
- Rodrigues, S., Fernandes, F. A. N., Sousa, E., Brito, D., Dutra, A., & Narain, N. (2015). Ultrasound extraction of phenolics and anthocyanins from jabuticaba peel. *Industrial Crops & Products*, 69, 400–407.
- Rodriguez-amaya, D. B. (1997). *Carotenoids and Food Preparation : The Retention of Provitamin A Carotenoids in Prepared , Processed , and Stored Foods*.
- Rodriquez-Amaya, D. B., & Kimura, M. (2004). *Harvest Plus Handbook for Carotenoid Analysis*.

- Rombaut, N., Tixer, A.-S., Bily, A., & Chemat, F. (2014). Green extraction processes of natural products as tools for biorefinery. *Biofuels Bioprod Bioref*, 1–15.
- Roohbakhsh, A., Karimi, G., & Iranshahi, M. (2017). Carotenoids in the treatment of diabetes mellitus and its complications: A mechanistic review. *Biomed Pharmacotherap*, 91, 31–42.
- Rouzbehan, S., Moein, S., Homaei, A., & Moein, M. R. (2017a). Kinetics of α -glucosidase inhibition by different fractions of three species of Labiatae extracts: A new diabetes treatment model. *Pharmaceut Biol*, 55(1), 1483–1488.
- Rouzbehan, S., Moein, S., Homaei, A., & Moein, M. R. (2017b). Kinetics of α -glucosidase inhibition by different fractions of three species of Labiatae extracts : a new diabetes treatment model. *Pharmaceu Bio*, 55(1), 1483–1488.
- Saikia, S., Mahnot, N. K., & Mahanta, C. L. (2015). A comparative study on the effect of conventional thermal pasteurisation , microwave and ultrasound treatments on the antioxidant activity of five fruit juices. *Food Sci Technol Inter*, 22(4), 288–301.
- Saleh, I. A., Vinatoru, M., Mason, T. J., Aboutabl, E. A., & Hammouda, F. M. (2016). A possible general mechanism for ultrasound-assisted extraction (UAE) suggested from the results of UAE of chlorogenic acid from *Cynara scolymus* L. (artichoke) leaves. *J. Ultsonc*, 1–26.
- Sancho, R. A. S., & Pastore, G. M. (2012). Evaluation of the effects of anthocyanins in type 2 diabetes. *Food Res Inter*, 46(1), 378–386.
- Santhirasegaram, V., Razali, Z., & Somasundram, C. (2013). Effects of thermal treatment and sonication on quality attributes of Chokanan mango (*Mangifera indica* L.) juice. *J. Ultsonc*, 20(5), 1276–1282.
- Santos, L. E. O., Zarate, L. X. P., & Salcedo, L. O. G. (2015). Optimization of ultrasonic-assisted extraction of total carotenoids from peach palm fruit (*Bactris gasipaes*) by-products with sunflower oil using response surface methodology. *J. Ultsonc*, 1–8.
- Sari, P., Agustina, F., Komar, M., Unus, & Mukhamad, F. (2005). sod dan mda non kit.pdf. *J.Teknol.Dan Industri Pangan*, XVI(2).
- Sarungallo, Z. L., Hariyadi, P., Andarwulan, N., Purnomo, E. H., & Wada, M. (2015). Analysis of α -cryptoxanthin, β -cryptoxanthin, α -carotene, and β -carotene of *Pandanus conoideus* oil by high-performance liquid chromatography (HPLC). *Procedia Food Sci*, 3, 231–243.
- Sayuti, K., & Yenrina, R. (2015). *Antioksidan Alami dan Sintetik*. Padang: Andalas University Press.
- Sayuti, M. (2017). Pengaruh Perbedaan Metode Ekstraksi , Bagian Dan Jenis

Pelarut Terhadap Rendemen Dan Aktifitas Antioksidan Bambu Laut (*Isis Hippuris*). *Tecnol Sci & Eng J*, 1(3), 166–174.

Scandalios, J. G. (2005). Oxidative stress : molecular perception and transduction of signals triggering antioxidant gene defenses. *Brazilian J Med Biol Res*, 38, 995–1014.

Scheepers, A., Joost, H. G., & Schürmann, A. (2004). The glucose transporter families SGLT and GLUT: Molecular basis of normal and aberrant function. *J Parenteral Enteral Nutr*, 28(5), 364–371.

Sen, S., & Chakraborty, R. (2011). The Role of Antioxidants in Human Health. In *In Oxidative Stress: Diagnostics, Prevention, and Therapy* (pp. 1–37).

Setiawan, B., Sulaeman, A., Giraud, D. W., & Driskell, J. A. (2001). Carotenoid Content of Selected Indonesian Fruits. *J Food Compos Anal*, 14, 169–176.

Shen, C., Fagan, S., Fischam, A. ., Carte, E. E., Chai, J.-K., Lu, X.-M., ... Tompkins, R. G. (2011). Effects of Glucagon-like Peptide 1 (GLP-1) on Glycemia Control and Its Metabolic Consequence after Severe Thermal Injury—Studies in an Animal Model. *Nat Inst. Health*, 149(5), 635–644.

Shulman, G. I. (2000). On diabetes : insulin resistance Cellular mechanisms of insulin resistance. *The Journal of Clinical Investigation*, 106(2), 171–176.

Sin, Y., & Jun, H. (2014). Role of Bioactive Food Components in Diabetes Prevention: Effects on Beta-Cell Function and Preservation. *Nutr Metabol Insight*, 7, 51–59.

Singh, R., Kaur, N., Kishore, L., & Gupta, G. K. (2013). Management of diabetic complications : A chemical constituents based approach. *J Ethnopharmacol*, 150(1), 51–70.

Singleton, V. ., & Rossi, J. A. j. (1985). Colorimetry of Total Phenolic with Phosphomolybdic-Phosphotungstic Acid Reagent. *Amer.J.Enol. Vitcult*, 16(2).

Sluijs, I., Cadier, E., Beulens, J. W. J., van der A, D. L., Spijkerman, A. M. W., & van der Schouw, Y. T. (2015). Dietary intake of carotenoids and risk of type 2 diabetes. *Nutri Metabol Cardiovascular Diseases*, 25(4), 376–381.

Song, R. (2016). Mechanism of Metformin : A Tale of Two Sites. *Diabetes Care*, 39, 187–189.

Stefanut, M. N., Cata, A., Pop, R., Tanasie, C., Boc, D., Ioana, I., & Ordodi, V. (2013). Anti-hyperglycemic Effect of Bilberry , Blackberry and Mulberry Ultrasonic Extracts on Diabetic Rats. *Plant Foods Hum.Nutr*, 63, 378–384.

Strelow, J., Dewe, W., Iversen, P. W., Brooks, H. B., Jeffrey, A., Mcgee, J., & Weidner, J. (2012). Mechanism of Action Assays for Enzymes. *Assay Guidance Manual*, 1–27.

- Strelow, J. M. (2017). A Perspective on the Kinetics of Covalent and Irreversible Inhibition. *SLAS Discov*, 22(2), 3–20.
- Sugiura, M., Nakamura, M., Ogawa, K., Ikoma, Y., & Yano, M. (2015). High-serum carotenoids associated with lower risk for developing type 2 diabetes among Japanese subjects : Mikkabi cohort study. *Diabetes Res Care*, 13–20.
- Sunarti, Rubi, D. ., & Sadewa, A. . (2016). The Effect of Pumpkin on GLP-1 and HOMA- β In Hipercholesterolemic Rats. *Rom J Diabetes Nutr Metab Dis*, 23(1), 019–025.
- Suzuki, K., Ito, Y., Inoue, T., & Hamajima, N. (2011). Inverse association of serum carotenoids with prevalence of metabolic syndrome among Japanese. *Clin Nutr*, 30(3), 369–375.
- Suzuki, K., Ito, Y., Nakamura, S., Ochiai, J., & Aoki, K. (2002). Relationship between Serum Study Carotenoids and Hyperglycemia: a Population-based Cross-sectional Study. *J Epidemiol*, 12(5), 357–366.
- Szkudelski, T. (2012). Experimental Biology and Medicine. *Experimen Biol Med*.
- Szkudelski, T., Zywert, A., & Szkudelska, K. (2013). Metabolic Disturbances and Defects in Insulin Secretion in Rats With Streptozotocin-Nicotinamide-Induced Diabetes. *Physiol Res.*, 62, 663–670.
- Tabata, S., Yoshimitsu, S., Hamachi, T., Abe, H., Ohnaka, K., & Kono, S. (2009). Waist circumference and insulin resistance: a cross-sectional study of Japanese men. *BMC Endocri Disord*, 9(1), 1.
- Tabatabaei-malazy, O., Larijani, B., & Abdollahi, M. (2013). A novel management of diabetes by means of strong antioxidants ' combination. *J Med Hypotheses & Ideas*, 7(1), 25–30.
- Takikawa, M., Inoue, S., Horio, F., & Tsuda, T. (2010). Dietary Anthocyanin-Rich Bilberry Extract Ameliorates Hyperglycemia and Insulin Sensitivity via Activation of AMP-Activated Protein Kinase in Diabetic Mice. *J Nutr*, 527–533.
- Tanaka, Y., Sasaki, N., & Ohmiya, A. (2008). Biosynthesis of plant pigments : anthocyanins , betalains and carotenoids. *Plant J*, 54, 733–749. <https://doi.org/10.1111/j.1365-313X.2008.03447.x>
- Tangvarasittichai, S. (2015). Oxidative stress , insulin resistance , dyslipidemia and type 2 diabetes mellitus. *Word J Diabetes*, 6(3), 456–480.
- Tani, T., Nishikawa, S., Kato, M., & Tsuda, T. (2017). Delphinidin 3-rutinoside-rich blackcurrant extract ameliorates glucose tolerance by increasing the release of glucagon-like peptide-1 secretion. *Food Sci Nutr*, 5(4), 929–933.
- Tatar, M., Qujeq, D., Feizi, F., Parsian, H., Sohan Faraji, A., Halalkhor, S., ... Seyfizadeh, N. (2012). Effects of Teucrium Polium Aerial Parts extract on oral glucose tolerance tests and pancreas histopathology in Streptozocin-induced

- diabetic rats. *Int J Mol Cell Med Winter*, 1(1), 44–9.
- Tiwari, B. K. (2015). Ultrasound : A clean , green extraction technology. *Trends Anal Chem*, 71, 100–109.
- Vasco, C., Avila, J., Ruales, J., Svanberg, U., & Kamal-eldin, A. (2009). Physical and chemical characteristics of golden- yellow and purple-red varieties of tamarillo fruit (*Solanum betaceum* Cav .). *Inter J Food Sci Nutr*, 60(S7), 278–288.
- Vicente, A. R., Manganaris, G. A., Sozzi, G. O., & Crisoto, C. H. (2009). Nutritional quality of fruits and vegetable. In F. W. J, R. L. Shewfelt, B. Brueckner, & S. E. Prussia (Eds.), *Postharvest Handling:A Systems Approach* (Second Edi, pp. 58–93). Elssvier Inc, Academic Press.
- Vinatoru, M. (2001). An overview of the ultrasonically assisted extraction of bioactive principles from herbs. *J. Ultsonc*, 8, 303–313.
- Wang, J., & Wang, H. (2017). Review Article Oxidative Stress in Pancreatic Beta Cell Regeneration. *Oxidative Med Cell Longev Longevity*, 1–9.
- Wang, L., Liu, S., Pradhan, A. D., Manson, J. E., Buring, J. E., Michael, J., & Sesso, H. D. (2006). Plasma Lycopene , Other Carotenoids , and the Risk of Type 2 Diabetes in Women. *Am. J Epidemiol*, 164(6), 576–585.
- Wang, L., & Liu, Y. (2009). Optimization of solvent extraction conditions for total carotenoids in rapeseed using response surface methodology. *Nattural Sci*, 1, 23–29.
- WHO. (2013). Diagnostic Criteria and Classification of Hyperglycaemia First Detected in Pregnancy. *Word Health Organization*, 1–62.
- WHO. (2016). Global Report on Diabetes. *Isbn*, 978, 1–88.
- WHO. (2017). *Noncommunicable Diseases, Progress Monitor 2017*.
- Wisniewska, A., & Subczynski, W. K. (1998). Effects of polar carotenoids on the shape of the hydrophobic barrier of phospholipid bilayers. *Biochim Biophys Acta*, 1368(2), 235–246.
- Wisniewska, A., & Subczynski, W. K. (2006). Accumulation of macular xanthophylls in unsaturated membrane domains. *Free Radic Biol Med*, 40, 1820–1826.
- Wrolstad, R. E., & Heatherbell, D. A. (1974). Identification of anthocyanins and distribution of flavonoids in tamarillo fruit (*Cyphomandra betaceae* Cav.) Sendt.). *J. Sci Food Agric.*, 25(10), 1221–1228.
- Wu, X., Beecher, G. R., Holden, J. M., Haytowitz, D. B., Gebhardt, S. E., & Prior, R. L. (2006). Concentrations of Anthocyanins in Common Foods in the United States and Estimation of Normal Consumption. *J. Agric. Food Chem*, 54, 4069–4075.

- Yaqub, S., Farooq, U., Shafi, A., Akram, K., Murtaza, M. A., Kausar, T., & Siddique, F. (2016). Chemistry and Functionality of Bioactive Compounds Present in Persimmon. *J Chem*, 1–14.
- Zander, M., Madsbad, S., Madsen, J. L., & Holst, J. J. (2002). Effect of 6-week course of glucagon-like peptide 1 on glycaemic control , insulin sensitivity , and β -cell function in type 2 diabetes : a parallel-group study. *Lancet*, 359(9), 824–830.
- Zhang, Y.-J., Gan, R. Y., Li, S., Zhou, Y., Li, A.-N., Xu, D.-P., & Li, H.-B. (2015). Antioxidant Phytochemicals for the Prevention and Treatment of Chronic Diseases. *Molecules*, 20(12), 21138–21156.