

DAFTAR PUSTAKA

- American College of Surgeons, 1997, *Advance Trauma Life Suport*. United States of America: Firs Impression, 1997.
- Amsriza Fadli Robby, 2016, Pengaruh Pemberian Vitamin E Terhadap Kadar *Reactive Oxygen Spesies (ROS)* Dan Perubahan Histopatologi Edema Otak Pada Tikus Albino Galur Wistar (*Rattus Novergicus*) Dengan Cedera Otak Traumatik, Yogyakarta, Indonesia.
- Arief Sjamsul, *Radikal Bebas*, Bagian Ilmu Kesehatan Anak Fakultas Kedokteran Universitas Airlangga Rumah Sakit dr Soetomo Surabaya, 2003: 1-9.
- Aloisi, F., Care, A., Borsellino, G., Gallo, P., Rosa, S., Bassani, A., et al. (1992). Production of hemolymphopoietic cytokines (IL-6, IL-8, colony-stimulating factors) by normal human astrocytes in response to IL-1beta and tumor necrosis factor- α . *J. Immunol.* 149, 2358–2366.
- Angeloni, C., Prata C., 2 Segal, F.V.D., Piperno R. and Hrelia. S. 2015, Traumatic Brain Injury and NADPH Oxidase: A Deep Relationship, *Oxidative Medicine and Cellular Longevity*, 2015: 1-10.
- Benveniste, E.N. (1998). Cytokine actions in the central nervous system. *Cytokine Growth Factor Rev.* 9, 259–275.
- Brisby, H., Olmarker, K., Rosengren, L., Cederlund, C. G., and Rydevik, B. (1999). Markers of nerve tissue injury in the cerebrospinal fluid in patients with lumbar disc herniation and sciatica. *Spine* 24, 742–746.
- Brough, D., Tyrrell, P.J., and Allan, S.M. (2011). Regulation of interleukin-1 in acute brain injury. *Trends Pharmacol. Sci.* 32, 617–622.
- Brustovetsky, N., Brustovetsky, T., Jemmerson, R. and Dubinsky, J.M. 2002, Calcium induced cytochrome c release from CNS mitochondria is associated with the permeability transition and rupture of the outer membrane, *Journal of neurochemistry*, 80 (2): 207–18.
- Cernak, I. 2005, Animal Models of Head Trauma, *The Journal of the American Society for Experimental Neurotherapeutics*, 2: 410–422.
- Chung, I. Y., and Benveniste, E. N. (1990). Tumor necrosis factor- α production by astrocytes. Induction by lipopolysaccharide, IFN- γ , and IL-1 β . *J. Immunol.* 144, 2999–3007.
- Coburn, K. (1992). Traumatic brain injury: the silent epidemic. *AACN Clin. Issues Crit. Care Nurs.* 3, 9–18.



- Clarkson, P. M., Thompson, H. S. 2000, Antioxidants: what role do they play in physical activity and health, *Am J Clin Nutr*, 72(2 Suppl) : 637S-46S.
- Clayton TJ, Nelson RJ, Manara AR. Reduction in mortality from severe head injury following introduction of a protocol for intensive care management. *British Journal of Anaesthesia*; 2004. 93. h. 761–7.
- Dahlan, S.M. 2011, *Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat*, Edisi 5, Salemba Medika, Jakarta.
- De Waal Malefyt, R., Abrams, J., Bennett, B., Figdor, C. G., and De Vries, J.E. (1991). Interleukin10 (IL-10) inhibits cytokine synthesis by human monocytes an auto regulatory role of IL-10 produced by monocytes. *J. Exp.Med.* 174, 1209–1220.
- D’Andrea, A., Aste-Amezaga, M., Valiante, N. M., Ma, X., Kubin, M., and Trinchieri, G. (1993). Interleukin-10 (IL-10) inhibits human lymphocyte interferon gamma production by suppressing natural killer cell stimulatory factor/IL-12 synthesis in accessory cells. *J. Exp. Med.* 178, 1041–1048.
- Dikmen et al, 2009 Dikmen Sureyya S., PhD; John D. Corrigan, PhD, ABPP; Harvey S. Levin, PhD; Joan Machamer, MA; William Stiers, PhD, ABPP; Marc G. Weisskopf, PhD, ScD. 2009.Cognitive Outcome Following Traumatic Brain Injury.*J Head Trauma Rehabil.*Vol. 24, No. 6, pp. 430–438
- Dinarello,C.A.(2009).Immunological andinflammatoryfunctionsof the interleukin-1family. *Annu.Rev. Immunol.* 27, 519–550.
- Fan, L., Young, P. R., Barone, F. C., Feuerstein, G. Z., Smith, D. H., and Mc Intosh, T. K. (1995). Experimental brain injury induces expression of interleukin 1 beta mRNA in the rat brain. *Brain Res.Mol.BrainRes.* 30, 125–130.
- Fiorentino, D. F., Zlotnik, A., Mosmann, T. R., Howard, M., and O’Garra, A. (1991). IL-10 inhibits cytokine production by activated macrophages. *J. Immunol.* 147, 3815–3822.
- Foda, M. A., and Marmarou, A.(1994). A new model of diffuse brain injury in rats. Part II: morphological characterization. *J.Neurosurg.* 80, 301–313.
- Goldstein,M.(1990). Traumatic brain injury: a silent epidemic. *Ann.Neu-rol.* 27, 327.
- Gruber,M.F,Williams,C.C., and Gerrard,T.L.(1994). Macrophage-colony-stimulating factorexpressionbyanti-CD45 stimulatedhumanmonocytes transcriptionallyup-regulatedby IL-1betaandinhibitedbyIL-4and IL-10. *J. Immunol.* 152, 1354–1361.
- Hansson, M.J., Mansson, R., Morota, S., Uchino, H., Kallur, T., Sumi, T., et al. 2008, Calcium-induced generation of reactive oxygen species in brain mitochondria is mediated by permeability transition, *Free Radic Biol Med*, 45(3): 284–94.

- Hickey Robert, Adelson David, et al. (2007) Cyclooxygenase-2 Activity Following Traumatic Brain Injury in the Developing Rat. 3, 271-276.
- Iskandar, Japardi, 2004, Penatalaksanaan Cedera Kepala *secara Operatif*. Sumatra Utara: USU Press 2004, 1-27.
- Kamm, K., Vanderkolk, W., Lawrence, C., Jonker, M., and Davis, A. T. (2006). The effect of traumatic brain injury upon the concentration and expression of interleukin-1beta and interleukin-10 in the rat. *J. Trauma* 60, 152–157.
- Kinoshita, K., Chatzipanteli, K., Vitarbo, E., Truettner, J. S., Alonso, O. F., and Dietrich, W. D. (2002). Interleukin-1 beta messenger ribonucleic acid and protein levels after fluid-percussion brain injury in rats: importance of injury severity and brain temperature. *Neurosurgery* 51, 195–203; discussion 203.
- Knobloch, S. M., and Faden, A. I. (1998). Interleukin-10 improves outcome and alters proinflammatory cytokine expression after experimental traumatic brain injury. *Exp. Neurol.* 153, 143–151.
- Krueger, J. M. (2008). The role of cytokines in sleep regulation. *Curr. Pharm. Des.* 14, 3408–3416
- Lamid Astuti. Vitamin E sebagai Antioksidan. *Media Litbangkes* Vol.V.1995.
- Lu, B., Rutledge, B. J., Gu, L., Fiorillo, J., Lukacs, N. W., Kunkel, S. L. (1998). Abnormalities in monocyte recruitment and cytokine expression in monocyte chemoattractant protein 1-deficient mice. *J. Exp. Med.* 187, 601–608.
- Lee et al., 2004 Lee, L.L., Galo, E., Lyeth, B.G., Muizelaar, J.P. and Berman, R.F. 2004, Neuroprotection in the rat lateral fluid percussion model of traumatic brain injury by SNX-185, an N-type voltage-gated calcium channel blocker, *Exp Neurol*, 190: 70–78.
- Lifshitz, J., Friberg, H., Neumar, R.W., Raghupathi, R., Welsh, F.A., Janmey, P., et al. 2003, Structural and functional damage sustained by mitochondria after traumatic brain injury in the rat: evidence for differentially sensitive populations in the cortex and hippocampus, *J Cereb Blood Flow Metab*, 23 (2): 219–31.
- Lilik Maslachah, Sugihartuti Rahmi, Kurniasanti Rahma, Hambatan Produksi Reactive Oxygen Species Radikal Superoksida (O₂⁻) oleh Antioksidan Vitamin E (α -tocopherol) pada Tikus Putih (*Rattus norvegicus*) yang Menerima Stressor Renjatan Listrik. 2008. 21-26.
- Marijata., 2006. Pengantar Dasar Bedah Klinis. Unit Pelayanan Kampus (UPK) Fakultas Kedokteran Universitas Gajah Mada. Yogyakarta. 2006: 83-108.
- Molina Holgado, E., Ortiz, S., Molina Holgado, F., and Guaza, C. (2000). Induction of COX-2 and PGE (2) biosynthesis by IL-1 beta is mediated by PKC and mitogen-activated protein kinases in murine astrocytes. *Br. J. Pharmacol.* 131, 152–159.

- Moppet, I.K. 2007, Traumatic Brain Injury: Assessment, Resuscitation, and Early Management, Br J Anaesth, 99 (1): 18-31.
- Mustafa, A.G. and Al-Shboul, O. 2013, The role of free radicals and reactive species following traumatic brain injury, OA Biotechnology, 2 (3): 23.
- National Institutes of Health Office of Dietary Supplements, Vitamin E, 2016
- O'Connor, J.J., and Coogan, A. N. (1999). Actions of the proinflammatory cytokine IL-1 beta on central synaptic transmission. Exp. Physiol. 84, 601–614.
- Razmkon, et al. 2011. Administration of Vitamin C and Vitamin E in Severe Head Injury: A Randomized Double-blind Controlled Trial. Clinical Neurosurgery, Vol. 58, 2011.
- Rothwell, N. (2003). Interleukin-1 and neuronal injury: mechanisms, modification, and therapeutic potential. Brain Behav. Immun. 17, 152–157.
- Salmond C.H, D.A.Chatfield, D.K.Menon, J.D.Pickard, B.J.Sahakian. 2005. Cognitive sequelae of head injury: involvement of basal forebrain and associated structures. Brain Vol.128 No.1: 189–200
- Werdhasari Asri, 2014, Peran Antioksidan Bagi kesehatan, Pusat Biomedis dan Teknologi Dasar Kesehatan Balitbangkes, Kemenkes RI
- Winarsih, H. 2007, Antioksidan Alami dan Radikal Bebas, Edisi 5, Kanisius, Yogyakarta, pp 122-204.
- Woodcock Thomas, Cristina Maria, 2013, The role of markers of inflammation in traumatic brain injury, Fontiersin.org, Australia
- Wu, Angio, Zhe Ying, BS, Fernando Gomez-Poinilla, PhD. 2013. Vitamin E Protects Against Oxidative Damage and Learning Disability After Mild Traumatic Brain Injury in Rats.
- Yan, E.B., Hellewell, S.C., Bellander, B. M., Agyapomaa, D. A., and Morganti Kossmann, M. C. (2011). Post-traumatic hypoxia exacerbates neurological deficit, neuro inflammation and cerebral metabolism in rats with diffuse traumatic brain injury. J. Neuroinflammation 8, 147.
- Ziebell dan Morganti-Kossmann 2010 Ziebell, J.M. and Morganti-Kossmann, M.C. 2010, Involvement of Pro- and Anti-Inflammatory Cytokines and Chemokines in the Pathophysiology of Traumatic Brain Injury, *The Journal of the American Society for Experimental NeuroTherapeutics*, 7: 22–30.