

## DAFTAR PUSTAKA

- Abigor, R.D., Marmer, W.N., Foglia, T.A., Jones, K.C., DiCiccio, R.J., Ashby, R., Uadia, P.O., 2003. Production of cocoa butter-like fats by the lipase-catalyzed interesterification of palm oil and hydrogenated soybean oil. *J. Am. Oil Chem. Soc.* 80, 1193–1196. <https://doi.org/10.1007/s11746-003-0841-7>
- Adriano, W.S., Filho, E.H.C., Silva, J.A., Giordano, R.L.C., Gonçalves, L.R.B., 2005. Stabilization of penicillin G acylase by immobilization on glutaraldehyde-activated chitosan. *Brazilian J. Chem. Eng.* 22, 529–538. <https://doi.org/10.1590/S0104-66322005000400005>
- Aini, I.N., Miskandar, M.S., 2007. Utilization of palm oil and palm products in shortenings and margarines. *Eur. J. Lipid Sci. Technol.* 109, 422–432. <https://doi.org/10.1002/ejlt.200600232>
- Akoh, C.C., Moussata, C.O., 2001. Characterization and oxidative stability of enzymatically produced fish and canola oil-based structured lipids. *JAOCS, J. Am. Oil Chem. Soc.* 78, 25–30. <https://doi.org/10.1007/s11746-001-0214-2>
- An, J., 2010. Enzyme Immobilization on Woolen Cloth. PhD Thesis. The University of Auckland, New Zealand.
- AOCS, 2004. Official methods and recommended practices of the American Oil Chemists' Society. Champaign: American Oil Chemist's Society Press.
- AOCS, 1997. Official and Tentative Methods of the American Oil Chemist's Society, 7th Edition. Champaign: American Oil Chemist's Society Press.
- Arcos, J.A., Otero, C., Hill, C.G., 1998. Rapid enzymatic production of acylglycerols from conjugated linoleic acid and glycerol in a solvent-free system. *Biotechnol. Lett.* 20, 617–621. <https://doi.org/10.1023/A:1005370232725>
- Badr, A.K., 2005. Studies on Enzymatic Synthesis of Natural Ethyl Acetate in Non-Conventional Media. University of Veszprém.
- Bassi, J.J., Todero, L.M., Lage, F.A.P., Khedy, G.I., Ducas, J.D., Custódio, A.P., Pinto, M.A., Mendes, A.A., 2016. Interfacial activation of lipases on hydrophobic support and application in the synthesis of a lubricant ester. *Int. J. Biol. Macromol.* 92, 900–909. <https://doi.org/10.1016/j.ijbiomac.2016.07.097>
- Basso, R.C., Ribeiro, A.P.B., Masuchi, M.H., Gioielli, L.A., Gonçalves, L.A.G., Santos, A.O. dos, Cardoso, L.P., Grimaldi, R., 2010. Tripalmitin and

monoacylglycerols as modifiers in the crystallisation of palm oil. *Food Chem.* 122, 1185–1192. <https://doi.org/10.1016/j.foodchem.2010.03.113>

Biswas, N., Cheow, Y.L., Tan, C.P., Kanagaratnam, S., Siow, L.F., 2017a. Cocoa Butter Substitute (CBS) Produced from Palm Mid-fraction/Palm Kernel Oil/Palm Stearin for Confectionery Fillings. *JAOCS, J. Am. Oil Chem. Soc.* 94, 235–245. <https://doi.org/10.1007/s11746-016-2940-4>

Biswas, N., Cheow, Y.L., Tan, C.P., Siow, L.F., 2017b. Physical, rheological and sensorial properties, and bloom formation of dark chocolate made with cocoa butter substitute (CBS). *LWT - Food Sci. Technol.* 82, 420–428. <https://doi.org/10.1016/j.lwt.2017.04.039>

Biswas, N., Cheow, Y.L., Tan, C.P., Siow, L.F., 2016. Blending of Palm Mid-Fraction, Refined Bleached Deodorized Palm Kernel Oil or Palm Stearin for Cocoa Butter Alternative. *J. Am. Oil Chem. Soc.* 93, 1415–1427. <https://doi.org/10.1007/s11746-016-2880-z>

Bornscheuer, U.T., 1995. Lipase-catalyzed syntheses of monoacylglycerols. *Enzyme Microb. Technol.* 17, 578–586. [https://doi.org/10.1016/0141-0229\(94\)00096-A](https://doi.org/10.1016/0141-0229(94)00096-A)

Braipson-Danthine, S., Gibon, V., 2007. Comparative analysis of triacylglycerol composition, melting properties and polymorphic behavior of palm oil and fractions. *Eur. J. Lipid Sci. Technol.* 109, 359–372. <https://doi.org/10.1002/ejlt.200600289>

Brzozowski, A.M., Derewenda, U., Derewenda, Z.S., Dodson, G.G., Lawson, D.M., Turkenburg, J.P., Bjorkling, F., Høge-Jensen, B., Patkar, S.A., Thim, L., 1991. A model for interfacial activation in lipases from the structure of a fungal lipase-inhibitor complex. *Nature*. <https://doi.org/10.1038/351491a0>

Cai, C., Gao, Y., Liu, Y., Zhong, N., Liu, N., 2016. Immobilization of *Candida antarctica* lipase B onto SBA-15 and their application in glycerolysis for diacylglycerols synthesis. *Food Chem.* 212, 205–212. <https://doi.org/10.1016/j.foodchem.2016.05.167>

Calliauw, G., Foubert, I., De Greyt, W., Dijckmans, P., Kellens, M., Dewettinck, K., 2005. Production of cocoa butter substitutes via two-stage static fractionation of palm kernel oil. *JAOCS, J. Am. Oil Chem. Soc.* 82, 783–789. <https://doi.org/10.1007/s11746-005-1144-8>

Cheirsilp, B., Kaewthong, W., H-Kittikun, A., 2007. Kinetic study of glycerolysis of palm olein for monoacylglycerol production by immobilized lipase. *Biochem. Eng. J.* 35, 71–80. <https://doi.org/10.1016/j.bej.2006.12.024>

Chen, B., McClements, D.J., Decker, E.A., 2014. Impact of diacylglycerol and

monoacylglycerol on the physical and chemical properties of stripped soybean oil. *Food Chem.* 142, 365–372. <https://doi.org/10.1016/j.foodchem.2013.07.070>

Chen, B., Yin, C., Cheng, Y., Li, W., Cao, Z.A., Tan, T., 2012. Using silk woven fabric as support for lipase immobilization: The effect of surface hydrophilicity/hydrophobicity on enzymatic activity and stability. *Biomass and Bioenergy* 39, 59–66. <https://doi.org/10.1016/j.biombioe.2010.08.033>

Cheong, L.Z., Tan, C.P., Long, K., Affandi Yusoff, M.S., Arifin, N., Lo, S.K., Lai, O.M., 2007. Production of a diacylglycerol-enriched palm olein using lipase-catalyzed partial hydrolysis: Optimization using response surface methodology. *Food Chem.* 105, 1614–1622. <https://doi.org/10.1016/j.foodchem.2007.03.070>

Chnadhapuram, M., Sunkireddy, Y.R., 2012. Preparation of palm olein enriched with medium chain fatty acids by lipase acidolysis. *Food Chem.* 132, 216–221. <https://doi.org/10.1016/j.foodchem.2011.10.059>

Cho, K.-H., Hong, J.-H., Lee, K.-T., 2010. Monoacylglycerol (MAG)-oleic acid has stronger antioxidant, anti-atherosclerotic, and protein glycation inhibitory activities than MAG-palmitic acid. *J. Med. Food* 13, 99–107. <https://doi.org/10.1089/jmf.2009.1024>

Çiftçi, O.N., Fadiloğlu, S., Göğüş, F., 2009. Conversion of olive pomace oil to cocoa butter-like fat in a packed-bed enzyme reactor. *Bioresour. Technol.* 100, 324–329. <https://doi.org/10.1016/j.biortech.2008.05.035>

Çiftçi, O.N., Göğüş, F., Fadiloğlu, S., 2010. Performance of a cocoa butter-like fat enzymatically produced from olive pomace oil as a partial cocoa butter replacer. *JAOCs, J. Am. Oil Chem. Soc.* 87, 1013–1018. <https://doi.org/10.1007/s11746-010-1585-y>

Corma, A., Iborra, S., Velty, A., 2007. Chemical routes for the transformation of biomass into chemicals. *Chem. Rev.* 107, 2411–2502. <https://doi.org/10.1021/cr050989d>

D'Souza, V., deMan, J.M., deMan, L., 1990. Short spacings and polymorphic forms of natural and commercial solid fats: A review. *J. Am. Oil Chem. Soc.* 67, 835–843. <https://doi.org/10.1007/BF02540502>

da Silva, T.L.T., Grimaldi, R., Calligaris, G.A., Cardoso, L.P., Gonçalves, L.A.G., 2017. Crystallinity properties and crystallization behavior of chocolate fat blends. *J. Food Sci. Technol.* 54, 1979–1989. <https://doi.org/10.1007/s13197-017-2634-4>

Dahlenborg, H., Millqvist-Fureby, A., Bergenståhl, B., Kalnin, D.J.E., 2011.

- Investigation of chocolate surfaces using profilometry and low vacuum scanning electron microscopy. *JAOCS, J. Am. Oil Chem. Soc.* 88, 773–783. <https://doi.org/10.1007/s11746-010-1721-8>
- Damstrup, M.L., Jensen, T., Sparsø, F. V., Kiil, S.Z., Jensen, A.D., Xu, X., 2005. Solvent optimization for efficient enzymatic monoacylglycerol production based on a glycerolysis reaction. *J. Am. Oil Chem. Soc.* 82, 559–564. <https://doi.org/10.1007/s11746-005-1109-y>
- Datta, S., Christena, L.R., Rajaram, Y.R.S., 2013. Enzyme immobilization: an overview on techniques and support materials. *3 Biotech* 3, 1–9. <https://doi.org/10.1007/s13205-012-0071-7>
- De Man, J.M., Beers, A.M., 1987. Fat Crystal Networks: Structure and Rheological Properties. *J. Texture Stud.* 18, 303–318. <https://doi.org/10.1111/j.1745-4603.1987.tb00908.x>
- Derewenda, U., Derewenda, Z.S., Brzozowski, A.M., Lawson, D.M., 1992. Catalysis at the Interface: The Anatomy of a Conformational Change in a Triglyceride Lipase. *Biochemistry* 31, 1532–1541. <https://doi.org/10.1021/bi00120a034>
- Devi, B.L.A.P., Zhang, H., Damstrup, M.L., Guo, Z., Zhang, L., Lue, B.M., Xu, X., 2008. Enzymatic synthesis of designer lipids. *OCL - Ol. Corps Gras Lipides* 15, 189–195. <https://doi.org/10.1684/ocl.2008.0194>
- Dhonsi, D., Stapley, A.G.F., 2006. The effect of shear rate, temperature, sugar and emulsifier on the tempering of cocoa butter. *J. Food Eng.* 77, 936–942. <https://doi.org/10.1016/j.jfoodeng.2005.08.022>
- El-kalyoubi, M., Khallaf, M.F., Abdelrashid, A., Mostafa, E.M., 2011. Quality characteristics of chocolate – Containing some fat replacer. *Ann. Agric. Sci.* 56, 89–96. <https://doi.org/10.1016/j.aogas.2011.05.009>
- Feltes, M.M.C., de Oliveira, D., Block, J.M., Ninow, J.L., 2013. The Production, Benefits, and Applications of Monoacylglycerols and Diacylglycerols of Nutritional Interest. *Food Bioprocess Technol.* 6, 17–35. <https://doi.org/10.1007/s11947-012-0836-3>
- Ferreira-Dias, S., Correia, A.C., Baptista, F.O., Da Fonseca, M.M.R., 2001. Contribution of response surface design to the development of glycerolysis systems catalyzed by commercial immobilized lipases. *J. Mol. Catal. - B Enzym.* 11, 699–711. [https://doi.org/10.1016/S1381-1177\(00\)00079-5](https://doi.org/10.1016/S1381-1177(00)00079-5)
- Foubert, I., Vanhoutte, B., Dewettinck, K., 2004. Temperature and concentration dependent effect of partial glycerides on milk fat crystallization. *Eur. J. Lipid Sci. Technol.* 106, 531–539. <https://doi.org/10.1002/ejlt.200400979>

- Fuchs, B., Süß, R., Teuber, K., Eibisch, M., Schiller, J., 2011. Lipid analysis by thin-layer chromatography-A review of the current state. *J. Chromatogr. A* 1218, 2754–2774. <https://doi.org/10.1016/j.chroma.2010.11.066>
- Furlán, L.T.R., Baracco, Y., Lecot, J., Zaritzky, N., Campderrós, M.E., 2017. Influence of hydrogenated oil as cocoa butter replacers in the development of sugar-free compound chocolates: Use of inulin as stabilizing agent. *Food Chem.* 217, 637–647. <https://doi.org/10.1016/j.foodchem.2016.09.054>
- Gao, S., Wang, Y., Diao, X., Luo, G., Dai, Y., 2010. Effect of pore diameter and cross-linking method on the immobilization efficiency of *Candida rugosa* lipase in SBA-15. *Bioresour. Technol.* 101, 3830–3837. <https://doi.org/10.1016/j.biortech.2010.01.023>
- Gao, S., Wang, Y., Wang, T., Luo, G., Dai, Y., 2009. Immobilization of lipase on methyl-modified silica aerogels by physical adsorption. *Bioresour. Technol.* 100, 996–999. <https://doi.org/10.1016/j.biortech.2008.06.060>
- Garti, N., Schlichter, J., Sarig, S., 1986. Effect of food emulsifiers on polymorphic transitions of cocoa butter. *J. Am. Oil Chem. Soc.* 63, 230–236. <https://doi.org/10.1007/BF02546144>
- Gerpen, J. Van, Shanks, B., Pruszek, R., Clements, D., 2004. Biodiesel Production Technology Biodiesel Production Technology. *Contract* 87, 3170–3175.
- Ghangui, H., Miled, N., Rebaï, A., Karra-chaâbouni, M., Gargouri, Y., 2006. Production of mono-olein by immobilized *Staphylococcus simulans* lipase in a solvent-free system: Optimization by response surface methodology. *Enzyme Microb. Technol.* 39, 717–723. <https://doi.org/10.1016/j.enzmictec.2005.12.014>
- Goldberg, M., Thomas, D., Legoy, M. -D, 1990. The control of lipase-catalysed transesterification and esterification reaction rates: Effects of substrate polarity, water activity and water molecules on enzyme activity. *Eur. J. Biochem.* 190, 603–609. <https://doi.org/10.1111/j.1432-1033.1990.tb15615.x>
- Gonçalves, M.C.P., Kieckbusch, T.G., Perna, R.F., Fujimoto, J.T., Morales, S.A.V., Romanelli, J.P., 2018. Trends on enzyme immobilization researches based on bibliometric analysis. *Process Biochem.* 1–16. <https://doi.org/10.1016/j.procbio.2018.09.016>
- Guedes, A.M.M., Ming, C.C., Ribeiro, A.P.B., Da Silva, R.C., Gioielli, L.A., Gonçalves, L.A.G., 2014. Physicochemical properties of interesterified blends of fully hydrogenated crambe abyssinica oil and soybean oil. *JAOCS, J. Am. Oil Chem. Soc.* 91, 111–123. <https://doi.org/10.1007/s11746-013-2360-7>

- Gunstone, F.D., 2002. Food applications of lipids. In: Food Lipids Chemistry, Nutrition, and Biotechnology, 2nd ed. Marcel Dekker, Inc, New York.
- Gunstone, F.D., 1999. Enzymes as biocatalysts in the modification of natural lipids. *J. Sci. Food Agric.* 79, 1535–1549. [https://doi.org/10.1002/\(SICI\)1097-0010\(199909\)79:12<1535::AID-JSFA430>3.0.CO;2-7](https://doi.org/10.1002/(SICI)1097-0010(199909)79:12<1535::AID-JSFA430>3.0.CO;2-7)
- Hasmadi, M., Nor Aini, I., Mamot, S., Yusof, M.S.A., 2002. The Effect of Different Types of Stirrer and Fractionation Temperatures During Fractionation on the Yield, Characteristics and Quality of Oleins. *J. Food Lipids* 9, 295–307.
- Herrera, M.L., Falabella, C., Melgarejo, M., Anon, M.C., 1998. Isothermal crystallization of hydrogenated sunflower oil: I. Nucleation. *JAOCs, J. Am. Oil Chem. Soc.* 75, 1273–1280.
- Hilmanto, H., 2014. Modifikasi matriks macroporous untuk amobilisasi lipase sebagai katalis sintesis ester fruktosa oleat. Universitas Gadjah Mada.
- Hilmanto, H., Hidayat, C., Hastuti, P., 2016. Surface Modification of Macroporous Matrix for Immobilization of Lipase for Fructose Oleic Ester Synthesis. *Bull. Chem. React. Eng. Catal.* 11, 339–345. <https://doi.org/10.9767/bcrec.11.3.573.339-345>
- Idris, A., Bukhari, A., 2012. Immobilized *Candida antarctica* lipase B: Hydration, stripping off and application in ring opening polyester synthesis. *Biotechnol. Adv.* 30, 550–563. <https://doi.org/10.1016/j.biotechadv.2011.10.002>
- Jahurul, M.H.A., Zaidul, I.S.M., Nik Norulaini, N.A., Sahena, F., Abedin, M.Z., Mohamed, A., Mohd Omar, A.K., 2014. Hard cocoa butter replacers from mango seed fat and palm stearin. *Food Chem.* 154, 323–329. <https://doi.org/10.1016/j.foodchem.2013.11.098>
- Jahurul, M.H.A., Zaidul, I.S.M., Norulaini, N.A.N., Sahena, F., Jinap, S., Azmir, J., Sharif, K.M., Mohd Omar, A.K., 2013. Cocoa butter fats and possibilities of substitution in food products concerning cocoa varieties, alternative sources, extraction methods, composition, and characteristics. *J. Food Eng.* 117, 467–476. <https://doi.org/10.1016/j.jfoodeng.2012.09.024>
- James, B.J., Smith, B.G., 2009. Surface structure and composition of fresh and bloomed chocolate analysed using X-ray photoelectron spectroscopy, cryo-scanning electron microscopy and environmental scanning electron microscopy. *LWT - Food Sci. Technol.* 42, 929–937. <https://doi.org/10.1016/j.lwt.2008.12.003>
- Jin, Y., Yuan, Y., Gao, L., Sun, R., Chen, L., Li, D., Zheng, Y., 2017.

- Characterization and Functional Analysis of a Type 2 Diacylglycerol Acyltransferase (DGAT2) Gene from Oil Palm (*Elaeis guineensis* Jacq.) Mesocarp in *Saccharomyces cerevisiae* and Transgenic *Arabidopsis thaliana*. *Front. Plant Sci.* 8, 1–10. <https://doi.org/10.3389/fpls.2017.01791>
- Kheiri, M.S., 1982. Formulation, Evaluation and Marketing of Cocoa Butter Replacer's Fat. Palm Oil Research Institute of Malaysia (PORIM), Kuala Lumpur.
- Kim, B.H., Akoh, C.C., 2015. Recent Research Trends on the Enzymatic Synthesis of Structured Lipids. *J. Food Sci.* 80, 1713–1724. <https://doi.org/10.1111/1750-3841.12953>
- Kirk, O., Björkling, F., Godtfredsen, S.E., Larsen, T.O., 1992. Fatty Acid Specificity in Lipase-Catalyzed Synthesis of Glucoside Esters. *Biocatal. Biotransformation* 6, 127–134. <https://doi.org/10.3109/10242429209014888>
- Kowalska, M., Zbikowska, A., Kowalski, B., 2014. Enzymatically Modified Fats Based on Mutton Tallow and Rapeseed Oil Suitable for Fatty Emulsions. *JAOCS, J. Am. Oil Chem. Soc.* 91, 1703–1710. <https://doi.org/10.1007/s11746-014-2512-4>
- Kraume, M., 1992. Mixing times in stirred suspensions. *Chem. Eng. Technol.* 15, 313–318. <https://doi.org/10.1002/ceat.270150505>
- Kristensen, J.B., Xu, X., Mu, H., 2005. Diacylglycerol synthesis by enzymatic glycerolysis: Screening of commercially available lipases. *JAOCS, J. Am. Oil Chem. Soc.* 82, 329–334. <https://doi.org/10.1007/s11746-005-1074-5>
- Krüger, R.L., Valério, A., Balen, M., Ninow, J.L., Oliveira, J.V., de Oliveira, D., Corazza, M.L., 2010. Improvement of mono and diacylglycerol production via enzymatic glycerolysis in tert-butanol system. *Eur. J. Lipid Sci. Technol.* 112, 921–927. <https://doi.org/10.1002/ejlt.200900253>
- Lai, O.M., Ghazali, H.M., Chong, C.L., 1998. Effect of enzymatic transesterification on the melting points of palm stearin-sunflower oil mixtures. *JAOCS, J. Am. Oil Chem. Soc.* 75, 881–886. <https://doi.org/10.1007/s11746-998-0241-2>
- Latip, R.A., Lee, Y.Y., Tang, T.K., Phuah, E.T., Tan, C.P., Lai, O.M., 2013. Physicochemical properties and crystallisation behaviour of bakery shortening produced from stearin fraction of palm-based diacylglycerol blended with various vegetable oils. *Food Chem.* 141, 3938–3946. <https://doi.org/10.1016/j.foodchem.2013.05.114>
- Lee, K.T., Akoh, C.C., 1998. Characterization of enzymatically synthesized structured lipids containing eicosapentaenoic, docosahexaenoic, and caprylic

- acids. *JAACS, J. Am. Oil Chem. Soc.* 75, 495–499. <https://doi.org/10.1007/s11746-998-0253-y>
- Li, D., Adhikari, P., Shin, J., Lee, J., Kim, Y., Zhu, X., Hu, J., Jin, J., Akoh, C.C., Lee, K., 2010. Lipase-catalyzed interesterification of high oleic sunflower oil and fully hydrogenated soybean oil comparison of batch and continuous reactor for production of zero trans shortening fats. *LWT - Food Sci. Technol.* 43, 458–464. <https://doi.org/10.1016/j.lwt.2009.09.013>
- Lipp, M., Anklam, E., 1998. Review of cocoa butter and alternative fats for use in chocolate—Part A. Compositional data. *Food Chem.* 62, 73–97. [https://doi.org/10.1016/S0308-8146\(97\)00160-X](https://doi.org/10.1016/S0308-8146(97)00160-X)
- Lipp, M., Simoneau, C., Ulberth, F., Anklam, E., Crews, C., Brereton, P., De Greyt, W., Schwack, W., Wiedmaier, C., 2001. Composition of genuine cocoa butter and cocoa butter equivalents. *J. Food Compos. Anal.* 14, 399–408. <https://doi.org/10.1006/jfca.2000.0984>
- Liu, K.J., Chang, H.M., Liu, K.M., 2007. Enzymatic synthesis of cocoa butter analog through interesterification of lard and tristearin in supercritical carbon dioxide by lipase. *Food Chem.* 100, 1303–1311. <https://doi.org/10.1016/j.foodchem.2005.12.010>
- Lo, S.K., Tan, C.P., Long, K., Yusoff, M.S.A., Lai, O.M., 2008. Diacylglycerol oil-properties, processes and products: A review. *Food Bioprocess Technol.* 1, 223–233. <https://doi.org/10.1007/s11947-007-0049-3>
- Lowry, O.H., Rosebrough, N.J., Farr, A.L., Randall, R.J., 1951. Protein Measurement with the Follin Phenol Reagent. *J. Biol. Chem.* 193, 265–275. [https://doi.org/10.1016/0304-3894\(92\)87011-4](https://doi.org/10.1016/0304-3894(92)87011-4)
- Malcata, F.X., Reyes, H.R., Garcia, H.S., Hill, Jr, C.G., Amundson, C.H., 1992. Kinetics and mechanisms of reactions catalyzed by immobilized lipases. *Enzyme Microb. Technol.* 14, 426–446. [https://doi.org/10.1016/0141-0229\(92\)90135-B](https://doi.org/10.1016/0141-0229(92)90135-B)
- Manoel, E.A., dos Santos, J.C.S., Freire, D.M.G., Rueda, N., Fernandez-Lafuente, R., 2015. Immobilization of lipases on hydrophobic supports involves the open form of the enzyme. *Enzyme Microb. Technol.* 71, 53–57. <https://doi.org/10.1016/j.enzmictec.2015.02.001>
- Márquez, A.L., Pérez, M.P., Wagner, J.R., 2013. Solid fat content estimation by differential scanning calorimetry: Prior treatment and proposed correction. *JAACS, J. Am. Oil Chem. Soc.* 90, 467–473. <https://doi.org/10.1007/s11746-012-2190-z>
- Marseno, D.W., Indrati, R., Ohta, Y., 1998. A Simplified Method for

Determination Free Fatty Acids for Soluble and Immobilized Lipase Assay.  
*Indones. food Nutr. Prog.* 5, 79–83.

Martin, D., Reglero, G., Señoráns, F.J., 2010. Oxidative stability of structured lipids. *Eur. Food Res. Technol.* 231, 635–653.  
<https://doi.org/10.1007/s00217-010-1324-5>

Martinez, C.E., Vinay, J.C., Brieva, R., Hill, C.G., Garcia, H.S., 2005. Preparation of mono- and diacylglycerols by enzymatic esterification of glycerol with conjugated linoleic acid in hexane. *Appl. Biochem. Biotechnol.* 125, 63–75.  
<https://doi.org/10.1385/ABAB:125:1:063>

Maruyama, J.M., Soares, F.A.S.D.M., D'Agostinho, N.R., Goncalves, M.I.A., Gioielli, L.A., da Silva, R.C., 2014. Effects of Emulsifier Addition on the Crystallization and Melting Behavior of Palm Olein and Coconut Oil. *J. Agric. Food Chem.* 62, 2253–2263. <https://doi.org/10.1021/jf405221n>

Masuchi, M.H., Grimaldi, R., Kieckbusch, T.G., 2014. Effects of sorbitan monostearate and monooleate on the crystallization and consistency behaviors of cocoa butter. *JAOCs, J. Am. Oil Chem. Soc.* 91, 1111–1120.  
<https://doi.org/10.1007/s11746-014-2469-3>

Matsuo, N., 2004. Nutritional Characteristics and Health Benefits of Diacylglycerol in Foods. *Food Sci. Technol. Res.* 10, 103–110.  
<https://doi.org/10.3136/fstr.10.103>

Matsuo, N., Tokimitsu, I., 2001. Metabolic characteristics of diacylglycerol oil. *Inf. - Int. News Fats, Oils Relat. Mater.* 12, 1098.

Mc Neill, G.P., 1999. Enzymic Processes. In: *Lipid synthesis and Manufacture*. Sheffield Academic Press, England.

Morita, O., Knapp, J.F., Tamaki, Y., Varsho, B.J., Stump, D.G., Nemeč, M.D., 2008. Effects of dietary diacylglycerol oil on embryo/fetal development in rats. *Food Chem. Toxicol.* 46, 2510–2516.  
<https://doi.org/10.1016/j.fct.2008.04.004>

Nagachinta, S., Akoh, C.C., 2012. Enrichment of palm olein with long chain polyunsaturated fatty acids by enzymatic acidolysis. *LWT - Food Sci. Technol.* 46, 29–35. <https://doi.org/10.1016/j.lwt.2011.10.027>

Naik, B., Kumar, V., 2014. Cocoa Butter and Its Alternatives: A Reveiw. *J. Bioresour. Eng. Technol.* 1, 7–17.

Naik, M.K., Naik, S.N., Mohanty, S., 2014. Enzymatic glycerolysis for conversion of sunflower oil to food based emulsifiers. *Catal. Today* 237, 145–149. <https://doi.org/10.1016/j.cattod.2013.11.005>

- Ng, S.P., Lai, O.M., Abas, F., Lim, H.K., Beh, B.K., Ling, T.C., Tan, C.P., 2014. Compositional and thermal characteristics of palm olein-based diacylglycerol in blends with palm super olein. *Food Res. Int.* 55, 62–69. <https://doi.org/10.1016/j.foodres.2013.10.035>
- Noor, I.M., Hasan, M., Ramachandran, K.B., 2003. Effect of operating variables on the hydrolysis rate of palm oil by lipase. *Process Biochem.* 39, 13–20. [https://doi.org/10.1016/S0032-9592\(02\)00263-7](https://doi.org/10.1016/S0032-9592(02)00263-7)
- Nor Aini, I., Razali, I., Noor Lida, H.M.D., Miskandar, M.S., Radzuan, J., 2002. Blending of Palm Oil and Palm Products with Other Oils and Fats for Food Applications. *Oil Palm Bull.* 45, 6–15.
- NorAini, I., Embong, M.S., Aminah, A., Md. Ali, A.R., Che Maimon, C.H., 1995. Physical Characteristics of Shortenings Based on Modified Palm Oil , Milkfat and Low Melting Milkfat Fraction. *Fat Sci. Technol.* 97, 253–260.
- Normah, I., Cheow, C.S., Chong, C.L., 2014. Crystal habit during crystallization of RBDPO with the addition of Diacylglycerol (DAG): Effect of time and percentage of DAG added. *Int. Food Res. J.* 21, 2045–2049.
- Ornla-ied, P., Sonwai, S., Lertthirasuntorn, S., 2016. Trans-free margarine fat produced using enzymatic interesterification of rice bran oil and hard palm stearin. *Food Sci. Biotechnol.* 25, 673–680. <https://doi.org/10.1007/s10068-016-0118-3>
- Osborn, H.T., Akoh, C.C., 2002. Structured Lipids – Novel Fats with Medical , Nutraceutical , and Food Applications. *Compr. Rev. Food Sci. Food Saf.* 1, 93–103. <https://doi.org/10.1111/j.1541-4337.2002.tb00010.x>
- Öztürk, B., 2001. Immobilization of Lipase from *Candida rugosa* on Hydrophobic and Hydrophilic Supports. *Immobil. Lipase from Candida rugosa Hydrophobic Hydrophilic Support*. İzmir Institute of Technology, Turkey.
- Paiva, A.L., Balca, V.M., Malcata, F.X., 2000. Kinetics and mechanisms of reactions catalyzed by immobilized lipases. *Enzyme Microb. Technol.* 27, 187–204. [https://doi.org/10.1016/S0141-0229\(00\)00206-4](https://doi.org/10.1016/S0141-0229(00)00206-4)
- Pantzaris, T.P., Sue, T.T., 2017. *Pocketbook of Oil Palm Uses*, Seventh Ed. ed. Malaysian Palm Oil Board (MPOB), Selangor, Malaysia.
- Pawongrat, R., Xu, X., H-Kittikun, A., 2008. Physico-enzymatic production of monoacylglycerols enriched with very-long-chain polyunsaturated fatty acids. *J. Sci. Food Agric.* 88, 256–262. <https://doi.org/10.1002/jsfa.3081>
- Pawongrat, R., Xu, X., H-Kittikun, A., 2007. Synthesis of monoacylglycerol rich in polyunsaturated fatty acids from tuna oil with immobilized lipase AK. *Food Chem.* 104, 251–258. <https://doi.org/10.1016/j.foodchem.2006.11.036>

- Phuah, E.T., Tang, T.K., Lee, Y.Y., Choong, T.S.Y., Tan, C.P., Lai, O.M., 2015. Review on the Current State of Diacylglycerol Production Using Enzymatic Approach. *Food Bioprocess Technol.* 8, 1169–1186. <https://doi.org/10.1007/s11947-015-1505-0>
- Qian, Z., Horton, J.R., Cheng, X., Lutz, S., 2009. Structural Redesign of Lipase B from *Candida antarctica* by Circular Permutation and Incremental Truncation. *J. Mol. Biol.* 393, 191–201. <https://doi.org/10.1016/j.jmb.2009.08.008>
- Ribeiro, A.P.B., Basso, R.C., Grimaldi, R., Gioielli, L.A., dos Santos, A.O., Cardoso, L.P., Guaraldo Gonçalves, L.A., 2009. Influence of chemical interesterification on thermal behavior, microstructure, polymorphism and crystallization properties of canola oil and fully hydrogenated cottonseed oil blends. *Food Res. Int.* 42, 1153–1162. <https://doi.org/10.1016/j.foodres.2009.05.016>
- Riedlberger, P., Bruning, S., Weuster-Botz, D., 2013. Characterization of stirrers for screening studies of enzymatic biomass hydrolyses on a milliliter scale. *Bioprocess Biosyst. Eng.* 36, 927–935. <https://doi.org/10.1007/s00449-012-0826-x>
- Rohm, H., Schaper, C., Zahn, S., 2018. Interesterified fats in chocolate and bakery products: A concise review. *LWT - Food Sci. Technol.* 87, 379–384. <https://doi.org/10.1016/j.lwt.2017.08.076>
- Rousseau, D., Smith, P., 2008. Microstructure of fat bloom development in plain and filled chocolate confections. *Soft Matter* 4, 1706–1712. <https://doi.org/10.1039/b718066g>
- Sabariah, S., Ali, A.R.M., Chong, C.L., 1998. Chemical and physical characteristics of cocoa butter substitutes, milk fat and Malaysian cocoa butter blends. *J. Am. Oil Chem. Soc.* 75, 905–910.
- Saberi, A.H., Chin-ping, T., Oi-Ming, L., 2011a. Phase Behavior of Palm Oil in Blends with Palm-Based Diacylglycerol. *JAOCS, J. Am. Oil Chem. Soc.* 88, 1857–1865. <https://doi.org/10.1007/s11746-011-1860-6>
- Saberi, A.H., Kee, B.B., Oi-Ming, L., Miskandar, M.S., 2011b. Physico-chemical properties of various palm-based diacylglycerol oils in comparison with their corresponding palm-based oils. *Food Chem.* 127, 1031–1038. <https://doi.org/10.1016/j.foodchem.2011.01.076>
- Saberi, A.H., Lai, O.M., Miskandar, M.S., 2012. Melting and Solidification Properties of Palm-Based Diacylglycerol, Palm Kernel Olein, and Sunflower Oil in the Preparation of Palm-Based Diacylglycerol-Enriched Soft Tub Margarine. *Food Bioprocess Technol.* 5, 1674–1685.

<https://doi.org/10.1007/s11947-010-0475-5>

- Sabuquillo, P., Reina, J., Fernandez-Lorente, G., Guisan, J.M., Fernandez-Lafuente, R., 1998. "Interfacial affinity chromatography" of lipases: Separation of different fractions by selective adsorption on supports activated with hydrophobic groups. *Biochim. Biophys. Acta - Protein Struct. Mol. Enzymol.* 1388, 337–348. [https://doi.org/10.1016/S0167-4838\(98\)00183-6](https://doi.org/10.1016/S0167-4838(98)00183-6)
- Schantz, B., Rohm, H., 2005. Influence of lecithin-PGPR blends on the rheological properties of chocolate. *LWT - Food Sci. Technol.* 38, 41–45. <https://doi.org/10.1016/j.lwt.2004.03.014>
- Sellami, M., Aissa, I., Frikha, F., Gargouri, Y., Miled, N., 2011. Immobilized *Rhizopus oryzae* lipase catalyzed synthesis of palm stearin and cetyl alcohol wax esters: Optimization by Response Surface Methodology. *BMC Biotechnol.* 11:68, 1–8. <https://doi.org/10.1186/1472-6750-11-68>
- Sellami, M., Ghamgui, H., Frikha, F., Gargouri, Y., Miled, N., 2012. Enzymatic transesterification of palm stearin and olein blends to produce zero-trans margarine fat. *BMC Biotechnol.* 12, 1. <https://doi.org/10.1186/1472-6750-12-48>
- Silva, J.A., Macedo, G.P., Rodrigues, D.S., Giordano, R.L.C., Gonçalves, L.R.B., 2012. Immobilization of *Candida antarctica* lipase B by covalent attachment on chitosan-based hydrogels using different support activation strategies. *Biochem. Eng. J.* 60, 16–24. <https://doi.org/10.1016/j.bej.2011.09.011>
- Silva, R.C., Cotting, L.N., Poltronieri, T.P., Balcão, V.M., de Almeida, D.B., Goncalves, L.A.G., Grimaldi, R., Gioielli, L.A., 2009. The effects of enzymatic interesterification on the physical-chemical properties of blends of lard and soybean oil. *LWT - Food Sci. Technol.* 42, 1275–1282. <https://doi.org/10.1016/j.lwt.2009.02.015>
- Smith, K.W., Bhaggan, K., Talbot, G., Van Malssen, K.F., 2011. Crystallization of fats: Influence of minor components and additives. *JAOCS, J. Am. Oil Chem. Soc.* 88, 1085–1101. <https://doi.org/10.1007/s11746-011-1819-7>
- Smith, P.R., Furo, I., Smith, K.W., Cain, F., 2007. The Effect of Partial Acylglycerols on the Exchange Between Liquid and Solid Tripalmitoylglycerol. *JAOCS, J. Am. Oil Chem. Soc.* 84, 325–329. <https://doi.org/10.1007/s11746-007-1045-5>
- Soares, F.A.S.D.M., Claro da Silva, R., Caroline Guimarães da Silva, K., Bertolossi Lourenço, M., Ferreira Soares, D., Antonio Gioielli, L., 2009. Effects of chemical interesterification on physicochemical properties of blends of palm stearin and palm olein. *Food Res. Int.* 42, 1287–1294. <https://doi.org/10.1016/j.foodres.2009.03.022>

- Sonwai, S., Ornlai, P., Aneknun, T., 2015. Lauric Fat Cocoa Butter Replacer from Krabok (*Irvingia Malayana*) Seed Fat and Coconut Oil. *J. Oleo Sci.* 64, 357–365. <https://doi.org/10.5650/jos.ess14244>
- Subroto, E., Hidayat, C., Supriyadi, 2008. Enzymatic Interesterification of Fish Oil with Lauric Acid for the Synthesis of Structured Lipid. *J. Teknol. dan Ind. Pangan XIX*, 105–112.
- Taguchi, H., Nagao, T., Watanabe, H., Onizawa, K., Matsuo, N., Tokimitsu, I., Itakura, H., 2001. Energy value and digestibility of dietary oil containing mainly 1,3-diacylglycerol are similar to those of triacylglycerol. *Lipids* 36, 379–382. <https://doi.org/10.1007/s11745-001-0731-7>
- Takase, H., 2007. Metabolism of diacylglycerol in humans. *Asia Pac. J. Clin. Nutr.* 16, 398–403.
- Torbica, A., Jovanovic, O., Pajin, B., 2006. The advantages of solid fat content determination in cocoa butter and cocoa butter equivalents by the Karlshamns method. *Eur. Food Res. Technol.* 222, 385–391. <https://doi.org/10.1007/s00217-005-0118-7>
- Torres, C.F., Munir, F., Blanco, R.M., Otero, C., 2002. Catalytic transesterification of corn oil and tristearin using immobilized lipases from *thermomyces lanuginosa*. *JAOCS, J. Am. Oil Chem. Soc.* 79, 775–781. <https://doi.org/10.1007/s11746-002-0558-7>
- Torres, P., Kunamneni, A., Ballesteros, A., Plou, F.J., 2008. Enzymatic Modification for Ascorbic Acid and Alpha-Tocopherol to Enhance their Stability in Food and Nutritional Applications. *Open Food Sci. J.* 2, 1–9.
- Tripathi, V., Trivedi, R., Singh, R.P., 2006. Lipase-Catalyzed synthesis of Diacylglycerol and Monoacylglycerol from unsaturated fatty acid in organic solvent system. *J. Oleo Sci.* 55, 65–69. <https://doi.org/10.5650/jos.55.65>
- Uppenberg, J., Hansen, M.T., Patkar, S., Jones, T. a, 1994. The sequence, crystal structure determination and refinement of two crystal forms of lipase B from *Candida antarctica*. *Structure* 2, 293–308. [https://doi.org/10.1016/S0969-2126\(00\)00031-9](https://doi.org/10.1016/S0969-2126(00)00031-9)
- Valério, A., Krüger, R.L., Ninow, J., Corazza, F.C., De Oliveira, D., Vladimir Oliveira, J., Corazza, M.L., 2009. Kinetics of solvent-free lipase-catalyzed glycerolysis of olive oil in surfactant system. *J. Agric. Food Chem.* 57, 8350–8356. <https://doi.org/10.1021/jf901771m>
- Villeneuve, P., Muderhwa, J.M., Graille, J., Haas, M.J., 2000. Customizing lipases for biocatalysis: A survey of chemical, physical and molecular biological approaches. *J. Mol. Catal. - B Enzym.* 9, 113–148.

[https://doi.org/10.1016/S1381-1177\(99\)00107-1](https://doi.org/10.1016/S1381-1177(99)00107-1)

- Vrábel, P., Van Der Lans, R.G.J.M., Luyben, K.C.A.M., Boon, L., Nienow, A.W., 2000. Mixing in large-scale vessels stirred with multiple radial or radial and axial up-pumping impellers: Modelling and measurements. *Chem. Eng. Sci.* 55, 5881–5896. [https://doi.org/10.1016/S0009-2509\(00\)00175-5](https://doi.org/10.1016/S0009-2509(00)00175-5)
- Wang, F., Liu, Y., Jin, Q., Meng, Z., Wang, X., 2011. Characterization of cocoa butter substitutes, milk fat and cocoa butter mixtures. *Eur. J. Lipid Sci. Technol.* 113, 1145–1151. <https://doi.org/10.1002/ejlt.201000488>
- Wang, W., Li, T., Ning, Z., Wang, Y., Yang, B., Yang, X., 2011. Production of extremely pure diacylglycerol from soybean oil by lipase-catalyzed glycerolysis. *Enzyme Microb. Technol.* 49, 192–196. <https://doi.org/10.1016/j.enzmictec.2011.05.001>
- Wang, Y., Zhao, M., Song, K., Wang, L., Han, X., Tang, S., Wang, Y., 2010. Separation of diacylglycerols from enzymatically hydrolyzed soybean oil by molecular distillation. *Sep. Purif. Technol.* 75, 114–120. <https://doi.org/10.1016/j.seppur.2010.08.012>
- Watanabe, T., Shimizu, M., Sugiura, M., Sato, M., Kohori, J., Yamada, N., Nakanishi, K., 2003. Optimization of Reaction Conditions for the Production of DAG Using Immobilized 1,3-Regiospecific Lipase Lipozyme RM IM. *JAACS, J. Am. Oil Chem. Soc.* 80, 1201–1207. <https://doi.org/10.1007/s11746-003-0843-5>
- Watanabe, Y., Yamauchi-Sato, Y., Nagao, T., Yamamoto, T., Ogita, K., Shimada, Y., 2004. Production of monoacylglycerol of conjugated linoleic acid by esterification followed by dehydration at low temperature using *Penicillium camembertii* lipase. *J. Mol. Catal. B Enzym.* 27, 249–254. <https://doi.org/10.1016/j.molcatb.2003.12.004>
- Weete, J.D., 2002. Microbial Lipases. In *Food Lipids: Chemistry, Nutrition, and Biotechnology*. Marcel Dekker Inc, New York.
- Whitaker, S.R., 1994. *Principles of Enzymology for The Food Science*. Marcel Dekker, Inc, New York.
- Willis, W.M., Marangoni, A.G., 2002. Enzymatic Interesterification, in: Akoh, C.C., Min, D.B. (Eds.), *Food Lipids Chemistry, Nutrition and Biotechnology*. Marcel Dekker, Inc, New York.
- Wirkowska-Wojdyła, M., Bryś, J., Górska, A., Ostrowska-Ligęza, E., 2016. Effect of enzymatic interesterification on physiochemical and thermal properties of fat used in cookies. *LWT - Food Sci. Technol.* 74, 99–105. <https://doi.org/10.1016/j.lwt.2016.07.040>

- Xu, Y., Zhao, X., Wang, Q., Peng, Z., Dong, C., 2016. Thermal profiles, crystallization behaviors and microstructure of diacylglycerol-enriched palm oil blends with diacylglycerol-enriched palm olein. *Food Chem.* 202, 364–372. <https://doi.org/10.1016/j.foodchem.2016.01.102>
- Yang, T., Fruekilde, M.B., Xu, X., 2003. Applications of Immobilized *Thermomyces lanuginosa* Lipase in Interesterification. *JAOCS, J. Am. Oil Chem. Soc.* 80, 881–887. <https://doi.org/10.1007/s11746-003-0789-7>
- Yang, T., Rebsdorf, M., Engelrud, U., Xu, X., 2005. Enzymatic production of monoacylglycerols containing polyunsaturated fatty acids through an efficient glycerolysis system. *J. Agric. Food Chem.* 53, 1475–1481. <https://doi.org/10.1021/jf048405g>
- Zaidul, I.S.M., Nik Norulaini, N.A., Mohd Omar, A.K., Smith, R.L., 2007. Blending of supercritical carbon dioxide (SC-CO<sub>2</sub>) extracted palm kernel oil fractions and palm oil to obtain cocoa butter replacers. *J. Food Eng.* 78, 1397–1409. <https://doi.org/10.1016/j.jfoodeng.2006.01.012>
- Zhang, Z., Wang, Y., Ma, X., Wang, E., Liu, M., Yan, R., 2014. Characterisation and oxidation stability of monoacylglycerols from partially hydrogenated corn oil. *Food Chem.* 173, 70–79. <https://doi.org/10.1016/j.foodchem.2014.09.155>
- Zhu, T., Zhao, Y., Zong, M., Li, B., Zhang, X., Wu, H., 2017. Improvement of physical properties of palm stearin and soybean oil blends by enzymatic interesterification and their application in fast frozen food. *RSC Adv.* 7, 34435–34441. <https://doi.org/10.1039/c7ra02829f>