



DAFTAR PUSTAKA

- Adinugraha, H., Kartikawati, N., Setiadi, D., dan Prasetyono (2014) *Pengembangan Twknik Budidaya Sukun (Artocarpus atlitis) untuk Ketahanan Pangan*. Edited by M. Na’iem. Bogor: IPB Press.
- Adinugraha, H. A. dan Kartikawati, N. K. (2012) ‘Variasi Morfologi dan Kandungan Gizi Buah Sukun’, *Wana Benih*, 13(2), pp. 99–106.
- Akhtar, S., Anjum, F.M., Alif, Z., dan Nizar (2010) ‘Bioavailability of Iron and Zinc Fortified Whole Wheat Flour in Rats’, *Pakistan Journal of Zoology*, 42(6), pp. 771–779. Available at: <http://agris.fao.org/agris-search/search.do?recordID=PK2011000750>.
- Akhter, N., Iqbal, S., Nasir, M., Asraf, A., dan Bacha (2014) ‘Iron Fortified Pasteurized Milk: Psysico-chemical Attributes and Efficacy againts Iron Deficiency Anaemia in Sprague Dawley Rats’, *The Journal of Animal & Plant Sciences*, 24(4), pp. 1062–1068. Available at: <http://www.thejaps.org.pk/docs/v-24-4/15.pdf>.
- Akzo Nobel, F. (2007) ‘Application for the Approval of Ferrazone® Ferric Sodium EDTA As A Source of Iron for Use in The Manufacture of Parnuts Products, Food Supplements and Fortified Foods’.
- Allen, L., Benoist, B., Dary, O., dan Hurrell (2006) *Guidelines on food fortification with micronutrients*. Geneva: WHO Press.
- Allen, L. H. (2000) ‘Anemia and iron deficiency : effects on pregnancy outcome 1 – 3’, *American Journal of Clinical Nutrition*, 71(March), pp. 1280–1284. doi: 10.1093/ajcn/71.5.1280s.
- Almatsier, S. (2009) *Prinsip Dasar Ilmu Gizi*. Jakarta: PT Gramedia Pustaka Utama.
- Amin, F., Zuly, A. and Bakri, R. (2017) ‘Fortifikasi dan Ketersediaan Zat Besi pada Bahan Pangan Berbasis Kedelai Menggunakan Besi EDTA, Glisinat, Fumarat, dan Suksinat’, *ITEKIMIA*, 1(1), pp. 95–106.
- Andrews, S. C., Robinson, A. K. and Rodr, F. (2003) ‘Bacterial iron homeostasis’, *FEMS Microbiology Reviews*, 27, pp. 215–237. doi: 10.1016/S0168-6445(03)00055-X.
- Astuti, R., Subagyo, H.W., Muis, S.F dan Widianarko (2017) ‘Influence of Fortified Tempe with Iron and Vitamin A to Increase Hemoglobin Level of Rats with Iron Deficiency Anemia’, *Pakistan Journal of Nutrition. Science Alert*, 16(2), pp. 90–95. doi: 10.3923/pjn.2017.90.95.
- Bagni, U. V., Baiao, M., Santos, M., Luiz, R., dan Veiga (2009) ‘Effect of weekly rice fortification with iron on anemia prevalence and hemoglobin concentration among children attending public daycare centers in Rio de Janeiro, Brazil’, *ARTIGO Article*, 25(2), pp. 291–302.
- Bakta, I. M. (2006) *Hematologi Klinik Ringkas*. Jakarta: Penerbit Buku Kedokteran EGC.
- Balarajan, Y., Ramakrishnan, U., Ozaltin, E., Shanka, A. dan Subtamanian (2011) ‘Anaemia in low-income and middle-income countries’, *The Lancet*. Elsevier Ltd, 378(9809), pp. 2123–2135. doi: 10.1016/S0140-6736(10)62304-5.



- Ballot, D. E. Macphail, A.P., Bothwell, T.H., Gillooly, M. dan Mayet, F.G (1989) ‘Fortification of curry powder with NaFe(III)EDTA in an iron-deficient population: report of a controlled iron-fortification trial’, *The American journal of clinical nutrition*, 49(February), pp. 156–161. doi: <https://doi.org/10.1093/ajcn/49.1.162>.
- Banaszkiewicz, T. (2011) ‘Nutritional Value of Soybean Meal’, in El-Shemy, H. (ed.) *Soybean and Nutrition*. Rijeka: InTech, pp. 1–21. Available at: <http://cdn.intechweb.org/pdfs/19972.pdf>.
- Barth-jaeggi, T., Moretti, D., Kvalsvig, J., Holding, P.A., Jane, M., Lacroix, C. dan Zimmermann, M.B. (2015) ‘Original Article In-home fortification with 2.5 mg iron as NaFeEDTA does not reduce anaemia but increases weight gain : a randomised controlled trial in Kenyan infants’, *Maternal & Child*, 11(4), pp. 151–162. doi: 10.1111/mcn.12163.
- Beard, J. L., Burton, J. W. dan Theil, E. C. (1996) ‘Purified ferritin and soybean meal can be sources of iron for treating iron deficiency in rats.’, *The Journal of nutrition*, 126(1), pp. 154–160. doi: 10.1093/jn/126.1.154.
- Bothwell, T. H. (2000) ‘Iron requirements in pregnancy and strategies to meet them’, *American Journal of Preventive Medicine*, 72(March), p. 257S–64S. doi: 10.1093/ajcn/72.1.257S.
- BPTP Malut Kementerian Pertanian (2016) ‘Deskripsi Varietas Unggul Kedelai 1918-2016’. Jakarta: BPTP Malut Kementerian Pertanian. Available at: <http://malut.litbang.pertanian.go.id/images/stories/Desktop-VUB-kedelai-2016.pdf>.
- Camaschella, C. (2017) ‘New insights into iron deficiency and iron deficiency anemia’, *Blood Review*, 31, pp. 225–233. doi: 10.1016/j.blre.2017.02.004.
- Cauvain, S. P. (2015) *Cookies, Biscuits and Crackers: Formulation, Processing and Characteristics*. 2nd edn, *Encyclopedia of Food Grains: Second Edition*. 2nd edn. Witney UK: Elsevier Ltd. doi: 10.1016/B978-0-12-394437-5.00119-4.
- Collins, J. F. dan Anderson, G. J. (2012) *Molecular Mechanisms of Intestinal Iron Transport*. First Edition, *Physiology of the Gastrointestinal Tract*. First Edition. Elsevier Inc. doi: 10.1016/B978-0-12-382026-6.00071-3.
- Cook, J. D. dan Reddy, M. B. (2001) ‘Effect of ascorbic acid intake on nonheme-iron absorption from a’, *The American journal of Clinical Nutrition*, 73(July), pp. 93–98. doi: 10.1093/ajcn/73.1.93.
- Costa, M. D. L. Freitas, K., Amancio, O., Paes, Â., Silva, S., Luz, J. dan Morais, M. (2009) ‘Iron absorption from infant formula and iron-fortified cow ’ s milk : experimental model in weanling rats’, *Jornal de Pediatria*, 85(5), pp. 449–454. doi: 10.2223/JPED.1953.
- Coudray, C., Bellanger, J., Re, C. dan Energe, Â. (1997) ‘Effect of soluble or partly soluble dietary ® bres supplementation on absorption and balance of calcium, magnesium, iron and zinc in healthy young men’, *European Journal of Clinical Nutrition*, 51(375–380).
- Courtin, C. M., Swennen, K., Verjans, P. dan Delcour, J. A. (2009) ‘Heat and pH stability of prebiotic arabinoxyloligosaccharides, xylooligosaccharides and fructooligosaccharides’, *Food Chemistry*, 112(4), pp. 831–837. doi:



- 10.1016/j.foodchem.2008.06.039.
- Dell, R. B., Holleran, S. dan Ramakrishnan, R. (2002) ‘Sample size determination.’, *ILAR journal / National Research Council, Institute of Laboratory Animal Resources*, 43(4), pp. 207–13. doi: 10.1016/j.biotechadv.2011.08.021.Secreted.
- DeMaeyer, E., Dallman, P. and Gurney, J. . (1989) *Preventing and controlling iron deficiency anemia through primary health care*, 1889, Geneva, WHO. Available at: http://www.who.int/nutrition/publications/micronutrients/anaemia_iron_deficiency/9241542497.pdf %5Cn<http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Preventing+and+controlling+iron+deficiency+anaemia+through+primary+health+care#4>.
- Dixit, A.K., Antony, J.I.X., Sharma, N.K. dan Tiwari, R.K. (2011) ‘Soybean constituents and their functional benefits’, *Research Signpost*, 661(2), pp. 367–383. doi: 10.1111/j.1745-4549.2008.00297.x.
- Djafar, T. F. dan Rahayu, S. (2005) ‘Pemanfaatan Sukun sebagai Bahan Pangan Alternatif’, *Agros*, 6(2), pp. 133–141.
- Dutra-de-oliveira, J. E., Marchini, J., Lamounier, J. dan Almeida, C.A.N. (2011) ‘Iron-Fortified Drinking Water Studies for the Prevention of Children’s Anemia in Developing Countries’, *Hindawi Journal of BioMed Research International*, pp. 10–15. doi: 10.1155/2011/815194.
- Ebuehi, O. A. and Oyewole, A. C. (2011) ‘Biochemical Studies of Iron Fortified Nigerian Rice Fed to Phenylhyfrazine Induced Anaemic Rats’, *American Journal of Biochemistry and Molecular Biology*, 1(2), pp. 168–177.
- El-Sheikh, N. (2008) ‘The Protective Effect of Soybean and Thyme on Iron Deficiency Anemia in Rats’, *The Egyptian Journal of Hospital Medicine*, 33, pp. 510–520.
- Fallahi, E., Kimiagar, M., Valaei, N. dan Abbasi, S. (2003) ‘Effect of fortified flour with ferrous sulfate alone and with Na2EDTA on iron deficiency anemia and serum zinc Effect of fortified flour with ferrous sulfate alone and with Na 2 EDTA on iron deficiency anemia and serum zinc’, *Food, Agriculture, & Environment*, 3 & 4, pp. 69–71.
- FAO (1995) ‘Codex Alimentarius General Standard For Food Additives Codex’. FAO WHO Available at: http://www.fao.org/gsfaonline/docs/CXS_192e.pdf.
- FDA (2016) *GRASS Notification for Fructooligosaccharides*. Florida: Center for Food Safety and Applied Nutrition.
- Fidler, M. C., Davidsson, L., Walczyk, T. dan Hurrell, R.F. (2003) ‘Iron absorption from fish sauce and soy sauce fortified with sodium’, *American Journal of Clinical Nutrition*, 78, pp. 274–278. doi: 10.1093/ajcn/78.2.274.
- Fitri, Y. P. (2015) *Kepatuhan Konsumsi Suplemen Besi dan Pengaruhnya terhadap Kejadian Anemia pada Ibu Hamil di Kota Tangerang*. IPB.
- Garrison, C. (2009) *Iron Disorders Institute Guide to Anemia*. 2nd edn. Georgia: Cumberland House. Available at: <https://books.google.com/books?hl=en&lr=&id=GSSkwDokOacC&pgis=1>.
- Gibson, G. and Roberfroid, M. B. (1994) ‘Dietary Modulation of the Human



- Colonie Microbiota : Introducing the Concept of Prebiotics', *The Journal of Nutrition*, (December), pp. 1401–1412. doi: 10.1093/jn/125.6.1401.
- Gloriani, L. E., Lasap, M. R. dan Basit, S. A. (2016) 'In Vitro Prebiotic Activity of *Artocarpus altilis* (Breadfruit) Crude Extract for Selected Species of Lactic Acid Producing Bacteria', *Research Bulletin Emilio Aguinaldo College*. Edited by M. F. G. Caldea and S. A. Basit, October, pp. 1–10.
- Graf, E. (1983) 'Applications of Phytic Acid', *JAOCS*, 60(11), pp. 1861–1862.
- Guyton, A. C. dan Hall, J. E. (2008) *Buku Ajar Fisiologi Kedokteran*. 11th edn. Jakarta: Penerbit Buku Kedokteran EGC.
- Hallberg, L., Brune, M. dan Rossander, L. (1989) 'Iron absorption in man : inhibition by phytate13', *American Journal of Clinical Nutrition*, 49, pp. 140–144.
- Harlan (2015) 'Sprague Dawley Rat', *Taconic Biosciences*, pp. 1–11. Available at: <https://www.taconic.com/pdfs/sprague-dawley-rat.pdf>.
- Haryati, T., Suprijati, K. dan Susana, I. (2010) 'Senyawa oligosakarida dari bungkil kedelai dan ubi jalar sebagai prebiotik untuk ternak', *Seminar Nasional Teknologi Peternakan dan Veteriner*. Bogor: Balai Penelitian Ternak.
- Hassan, S. M. (2013) *Soybean, Nutrition and Health*. InTech. doi: 10.5772/54545.
- Helmyati, S., Yuliati, E., Pamungkas, N.P. dan Hendarta, N.Y. (2013) *Fortifikasi Pangan Berbasis Sumberdaya Nusantara: Upaya Mengatasi Masalah Defisiensi Zat Gizi Mikro di Indonesia*. 1st edn. Yogyakarta: Gadjah Mada University Press.
- Heuvel, E. G. H. M., Schaafsma, G., Muys, T. dan Dokkum, W.V. (1998) 'Nondigestible oligosaccharides do not interfere with calcium and nonheme-iron absorption in young , healthy men 1 – 3', *American Journal of Clinical Nutrition*, 67, pp. 445–451.
- Huang, J., Sun, J., Li, W., Wang, L., Wang, A., Huo, J., Chen, J. dan Chen, C. (2009) 'Efficacy of Different Iron Fortificants in Wheat Flour in Controlling Iron Deficiency', *Biomedical and Environmental Sciences*, 22, pp. 118–121.
- Hurrell, R. F., Juillerat, M. A., Reddy, M. B., Lynch, S. R., Dassenko, S. A. dan Cook, J. D. (1992) 'Soy protein, phytate, and iron absorption in humans', *American Journal of Clinical Nutrition*, 56(3), pp. 573–578. doi: 10.1093/ajcn/56.3.573.
- Hurrell, R. F., Burri, J. dan Cook, J. D. (2000) 'An evaluation of EDTA compounds for iron fortification of cereal-based foods', *British Journal of Nutrition*, 84, pp. 903–910. doi: 10.1017/S0007114500002531.
- Igarashi, T., Itoh, Y., Maeda, M., Igarashi, T. dan Fukunaga, Y. (2012) 'Mean Hemoglobin Levels in Venous Blood Samples and Prevalence of Anemia in Japanese Elementary and Junior High School Students', *J Nippon Med Sch*, 79, pp. 232–235.
- Ijarotimi, S. O. dan Aroge, F. (2005) 'Evaluation of the Nutritional Composition, Sensory and Physical Properties of a Potential Weaning Food from Locally Available Food Materials – Breadfruit (*Artocarpus altilis*) and Soybean (*Glycine max*)', *Polish Journal of Food and Nutrition Sciences*, 14(4), pp.



- 411–415. doi: 10.1.1.463.8705.
- Ishwarya, S. P. dan Prabhasankar, P. (2013) ‘Fructooligosaccharide – Retention during baking and its influence on biscuit quality’, *Food Bioscience*. Elsevier, 4, pp. 68–80. doi: 10.1016/j.fbio.2013.09.003.
- Kemenkes (2013) ‘Peraturan Menteri Kesehatan Republik Indonesia Nomor 75 Tahun 2013 tentang Angka Kecukupan Gizi yang Dianjurkan bagi Bangsa Indonesia’, *Kementerian Kesehatan RI*. Jakarta: Kementerian Kesehatan Republik Indonesia. Available at: <http://www.depkes.go.id/resources/download/peraturan/PMK-No-75-Th-2014-ttg-Puskesmas.pdf>.
- Kemenkes (2018) *Hasil Utama RISKESDAS 2018*. Jakarta.
- KEMENKES (2013) *Riset Kesehatan Dasar 2013*. Jakarta.
- KEMENKES (2016) ‘Data and Information Indonesia Health Profile 2016’, *Pusat Data dan Informasi Kementerian Kesehatan RI 2017*. Jakarta: Kementerian Kesehatan Republik Indonesia. Available at: http://www.depkes.go.id/resources/download/pusdatin/lain-lain/Data_dan_Informasi_Kesehatan_Profil_Kesehatan_Indonesia_2016_-_smaller_size_-web.pdf.
- Khanvilkar, S. S., Arya, S. S. dan Marg, N. M. P. (2015) ‘Fructooligosaccharides: applications and health benefits’, *Agro Food Industry Hi Tech*, 26(December), pp. 8–12. Available at: http://www.teknoscienze.com/Contents/Riviste/PDF/AF6_2015_low_10-14.pdf.
- Kraemer, K. dan Zimmermann, M. (2007) *Nutritional Anemia, History*. Basel Switzerland: Sight and Life Press. doi: 10.1016/S0065-2156(09)70001-8.
- Kusumawati, D. (2016) *Bersahabat dengan Hewan Coba*. 2nd edn. Edited by P. Nunung. Yogyakarta: Gadjah Mada University Press.
- Le, H. T., Brouwer, I.D., Burema, J., Nguyen, K.C. dan Kok, F.J. (2006) ‘Efficacy of Iron Fortification compared to iron supplementation among Vietnamese schoolchildren’, *Nutrition Journal*, 8(1–8), pp. 1–8. doi: 10.1186/1475-2891-5-32.
- Liberato, S. C. and Pinheiro-Sant’ana, H. M. (2006) ‘Fortification of industrialized foods with vitamins’, *Revista de Nutricao*, 19(2), pp. 215–231. doi: 10.1590/S1415-52732006000200009.
- Lilie, L. E., Temple, N. and Florence, L. Z. (1996) ‘Reference values for young normal Dawley rats: weight gain, hematology and clinical chemistry’, *Human & Experimental Toxicology*, 15, pp. 612–616. doi: 10.1177/096032719601500802.
- Lingga, I. S., Citraningtyas, G. and Lolo, W. A. (2014) ‘Uji Efek Ekstrak Etanol Patikan Kebo (Euphorbia hirta Linn.) Sebagai Diuretik Pada Tikus Putih Jantan Galur Rattus Wistar (Rattus norvegicus sp.)’, *Jurnal Ilmiah Farmasi*, 3(3), pp. 287–293.
- Lobo, A. R., Gaievski, E.H.S., Carli, E., Alvares, E.P. dan Avenue, P. (2014) ‘Fructo-oligosaccharides and iron bioavailability in anaemic rats: the effects on iron species distribution, ferroportin-1 expression, crypt bifurcation and crypt cell proliferation in the caecum’, *British Journal of*



- Nutrition*, (2014), pp. 1286–1295. doi: 10.1017/S0007114514002165.
- Lokuruka, M. (2010) ‘Soybean Nutritional Properties: The Good and The Bad about Soy Foods Consumption-A Review’, *African Journal of Food Agriculture Nutrition and Development*, 10(4), pp. 2439–2459.
- Longfils, P., Monchy, D., Weinheimer, H., Chavasit, V., Nakanishi, Y. dan Schumann, K. (2008) ‘A comparative intervention trial on fish sauce fortified with NaFe-EDTA and FeSO₄ + citrate in iron deficiency anemic school children in Kampot , Cambodia’, *Asia Pacific Journal Clinical Nutrition*, 17(June), pp. 250–257.
- Mahmud, M., Hermana, Aria, N., Rozanna, R., Ngadiarti, I., Hartati, B., Bernadus dan Tinexcelly (2009) ‘Tabel Komposisi Pangan Indonesia’. Jakarta: PT Elex Media Komputindo.
- Martino, D., Cardoso, L.D.M., Machado, S., Ribeiro, R., Inês, M. dan Dantas, D.S. (2011) *Nutritional and Bioactive Compounds of Soybean : Benefits on Human Health*. Edited by H. El-Shemy. Rijeka: InTech. doi: 10.5772/17575.
- Metz, J. (2008) ‘A high prevalence of biochemical evidence of vitamin B 12 or folate deficiency does not translate into a comparable prevalence of anemia’, *Food and Nutrition Bulletin*, 29(2), pp. 74–85. doi: 10.1177/15648265080292S111.
- Milani, A., Rosmayati dan Siregar, L. A. . (2013) ‘Pertumbuhan dan Produksi Beberapa Varietas Kedelai terhadap Inokulasi Bradyrhizobium’, *Agroteknologi*, 1(2), pp. 15–23.
- Miller, J. L. (2013) ‘Iron Deficiency Anemia : A Common and Curable Disease’, *CSH Perspectives in Medicine*, 7, pp. 1–14. doi: 10.1101/cshperspect.a011866.
- Miller, R. (2015) *Biscuits, Cookies and Crackers: Nature of the Products*. 1st edn, *Encyclopedia of Food and Health*. 1st edn. Manhattan USA: Elsevier Ltd. doi: 10.1016/B978-0-12-384947-2.00075-1.
- Milman, N. (2011) ‘Anemia — still a major health problem in many parts of the world !’, *Ann Hematology*, 90, pp. 369–377. doi: 10.1007/s00277-010-1144-5.
- Mussatto, S. I. dan Mancilha, I. M. (2007) ‘Non-digestible oligosaccharides: A review’, *Carbohydrate Polymers*, 68(3), pp. 587–597. doi: 10.1016/j.carbpol.2006.12.011.
- Nalubola, R. and Nestel, P. (2000) ‘Manual for Wheat Flour Fortification with Iron Part 2’. Arlington: MOST The USAID Micronutrient Program.
- Naruki, S., Astuti, M., Marsono, Y. dan Raharjo, S. (2010) ‘Sifat Prooksidatif Fortifikasi NaFeEDTA, dengan Kecap Kedelai Manis sebagai Makanan Pembawa, dalam Sistem Biologis (Tikus)’, *Agritech*, 30(4), pp. 237–242.
- Nochera, C. L. and Ragone, D. (2016) ‘Preparation of a Breadfruit Flour Bar’, *Foods*, 37(5), pp. 1–7. doi: 10.3390/foods5020037.
- Nuraida, L., Palupi, N.S., Ekasari, D. dan Ni Wayan (2006) ‘Potensi Talas (*Colocasia esculenta* (L) Schott) dan Sukun (*Artocarpus altilis* (Park) Fosberg) untuk Mendukung Pertumbuhan Bakteri Asam Laktat Probiotik’, *Seminar Nasional PATPI Mikrobiologi dan Biotehnologi*, pp. 2–3.



- Ogueke, C. C., Owuamanam, C. I., Ihediohanma, N. C. dan Iwouno, J. O. (2010) ‘Probiotics and prebiotics: Unfolding prospects for better human health’, *Pakistan Journal of Nutrition*, 9(9), pp. 833–843. doi: 10.3923/pjn.2010.833.843.
- Paganini, D., Uyoga, M.A., Kortman, G.A.M., Cercamondi, C.I., Moretti, D., Barth-Jaeggi, T., Schwab, C., Boekhorst, J., Timmerman, Harro M., Lacroix, C., Karanja, S. dan Zimmermann, M.B. (2017) ‘Prebiotic galacto-oligosaccharides mitigate the adverse effects of iron fortification on the gut microbiome: A randomised controlled study in Kenyan infants’, *BMJ*, 66(11), pp. 1956–1967. doi: 10.1136/gutjnl-2017-314418.
- Paiva, A. P., Fátima, M., Pereira, J., Ferreira, E. dan Ciabotti, S. (2012) ‘Characterization of food bars manufactured with agroindustrial by-products and waste’, *Ciênc. agrotec*, 36(July 2014), pp. 333–340. doi: 10.1590/S1413-70542012000300009.
- Patterson, J., Rutzke, M., Fubini, S., Glahn, R., Welch, R., Lei, X. dan Miller, D. (2009) ‘Dietary Inulin Supplementation Does Not Promote Colonic Iron Absorption in a Porcine Model’, *Journal of Agricultural and Food Chemistry*, 57, pp. 5250–5256. doi: 10.1021/jf900698x.
- Percy, L., Mansour, D., Fraser, I. dan Hon, F. (2017) ‘Iron deficiency and iron deficiency anaemia in women’, *Best Practice & Research Clinical Obstetrics and Gynaecology*, 40, pp. 55–67. doi: 10.1016/j.bpobgyn.2016.09.007.
- Placido, F., Arcanjo, N., Santos, P.R. dan Segall, S.D. (2013) ‘Rice Research : Open Access Ferric Pyrophosphate-fortified Rice Given Once Weekly Does not Increase Hemoglobin Levels in Preschoolers’, *Rice Research*, 1(2), pp. 1–5. doi: 10.4172/jrr.1000110.
- Pramita, D. (2008) *Pengaruh Teknik Pemanasan terhadap Kadar Asam Fitat dan Aktivitas Antioksidan Koro Benguk (*Mucuna pruriens*), Koro Glinding (*Phaseolus lunatus*), dan Koro Pedang (*Canavalia ensiformis*)*. Universitas Sebelas Maret.
- Pratiwi, D. A. S. L. A. (2012) ‘Pemanfaatan tepung Sukun (*Artocarpus atlitis* sp.) pada Pembuatan Aneka Kudapan sebagai Alternatif Makanan Bergizi untuk PMT-AS’, *Jurnal Gizi dan Pangan*, 7(November), pp. 175–180.
- Provenzano, R., Lerma, E. V and Szczech, L. (2018) *Management of Anemia: A Comprehensive Guide for Clinicians*. New York: Springer.
- Purwijantiningih, E. (2007) ‘Pengaruh Jenis Prebiotik terhadap Kualitas Yogurt Probiotik Influence of Prebiotics Variety on the Quality of Probiotic Yogurt Pendahuluan Fermentasi yogurt probiotik Metode Penelitian Bahan Hasil dan Pembahasan Viabilitas bakteri asam laktat Pembuatan st’, *Biota*, 12(3), pp. 177–185.
- van Putten, L. dan Croon, F. (1958) ‘The Life Span of Red Cells in the Rat and the Mouse as Determined by Labelling with DFP32 in Vivo’, in *Blood*. Washington DC: American Society of Hematology, pp. 790–794.
- Quemener, B., Thibault, J. dan Coussement, P. (1994) ‘Determination of Inulin and Oligofructose in Food Products , and Integration in the AOAC Method for Measurement of Total Dietary Fibre’, *Lebensm.Wiss.Techno*, 132, pp.



125–132.

- Radhika, M. S., Nair, K.M., Kumar, R.H., Rao, M.V., Ravinder, P. dan Reddy, C. (2011) ‘Micronized ferric pyrophosphate supplied through extruded rice kernels improves body iron stores in children : a double-blind , randomized , placebo-controlled midday meal feeding trial in’, *American Journal of Clinical Nutrition*, 94, pp. 1202–1210. doi: 10.3945/ajcn.110.007179.1.
- Rani, H. dan Widodo, Y. R. (2013) ‘Optimasi Proses Pembuatan Bubuk (Tepung) Kedelai Optimization Process Soybean Flouring’, *Jurnal Penelitian Pertanian Terapan*, 13(3), pp. 188–196.
- Rao, V. A. (2001) ‘The prebiotic properties of oligofructose at low intake levels’, *Nutrition Research*, 21(6), pp. 843–848. doi: 10.1016/S0271-5317(01)00284-6.
- Reeves, P. G. (1993) ‘Committee Report AIN-93 Purified Diets for Laboratory Rodents : Final Report of the American Institute of Nutrition Ad Hoc Writing Committee on the Reformulation of the AIN-76A Rodent Diet’, *The Journal of Nutrition*, 123(11), pp. 1939–1951. doi: 10.1093/jn/123.11.1939.
- Reeves, W. B. dan Haurani, F. I. (1980) ‘Clinical applicability and usefulness of ferritin measurements’, *Annals of Clinical and Laboratory Science*, 10(6), pp. 529–535.
- Roberfroid, M., Gibson, G.R., Hoyles, L., McCartney, A.L. Rastall, R., Rowland, I. dan Wolvers, D. (2010) ‘Prebiotic effects: metabolic and health benefits’, *British Journal of Nutrition*, 104(2).
- Rohmah, Eka A. dan Saputro, T.B. (2016). Analisis Pertumbuhan Tanaman Kedelai (*Glycine max* L.) Varietas Grobogan Pada Kondisi Cekaman Genangan. *Jurnal Sains dan Seni*, 5(2), pp. 2337-3520
- Salovaara, S., Sanberg, A.-S. dan Andlid, T. (2003) ‘Combined Impact of pH and Organic Acids on Iron Uptake by Caco-2 Cells’, *Journal of Agricultural and Food Chemistry*, 51, pp. 7820–7824. doi: 10.1021/jf030177n.
- Santoso, S. (2005) ‘Teknologi dan Pengolahan Kedelai (Teori dan Praktek)’, *Kimia Pangan*, (c), pp. 2–7.
- Sazawal, S., Dhingra, U., Hiremath, G., Sarkar, A., Dhingra, P., Dutta, A., Menon, V. P. dan Black, R.E. (2010) ‘Effects of Bifidobacterium lactis HN019 and Prebiotic Oligosaccharide Added to Milk on Iron Status, Anemia, and Growth Among Children 1 to 4 Years Old’, 51(3), pp. 341–346. doi: 10.1097/MPG.0b013e3181d98e45.
- Scholz-Ahrens, K. E., Ade, P., Marten, B., Weber, P., Timm, W., Yahya, A. dan Glu, C. (2007) ‘Prebiotics , Probiotics , and Synbiotics Affect Mineral Absorption , Bone Mineral Content, and Bone Structure’, *The Journal of Nutrition*, 137(3), pp. 839–846. doi: 10.1093/jn/137.3.838S.
- Semba, R. D., Pee, S., Ricks, M.O., Sari, M. dan Bloem, M.W.. (2008) ‘Diarrhea and fever as risk factors for anemia among children under age five living in urban slum areas of Indonesia’, pp. 62–70. doi: 10.1016/j.ijid.2007.04.011.
- Sengupta, P. (2013) ‘The laboratory rat: Relating its age with human’s’, *International Journal of Preventive Medicine*, pp. 624–630. doi: 23930179.
- Shanita, S. N., Hanisa, A.S., Rahim, A., Afifah, N., Lee, S.T., Norimah, A.K. dan



- Poh, B.K. (2018) ‘Prevalence of Anaemia and Iron Deficiency among Primary Schoolchildren in Malaysia’, *International Journal of Environmental Research and Public Health*, 15, pp. 1–13. doi: 10.3390/ijerph15112332.
- Sihombing, M. and Raflizar (2010) ‘Status Gizi Dan Fungsihatimencit (Galur Cbs-Swiss) Dan Tikus Putih (Galur Wistar) Di Laboratorium Hewan Percobaan Puslitbang Biomedis Dan Farmasi’, *Media Litbang Kesehatan*, 20(1), pp. 33–40.
- Sridevi, V., Sumanthi, V., Prasad, M. dan Kumar, S. (2014) ‘Fructooligosaccharides - type prebiotic : A Review’, *Journal of Pharmacy Research*, 8(3), pp. 321–330. Available at: https://www.researchgate.net/publication/301693191_Fructooligosaccharides_-_type_prebiotic_A_Review.
- Sudargo, T., Nisa, F.Z., Helmiyati, S. dan Kusuma, R.J. (2013) ‘Tempeh with Iron Fortification to Overcome Iron Deficiency Anemia’, *Pakistan Journal of Nutrition*, 12(March 2016), pp. 815–820. doi: 10.3923/pjn.2013.815.820.
- Sudargo, T., Kusuma, R., Arjuna, T., Hasnawati, R., Rubi, D. dan Rohman, A. (2015) ‘Effect of Sodium Iron EDTA Fortification in Tempe in Serum Iron and Ferritin Level of Anemic Female Wistar Rats’, *Pakistan Journal of Nutrition*, 14(2), pp. 88–93. doi: 10.3923/pjn.2015.88.93.
- Sun, J., Huang, J., Li, W., Wang, L., Wang, A., Huo, J. dan Chen, J. (2007) ‘Effects of wheat flour fortified with different iron fortificants on iron status and anemia prevalence in iron deficient anemic students in Northern China’, *Asia Pacific Journal Clinical Nutrition*, 16(April 2006), pp. 116–121.
- Sundberg, M. (2011) *Iron Bioavailability and Pro- and Prebiotics*. Swedish Universiy of Agricultural Sciences. Available at: <https://pdfs.semanticscholar.org/9186/bcdbfc96342e651ba781c265d02a0a9588e2.pdf>.
- Supriati, Y. (2010) ‘Sukun sebagai Sumber Pangan Alternatif Substitusi Beras’, *Iptek Tanaman Pangan*, 5(2), pp. 219–231.
- Tako, E., Glahn, R.P., Welch, R.M., Lei, X., Yasuda, K. dan Miller, D.D. (2008) ‘Dietary inulin affects the expression of intestinal enterocyte iron transporters , receptors and storage protein and alters the microbiota in the pig intestine’, *British Journal of Nutrition*, 99, pp. 472–480. doi: 10.1017/S0007114507825128.
- Thompson, B. and Amoroso, L. (2011) *Combating Micronutrient Deficiencies : Food-based Approaches*. Roma: CAB International and FAO.
- Troesch, B., Egli, I., Zeder, C., Hurrell, R.F. dan Zimmermann, M.B. (2011) ‘Fortification Iron as Ferrous Sulfate Plus Ascorbic Acid Is More Rapidly Absorbed Than as Sodium Iron EDTA but Neither Increases Serum Nontransferrin-Bound Iron in Women 1 – 3’, *The Journal of Nutrition*, (5), pp. 822–827. doi: 10.3945/jn.110.136127.iron.
- Ullah, T., Saeed, F., Bhatty, N., Arshad, M., Anjum, F. dan Afzaal, M. (2016) ‘Assessment of Therapeutic Potential of Pearl Millet Iron Fortified Cookies through Animal Modeling’, *Asian Journal of Chemistry*, 28(11), pp. 2545–2548. doi: 10.14233/ajchem.2016.20084.



- Utomo, G. F. (2012) *Pengaruh Pemberian Nutrisi Kedelai (Glycine max. L.Merr)* terhadap Peningkatan Kadar Hemoglobin Tikus Strain Wistar Anemia (Induksi Pakan Nasi Aking). Universitas Muhammadiyah Malang.
- Volpini-rapina, L. F., Sokei, F. R. dan Conti-silva, A. C. (2012) 'LWT - Food Science and Technology Sensory profile and preference mapping of orange cakes with addition of prebiotics inulin and oligofructose', *LWT-Food Science and Technology*. Elsevier, 48(1), pp. 37–42. doi: 10.1016/j.lwt.2012.03.008.
- Ward, C., Saltman, P., Ripley, L., Ostrup, R., Hegenauer, J., Hatlen, L. dan Christoper, J. (1977) 'Correlation of serum ferritin and liver ferritin iron in the anemic, normal, and iron loaded rat', *American Journal of Clinical Nutrition*, 30(7), pp. 1054–1063. doi: 10.1093/ajcn/30.7.1054.
- WHO (1996) 'Indicators for assessing Vitamin A Deficiency and their application in monitoring and evaluating intervention programmes'. Geneva: WHO Press.
- WHO (2015) *The Global Prevalence of Anaemia In 2011*. Geneva.
- Wong, C. (2017) 'Iron deficiency anaemia', *Paediatrics and Child Health*. Elsevier Ltd, 27(11), pp. 527–529. doi: 10.1016/j.paed.2017.08.004.
- Wortley, G., Leusner, S., Good, C., Gugger, E. dan Glahn, R. (2005) 'Iron availability of a fortified processed wheat cereal : a comparison of fourteen iron forms using an in vitro digestion / human colonic adenocarcinoma (CaCo-2) cell model', *British Journal of Nutrition*, 93, pp. 65–71. doi: 10.1079/BJN20041294.
- Yang, B., Prasad, K.N., Xie, H., Lin, S. dan Jiang, Y. (2011) 'Structural characteristics of oligosaccharides from soy sauce lees and their potential prebiotic effect on lactic acid bacteria', *Food Chemistry*. Elsevier Ltd, 126(2), pp. 590–594. doi: 10.1016/j.foodchem.2010.11.048.
- Yeung, C. K., Glahn, R.P., Welch, R.M. dan Miller, D.D. (2005) 'Hypotheses in Food Science Prebiotics and Iron Bioavailability — Is There a Connection?', *Journal of Food Scince*, 70(5), pp. 88–92. doi: 10.1111/j.1365-2621.2005.tb09984.x.
- Zeng, J., Hu, Y., Gao, H., Sun, J. dan Ma, H. (2016) 'Fructooligosaccharides Impact on the Hydration and Retro-Gradation of Wheat Starch and Gel Fructooligosaccharides Impact on the Hydration and Retro-Gradation of Wheat Starch and Gel', *International Journal of Food Properties*. Taylor & Francis, 19(12), pp. 2682–2692. doi: 10.1080/10942912.2015.1136937.
- Zhang, F., Kin, K., Yung, L., Sum, S., Chung, M. dan Yeung, C.K. (2017) 'Supplementation of Fructooligosaccharide Mildly Improves the Iron Status of Anemic Rats Fed a Low-Iron Diet', *Food and Nutrition Sciences*, 8, pp. 294–304. doi: 10.4236/fns.2017.82019.
- Zimmermann, M. B. (2008) 'Methods to assess iron and iodine status', *British Journal of Nutrition*, 99(3), pp. S2–S9. doi: 10.1017/S000711450800679X.
- Zimmermann, M. B., Chassard, C. dan Rohner, F. (2010) 'The effects of iron fortification on the gut microbiota in African children : a randomized controlled trial in Cote d'Ivoire', *American Journal of Clinical Nutrition*, 92(March), pp. 1406–1415. doi: 10.3945/ajcn.110.004564.1.



**PENGARUH COOKIES BAR BERBASIS SUKUN (*Artocarpus altilis L.*) DAN KEDELAI (*Glycine max*)
DENGAN
PREBIOTIK DAN FORTIFIKASI BESI TERHADAP HEMOGLOBIN DAN FERRITIN TIKUS Sprague
Dawley ANEMIA**

UNIVERSITAS
GADJAH MADA
ODILIA RATNA M., Dr. Siti Helmyati, DCN., M.Kes.; Dr. Lily Arsanti Lestari, STP, MP
Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zuyderhoudt, F. M., Boers, W., Linthorst, C., Jorning, G.G.A. dan Hengeveld, P. (1978) 'An Enzyme-Linked Immunoassay for Ferritin in Human Serum and Rat Plasma and The Influence of the Iron in Serum Ferritin on Serum Iron Measurement, during Acute Hepatitis', *Clinica Chimica Acta*, 88(1), pp. 37–44. doi: 10.1016/0009-8981(78)90146-8.