

DAFTAR PUSTAKA

- Agustinah R. 2013. Pengaruh Pemeberian Tepung Gembili (*Dioscorea esculenta*) Terhadap Total Kolesterol dan HDL Darah Tikus Wistar yang Diinduksi Nikotinamide-Streptozotosin. Yogyakarta. Universitas Gadjah Mada.
- Bejar, L.M, Reyes, O.A., Perea, M.D.G. 2018. Electronic 12-Hour Dietary Recall(e-12HR): Comparison of a Mobile Phone App for Dietary Intake Assestment With a Food Frequency Questionnaire and Four Dietary Records. *JMIR Mhealth Uhealth*; 6(6):e10409.
- Belobrajdic, D.P., King, R.A., Christophersen, C.T., Bird, A.R. 2012. Dietary Resistant Starch Dose-dependently Reduces Adiposity in Obesity-prone and Obesity-resistant Male Rats. *Nutrition & Metabolism*;9:93.
- Bindels, L.B., Walter, J., Tait, A.E.R. 2015. Resistant Starches for the Management of Metabolic Diseases. *Curr Opin Clin Nutr Metab Care*;18:559-565.
- Bodinhham C.L., Smith L., Bell JD., et al. 2014. Efficacy of Increased Resistant Starch Consumption in Human Type 2 Diabetes. *Endocrine Connections*;3:75-84.
- Buteau, J., Assaad, W.E., Rhodes, C.J., Rosenberg, L., Joly, E., Prentki, M. 2004. Glucagon-like Peptide-1 Prevents Beta Cell Glucolipotoxicity. *Diabetologia*;47:806-815.
- Butler A.E., Janson J.,Bonner-Weir S., Ritzel R., Rizza RA, Butler P.C.1983. Beta Cell Deficit and Increased Beta-Cell Apoptosis in Human with Type 2 Diabetes. *Diabetes*;52:102-110.
- Canfora E.E., Jocken J.W., dan Blaak E.E. 2015. Short Chain Fatty Acids in Control of Body Weight and Insulin Sensitivity. *Endocrinology* ;11;577-591.
- Castillo J.L., Trapala M.A., Luria M.U., et al. 2010. Effects of Native Banana Starch Supplementation on Body Weight and Insulin Sensitivity in Obese Type 2 Diabetics. *Int. J. Environ. Res. Public Health*;7:1953-1962.
- Chen G., Liu, C., Yao, J., Jiang, Q., Chen, N., Huang, H., Liang, J., Li, L., Lin, L. 2010a. Overweight, Obesity, and Their Associations with Insulin Resistance and Beta Cell Function Among Chinese: A Cross-Sectional Study in China.*Metabolism*;59;1823-1832.
- Chen, L., Lui, R., Qin, C., Meng, Y., Zhang, J., Wang, Y., Xu, G., 2010b. Sources And Intake Of Resistant Starch In The Chinese Diet. *Asia Pac J Clin Nutr.* 19 (2) : 274 – 282.
- Chon, S., Gautier, J.F. 2016. An Update on The Effect of Incretin-Based Therapies on Beta Cell Function and Mass. *Diabetes Metab J*; 40: 99-114.
- Cumming JH, Edmond LM dan Magee EA. 2004. Dietary Carbohydrate and Health: Do We Still Need the Fiber Concept. *Clin Nutr Suppl* 1(2) : 5-17
- Dahlan M.S. 2013. Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan. Salemba Medika.

- Dainty, S.A. 2015. The Effect of Resistant Starch Bagels on Glycemic response in Adults at Risk for Type 2 Diabetes. Thesis. The University of Guelph hal 10.
- Degn K.B., Juhl C.B., Sturis J., et al. 2004. One Week's Treatment With the Long-Acting Glucagon-Like Peptide 1 Derivative Liraglutide (NN2211) Markedly Improves 24-h Glycemia and α - and β -Cell Function and Reduces Endogenous Glucose Release in Patients with Type 2 Diabetes. *Diabetes*;53;1187-1194.
- Delzenne, N.M., Cani, P.D., Neyrinck, A.M. 2007. Modulation of Glucagon-like Peptide 1 and Energy Metabolism by Inulin and Oligofructose: Experimental Data. *J. Nutr.* 137: 2547S-2551S.
- Djaafar, T.F., Sarjiman, Pustika, A.B., 2010. Pengembangan Budi Daya Tanaman Garut Dan Teknologi Pengolahannya Untuk Mendukung Ketahanan Pangan. *Jurnal Litbang Pertanian*. 29 (1) : 25 – 33.
- Drucker, J.D. 2006. The Biology of Incretin Hormones. *Cell Metabolism*; 3:153-165.
- Dyah Purnamasari. 2014. Buku Ajar Ilmu Penyakit Dalam: Diagnosis dan Klasifikasi Diabetes Melitus. PAPDI Jakarta, 291: 1880-1883.
- Englyst, H.N., Cummings, J.H. 1985. Digestion Of The Polysaccharides Of Some Cereal Foods In The Human Small Intestine. *Am J Clin Nutr*; 42:778-787.
- Farilla L., Bullotta A., Hirshberg B., et al. 2003. Glucagon-Like Peptide 1 Inhibits Cell Apoptosis and Improves Glucose Responsiveness of Freshly Isolated Human Islets. *Endocrinology*;144:5149-5158.
- Gagnon, J., Sauve, M., Zhao, W., Stacey, H.M., Wiber, S.C., Bolz, S.B., Brubaker, P.L. 2015. Chronic Exposure to TNF α Impairs Secretion of Glucagon-Like Peptide-1. *Endocrinology*; 156(11):3950-3960.
- Garber A.J. 2011. Incretin Effects on Beta-Cell Function, Replication, and Mass. *Diabetes Care*;34;s258-s263.
- Ghiasi, R., Soufi, F.G., Somi, M.H., Mohaddes, G., Babil, F.M., Naderi, R., Alipour, M.R. 2015. Swim Training Improves HOMA-IR in Type 2 Diabetes Induced by High Fat Diet and Low Dose of Streptozotocin in Male Rats. *Adv Pharm Bull*;5(3):379-384.
- Goldsmith, F., Keenan, M.J., Raggio, A.M., Ye, X., Hao, Z., Durham, H., Geaghan, J., Jia, W., Martin, R.J., Ye, J., 2014. Induction of Energy Expenditure by Sitagliptin is Dependent on GLP-1 Receptor. *PLoS ONE* 10(5):1-9.
- Goldsmith, F.R., 2014. The Physiological Effects of Resistant Starch on Obesity and Diabetes. Louisiana State University.
- Ha, C.H., Swearingin, B., Jeon, Y.K., Lee, M. 2015. Effects of Combined Exercise on HOMA-IR, HOMA-B-Cell and Atherogenic Index in Korean Obese Female. *Sports Science for Health*;11:49-55.
- Hansen, T.H., Gobel, R.J., Hansen, T., Pedersen, O. 2015. The Gut Microbiome in Cardio-metabolic Health. *Genome Medicine* 7:33.
- Hessol, N.A., Ameli, N., Cohen, M.H., Urwin, S., Weber, K.M., Tien, P.C. 2013. The Association Between Diet and Physical Activity on Insulin

- Resistance in the Women's Interagency HIV Study. *J Acquir Immune Defic Syndr*;62(1):74-84.
- Johnston, K.L., Thomas, E.L., Bell, J.D., Frost, G.S., Robertson, M.D. 2010. Metabolism Resistant Starch Improves Insulin Sensitivity in Metabolic Syndrome. *Diabet. Med.* 27:392-397.
- Kendall, W.C., Eshafani, A., Jenkins, D.J.A.
- Lattimer, J.M., Haub, M.D. 2010. Effects of Dietary Fiber and Its Components on Metabolic Health. *Nutrients* 1266-1289.
- Mahmood, A.K., Ismail, A.S, Rashid, F.A., Bebakar, M.W. 2006. Insulin Sensitivity and Secretory Status of A Healthy Malay Population. *Malaysian Journal of Medical Science*; 13 (2) : 37-44.
- Maki, K.C., Pelkman, C.L., Finocchiaro, E.T., Kelley, K.M., Lawless, A.L., Schild, A.L., Rains, T.M. 2012. Resistant Starch from High-Amylose Maize Increases Insulin Sensitivity in Overweight and Obese Men. *The American Society for Nutrition* : 718- 725.
- Marsono, Y. 1998. Perubahan kadar resistant starch (RS) dan komposisi kimia beberapa bahan pangan kaya karbohidrat dalam pengolahan. *Agritech*; 19(3):124-127.
- Marsono Y, 2002. Indeks glikemik umbi umbian. *Agritech* 22: 13-16
- Martins, C., Morgan, L.M., Bloom, S.R., Robertson, M.D. 2007. Effects of Exercise on Gut Peptides, Energy Intake and Appetite. *Journal of Endocrinology*;193:251-258.
- Masniah, Yusuf. 2013. Potensi Ubi Kayu Sebagai Pangan Fungsional dalam Saleh, N., Harsono, A., Nugrahaeni, N., Rahmianna, A.A., Sholihin, Jusuf, M., Heriyanto, Tastra, I.K., Adie, M.M., Hermanto, Harnowo, D (Editor). *Prosiding Seminar hasil Penelitian Tanaman Aneka Kacang dan Umbi 2013*. Balai Penelitian Tanaman Kacang – Kacangan dan Umbi – Umbian, Malang.
- Matthew, D.R., Wallace, T.M. 2005. Sulphonylureas and the Rise and Fall of Beta-Cell Function. *The British Journal of Diabetes and Vascular Disease*; 5: 192-6.
- Maziarz, M.P. 2013. Role of Fructans and Resistant Starch in Diabetes Care. *Diabetes Spectrum*;26: 35-38.
- Montolio, M., Nacher, V., Raurell, M., Soler, J., Montanya, E., 2002. Beta Cell Death and Mass in Syngeneically Transplanted Islets Exposed to Short- and Long-Term Hyperglycemia. *DIABETES*. 51: 66-71.
- Muscelli, E., Mari, A., Casolaro, A., Camastra, s., Seghieri, G., Gastaldelli, A., Holst, J.J., Ferrannini, E. 2007. Separate Impact of Obesity and Glucose Tolerance on The Incretin Effect in Normal Subjects and Type 2 Diabetic Patients. *Diabetes* 57:1340-1348.
- Nugent, A.P., 2005. Health Properties of Resistant Starch. *British Nutrition Foundation* 30:27-54.
- Okita, K., Iwahashi, H., Kozawa, J., Okauchi, Y., Funahashi, T., Imagawa, A., Shimomura, I. 2013. Usefulness of the Insulin Tolerance Test in Patients

- with Type 2 Diabetes Receiving Insulin Therapy. *J Diabetes Invest*; 5: 305-312.
- Omiya, K., Minami, K., Sato, Y., Takai, M., Takahashi, E., Hayashi, A., Yamauchi, M., Suzuki, K., Akashi, Y.J., Osada, N., Izawa, K.P., Watanabe, S. 2015. Impaired Beta-cell Function Attenuates Training Effects by Reducing the Increase in Heart Rate Reserve in Patients with Myocardial Infarction. *Journal of Cardiology*; 65:128-133.
- Pais, R., Gribble, F.M., Reimann, F. 2016. Stimulation of Incretin Secreting Cells. *Ther Adv Endocrinol Metab*;7(1):24-42.
- Perkeni. 2011. Konsensus pengelolaan dan Pencegahan diabetes Melitus tipe 2 di Indonesia. Jakarta pusat. 2011.
- Perkeni. 2015. Konsensus Pengelolaan dan Pencegahan diabetes Melitus tipe 2 di Indonesia. Jakarta pusat : Juli 2015
- Pinus Lingga. 1986. Bertanam Umbi-umbian. Penebar Swadaya, Jakarta.
- Pratley R.E & Weyer C. 2001. The Role of Impaired Early Secretion in the Pathogenesis of Type II Diabetes Mellitus. *Diabetologia*;44:49-945.
- Puddu A., Sanguinetti R., Fabrizio M., Viviani G.L. 2014. Evidence for the Gut Microbiota Short-Chain Fatty Acids as Key Pathophysiological Molecules Improving Diabetes. Hindawi Publishing Corporation.
- Reaven, M.G. 2009. HOMA-beta in the UKPDS and ADOPT. Is the Natural History of Type 2 Diabetes Characterised by A Progressive and Inexorable Loss of Insulin Secretory Function? Maybe? Maybe not?. *Diabetes & Vascular Disease Research*; 6(2):133-138.
- Robertson MD, Biscoe AS, Dennis AL, Vidal H, Franglun KN. 2005. Insulin sensitizing effect of dietary resistant starch and effect on skeletal muscle and adipose tissue metabolism. *Am J clin Nutr* 82 (3): 559-567.
- Robertson, M.D., Wright, J.W., Loizon, E., Debar, C., Vidal, H., Moradie, F.S., Jones, D.R., Umpleby, A.M. 2012. Insulin-sensitizing Effects on Muscle and Adipose Tissue after Dietary Fiber Intake in Men and Women with Metabolic Syndrome. *J Clin Endocrinol Metab*. 97(9):3326-3332.
- Sajilata, M.G., Singhal, R.S., Kulkarni P.R. 2006. Resistant Starch. *Comprehensive Reviews in Food and Science and Food Safety* 5(1):1-17.
- Salehi, M., Aulinger, B.A., D'Alessio, D.A. 2008. Targeting Beta Cell Mass in Type 2 Diabetes: Promise and Limitations of New Drugs Based on Incretins. *Endocrine Reviews*; 29(3):367-379.
- Saputro P, Teti G. 2015. Pengganti polisakarida larut air dan seni pangan umbi-umbian dan kadar glukosa darah. *Jurnal pangan dan agro industry* vol 3 no 2 p 750-756.
- Septiriyani, V.E. 2017. *Potensi Pemanfaatan Singkong Sebagai Bahan Tambahan Dalam Pembuatan Es Puter Secara Tradisional*. Yogyakarta : Universitas Sanata Dharma.
- Silva, R.C.Q.D., Miranda, W.L., Chacra, A.R., Dib, S.A. 2007. Insulin Resistance, Beta Cell Function, Glucose Tolerance in Brazilian Adolescents with Obesity or Risk Factors For Type 2 Diabetes Mellitus. *Journal of Diabetes and Its Complications*;21:84-92.

- Sugondo, S. 2014. *Obesitas dalam* Setiati, S., Sudoyo, A.W., Setiyohadi, B., Alwi, I., Simadibrata, M (Editor). *Buku Ajar Ilmu Penyakit Dalam*. PAPDI, Jakarta. 302 : 2559 – 2569.
- Sunarti. 2018. *Serat Pangan Dalam Penanganan Sindrom Metabolik*. Yogyakarta. Gadjah Mada University Press.
- Sylvia, L.G., Bernstein, E.E., Hubbard, J.L., Keating, L., Anderson, E.J. 2014. A Practical Guide to Measuring Physical Activity. *J Acad Nutr Diet*;114(2):199-208.
- Tensiska. 2009. *Serat makanan*. Jurusan teknologi industri pangan Fakultas Teknologi Industri Pertanian Universitas Padjajaran.
- Thompson, F.E., Byers, T. 1994. *Dietary Assessment Resource Manual*. *J Nutr*;124:2245s-2317s.
- United Kingdom Prospective Diabetes Study (UKPDS) Group. 1995. Prospective Diabetes Study 16: Overview of 6 Years' Therapy of Type II Diabetes Development. *United Kingdom. Diabetes*; 44: 1249-1258.
- Viberti, G., Kahn, S.E., Kahn,S.E., Greene, D.A., Herman, W.H., Zinman, B., Holman, R.R., Haffner,S.M., Levy,D., Lachin, J.M., Berry, R.A., Heise, M.A., Jones, N.P., Freed, M.I. 2002. A Diabetes Outcome Progression Trial (ADOPT). *Diabetes Care*;25:1737-1743.
- Wallace, T.M., Levy, J.C.,Matthews, D.R. 2004. Use and Abuse oh HOMA Modelling. *Diabetes Care* vol 27 no 6.
- Xu G., Stoffers D.A., Habener J.F., Bonner-Weir S. 1999. Exendin-4 Stimulates both Beta Cell Replication and Neogenesis, Resulting in Increased Beta Cell Mass and Improved Glucose Tolerance in Diabetic Mass. *Diabetes*;48:2270-2276.
- Zaragoza, E.F., Riquelme-Navarette, M.J., Zapata, E.S., Alvarez, P., 2010. Resistant Starch as Functional Ingredient: A Review. *Food Research International* 43:931-942.
- Ze, X., Duncan, S.H., Louis, P., Flint, H.J. 2012. *Ruminococcus Bromii* is A Keystone Species for the Degradation of Resistant Starch in the Human Colon. *The ISME Journal*;6:1535-1543.
- Zhou, J., Martin, R.J., Tulley R.T., Raggio, A.M., Mccutcheon, K.L., Shen, L., Danna, S.C., Tripathy, S., Hegsted, M., Keenan, M.J. 2008. Dietary Resistant Starch Upregulates Total GLP-1 and PYY in A Sustained Day-long Manner Through Fermentation in Rodents. *Am J Physiol Metab*;296:1160-1166.