



REFERENCES

- [1] H. He, X. Zhang, R. Xiong, Y. Xu, and H. Guo, “Online model-based estimation of state-of-charge and open-circuit voltage of lithium-ion batteries in electric vehicles,” *Energy*, vol. 39, no. 1, pp. 310–318, 2012.
- [2] D. G. Luenberger, “An Introduction to Observers,” *IEEE Transactions on Automatic Control*, vol. 16, no. 6, 1971.
- [3] M. E. V. Team, “A Guide to Understanding Battery Specifications,” Tech. Rep. December, 2008.
- [4] K. W. E. Cheng, B. P. Divakar, H. Wu, K. Ding, and H. F. Ho, “Battery-management system (BMS) and SOC development for electrical vehicles,” *IEEE Transactions on Vehicular Technology*, vol. 60, no. 1, pp. 76–88, 2011.
- [5] Y. Xing, E. W. M. Ma, K. L. Tsui, and M. Pecht, “Battery management systems in electric and hybrid vehicles,” *Energies*, vol. 4, no. 11, pp. 1840–1857, 2011.
- [6] V. Pop, H. J. Bergveld, D. Danilov, P. P. Regtien, and P. H. Notten, *Battery Management System: Accurate State-of-Charge Indication for Battery Powered Applications*. Dordrecht: Springer, 2008.
- [7] Z. Chen, Y. Fu, and C. C. Mi, “State of Charge Estimation of Lithium-Ion Batteries in Electric Drive Vehicles Using Extended Kalman Filtering,” *IEEE Transactions on Vehicular Technology*, vol. 62, no. 3, pp. 1020–1030, 2013.
- [8] M. Gholizadeh and F. R. Salmasi, “Estimation of State-of-Charge , Unknown Nonlinearities , and State-of-Health of a Lithium-Ion Battery Based on a Comprehensive Unobservable Model,” *IEEE Transactions on Industrial Electronics*, vol. 61, no. 3, pp. 1335–1344, 2013.
- [9] Y. Zou, X. Hu, H. Ma, and S. E. Li, “Combined State of Charge and State of Health estimation over lithium-ion battery cell cycle lifespan for electric vehicles,” *Journal of Power Sources*, vol. 273, pp. 793–803, 2015.
- [10] J. Zhang, Y. Wei, and H. Qi, “State of charge estimation of LiFePO₄ batteries based on online parameter identification,” *Applied Mathematical Modelling*, vol. 40, no. 11-12, pp. 6040–6050, 2016.
- [11] V. H. Duong, H. A. Bastawrous, K. C. Lim, K. W. See, P. Zhang, and S. X. Dou, “Online state of charge and model parameters estimation of the LiFePO₄ battery in electric vehicles using multiple adaptive forgetting factors recursive least-squares,” *Journal of Power Sources*, vol. 296, pp. 215–224, 2015. [Online]. Available: <http://dx.doi.org/10.1016/j.jpowsour.2015.07.041>



- [12] C. Y. Chun, J. Baek, G. S. Seo, B. H. Cho, J. Kim, I. K. Chang, and S. Lee, “Current sensor-less state-of-charge estimation algorithm for lithium-ion batteries utilizing filtered terminal voltage,” *Journal of Power Sources*, vol. 273, pp. 255–263, 2015.
- [13] J. Rivera-Barrera, N. Muñoz-Galeano, and H. Sarmiento-Maldonado, “SoC Estimation for Lithium-ion Batteries: Review and Future Challenges,” *Electronics*, vol. 6, no. 4, p. 102, 2017.
- [14] D. C. Cambron and A. M. Cramer, “A Lithium-ion Battery Current Estimation Technique Using an Unknown Input Observer,” *IEEE Transactions on Vehicular Technology*, vol. 9545, no. c, pp. 1–1, 2017.
- [15] S. Dey, S. Mohon, P. Pisu, and B. Ayalew, “Sensor Fault Detection, Isolation, and Estimation in Lithium-Ion Batteries,” *IEEE Transactions on Control Systems Technology*, vol. 24, no. 6, 2016.
- [16] W. Chen, W. T. Chen, M. Saif, M. F. Li, and H. Wu, “Simultaneous Fault Isolation and Estimation of Lithium-Ion Batteries via Synthesized Design of Luenberger and Learning Observers,” *IEEE Transactions on Control Systems Technology*, vol. 22, no. 1, pp. 290–298, 2014.
- [17] B. R. Dewangga, S. Herdjunanto, and A. Cahyadi, “Battery current estimation based on simple model with parameter update strategy using piecewise linear soc-ocv,” in *2018 4th International Conference on Science and Technology (ICST)*, Aug 2018, pp. 1–6.
- [18] P. Kudva and N. Viswanadham, “Observers for linear systems with unknown inputs,” *Automatic Control, IEEE*, vol. AC-25, no. 1, pp. 113–115, 1980.
- [19] Y. Guan and M. Saif, “A novel approach to the design of unknown input observers,” *Automatic Control, IEEE Transactions on*, vol. 36, no. 5, pp. 632–635, 1991.
- [20] M. Hou and P. Muller, “Design of Observers for Linear Systems with Unknown Inputs,” *IEEE Transactions on Automatic Control*, vol. 37, no. 6, 1992.
- [21] M. Darouach, M. Zasadzinski, and J. Xu, “Full-Order Observers for Linear Systems with Unknown Inputs,” *IEEE Transactions on Automatic Control*, vol. 39, no. 3, pp. 606–609, 1994.
- [22] D. Koenig and S. Mammar, “Design of a class of reduced order unknown inputs nonlinear observer for fault diagnosis,” in *Proceedings of the American Control Conference*, Arlington, VA, 2001, pp. 2143–2147.
- [23] W. Chen and M. Saif, “Unknown Input Observer Design for a Class of Nonlinear Systems : an LMI Approach,” in *Proceedings of the 2006 American Control Conference*, no. 1. Minneapolis, Minnesota, USA: IEEE, 2006, pp. 834–838.



- [24] W. T. Chen and M. Saif, “Fault detection and isolation based on novel unknown input observer design,” in *Proc. Amer. Control Conf.*, Minneapolis, MN, USA, 2006, pp. 5129–5134.
- [25] W. Chen and M. Saif, “Fuzzy nonlinear unknown input observer design with fault diagnosis applications,” *J. Vibrat. Control*, vol. 16, no. 3, pp. 377–401, 2010.
- [26] S. Herdjunanto, “Estimation of open circuit voltage and electrical parameters of a battery based on signal processed by recursive least square method using two separate forgetting factors,” in *2016 6th International Annual Engineering Seminar (InAES)*, Aug 2016, pp. 67–71.
- [27] Q. Wang, J. Wang, P. Zhao, J. Kang, F. Yan, and C. Du, “Correlation between the model accuracy and model-based soc estimation,” *Electrochim*, pp. 146–159, 2017.
- [28] D. G. Luenberger, “Observing the State of a Linear System,” *IEEE Transactions on Military Electronics*, vol. 8, no. 2, pp. 74–80, 1964.
- [29] P. A. Topan, M. N. Ramadan, G. Fathoni, A. I. Cahyadi, and O. Wahyungoro, “State of Charge (SOC) and State of Health (SOH) estimation on lithium polymer battery via Kalman filter,” in *Proceedings - 2016 2nd International Conference on Science and Technology-Computer, ICST 2016*, no. 2. IEEE, 2017, pp. 93–96.
- [30] B. R. Dewangga, S. Herdjunanto, and A. Cahyadi, “Unknown input observer for battery open circuit voltage estimation: an lmi approach,” in *2018 10th International Conference on Information Technology and Electrical Engineering (ICITEE)*, July 2018, pp. 471–475.