

REFERENCES

- Adeyeye, E.I. and Afolabi, E.O. 2004. Amino Acid Composition of Three Different Types of Land Snails Consumed in Nigeria. *Food Chem.* 85. 471–478.
- Aertgeerts, K., Ye, S., Tennant, M.G., Kraus, M.L., Rogers, J., Sang, B.C., Skene, R.J., Webb, D.R., and Prasad, G.S. 2004. Crystal Structure of Human Dipeptidyl Peptidase IV in Complex with Decapeptide Reveals Details on Substrate Specificity and Tetrahedral Intermediated Formation. *Protein Sci.* 13(2). 412-421.
- Agarwal, S. and Mehrotra, R. 2016. An overview of Molecular Docking. *JSM Chem.* 4. 1024.
- Akande, K.E., Doma, U.D., Agu, H.O., and Adamu, H.M. 2010. Major Anti-nutrients Found in Plant Protein Sources, Their Effect on Nutrition. *Pak. J. Nutr.* 9(8). 827–832.
- Akif, M., Schwager, S.L., Anthony C.S., Czarny, B., Beau, F., Dive, V., Sturrock, E.D., and Acharya, K.R. 2011. Human Angiotensin Converting Enzyme in Complex with Phosphinic Trypeptide. *Biochem J.* 436. 53.
- Akrapunam, M.A and Sefa-Dedeh S. 1997. Jack bean (*Canavalia ensiformis*): Nutrition Related Aspects and Needed Nutrition Research. *Plant Foods Hum. Nutr.* 50(2). 93-9.
- Altschul, S.F., Madden, T.L., Schäffer, A.A., Zhang, J., Zhang, Z., and Miller, W. 1997. Gapped BLAST and PSI-BLAST: a New Generation of Protein Database Search Programs, *Nucleic Acids Research.* 25(17). 3389-3402.
- Altschul, S.F., Wootton, J.C., Gertz, E.M., Agarwala, R., Morgulis, A., Schäffer, A.A. 2005. Protein Database Searches using Compositionally Adjusted Substitution Matrices. *FEBS Journal.* 272 (20). 5101-5109.
- Aluko, R. E. 2015. Antihypertensive peptides from food proteins. *Annual Review of Food Science and Technology.* 6. 235–262.
- Amano, Y., Uchikoga, N., and Nemoto, W. 2017. Re-Docking by Analyzing the Profile of Protein-Protein Interaction. *Biophys. J.* 112(3). 451.

- Anonymous. 2009. "Canavalia ensiformis". Germplasm Resources Information Network (GRIN). Agricultural Research Service (ARS). United States Department of Agriculture (USDA). Retrieved 26 March 2009.
- Anonymous. 2014. American Diabetes Association, Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*. 37. 81–90.
- Anonymous. 2017. Data and Information Centre, Indonesia Republic Ministry of Health, *Sebagian Besar Penderita Hipertensi Tidak Menyadarinya*, <http://www.depkes.go.id>. May 17th 2017. Accessed on: Wednesday, March 6th 2018.
- Behme, M.T., Dupré J., and McDonald, T.J. 2003. Glucagon-like Peptide Improved Glycemic Control in Type 1 Diabetes. *BMC Endocr Disord*. 3(1). 3.
- Boron W.F. and Boulpaep E.L. 2009. *Medical physiology: a cellular and molecular approach*. (2nd International ed.). Philadelphia, PA: Saunders/Elsevier.
- Brady, G. P. Jr. and Stouten, P. F. 2000. Fast prediction and visualization of protein binding pockets with PASS. *J. Comput.-Aided Mol.* 14, 383–401.
- Carrasco-Castilla, J., Hernandez-Alvarez, A.J., Jimenez-Martinez, C., Gutierrez-Lopez, G.F., and Davila-Ortiz, G. 2012. Use of Proteonomics and Peptidomics Methods in Food Bioactive Peptide Science and Engineering. *Food Eng. Rev.* 4. 224-243.
- Chang, Y-W. and Alli, I. 2012. *In silico* Assessment: Suggested Homology of Chickpea (*Cicer arietinum* L.) Legumin and Prediction of ACE-inhibitory Peptides from Chickpea Proteins using BLAST and BIOPEP Analyses, *Food Res. Int.* 49. 477-486.
- Crickx, E., Marroun, I., Veyrie, C., Le Beller, C., Schoindre, Y., Bouilloud, F., Blétry, O., and Kahn, J.-E. 2004. DPP4 Inhibitor-induced Polyarthritits: a Report of Three Cases. *Rheumatol. Int.* 34, 291–292.
- Coda, R., Cassone, A., Rizzello, C.G., Pinto, D., and Gobbetti, M., 2012, Selected Lactic Acid Bacteria Synthesize Antioxidant Peptides during Sourdough Fermentation of Cereal Flour, *Appl. Environ. Microbiol*, 78, 1087-1096.
- Costanzo, L. 2014. *Physiology*. Philadelphia, PA: Saunders/Elsevier. 337.
- Davis, B.H. and Bigelow, N.C., 1994, "*Reticulocyte analysis and reticulocyte maturity index*". San Diego: Academic Press., 74.

- Donoghue, M., Hsieh, F., Boronas, E., Godbout, K., Gosselin, M., Staliano, N., Donovan, M., Woolf, B., Robison, K., Jeyaseelan, R., Breibart, R.E., and Acton, S. 2000. A Novel Angiotensin-Converting Enzyme-Related Carboxypeptidase (ACE2) Converts Angiotensin I to Angiotensin 1-9. *Circ Res.* 87. 1001-1009.
- Doss, A., Pugalenth, M., Vadivel, V., Subhashini, G., Anita and Subash, R.. 2011. Effects of processing technique on the nutritional composition and antinutrients content of underutilized food legume *Canavalia ensiformis* L.DC. *Int. Food Res. J.*, 18(3), 965-970.
- Drucker, D.J. 2006. The biology of incretin hormones. *Cell Metab.* 3. 153–165.
- Eckert, E., Zambrowicz, A., Pokora, M., Setmer, B., Dabrowska, A., Szoltysik, M., and Chrzanowska, J. 2014. Egg-yolk Protein by-product as a source of ACE-Inhibitory Peptides Obtained with Unconventional Proteinase from Asian Pumpkin (*Cucurbita ficifolia*). *J. Proteomics.* 110. 107-116.
- Engel, S.L., Schaeffer, T.R., Waugh, M.H., and Rubin, B. 1973. Effects of The Nonapeptide SQ 20,881 on Blood Pressure of Rats with Experimental Renovascular Hypertension. *Proc. Soc. Exp. Biol. Med.*, 143, 483–487.
- Ferreira, L.G., Dos-Santos, R.N., Oliva G., and Andricopulo, A.D. 2015. Molecular docking and structure-based drug design strategies. *Molecules.* 2. 13384-13421.
- García-Mora, P., Martín-Martínez, M., Bonache, M.A., González-Múniz, R., Peñas, E., Frias, J., and Martinez-Villaluenga, C. 2017. Identification, Functional Gastrointestinal Stability and Molecular Docking Studies of Lentil Peptides with Dual Antioxidant and Angiotensin I Converting Enzyme Inhibitory Activities. *Food Chem.* 221, 464-472.
- García, M.C., Puchalska, P., Esteve, C., and Marina, M.L., 2013, Vegetable Foods: a Cheap Source of Proteins and Peptides with Antihypertensive, Antioxidant, and Other Less Occurrence Bioactivities, *Talanta*, 106, 328-349.
- Gao, Y., Zhan, Y., Zhu, J., Li, B., Li, Z., Zhu, W., Shi, J., Ji, Q., Li, Y. 2015. Recent progress in natural products as DPP-4 inhibitors. *Future Med. Chem.* 7(8).1079-89.

- Gasteiger, E., Hoogland, C., Gattiker, A., Duvaud, S., and Wilkins, M.R. 2005. *Protein Identification and Analysis Tools on The ExPASy Server*. The Proteomics Protocols Handbook. 571-607.
- Gorrell, M.D., Gysbers, V., and McCaughan, G.W., 2001, a Multifunctional Integral Membrane and Secreted Protein of Activated Lymphocytes, *Scand. J. Immunol.*, 54, 249–264.
- Gupta, S., Kapoor, P., Chaudhary, K., Gautam, A., Kumar, R., Raghava, G. P., and Consortium, O. S. D. D., 2013, *In silico* Approach for Predicting Toxicity of Peptides and Proteins, *PLoSONE*, 8, e73957.
- Guruprasad K., Reddy B.V., and Pandit M.W., 1990, Correlation Between Stability of a Protein and Its Dipeptide Composition: a Novel Approach for Predicting *in vivo* Stability of a Protein from Its Primary Sequence, *Protein Eng.*, 4(2), 155–161.
- Higuchi, N., Hira, T., Yamada, N. and Hara, H., 2013, Oral Administration of Corn Zein Hydrolysate Stimulates GLP-1 and GIP Secretion and Improves Glucose Tolerance in Male Normal Rats and Goto Kakizaki rats, *Endocrinology*, 154, 3089–3098.
- Higuchi, W., and Fukazawa, C., 1987, a Rice Glutelin and a Soybean Glycinin Have Evolved from a Common Ancestral Gene, *Gene*, 55(2-3), 245-253.
- Hildebrandt, M., Reutter, W., Petra, A., Marthias, R., and Klapp, B.F., A guardian angel: the involvement of dipeptidyl peptidase IV in psychoneuroendocrine function, nutrition and immune defence, *Clinical Science*, 99(2) (2000), 93-104.
- Hong, J., Chen, T.T., Hu, P., Yang, J. and Wang, S.Y., 2014, Purification and Characterization of an Antioxidant Peptide (GSQ) from Chinese leek (*Allium tuberosum Rottler*) Seeds, *J. Funct. Food*, 10, 144–153.
- Hu, J.G., Igarashi, A., Kamata, M., and Nakagawa H., 2001, Angiotensin-Converting Enzyme Degrades Alzheimer Amyloid β -Peptide ($A\beta$); Retards $A\beta$ Aggregation, Deposition, Fibril Formation, and Inhibits Cytotoxicity, *J. Biol. Chem.*, 276, 47863-47868.
- Inobe, T. Matouschek, A. Tomko, R.J., 2014. Paradigms of protein degradation by the proteasome. *Current opinion in structural biology*. 156-164.
- Iwaniak, A. and Dziuba, J., 2009, Peptides with ACE Inhibitory Activity, *Food Technol. Biotech.*, 47(4), 441–449.

- Iwaniak, A., Minkiewicz, P., Darewicz, M., Sieniawski, K., and Starowicz, P., 2016, BIOPEP Database of Sensory Peptides and Amino Acids, *Food Res. Int.*, 85, 155–161.
- Janardhanan, K., Vadivel, V., and Pugalenth, M., 2003, *Biodiversity in Indian Underexploited/tribal pulse*. The Netherlands: Kluwer Academic Publishers.
- Jansman, A.J.M., 1996, Bioavailability of proteins in legume seeds, *Grain Legumes*, 11, 19.
- Jeffery, G.A., 1997, *an Introduction to Hydrogen Bonding*, Oxford University Press, Ukraina.
- Jiang, J., and Gosh, S., 2017, Diabetes Mellitus: DPP-4, <https://pdb101.rcsb.org/global-health/diabetes-mellitus/drugs/dpp4-inhibitor/dpp4>, August 12th 2018.
- Kameoka J., Tanaka T., Nojima Y., Schlossman S.F., and Morimoto C. 1993. "Direct association of adenosine deaminase with a T cell activation antigen, CD26". *Science*. 261 (5120). 466–9.
- Kato, H. and Suzuki, T., 1971, Bradykinin-Potentiating Peptides from The Venom of *Akistrodon halys blomhoffii*: Isolation of Five Bradykinin Potentiators and The Amino Acid Sequences of Two of Them, Potentiators B and C. *Biochemistry*. 10. 972–980.
- Khan, M.A., Deaton, C., Rutter, M.K., Neyses, L., and Mamas, M.A. 2013. Incretins as a Novel Therapeutic Strategy in Patients with Diabetes and Heart Failure. *Heart Fail. Rev.* 18. 141–148.
- Kitchen, D., Decornez, H., Furr, J., Bajorath, J. 2004. Docking and scoring in virtual screening for drug discovery: methods and applications. *Nat Rev Drug Discov.* 3(11). 935–949.
- Kim, D., Wang, L., Beconi, M., Eiermann, G.J., Fisher, M.H., He, H., Hickey, G.J. Kowalchick, J.E., Leiting, B. Lyons, K., Marsilio, F., McCann, M.E., Patel, R.A., Petrov, A., Scapin, G., Patel, S.B., Roy, R.S., Wu, J.K., Wyvratt, M.J., Zhang, B.B., Zhu, L., Thornberry, N.A., and Weber, A.E., 2005, (2R)-4-Oxo-4-[3-(Trifluoromethyl)-5,6 dihydro[1,2,4]triazolo[4,3-a]pyrazin-7(8H)-yl]-1-(2,4,5-trifluorophenyl)butan-2 amine: a Potent, Orally Active Dipeptidyl Peptidase IV Inhibitor for The Treatment of Type 2 Diabetes, *J. Med. Chem.*, 48, 141–151.

- Kitts, D.D., and Weiler, K., 2003, Bioactive Proteins and Peptides from Food Sources: Applications of Bioprocesses used in Isolation and Recovery, *Current Pharmaceutical Design*, 9, 1309-132.
- Korb, O., Stütze, T., and Exner, T.E. 2006. PLANTS: Application of Ant Colony Optimization to Structure-Based Drug Design. In: Dorigo M., Gambardella L.M., Birattari M., Martinoli A., Poli R., Stütze T. (eds) Ant Colony Optimization and Swarm Intelligence. ANTS 2006. Lecture Notes in Computer Science. 4150. Springer, Berlin, Heidelberg.
- Korhonen, H., and Pihlanto, A., 2006, Bioactive Peptide: Productions and Functionality, *Int. Dairy J.*, 16, 945-960.
- Kumar, R.S., Thekkumkara, T.J., and Sen, G.C., 1991, The mRNA Encoding The Two Angiotensin-Converting Enzymes is Transcribed from The Same Gene by a Tissue-Specific Choice of Alternative Transcription Initiation Sites, *J. Biol. Chem.*, 266, 3854–3862³³
- Coda, R., Cassone, A., Rizzello, C.G., Pinto, D., and Gobetti, M., 2012, Selected Lactic Acid Bacteria Synthesize Antioxidant Peptides during Sourdough Fermentation of Cereal Flour, *Appl. Environ. Microbiol*, 78, 1087-1096.
- Lafarga, T., and Hayes, M., 2014, Bioactive Peptides from Meat Muscle and By-products: Generation, Functionality and Application as Functional Ingredients, *Meat Science*, 98, 227– 239.
- Lafarga, T., O'Connor, P., and Hayes, M., 2014, Identification of Novel Dipeptidyl Peptidase-IV and Angiotensin-I Converting Enzyme Inhibitory Peptides from Meat Proteins Using *in silico* Analysis, *Peptides*, 59, 53-62.
- Lee, J.K., Jeon, J.K., and Byun, H.G., 2014, Antihypertensive Effect of Novel Angiotensin I-Converting Enzyme Inhibitory Peptide from Chum Salmon (*Oncorhynchus keta*) Skin in Spontaneously Hypertensive Rats, *J. Funct. Food*, 7, 381–389.
- Li, G-H., Le, G-W., Shi, Y-H., and Shresta, S., 2004, Angiotensin I-Converting Enzyme Inhibitory Peptides Derived from Food Proteins and Their Physiological and Pharmacological Effects, *Nutrition Research*, 24, 469-486.
- Li-Chan, E.C., 2015, Bioactive Peptides and Protein Hydrolysates: Research Trends and Challenges for Application as Nutraceuticals and Functional Food Ingredients. *Curr. Opin. Food Sci.*, 1, 28-37.

- Liu, F., Baggerman, G., Schoofs, L., and Wets, G., 2008, The Construction of a Bioactive Peptide Database in Metazoa, *J. Proteome Res.*, 1599, 115-124.
- Liu, X., Fernandez, M., Wouters, M. A., Heyberger, S. and Husain, A., 2001, Arg-1098 is Critical for The Chloride Dependence of Human Angiotensin-1 Converting Enzyme C-domain Catalytic Activity, *J. Biol. Chem.*, 276, 33518–33525.
- Lobo, V., Patil, A., Phatak, A., and Chandra, N., 2010, Free Radicals, Antioxidants and Functional Foods: Impact on Human Health, *Pharmacogn. Rev.*, 4 (8), 118-126.
- Lorber, D.M. and Shoichet, B.K. 1998. Flexible ligand docking using conformational ensembles. *Protein Sci.* 7. 938-950.
- Malaguti, M., Dinelli, G., Leocini, E., Brogola, V., Bosi, S., Cicero, A.F., and Hrelia, S., 2014, Bioactive Peptides in Cereals and Legumes: Agronomical Biochemical, Biochemical and Clinical Aspects, *Int. J. Mol. Sci.*, 15, 21120-21135.
- Marathe CS, Rayner CK, Jones KL, Horowitz M (June 2013). "Glucagon-like peptides 1 and 2 in health and disease: a review". *Peptides*. 44: 75–86.
- Marfo, E.K., Wallace, P., Timpo, G., and Simpson, B.K., 1990, Cholesterol Lowering Effect of Jackbean (*Canavalia ensiformis*) Seed Protein. *General Pharmacology*, 21, 753-758.
- Matsui, R., Honda, R., Kanome, M., Hagiwara, A., Matsuda, Y., Togitani, T., Ikemoto, N., and Terashima, M., 2018, Designing Antioxidant Peptides Based on The Antioxidant Properties of The Amino Acid Side-Chains, *Food Chem.*, 245, 750-755.
- McConkey, B.J., Sobolev. V., and Edelman M. 2002. The Performance of Current Methods in Ligand-Protein docking. *Current Science*. 83. 845–855
- McIntosh, C.H., Demuth, H.U., Pospisilik, J.A., and Pederson, R., 2005, Dipeptidyl Peptidase IV Inhibitors: How Do They Work as New Antidiabetic Agents?, *Regul. Pept.*, 128(2), 159-165.
- Mine, Y. and Shahidi, F., 2006, *Nutriceutical Proteins and Peptides in Health and Disease*, CRC Press, Boca Raton, FL, USA.

- Minkiewicz, P., Dziuba, J., Iwaniak, A., Dziuba, M., and Darewicz, M., 2008, BIOPEP Database and Other Programs for Processing Bioactive Peptide Sequences, *J. AOAC Int.*, 91, 965–980.
- Mooney, C., Haslam, N. J., Pollastri, G., and Shields, D. C., 2012, Towards The Improved Discovery and Design of Functional Peptides: Common Features of Diverse Classes Permit Generalized Prediction of Bioactivity, *PLoS One*, 7(10), 450-459.
- Moulton, C.D., Pickup, J.C., Amiel, S.A., Winkley, K., and Ismail, K., 2015, Investigating Incretin Based Therapies as a Novel Treatment for Depression in Type 2 Diabetes: Findings from The South London Diabetes (SOUL-D) Study, *Prim. Care Diabetes.*, 10, 156–159.
- Mudgil, P., Kamal, H., Yuen, G.C., and Maqsood, S., 2018, Characterization and Identification of Novel Antidiabetic and Anti-obesity Peptides from Camel Milk Protein Hydrolysates. *Food Chem.*, 259, 46–54.
- Muirhead, E.E., Brooks, B., and Arora, K.K., 1974, Prevention of Malignant Hypertension by The Synthetic Peptide SQ 20,881, *Lab Invest*, 30, 129–135.
- Mukesh B. and Rakesh K. 2011. Molecular docking: A review. *IJRAP*. 2. 1746-1751.
- Najafian, L. and Babji, A.S., 2014, Production of Bioactive Peptides Using Enzymatic Hydrolysis and Identification Antioxidative Peptides from Patin (*Pangasius sutchi*) Sarcoplasmic Protein Hydolysate, *J. Funct. Food*, 9, 280–289.
- Natesh, R., Schwager, S.L.U., Sturrock, E.D., and Acharya, K.R., 2003, Crystal Structure of The Human Angiotensin-Converting Enzyme–Lisinopril Complex, *Nature*, 421, 551-554.
- Nauck, M.A., Vilsbøll, T., Gallwitz, B., Garber, A., and Madsbad, S., 2009, Incretin-based Therapies: Viewpoints on The Way to Consensus, *Diabetes Care*, 32, 223–231.
- Nongonierma, R.J. and FitzGerald, Prospects for The Management of Type 2 Diabetes Using Food Protein-Derived Peptides with Dipeptidyl Peptidase-IV (DPP-4) Inhibitory Activity, *Curr. Opin. Food Sci.*, 8, 19–24.
- Nwokolo, E., amd Oji, U.I., 1985, Variation in Metabolizable Energy Content of Raw or Autoclaved White and Brown Varieties of Three Tropical Grain Legumes, *Anim. Feed Sci. Technol.*, 13(1), 141–146.

- Okomoda, T.V and Oguche, O., 2018, Nutritional Value of Raw *Canavalia ensiformis* and Its Utilization as Partial Replacement for Soybean Meal in The Diet of *Clarias gariepinus* , *Food Sci Nutr.*,6, 207–213.
- Olaofe, O., and Sanni, C.O., 1988, Mineral Content of Agricultural Products, *Food Chem.*, 30, 73–77.
- Oliveira, A.E.A., Sales, M.P., Machado, O.L.T., Fernandes, K.V.S., and Xavier, F. J., 1999, The Toxicity of Jack Bean (*Canavalia ensiformis*) Cotyledon and Seed Coat Proteins to The Cowpea Weevil (*Callosobruchus maculatus*), *Entomol. Exp. Appl.*, 92, 249-255.
- Onimawo, I.A., and Osugo, S., 2004, Effects of Germination on The Nutrient Content and Functional Properties of Pigeon Pea Flour, *J. Food Sci. Technol.*, 41, 170–174.
- Orskov, C., Wettergren A., and Holst, J.J., 1993, Biological Effectes and Metabolic Rates of Glucagon-like Peptide-1 7-36 Amide and Glucagon-like Peptide-1 7-37 in Healthy Subjects are Indistinguishable, *Diabetes*, 42, 658-661.
- Oyenuga, V.A., 1968, *Nigeria's foods and feeding stuff*, 3rd ed., Ibadan, Nigeria, Ibadan University Press.
- Peters, K.P., Fauck, J. and Frommel, C.1996. The automatic search for ligand binding sites in proteins of known three-dimensional structure using only geometric criteria. *J. Mol. Biol.* 256. 201–213.
- Rangaraju, A. and Rao, A.V. 2013. A review on molecular docking-Novel tool in drug design and analysis. *J Hormo. Res Pharm.* 2. 215-221.
- Rizzello, C.G., Tagliazucchi, D., Babini, E., Rutella, G.S., Taneyo-Saa, D.L., Gianotti, A., 2016, Bioactive peptides from vegetable food matrices: Research trends and novel biotechnologies for synthesis and recovery, *J. Funct. Foods*, 27, 549–569.
- Rudolph, S., Lunow, D., Kaiser, S., and Henle, T., 2017, Identification and Quantification of ACE-inhibiting Peptides in Enzymatic Hydrolysates of Plant Proteins, *Food Chem.*, 224, 19-25.
- Saito, Y., Wanezaki, K., Kawato, A., and Imayasu, S., 1994, Antihypertensive Effects of Peptide in Sake and Its By-products on Spontaneously Hypertensive Rats, *Biosci. Biotechnol. Biochem.*, 58(5), 812–816.

- Sila, A., Alvarez, O.M., Haddar, A., Frikha, F., Dhulster, P., Nedjar-Arroume, N., and Bougatef, A., 2016, Purification, Identification and Structural Modelling of DPP-IV Inhibiting Peptides from Barbel Protein Hydrolysate, *J. Chromatogr. B.*, 1008, 260–269.
- Simpkins, L., Bolton, S., Pi, Z., Scutton, J., Kwon, C., Magnin, D., Augeri, D., Gungor, T., Rotella, D., and Hamann, L. 2007. "Potent non-nitrile dipeptidic dipeptidyl peptidase IV inhibitors". *Bioorganic & Medicinal Chemistry Letters*. 17 (23): 6476–6480.
- Sirtori, C.R., Galli, C., Anderson, J.W., and Arnoldi, A., 2009, Nutritional and Nutraceutical Approaches to Dyslipidemia and Atherosclerosis Prevention: Focus on Dietary Proteins, *Atherosclerosis*, 203, 8-17.
- Solomon, S.G., Okomoda, V.T., and Oguche, O., 2017, Nutritional Value of Raw *Canavalia ensiformis* and Its Utilization as Partial Replacement for Soybean Meal in The Diet of *Clarias gariepinus* (Burchell, 1822) Fingerlings, *Food Sci. Nutr.*, 6, 207-213.
- Song, J. J., Wang, Q., Du, M., Ji, X.M., and Mao, X.Y., Identification of Dipeptidyl Peptidase-IV Inhibitory Peptides from Mare Whey Protein Hydrolysates, *J. Dairy Sci.*, 100, 1–10.
- Sromova, L., Busek, P., Posova, H., Potockova, J. Skrha, P., Andel, M., and Sedo, A., 2016, The Effect of Dipeptidyl Peptidase-IV Inhibition on Circulating T Cell Subpopulations in Patients with Type-2 Diabetes Mellitus, *Diabetes Res. Clin. Pract.*, 118, 183-192.
- Stouten, P.F.W., Frommel, C., Nakamura, H. and Sander, C. 1993. An Effective Solvation Term Based on Atomic Occupancies for Use in Protein Simulations. *Mol. Simul.* 10. 97–120.
- Swaffar, D.S., and Ang, C.Y., 1999, Growth Inhibitory Effect of L-canavanine Against MIA PaCa-2 Pancreatic Cancer Cells is not due to Conversion to Its Toxic Metabolite Canaline, *Anticancer Drugs*, 10, 113-118.
- Torres-Fuentes, C., Contreras, M.M., Recio, I., Alaiz, M., Vioque, J., 2015, Identification and Characterization of Antioxidant Peptides from Chickpea Protein Hydrolysates, *Food Chem.*, 180, 194-202.
- Tulipano, G., Sibilia, V., Caroli, A.M. and Cocchi, D., 2011, Whey Proteins as Source of Dipeptidyl Dipeptidase-IV (dipeptidyl peptidase-4) Inhibitors, *Peptides*, 32, 835–838.

- Uchikoga, N., Matsuzaki, Y., Ohue, M., Hirokawa, T., and Akiyama, Y., 2013, Re-Docking Scheme for Generating Near-Native Protein Complexes by Assembling Residue Interaction Fingerprints, *PLoS ONE*, 8(7), e69365.
- Udenigwe, C. C., 2014, Bioinformatics approaches, prospects and challenges of food bioactive peptide research, *Trends in Food Science & Technology*, 36(2), 137-143.
- Vark, L.C.V., Bertrand, M., Akkerhuis, K.M., Brugts, J.J., Fox, K., Mourad, J.J., and Boersma, E., 2012, Angiotensin-Converting Enzyme Inhibitors Reduce Mortality in Hypertension: a Meta-Analysis of Randomized Clinical Trials of Renin-Angiotensin-Aldosterone System Inhibitors Involving 158 998 Patients, *Eur. Heart J.*, 33, 2088-2097.
- Veken, P. V., Haemers, A., and Augustyns, K. 2007. Prolyl peptidase related to dipeptidyl peptidase IV: Potential of specific inhibitors in drug discovery. *Current Topics in Medicinal Chemistry*. 7 (6): 621–635.
- Villhauer, E.B., Brinkman, J.A., Naderi, G.B., Burkey, B.F., Dunning, B.E., Prasad, K., Mangold, B.L., Russell, M.E., and Hughes, T.E., 2003, 1-[[3-Hydroxy-1-adamantyl)amino]acetyl]-2-cyano-(S)-pyrrolidine: a Potent, Selective, and Orally Bioavailable Dipeptidyl Peptidase IV Inhibitor with Anti-hyperglycaemic Properties, *J. Med. Chem.*, 46, 2774–2789.
- Voet and Voet, 1995, *Biochemistry*, 2nd Ed. New York: Wiley, 1392.
- Wani, J.H., John-Kalarickal, J., and Fonseca, V.A., 2008, Dipeptidyl Peptidase-4 as a New Target of Action for Type 2 Diabetes Mellitus: A Systematic Review, *Cardiology Clinics*, 26, 639-648.
- Yoshida, T., Akahoshi, F., Sakashita, H., Sonda, S., Takeuchi, M., Tanaka, Y., Nabeno, M., Kishida, H., Miyaguchi, I., and Hayashi, Y., 2012, Fused Bicyclic Heteroaryl piperazine-substituted 1-Prolylthiazolidines as Highly Potent DPP-4 Inhibitors Lacking The Electrophilic Nitrile Group, *Bioorg. Med. Chem.*, 20, 5033–5041.
- Yu, J., Zhang, S., and Zhang, L., 2016, Amadori Compounds as Potent Inhibitors of Angiotensin-Converting Enzyme (ACE) and Their effects on Anti-ACE Activity of Bell Peppers, *J. Func. Food.*, 27, 622-630.
- Zhao, Y., and Xu, C., 2008, Structure and Function of Angiotensin Converting Enzyme and Its Inhibitors, *Chin. J. Biotech.*, 24(2), 171-176.



UNIVERSITAS
GADJAH MADA

**IN SILICO PROTEOLYSIS AND MOLECULAR DOCKING FOR THE EVALUATION OF JACK BEAN
(*Canavalia ensiformis*)
PROTEIN AS PRECURSORS OF BIOACTIVE PEPTIDES WITH DUAL DIPEPTIDYL PEPTIDASE-4 AND
ANGIOTENSIN-I
CONVERTING ENZYME INHIBITORS**
ZULVANA ANGGRAENI H, Dr. nat. tech. Andriati Ningrum, STP, M.Agr
Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhong, J., Rao, X., and Rajagopalan, S, 2013, an Emerging Role of Dipeptidyl Peptidase-4 (DPP-4) Beyond Glucose Control: Potential Implications in Cardiovascular Disease, *Atherosclerosis*, 226, 305-314.