

DAFTAR PUSTAKA

- Aguiree, F., Brown, A., Cho, N.H., Dahlquist, G., Dodd, S., Dunning, T., Hirst, M., Hwang, C., Magliano, D., Patterson, C. and Scott, C., 2013. IDF diabetes atlas.
- Akalın, A.S., Fenderya, S. and Akbulut, N., 2004. Viability and activity of bifidobacteria in yoghurt containing fructooligosaccharide during refrigerated storage. *International journal of food science & technology*, 39(6), pp.613-621.
- Al-Amer, R.M., Khader, Y., Malas, S., Abu-Yaghi, N., Al-Bdour, M. and Ajlouni, K., 2008. Prevalence and risk factors of diabetic retinopathy among Jordanian patients with type 2 diabetes. *Digital journal of ophthalmology: DJO*, 14, p.42.
- Almasdy, D., Sari, D.P., Suhatri, S., Darwin, D. and Kurniasih, N., 2015. Evaluasi Penggunaan Obat Antidiabetik Pada Pasien Diabetes Melitus Tipe-2 di Suatu Rumah Sakit Pemerintah Kota Padang–Sumatera Barat. *Jurnal Sains Farmasi & Klinis*, 2(1), pp.104-110.
- American Diabetes Association, 2010. Diagnosis and classification of diabetes mellitus. *Diabetes care*, 33(Suppl 1), p.S62.
- Ardyana, D., 2014. *Hubungan Pola Makan dengan Status Glukosa Darah Puasa Pasien Diabetes Mellitus Tipe 2 Rawat Jalan di Rumah Sakit PKU Muhammadiyah Surakarta* (Doctoral dissertation, Universitas Muhammadiyah Surakarta).
- Aritrina, P., Marzuki, A. and Mangarengi, F., 2017. Analisis Kadar Kolesterol Low Density Lipoprotein sebagai Faktor Risiko Komplikasi pada Pasien Diabetes Melitus Tipe 2. *Medula*, 4(1).
- Asemi, Z., Zare, Z., Shakeri, H., Sabihi, S.S. and Esmailzadeh, A., 2013. Effect of multispecies probiotic supplements on metabolic profiles, hs-CRP, and oxidative stress in patients with type 2 diabetes. *Annals of Nutrition and Metabolism*, 63(1-2), pp.1-9.
- Astuti, B.Z. and Supadmo, H.E., 2009. Pengaruh pemberian bakteri asam laktat *Streptococcus thermophilus* terhadap kadar kolesterol darah ayam broiler strain lohman. In *Prosiding Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA*.
- Ataie-Jafari, A., Larijani, B., Majd, H.A. and Tahbaz, F., 2009. Cholesterol-lowering effect of probiotic yogurt in comparison with ordinary yogurt in mildly to moderately hypercholesterolemic subjects. *Annals of Nutrition and Metabolism*, 54(1), pp.22-27.
- Basta, G., Schmidt, A.M. and De Caterina, R., 2004. Advanced glycation end products and vascular inflammation: implications for accelerated atherosclerosis in diabetes. *Cardiovascular research*, 63(4), pp.582-592.
- Bendtsen, L.Q., Lorenzen, J.K., Bendtsen, N.T., Rasmussen, C. and Astrup, A., 2013. Effect of dairy proteins on appetite, energy expenditure, body weight, and composition: a review of the evidence from controlled clinical trials. *Advances in nutrition*, 4(4), pp.418-438.
- Bernini, L.J., Simão, A.N.C., Alfieri, D.F., Lozovoy, M.A.B., Mari, N.L., de Souza, C.H.B., Dichi, I. and Costa, G.N., 2016. Beneficial effects of *Bifidobacterium lactis* on lipid profile and cytokines in patients with metabolic syndrome: A

- randomized trial. Effects of probiotics on metabolic syndrome. *Nutrition*, 32(6), pp.716-719.
- Booth, A.O., Huggins, C.E., Wattanapenpaiboon, N. and Nowson, C.A., 2015. Effect of increasing dietary calcium through supplements and dairy food on body weight and body composition: a meta-analysis of randomised controlled trials. *British Journal of Nutrition*, 114(7), pp.1013-1025.
- Chen, M., Pan, A., Malik, V.S. and Hu, F.B., 2012. Effects of dairy intake on body weight and fat: a meta-analysis of randomized controlled trials—. *The American journal of clinical nutrition*, 96(4), pp.735-747.
- Dewi, S.S., 2015. *Hubungan Asupan Serat Dengan Kadar Kolesterol Pada Penderita Penyakit Jantung Koroner Rawat Jalan Di RSUD Dr. Moewardi Surakarta* (Doctoral dissertation, Universitas Muhammadiyah Surakarta).
- Ejtahed, H.S., Mohtadi-Nia, J., Homayouni-Rad, A., Niafar, M., Asghari-Jafarabadi, M., Mofid, V. and Akbarian-Moghari, A., 2011. Effect of probiotic yogurt containing *Lactobacillus acidophilus* and *Bifidobacterium lactis* on lipid profile in individuals with type 2 diabetes mellitus. *Journal of dairy science*, 94(7), pp.3288-3294.
- Erdiandini, Ira, Titi C.S. and Anja M., 2015. Seleksi Bakteri Asam Laktat dan Pemanfaatannya sebagai Starter Kering Menggunakan Matriks Tapioka Asam. *Jurnal Sumberdaya HAYATI Januari 2015, Vol. 1, No. 1, hlm 26-33*.
- Estari, M., Reddy, A.S., Bikshapathi, T., Satyanarayana, J., Venkanna, L. and Reddy, M.K., 2009. The investigation of serum lipids and prevalence of dyslipidemia in urban adult population of Warangal district, Andhra Pradesh, India. *Biol Med*, 1(2), pp.61-65.
- Everard, A. and Cani, P.D., 2013. Diabetes, obesity and gut microbiota. *Best practice & research Clinical gastroenterology*, 27(1), pp.73-83.
- Fadhilah, A.N., Hafsan, H. and Nur, F., 2015. Penurunan Kadar Kolesterol Oleh Bakteri Asam Laktat Asal Dangke Secara In Vitro. In *Prosiding Seminar Biologi*.
- Farid, M. and Sukesu, H., 2011. Pengembangan susu segar dalam negeri untuk pemenuhan kebutuhan susu nasional. *Buletin Ilmiah Litbang Perdagangan*, 5(2), pp.196-221.
- Fathoni M., 2011. *Penyakit Jantung Koroner: Patofisiologi, Disfungsi Endothel, dan Manifestasi Klinis*. edisi ke-1. Surakarta: UNS Press.
- Fatimah, R.N., 2015. Diabetes melitus tipe 2. *Jurnal Majority*, 4(5).
- Félix-Redondo, F.J., Grau, M. and Fernández-Bergés, D., 2013. Cholesterol and cardiovascular disease in the elderly. Facts and gaps. *Aging and disease*, 4(3), p.154.
- Grundy, S.M., Benjamin, I.J., Burke, G.L., Chait, A., Eckel, R.H., Howard, B.V., Mitch, W., Smith, S.C. and Sowers, J.R., 1999. Diabetes and cardiovascular disease: a statement for healthcare professionals from the American Heart Association. *Circulation*, 100(10), pp.1134-1146.
- Gupta, R., Misra, A., Vikram, N.K., Kondal, D., Gupta, S.S., Agrawal, A. and Pandey, R.M., 2009. Younger age of escalation of cardiovascular risk factors in Asian Indian subjects. *BMC cardiovascular disorders*, 9(1), p.28.
- Guyton, A. and Hall, J., 2006. *Textbook of medical physiology*, 11th.
- Hanum, N.N., 2013. Hubungan Kadar Glukosa Darah Puasa dengan Profil Lipid pada Pasien Diabetes Melitus Tipe 2 di Rumah Sakit Umum Daerah Kota Cilegon Periode Januari 2012-April 2013.

- Hastuti, R.T., 2008. Faktor-Faktor Risiko Ulkus Diabetika pada Penderita Diabetes Mellitus; Studi Kasus Di Rsud Dr. Moewardi Surakarta [Tesis]. Program Magister Epidemiologi Universitas Diponegoro Semarang.
- Hastuty, Y.D., 2018. PERBEDAAN KADAR KOLESTEROL ORANG YANG OBESITAS DENGAN ORANG YANG NON OBESITAS. *AVERROUS*, 1(2), pp.47-55.
- Hsieh, J., Longuet, C., Maida, A., Bahrami, J., Xu, E., Baker, C.L., Brubaker, P.L., Drucker, D.J. and Adeli, K., 2009. Glucagon-like peptide-2 increases intestinal lipid absorption and chylomicron production via CD36. *Gastroenterology*, 137(3), pp.997-1005.
- Huang, E.S., Laiteerapong, N., Liu, J.Y., John, P.M., Moffet, H.H. and Karter, A.J., 2014. Rates of complications and mortality in older patients with diabetes mellitus: the diabetes and aging study. *JAMA internal medicine*, 174(2), pp.251-258.
- Husen, S.A., Winarni, D., Ansori, A.N.M. and Susilo, R.J.K., 2016. Potensi Ekstrak Kasar Kulit Buah Manggis (*Garcinia Mangostana* L.) Terhadap Kadar Kolesterol dan Kadar Glukosa Darah Puasa Mencit Diabetik. In *Proceeding Seminar Nasional Biodiversitas VI, Universitas Airlangga, Surabaya, Indonesia* (pp. 841-850).
- Indonesia, P.E., 2011. pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia. *dalam Konsensus*.
- Josten, S., 2018. Profil Lipid Penderita Diabetes Mellitus Tipe 2 P. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 13(1), pp.20-22.
- Kahn, S.E., Cooper, M.E. and Del Prato, S., 2014. Pathophysiology and treatment of type 2 diabetes: perspectives on the past, present, and future. *The Lancet*, 383(9922), pp.1068-1083.
- Kayama, Y., Raaz, U., Jagger, A., Adam, M., Schellinger, I.N., Sakamoto, M., Suzuki, H., Toyama, K., Spin, J.M. and Tsao, P.S., 2015. Diabetic cardiovascular disease induced by oxidative stress. *International journal of molecular sciences*, 16(10), pp.25234-25263.
- King, M. W. 2010. Cholesterol and bile synthesis and metabolism. The Medical Biochemistry. Available at: <http://themedicalbiochemistrypage.org/cholesterol.html>. Opened at June 07, 2018.
- Klop, B., Elte, J.W.F. and Cabezas, M.C., 2013. Dyslipidemia in obesity: mechanisms and potential targets. *Nutrients*, 5(4), pp.1218-1240.
- Koh, A., De Vadder, F., Kovatcheva-Datchary, P. and Bäckhed, F., 2016. From dietary fiber to host physiology: short-chain fatty acids as key bacterial metabolites. *Cell*, 165(6), pp.1332-1345.
- Kumar, M., Nagpal, R., Kumar, R., Hemalatha, R., Verma, V., Kumar, A., Chakraborty, C., Singh, B., Marotta, F., Jain, S. and Yadav, H., 2012. Cholesterol-lowering probiotics as potential biotherapeutics for metabolic diseases. *Experimental diabetes research*, 2012.
- KURNIAWATI, F.K., 2015. *Hubungan Konsumsi Lemak Dan Aktivitas Fisik Dengan Kadar Kolesterol Darah Dan Kadar Low Density Lipoprotein Pada Pasien Penyakit Jantung Koroner Rawat Jalan Di Rumah Sakit Umum Daerah Dr. Moewardi* (Doctoral dissertation, Universitas Muhammadiyah Surakarta).
- Larsen, N., Vogensen, F.K., van den Berg, F.W., Nielsen, D.S., Andreasen, A.S., Pedersen, B.K., Al-Soud, W.A., Sørensen, S.J., Hansen, L.H. and

- Jakobsen, M., 2010. Gut microbiota in human adults with type 2 diabetes differs from non-diabetic adults. *PloS one*, 5(2), p.e9085.
- Lee, D.K., Jang, S., Baek, E.H., Kim, M.J., Lee, K.S., Shin, H.S., Chung, M.J., Kim, J.E., Lee, K.O. and Ha, N.J., 2009. Lactic acid bacteria affect serum cholesterol levels, harmful fecal enzyme activity, and fecal water content. *Lipids in health and disease*, 8(1), p.21.
- Lestari, W.A. and Utari, D.M., 2017. Faktor dominan hiperkolesterolemia pada pra-Lansia di wilayah kerja Puskesmas Rangkapanjaya kota Depok. *Berita Kedokteran Masyarakat*, 33(6), pp.267-272.
- Li, C., Li, X., Han, H., Cui, H., Peng, M., Wang, G. and Wang, Z., 2016. Effect of probiotics on metabolic profiles in type 2 diabetes mellitus: A meta-analysis of randomized, controlled trials. *Medicine*, 95(26).
- Lin, S.H., Cheng, P.C., Te Tu, S., Hsu, S.R., Cheng, Y.C. and Liu, Y.H., 2018. Effect of metformin monotherapy on serum lipid profile in statin-naïve individuals with newly diagnosed type 2 diabetes mellitus: a cohort study. *PeerJ*, 6, p.e4578.
- Mahan, L.K. and Raymond, J.L., 2016. *Krause's Food & the Nutrition Care Process-E-Book*. Elsevier Health Sciences.
- Maryati, Y., Nuraida, L. and Hariyadi, R.D., Kajian Isolat Bakteri Asam Laktat dalam Menurunkan Kolesterol Secara In Vitro dengan Keberadaan Oligosakarida. *Agritech*, 36(2), pp.196-205
- Mehta, V. and Bhatt, K., 2017. Lipids and its Metabolism. *Journal of Cardiology & Cardiovascular Therapy* 4(2): JOCCT.MS.ID.555635 (2017).
- Minarti, S.N., Hubungan Antara Perilaku Merokok Terhadap Kadar Kolesterol Low Density Lipoprotein (Ldl) Serum Pada Pekerja CV. Julian Pratama Pontianak. *Jurnal Mahasiswa PSPD FK Universitas Tanjungpura*, 1(1).
- Miremadi, F., Ayyash, M., Sherkat, F. and Stojanovska, L., 2014. Cholesterol reduction mechanisms and fatty acid composition of cellular membranes of probiotic Lactobacilli and Bifidobacteria. *Journal of Functional Foods*, 9, pp.295-305.
- Mohamadshahi, M., Veissi, M., Haidari, F., Javid, A.Z., Mohammadi, F. and Shirbeigi, E., 2014. Effects of probiotic yogurt consumption on lipid profile in type 2 diabetic patients: A randomized controlled clinical trial. *Journal of research in medical sciences: the official journal of Isfahan University of Medical Sciences*, 19(6), p.531.
- Moroti, C., Magri, L.F.S., de Rezende Costa, M., Cavallini, D.C. and Sivieri, K., 2012. Effect of the consumption of a new symbiotic shake on glycemia and cholesterol levels in elderly people with type 2 diabetes mellitus. *Lipids in health and disease*, 11(1), p.29.
- Nasution, Arfian Amin, 2014. *Hubungan Jumlah Neutrofil dengan Nilai Enzim jantung dan Kejadian Klinis Kardiovaskular Mayor Selama Perawatan di Rumah Sakit pada Pasien Penderita Infark Miokard Akut Elevasi ST Segmen di Rumah Sakit Umum Haji Adam Malik Medan [Tesis]*. Departemen Kardiologi dan kedokteran Vaskular Fakultas Kedokteran Universitas Sumatera Utara Medan.
- Ooi, E., Watts, G., Ng, T. and Barrett, P., 2015. Effect of dietary fatty acids on human lipoprotein metabolism: a comprehensive update. *Nutrients*, 7(6), pp.4416-4425.

- Ozcan, T., Yilmaz-Ersan, L., Akpinar-Bayazit, A., Sahin, O.I. and Aydinol, P., 2010. Viability of *Lactobacillus acidophilus* LA-5 and *Bifidobacterium bifidum* BB-12 in Rice Pudding. *Mljekarstvo/Dairy*, 60(2).
- Pasin, G. and Comerford, K.B., 2015. Dairy foods and dairy proteins in the management of type 2 diabetes: a systematic review of the clinical evidence. *Advances in nutrition*, 6(3), pp.245-259.
- Pathni, P.M.S.D., 2018. Tren Terapi Diabetes dengan GLP-1 Receptor Agonist.
- PERKENI, 2015. *Pengelolaan dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia 2015*. Pengurus Besar Endokrinologi Indonesia (PB Perkeni). Jakarta.
- Perkeni, P.E.I., 2011. Konsensus Pengendalian dan Pengetahuan Diabetes Mellitus Tipe 2 di Indonesia 2011. *Jakarta: Perkeni*.
- Poeloengan, M., 2014. Pengujian yoghurt probiotik pada pertumbuhan bakteri. *JITV*, 19(2).
- Prasanna, P.H.P., Grandison, A.S. and Charalampopoulos, D., 2014. Bifidobacteria in milk products: An overview of physiological and biochemical properties, exopolysaccharide production, selection criteria of milk products and health benefits. *Food Research International*, 55, pp.247-262.
- Putri, N.H.K. and Isfandiari, M.A., 2013. Hubungan Empat Pilar Pengendalian DM Tipe 2 dengan Rerata Kadar Gula Darah. *Jurnal Berkala Epidemiologi*, 1(2), pp.234-243.
- Rezaei, M., Sanagoo, A., Jouybari, L., Behnampoo, N. and Kavosi, A., 2017. The Effect of Probiotic Yogurt on Blood Glucose and cardiovascular Biomarkers in Patients with Type II Diabetes: A Randomized Controlled Trial. *Evidence Based Care*, 6(4), pp.26-35.
- Rossi, M., Corradini, C., Amaretti, A., Nicolini, M., Pompei, A., Zanoni, S. and Matteuzzi, D., 2005. Fermentation of fructooligosaccharides and inulin by bifidobacteria: a comparative study of pure and fecal cultures. *Applied and environmental microbiology*, 71(10), pp.6150-6158.
- Salim, F.A., Arifin, M. and Asnawati, A., 2016. Korelasi antara Kadar Kolesterol Total dengan Jumlah Monosit pada Pasien Penyakit Jantung Koroner. *Berkala Kedokteran*, 12(1), pp.95-101.
- Shah, N. P., 2017. *Yogurt in Health and Disease Prevention*. 1st edn. Edited by J. Truesdell. London: Academic Press Elsevier.
- Shah, N.P., Ali, J.F. and Ravula, R.R., 2000. Populations of *Lactobacillus acidophilus*, *Bifidobacterium* spp., and *Lactobacillus casei* in commercial fermented milk products. *Bioscience and Microflora*, 19(1), pp.35-39.
- Shiby, V.K. and Mishra, H.N., 2013. Fermented milks and milk products as functional foods—A review. *Critical reviews in food science and nutrition*, 53(5), pp.482-496.
- Shimizu, M., Hashiguchi, M., Shiga, T., Tamura, H.O. and Mochizuki, M., 2015. Meta-analysis: effects of probiotic supplementation on lipid profiles in normal to mildly hypercholesterolemic individuals. *PLoS One*, 10(10), p.e0139795.
- Shin, H.S., Lee, J.H., Pestka, J.J. and Ustunol, Z., 2000. Viability of bifidobacteria in commercial dairy products during refrigerated storage. *Journal of food protection*, 63(3), pp.327-331.
- Soeharto, I., 2004. Penyakit jantung koroner dan serangan jantung. *Penerbit PT. Gramedia Pustaka Utama, Jakarta*, 16.

- Spork, A.C., 2019, *Lactobacillus acidophilus* (La-5), CHR. Hansen, dilihat pada 8 Januari 2019, < <https://www.chr-hansen.com>>
- Suarjana, M.D., 2000. *Hubungan Kadar Ketonurta dengan Kadar Dislipidemia pada Penderita Diabetes Melitus Tipe 2* (Doctoral dissertation, Program Pascasarjana Universitas Diponegoro).
- Sugden, M. and Holness, M., 2011. Pathophysiology of diabetic dyslipidemia: implications for atherogenesis and treatment. *Clinical Lipidology*, 6(4), pp.401-411.
- Sunaryanto, R., Martius, E. and Marwoto, B., 2014. Uji kemampuan *Lactobacillus casei* sebagai agensia probiotik. *Jurnal Bioteknologi & Biosains Indonesia (JBBi)*, 1(1), pp.9-14.
- Taqwin, A., 2007. *Gambaran Profil Lipid Pada Penderita Diabetes Melitus Tipe 2 Yang Dirawat di RS Immanuel Bandung Periode Januari-Desember 2005 (Rekam Medik)*(Doctoral dissertation, Universitas Kristen Maranatha).
- Thompson P.D., Rader D.J., 2001. Does Exercise Increase HDLCholesterol in Those Who Need It the Most. *Arteriosclerosis, Thrombosis, and Vascular Biology. American Heart Association*, 21:1097-1098
- Tonucci, L.B., dos Santos, K.M.O., de Oliveira, L.L., Ribeiro, S.M.R. and Martino, H.S.D., 2017. Clinical application of probiotics in type 2 diabetes mellitus: A randomized, double-blind, placebo-controlled study. *Clinical Nutrition*, 36(1), pp.85-92.
- Vergès, B., 2015. Pathophysiology of diabetic dyslipidaemia: where are we?. *Diabetologia*, 58(5), pp.886-899.
- Vinarova, L., Vinarov, Z., Tcholakova, S., Denkov, N.D., Stoyanov, S. and Lips, A., 2016. The mechanism of lowering cholesterol absorption by calcium studied by using an in vitro digestion model. *Food & function*, 7(1), pp.151-163.
- Wang, H., Livingston, K.A., Fox, C.S., Meigs, J.B. and Jacques, P.F., 2013. Yogurt consumption is associated with better diet quality and metabolic profile in American men and women. *Nutrition Research*, 33(1), pp.18-26.
- Widiyaningsih, E.N., 2011. Peran Probiotik untuk Kesehatan. *Jurnal Kesehatan, ISSN 1979-7621, Vol. 4, No. 1, Juni 2011: 14-20*.
- Wulandari, O. and Martini, S., 2013. Perbedaan Kejadian Komplikasi Penderita Diabetes Melitus Tipe 2 Menurut Gula Darah Acak. *Jurnal Berkala Epidemiologi, 1*.
- Xie, N., Cui, Y., Yin, Y.N., Zhao, X., Yang, J.W., Wang, Z.G., Fu, N., Tang, Y., Wang, X.H., Liu, X.W. and Wang, C.L., 2011. Effects of two *Lactobacillus* strains on lipid metabolism and intestinal microflora in rats fed a high-cholesterol diet. *BMC complementary and alternative medicine*, 11(1), p.53.
- Yerlikaya, O., 2014. Starter cultures used in probiotic dairy product preparation and popular probiotic dairy drinks. *Food Science and Technology*, 34(2), pp.221-229.
- Yuan, Y.V. and Kitts, D.D., 1993. Milk product and constituent protein effects on plasma and hepatic lipids and systolic blood pressure of normotensive rats. *Food research international*, 26(3), pp.173-179.