

- Airy-Pangaribuan., 2008, Perubahan dimensi vertikal pada *anterior skeletal open bite* dengan pencabutan gigi posterior sebelum dan setelah perawatan dengan teknik Begg, Karya Tulis Ilmiah, *PPDGS I FKG UGM*.
- Ahn, J.G., Schneider, B.J., 2000, Cephalometric appraisal of posttreatment vertical changes in adult orthodontic patients, *Am J Orthod Dentofacial Orthop*, 118(4), 378-84.
- Al-Nimri, KS, 2006, Vertical changes in class II division 1 malocclusion after premolar extractions, *Angle Orthod*, 76(1), 52-8
- Barton, J.J., 1973, A cephalometric comparison of cases treated with Edgewise and Begg techniques, *Angle Orthod*, 43(1), 119-26.
- Begg, P.R., and Kesling, P.C., 1977, *Begg Orthodontic Theory and Technique*, 3rd ed., WB Saunders Co., Philadelphia, 108-15, 122-7, 142-5, 192-3, 224-8.
- Bishara, S.E., 2001, *Textbook of Orthodontics*, W.B. Saunders Co., Philadelphia, 113, 209, 424.
- Bishara, S. E., Augspurger, E. F., 1975, The role mandibular plane inclination in orthodontic diagnosis, *Angle Orthod*, 45(4), 273-81.
- Byork, A., 1969, Prediction of mandibular growth rotation, *Am J Orthod Dentofacial Orthop*, 55(3): 585-99.
- Cadman, G.R., 1975, A vade mecum for the Begg technique : Technical principles, *Am. J. Orthod Dentofacial Orthop*, 67(5), 493-512.
- Chung, C.H., Mongiovi, V.D., 2003, Craniofacial growth in untreated skeletal Class I subjects with low, average, and high MP-SN angles : A longitudinal study, *Am J Orthod Dentofacial Orthop*, 124(6), 670-78.
- Dyer, G.S., Harris, E.F., Vaden, J.L., 1991, Age affects on orthodontic treatment: adolescents contrasted with adults, *Am. J. Orthod Dentofacial Orthop*, 100(6), 523-30.
- Fletcher, G.G.T., 1981, *The Begg Appliance and Technique*, 15-29, Jon Wright & sons (Printing) Ltd., London, 15-29, 59-81.
- Ghafari, J., Brin, H., Kelley, M.B., 1989, Mandibular rotation and lower face height indicators, *Angle Orthod*, 59(1), 31-4.



PERUBAHAN TINGGI WAJAH DAN ROTASI MANDIBULA PADA MALOKLUSI KLAS II DIVISI 1
DENGAN SUDUT BIDANG
MANDIBULA KECIL DAN BESAR SESUDAH PERAWATAN TEKNIK BEGG (Kajian Sefalogram Lateral)
Deswi Arwelli, drg oekarsono Hardjono. Sp Ort(K)
Universitas Gadjah Mada, 2010. Diunduh dari <http://eta.repository.ugm.ac.id/>
M. Swain, B.F., 1985, *Orthodontics Current Principles and Techniques*,
The C.V. Mosby Company, St. Louis, 227-41.

- Hitchcock, H.P., 1973, A cephalometric description of class II, division 1 malocclusion, *Am J Orthod Dentofacial Orthop*, 63(4): 414-23.
- Houston, W.J.B., 1982, *Diagnosis Ortodonsi*, terj., ed.III, EGC, Jakarta, 38.
- Isaacson, J.R., Isaacson, R.J., Speidel, T.M., Worms, F.W., 1971, Extreme variation in vertical facial growth and associated variation in skeletal and dental relations, *Angle Orthod*, 41(3): 219-29.
- Jacobson, A., 1995, *Radiographic Cephalometry*, Quintessence Publishing Co, Chicago, 80, 131-2.
- Karlsen, A.T., 1994, Craniofacial characteristics in children with Angle class II div. 2 malocclusion combined with extreme deep bite, *Angle Orthod*, 64(2): 123-30.
- _____, 1997, Assosiation between facial height development and mandibular growth rotation in low and high MP-SN angle faces : A longitudinal study, *Angle Orthod*, 67(2): 103-10.
- Lulla, P., Gianelly, A.A., 1976, The mandibular plane and mandibular rotation, *Am J Orthod Dentofacial Orthop*, 70(5): 567-71.
- McKinney, J.R., Harris, E.F., 2001, Influence of patient age and sex on orthodontic teratment: Evaluation of Begg lighwire, standart edgewise, and straightwire techniques, *Am J Orthod Dentofacial Orthop*, 120(5), 530-41.
- Parker, W.S., 1969, A consideration of the pure Begg technique, *Angle Orthod*, 39(1), 1-10.
- Phan, X.L., Schneider, B.J., Sadowsky, C., BeGole, E.A., 2004, Effect of orthodontic treatment on mandibular rotation and displacement in Angle class II division 1 malocclusions, *Angle Orthod*, 74(2):174-83.
- Proffit, R.W., 1986, *Contemporary Othodontics*, Mosby Company, Toronto London, 289-92, 422-4.
- Ratnaningsih-Hendrawijaya, 1993, Rotasi dan perubahan posisi rahang bawah pada perawatan maloklusi kelas I dan kelas II tipe skeletal dengan teknik Begg tahap I, Karya Tulis Ilmiah, *PPDGS I FKG UGM*.
- Rakosi, T., 1982, *An Atlas and Manual of Cephalometric Radiography*, Wolfe Medical Publications Ltd. London, 47-67.



- Ricketts, R.M., 1960, The influence of orthodontic treatment in facial growth and development, *Angle Orthod*, 30(3): 254-70.
- Sayin, M.O., Turkkahraman, 2005, Cephalometric evaluation of nongrowing females with skeletal and dental class II, division 1 malocclusion, *Angle Orthod*, 75(4), 656-60.
- Schudy, F.F., 1964, Vertical growth versus anteroposterior growth as related to function and treatment, *Angle Orthod*, 34(2): 75-93.
- Staggers, J.A., 1994, Vertical changes following first premolar extractions, *Am J Orthod Dentofacial Orthop*, 105 (1): 19-24.
- Venezia, A.J., 1973, Pure Begg and Edgewise arch treatments : Comparison of result, *Angle Orthod*, 43(3), 289-300.
- Wagner, D.M., Chung, C.H., 2005, Transverse growth of the maxilla and mandible in untreated girls with low, average, and high MP-SN angles : A longitudinal study, *Am J Orthod Dentofacial Orthop*, 128 (6), 716-22.
- Weinberg, H., Kronman, J.H., 1966, Orthodontic influence upon anterior facial height, *Angle Orthod*, 36(1), 80-8.
- Zaher, A.R., Bishara, S.E., Jacobsen, J.R. 1994, Posttreatment changes in different facial types, *Angle Orthod*, 64(6), 425-36.