

- controlled trial of ginger to treat nausea and vomiting in pregnancy” Ginger was equivalent to pyridoxine hydrochloride (vitamin B6) for reducing nausea and vomiting in pregnancy”. *Obstet Gynecol* 2004;103:639-45.
10. Jewell D, Young G. Intervension for nausea and vomiting in early pregnancy (review), *The Cochrane Collaboration* 2006.
11. Gadsby R, Barnie-Adshead AM, Jagger C. A prospective study of nausea and vomiting during pregnancy. *Br J Gen Pract* 1993;43:245-8.
12. Weigel MM, Weigel RM. The association of reproductive history, demographic factors, and alcohol and tobacco consumption with the risk of developing nausea and vomiting in early pregnancy. *Am J Epidemiol* 1988;127:562-70.
13. Goodwin TM. Hyperemesis gravidarum. *Clin Obstet Gynecol* 1998;41:597-605.
14. Fairweather DV. Nausea and vomiting in pregnancy. *Am J Obstet Gynecol* 1968;102:135-75.
15. Walsh JW, Hasler WL, Nugent CE, Owyang C. Progesterone and estrogen are potential mediators of gastric slow-wave dysrhythmias in nausea of pregnancy. *Am J Physiol* 1996;270(3 pt 1):G506-14.
16. Broussard CN, Richter JE. Nausea and vomiting of pregnancy. *Gastroenterol Clin North Am* 1998; 27:123-51.
17. Masson GM, Anthony F, Chau E. Serum chorionic gonadotrophin (hCG), schwangerschaftsprotein 1 (SP1), progesterone and oestradiol levels in patients with nausea and vomiting in early pregnancy. *Br J Obstet Gynaecol* 1985;92:211-5.

18. Soules AR, Nirogloos L, Ovarola, J, Med, B, PhD, Sp, OG, PTysiowsky MK, Alexander
 E 3d. Nausea and vomiting of pregnancy: role of human chorionic gonadotropin
 and 17-hydroxyprogesterone. *Obstet Gynecol* 1980;55:696-700.
19. Hayakawa S, Nakajima N, Karasaki-Suzuki M, Yoshinaga H, Arakawa Y, Satoh K.
 Frequent presence of *Helicobacter pylori* genome in the saliva of patients with
 hyperemesis gravidarum. *Am J Perinatol* 2000;17:243-7.
20. Navari, RM. Pathogenesis-based treatment of chemotherapy-induced nausea and
 vomiting—Two new agents, *Journal of supportive oncology*, 2003;1(2): 89-98.
21. Brandes JM. First-trimester nausea and vomiting as related to outcome of
 pregnancy. *Obstet Gynecol* 1967;30:427-31.
22. Jarnfelt-Samsioe A, Samsioe G, Velinder GM. Nausea and vomiting in
 pregnancy—a contribution to its epidemiology. *Gynecol Obstet Invest* 1983;16:
 221-9.
23. Fischer-Rasmussen W, Kjaer SK, Dahl C, Asping U. Ginger treatment of
 hyperemesis gravidarum. *Eur J Obstet Gynecol Reprod Biol* 1991;38:19-24.
24. Kemper, K.J. Ginger. The longfood herbal Task Force. November 1999. Available
 on: www.mcp.edu/herbal/default.htm
25. Rhizoma zingiber, *WHO Monographs on Selected Medical Plants.*, Munich
 Germany, 1999, Vol.1: 278-89
26. Keating, A. and Chez, R. A. Ginger syrup as an antiemetic in early pregnancy.
Altern Ther Health Med 2002;8(5):89-91.

officinale extract in the rat. (Abstract). *Reprod Toxicol* 2001; 15(1): 75-78,

Copenhagen Denmark. Available on: www.pubmed.gov.

28. Fulder S. Ginger as an Anti-nausea remedy in pregnancy. *American Botanical Council*, 2005. available on: www.herbalgram.org.

29. Jeffrey D, Ashley Hill D. Nausea and vomiting of pregnancy, *American Family Physician* 2003, Vol 68, page121-28.