

## DAFTAR PUSTAKA

- Abduo J., Lyons K., Swain M., 2010, Fit of zirconia fixed partial denture: A systematic review. *J. Oral Rehabil*, 37: 866–876.
- Aboushelib M.N., Kleverlaan, C.J., Feilzer A.J., 2008, Effect of zirconia type on its bond strength with different veneer ceramics. *J. Prosthodont*, 17: 401–8.
- Addi S., Hedayati K.A., Poya A., Sjogren G., 2012, Interface gap size of manually and CAD/CAM-manufactured ceramic inlays/onlays in vitro. *J Dent*, 30:53–8.
- Aljabbari Y.S., 2014, Physico-mechanical properties and prosthodontic applications of Co-Cr dental alloys: a review of the literature, *J Adv Prosthodont*, 6: 138-45.
- Alla R.K., 2013, *Dental materials science*, Jaypee Brothers Medical Publishers Pvt Limited, New Delhi, India, 1: 333-54.
- Anusavice K.J., Shen C.H., Rawls R., 2013, *Phillips' science of dental materials*. St. Louis: Elsevier Saunders.
- Attia A., Lehmann F., Kern M., 2011, Influence of surface conditioning and cleaning methods on resin bonding to zirconia ceramic. *Dent. Mater*, 27: 207–13.
- Benenson W., Harris J.W., Stocker H., Lutz H., 2001, *Handbook of physics*. New York: Spinger.
- Bevington, P.R., & Robinson D.K., 2003, *Data reduction and error analysis for the physical science, Third Edition*, New York: McGraw-Hill.
- Bibinagar R., Anam C., Mamidi P., Saxena A., Rathinam J., 2013, Telescopic overdenture. *JOR*, 3(1): 57-62.
- Bona A., Pecho O., Alessandretti R., 2015, Zirconia as a dental biomaterial. *MDPI*, Vol 8: 4978-91.
- Cobb A.G., Schmalzreid T.P., 2006, The clinical significance of metal ion release from cobalt chromium metal-on-metal hip joint arthroplasty. *Proc Inst Mech Eng H*, 220(2): 385–98.
- Dabrowa T., Dobrowolowska A., Wieleba W., 2013, The role of friction in the mechanism of retaining the partial removable dentures with double crown system. *Acta of Bioengineering and Biomechanics*, 15 (4): 44-48.

- Daniela R., Adrian R., Roxana P., 2009, *Mechanical characteristic for CoCr and NiCr cast alloys recovery*, *The 3rd International Conference on Computational Mechanics and Virtual Engineering*, COMEC, Brasov, Romania
- Denry I., Kelly J.R., 2008, State of the art of zirconia for dental applications. *Dent. Mater*, 24: 299–307.
- Dias G.M., Thompson V.P., Braga R.R., 2011, Effect of metal primers on microtensile bond strength between zirconia and resin cements. *J. Prosthet. Dent*, 105: 296–303.
- Dubey P.K., Sethuraman R., Vaishno D., 2015, Telescopic overenture an approach to preventive prosthodontics. *I J Pre Clin Dent Res*, 2(3): 79-83.
- Federer W.T., 1963, *Experimental design. Theory and application*, Oxford and IBH Publishing Co. New Delhi, India.
- Glossary of Prosthodontic Terms 9, 2017, *J Prosthet Dent*: 117:65
- Goswami R., Mahajan P., Siwach A., Gupta A., 2013, Telescopic overdenture: perio-prostho concern for advanced periodontitis, *Contemp Clin Dent*, 4(3): 402–405.
- Greenwood P., Norman N., Earnshaw A., 1997, *Chemistry of the elements 2nd*, Oxford: Butterworth-Heinemann, 1117–9.
- Guazzato M., Proos K., Quach L., Swain M.V., 2004, Strength, reliability and mode of fracture of bilayered porcelain/zirconia (Y-TZP) dental ceramics. *Biomaterials*, 25: 5045–52.
- Guess P.C., Vagopoulou T., Zhang Y., Wolkewitz M., Strub J.R., 2014, Marginal and internal fit of heat pressed versus CAD/CAM fabricated all-ceramic onlays after exposure to thermo-mechanical fatigue. *J Dent*, 42(2): 199–209.
- Gungor M.A., Artunc C., Sonugelen M., 2004, Parameters affecting retentive force of conus crowns, *J. Oral Rehabil*, 31: 271-7.
- Güven M.C., Tuna M., Bozdağ E., Öztürk G.N., Bayraktar G., 2017, Comparison of retention forces with various fabrication methods and material in double crowns. *J. Adv. Prosthodont*, 9: 308-14.
- Hammerle C., Sailer I., Thoma A., Hälg G., Suter A., Ramel C., 2008, *Dental ceramics: essential aspects for clinical practice*, Quintessence, Surrey.

- Kaira L.S., Mishra R., 2013, Telescopic denture a treatment modality for preventive prosthodontics. *IJOHS*, 3(2): 121-4.
- Kim E.C., Kim M.K., Leesungbok R., Lee S.W., Ahn S.J., 2016, Co-Cr dental alloys induces cytotoxicity and inflammatory responses via activation of Nrf2/antioxidant signaling pathways in human gingival fibroblasts and osteoblasts, *J.dental*, 32(11): 1394-405.
- Koenigsberg A.C., 2008, The integrated CAD/CAM office. *PPAD*, 20 (7): 447-448.
- Koudi M.S., Patil S.B., 2007, *Prep manual for undergraduates. Dental Materials*, New Delhi: Elsevier.
- Langer Y., 2000, Tooth supported telescopic prostheses in compromised dentitions: A clinical report. *J. Prosthet Dent*, 84: 129-32.
- Lucchetti M.C., Fratto G., Valeriani F., Vittori E., Giampaoli S., Papetti P., Spica V.R., Manzon L., 2015, Cobalt-chromium alloys in dentistry: An evaluation of metal ion release. *J. Prosthet Dent*, 114: 602-8.
- Matinlinna J.P., Lassila L.V., 2011, Enhanced resin-composite bonding to zirconia frame work after pretreatment with selected silane monomers. *Dent. Mater*, 27: 273–280.
- Merk S., Wagner C., Stock V., Eichberger M., Schmidlin P., Roos M., Stawarczyk B., 2016, Retention load values of telescopic crowns made of Y-TZP and CoCr with Y-TZP secondary crowns: impact of different taper angles. *MDPI*. 9, 354.
- Mishra R., Shivrayan A., Jain S., Mehta S., 2014, Fabrication of bar-retained tooth-supported mandibular overdenture, *IJOH*, 4(1):37-41
- Pallesen U., Dijken J.W., 2010, An 8-year evaluation of sintered ceramic and glass ceramic inlays processed by the Cerec CAD/CAM system. *Eur J Oral Sci*, 108: 239–46.
- Patil R., 2015, Zirconia versus titanium implants: a systematic review, *JDI*, 5(1): 39-42.
- Pietruski J.K., Sajewicz E., Sudnik J., Pietruska M.D., 2013, Retention force assessment in conical crowns in different material combinations, *ABB*, 15(1): 35-42.
- Peter I., Rosso M., 2015, Study of Ti-enriched CoCrMo alloy for dental application, *JROAP*, 3: 73-80.

- Rashid H., 2014, The effect of surface roughness on ceramics used in dentistry: A review of literature. *Eur J Dent*, 8:571-9.
- Ravikumar., Prasad R., Kashinath K.R., Naveen B.H., 2012, Telescopic complete denture with a custom mode stud attachment. *JDSR*, 2(3): 10-13.
- Rekow E.D., Silva N.R., Coelho P.G., Zhang Y., Guess P., Thompson V.P., 2011, Performance of dental ceramics: challenges for improvement. *J Dent*, 90: 937-52.
- Renda J.J., Harding A.B., Bailey C.W., Guillory V.L., Vandewalle K.S., 2015, Microtensile bond strength of lithium disilicate to zirconia with the CAD-on technique. *J. Prosthodont*, 24: 188-93.
- Sax C., Hammerle C., Sailer I., 2011, 10-year clinical outcomes of fixed dental prostheses with zirconia frameworks, *Int. J. Comput. Dent*, 3, 183-202.
- Schmalz G, Arenholt B.D., 2009, *Biocompatibility of dental materials*, Springer-Verlag Berlin Heidelberg.
- Singh K., Gupta N., 2012, Telescopic denture – A treatment modality for minimizing the conventional removable complete denture problems: A case report. *JCDR*, 6(6): 1112-6.
- Sukumaran V.G., Bharadwaj N., 2006, Ceramics in dental applications, *Trends Biomater. Artif. Organs*, 20(1): 7-11.
- Turp I., Bozdog E., Sunbuloglu E., Kahruman C., Yusufoglu I., Bayraktar G., 2014, Retention and surface changes of zirconia primary crowns with secondary crowns of different materials, *Clin. Oral Investig*, 18: 2023-35.
- Wagner C., Stock V., Merk S., Schmidlin P., Roos M., Eichberger M., Stawarczyk B., 2016, Retention load of telescopic crowns with different taper angles between cobalt-chromium and polyetheretherketon made with three different manufacturing processes examined by pull-off test, *J. Prosth. Dent*, 11: 201-14.
- Zafiropoulos G., Rebbe J., Thielen U., Deli G., Beaumont C., Hoffmann O., 2010, Zirconia removable telescopic dentures retained on teeth or implants for maxilla rehabilitation. Three-year observation of three cases. *JOI*, 37 (6): 455-65.
- Zarb G., Hobkrik J.A., Eckert S.E., Jacob R.F., 2012, *Prosthodontic treatment for edentulous patients*, ed. 13, Elsevier.