

DAFTAR PUSTAKA

- Agarwal, D.K., Sharma, A., Gupta, A., 2000. Peritoneal equilibration test in Indian patients on continuous ambulatory peritoneal dialysis: Does it affect patient outcome? *Adv Perit Dial* 16 : 148-151.
- Aroem, H.R., 2015. Gambaran kecemasan dan kualitas hidup pada pasien yang menjalani hemodialisa. Universitas Muhammadiyah Surakarta, Surakarta.
- Brown, E.A., Davies, S.J., Rutherford, P., 2003. Survival of functionally anuric patients on automated peritoneal dialysis: the European APD Outcome Study. *J Am Soc Nephrol* 14: 294S-S7.
- Bussing dan Koenig, 2010. Spiritual Needs of Patients with Chronic Diseases. *Religions* 1: 18-27.
- Chaudhary, K., 2011. Peritoneal Dialysis Drop-out: Causes and Prevention Strategies. *Int J Nephrol*. 11: 434-608.
- Dahlan, M.S. 2006. Besar Sampel dalam Penelitian Kedokteran dan Kesehatan. Seri 2. Evidence Based Medicine. Epidemiologi Indonesia.
- Davies, S.J., Mushahar, L., Yu, Z., Lambie, M., 2011. Determinants of peritoneal membrane function over time. *Semin Nephrol*. 31(2): 172-182.
- De Gusmao, J.L., Mion, D., Pierin, A.M., 2009. Health-related quality of life and blood pressure control in hypertensive patients with and without complications. *Clinics (Sao Paulo)* ;64:619–628
- Drueke, T.B., Locatelli, F., Clyne, N., 2006. Normalization of hemoglobin level in patients with chronic kidney disease and anemia. *N Engl J Med*; 355:2071–2084
- ElHafeez, A., Sallam, S.A., Gad, Z.M., Zoccali, C., Torino, C., Tripepi, G., et al., 2012. Cultural adaptation and Validation of the Kidney Disease and Quality of Life- Short Form (KDQOL-SF) version 1.3 questionnaire in Egypt. *BMC Nephrol*. 13: 170.
- Erez, G., Selman, L., Murtagh, F., 2016. Measuring health-related quality of life in patients with conservatively managed stage 5 chronic kidney disease: limitation of the medical outcomes study short form: SF-36. *Qual life Res*. 25(11): 2799-2809
- Fatayati, D., 2004. Kualitas hidup penderita gagal ginjal yang mengalami terapi CAPD di wilayah Balikpapan Kalimantan Timur. Universitas Muhammadiyah Yogyakarta, Yogyakarta.

- Fauziah, A.W., 2016. Hubungan antara kepatuhan menjalani terapi hemodialisa dengan kualitas hidup pasien gagal ginjal kronik di ruang hemodialisa RSUD dr. Soedirman Kebumen. Sekolah Tinggi Ilmu Kesehatan Muhammadiyah, Gombang.
- Gregory, D., Johnston, R., Pratt, G., Watts, M., 2009. "Quality of Life". Dictionary of Human Geography (5th ed.). Oxford: Wiley-Blackwell.
- Hays, R.D., Kallich, J.D., Mapes, D.L., Coons, S.J., Amin, N., Carter, W.B., et al., 1997. Kidney disease quality of life short form (KDQOL-SF) version 1.3: a manual for use and scoring. RAND, Washington.
- Heimbürger, O., Wang, T., Lindholm, B., 1999. Alterations in water and solute transport with time on peritoneal dialysis. *Perit Dial Int.* 19 Suppl 2:583-590.
- Hen, S., Chang, J., Hwang, S., Chen, J.H., 2009. Comparison of ankle-brachial index and brachial-ankle pulse wave velocity between patients with chronic kidney disease and hemodialysis. *Am J Nephrol* 29: 374-380.
- Ho-dac-Pannekeet, M.M., 1997. Analysis of ultrafiltration failure in peritoneal dialysis patients by means of standard peritoneal permeability analysis. *Perit Dial Int* 17(2):144-150.
- Joshi, V.D., Mooppil, N., Lim, J.F., 2010. Validation of the kidney disease quality of life-short form: a cross-sectional study of a dialysis-targeted health measure in Singapore. *BMC Nephrol* 11: 36.
- Juergensen, E., Wuerth, D., Finkelstein, S.H., Juergensen, P.H., Bekui, A., Finkelstein, F.O. 2006. Hemodialysis and peritoneal dialysis: patients' assessment of their satisfaction with therapy and the impact of the therapy on their lives. *Clin J Am Soc Nephrol* 1:1191-96.
- Kader, A.K., Unruh, M.L., Weisbord, S.D., 2009. Symptom burden, depression, and Quality of life in chronic and end-stage kidney disease. *Clin J Am Soc Nephrol* 4:1057-1064
- Kidney Disease Improving Global Outcomes (KDIGO) Team, 2012. KDIGO 2012 clinical practice guideline for the evaluation and management of chronic kidney disease. *Kid. Internat. Suppl* 3: 5-14.
- Kim, J.Y., Kim, B., Park, K.S., Choi, J.Y., Seo, J.J., et al., 2013. Health-related quality of life with KDQOL-36 and its association with self-efficacy and treatment satisfaction in Korean dialysis patients. *Qual Life Res* (2013) 22:753-758.

- Liu, K.D., Chertow, G.M., 2013. Dialysis in the treatment of renal failure. In: Jameson, J.L., Loscalzo, J. (Ed): Harrison's Nephrology and Acid-base Disorders, pp: 141-47. Mc Graw Hill, New York.
- Lo, W.K., Bargman, J.M., Burkart, J., 2006. Guideline on targets for solute and fluid removal in adult patients on chronic peritoneal dialysis. *Perit Dial* 26: 520-522.
- Melissa, S.Y., Adrian, A.K., 2008. Quality of life in patients on peritoneal dialysis. In: Melissa, S.Y., Adrian, A.K. (Ed): Nolph and Gokal's Textbook on Peritoneal Dialysis, Springer, USA.
- Mujais, S., Nolph, K., Gokal, R., Blake, P., Burkart, J., Coles, G., et al., 2010. Evaluation and management of ultrafiltration problems in peritoneal dialysis. International Society for Peritoneal Dialysis Ad Hoc Committee on Ultrafiltration Management in Peritoneal Dialysis. *Perit Dial Int.* 20 Suppl 4:55-521.
- Mujais, S.K., Story, K., Brouillette, J., 2009. Health-related quality of life in CKD patients: correlates and evolution over time. *Clin J Am Soc Nephrol* 4:1293-1301
- Okpechi, G. I., Nthite, T., Swanepoel, C. R., 2013. Health-Related Quality of Life in patients on hemodialysis and peritoneal dialysis. *Saudi J Kidney Dis Transpl* 2013;24(3):519-526.
- Patrick, D.L., Erickson, P., 1993. Health status and health policy: quality of life in health care evaluation and resource allocation. Oxford University Press, New York.
- Perhimpunan Nefrologi Indonesia (PERNEFRI), 2011. 4th report of Indonesian renal registry. PERNEFRI, Jakarta.
- Perhimpunan Nefrologi Indonesia (PERNEFRI), 2011. Konsensus peritoneal dialisis pada penyakit ginjal kronik. PERNEFRI, Jakarta.
- Perlman, R.L., Finkelstein, F.O., Liu, L., Roys, E., Kiser, M., Eisele, G., et al., 2005. Quality of life in chronic kidney disease (CKD): a cross-sectional analysis in the Renal Research Institute-CKD study. *Am J Kidney Dis.* 45(4): 658-66.
- Priyanti, D., 2012. Perbedaan kualitas hidup pasien gagal ginjal yang bekerja dan tidak bekerja yang menjalani hemodialisis di Yayasan Ginjal Diatrans Indonesia. Universitas Paramadina, Jakarta.
- Puspitasari, C.E., 2016. Penilaian kelelahan dan kualitas hidup pasien hemodialisis rutin dengan anemia menggunakan FACIT-fatigue scale dan

KDQoL-SF36 di Rumah Sakit UGM dan RSUP Dr. Sardjito Yogyakarta.
Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.

- Putri, R., Sembiring, L.P., Bebasari, E. 2014. Gambaran kualitas hidup pasien gagal ginjal kronik yang menjalani terapi Continuous Ambulatory Peritoneal Dialysis di RSUD Arifin Achmad Provinsi Riau dengan menggunakan kuesioner KDQOLF-SFTM. Universitas Negeri Riau, Riau.
- Ramadhan, A., Chasani, S., Saktini, F. 2017. Perbandingan kualitas hidup pasien penyakit ginjal kronik yang diterapi dengan Continous Ambulatory Peritoneal Dialysis atau hemodialisis. Jurnal Kedokteran Diponegoro vol 6: 1518-28.
- Rusell, M., Gomez, L., Dominguez, R., Santiago, R., Cervantes, M., 2011. Work climate in mexican hemodialysis Units: A Cross-Sectional Study; Lancet 45: 76-83.
- Ricardo, A.C., Hacker, E., Lora, C.M., Ackerson, L., DeSalvo, K.B., Go, A., et al., 2013. Validation of the Kidney Disease Quality of Life Short Form 36 (KDQOL-36) US Spanish and English versions in a cohort of Hispanics with chronic kidney disease. Ethn Dis. 23(2): 202-9.
- Safaruddin, S., 2012. Hubungan pola terapi, nilai ureum-kreatinin plasma dan hemoglobin dengan kualitas hidup pasien hemodialisis di RSUD Dr. Soedarso Pontianak (Thesis). Universitas Indonesia, Jakarta.
- Samsa, G., Edelman, G., Rothman, M., 1999. Determining clinically important differences in health status measures: a general approach with illustration to health utilities index mark II. Pharmacoeconomics: 15: 141-155
- Santoso, M.B., 2013. Quality of life in regular hemodialysis patient with and without health insurance in bandung city. STIKES Jend A. Yani, Cimahi.
- Sari, K.D., 2017. Hubungan lama menjalani terapi hemodialisis dengan kualitas hidup pasien penyakit ginjal kronik di instaasi hemodialisis RSUD Abdul Moeloek Provinsi Lampung tahun 2016 (skripsi). Universitas Lampung, Bandar Lampung.
- Schipper, H., Clinch, J.J., Olweny, C.L.M., 1996. Quality of life studies: definitions and conceptual issues. In: Spilker, B. (ed). Quality of Life and Pharmacoeconomics in Clinical trials, 2nd ed. Philadelphia: Lippincott-Raven Publishers, pp: 11-24.
- Schleifer, C., 1987. Migration of peritoneal catheters: personal experience and survey of 72 other units. Perit Dial Bull 1987: 189-193.

- Skevington, S.M., Lotfy, M., O'Connell, K.A., 2004, The world health organizations WHOQOL4Bref quality of life assesment: psycometric properties and result of the international field trial a report from the WHOQOL Group, Departement Psikology Netherlands, vol. 13, hal. 299 – 310
- Smit, W., 2003. Peritoneal function and assessment of reference values using a 3.86% glucose solution. *Perit Dial Int* 23(5):440-449.
- Smit, W., 2004. Analysis of the prevalence and causes of ultrafiltration failure during long-term peritoneal dialysis: a cross-sectional study. *Perit Dial Int* 24(6):562-570.
- Soni, R.K., Weisbord, S.D., Unruh, M.L., 2010. Health-related quality of life outcomes in chronic kidney disease. *Current Opinion in Nephrology and Hypertension* 19:153–159
- Suwitra, K., 2014. Penyakit ginjal kronik. In: Setiati, S., Alwi, I., Sudoyo, A.W., Simadibrata, M., Setiyohadi, B., Syam, A.F. (Ed): *Buku Ajar Ilmu Penyakit Dalam*, pp: 2159-65. Interna Publishing, Jakarta.
- The European Best Practice Guideline Working Group on Peritoneal Dialysis. 2011. Adequacy of peritoneal dialysis. *Nephrol Dial Trunsp* 23: 224-227.
- Unruh, M.L., Weisbord, S.D., Kimmel, P.L., 2005. Health-related quality of life in nephrology research and clinical practice. *Semin Dial* 18:82-90.
- Van Dij, C.M., Ledesma, S.G., Teitelbaum, I., 2005. Patient characteristics associated with defects of the peritoneal cavity boundary. *Perit Dial Int* 25(4):367-373.
- Vijay, K., 2002. End stage renal disease in developing countries. *Kidney Int.* 62: 350-62.
- WHOQOL Group. 1998. The World Health Organization Quality of Life Assessment (WHOQOL). Development and psychometric properties. *Soc Sci Med*; 46:1569-1585
- Williams, J.D., 2002. Morphologic changes in the peritoneal membrane of patients with renal disease. *J Am Soc Nephrol* 13(2):470-479.
- Wilson, I.B., Cleary, P.D., 2010. Linking clinical variables with health-related quality of life: a conceptual model of patient outcomes. *JAMA* 273: 59-65.
- Winson, j., 2014. *Kualitas Hidup Pasien yang Menjalani Hemodialisis Rutin di RSUD Tarakan, Kalimantan Utara*, Universitas Muhammadiyah Tarakan, Tarakan.



UNIVERSITAS
GADJAH MADA

**PERBEDAAN KUALITAS HIDUP BERDASARKAN KEGAGALAN ULTRAFILTRASI PADA PASIEN
PENYAKIT GINJAL KRONIS
YANG MENJALANI CONTINUOUS AMBULATORY PERITONEAL DIALYSIS DI RUMAH SAKIT UMUM
PUSAT SARDJITO
YOGYAKARTA**

KHOIRUL ANWAR, Dr. dr. Agus Siswanto, Sp.PD-Kpsi.; dr. Iri Kuswadi, Sp.PD-KGH

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yang, F., Luo, N., Lau, T., Yu, Z.L., Foo, M.W.Y., et al. 2018. Health-Related Quality of Life in Patients Treated with Continuous Ambulatory Peritoneal Dialysis and Automated Peritoneal Dialysis in Singapore. *Pharmaco Economics Open* 2: 203–208.