

## DAFTAR PUSTAKA

- Agustiningrum, Yuriza dan Nur Lathifah Mardiyanti. 2017. Indeks massa tubuh (IMT) dan rasio lingkaran pinggang dan panggul (RLPP) sebagai prediktor hipertensi pada lanjut usia. *Jurnal Terpadu Ilmu Kesehatan* 6(2):127-136
- Almatsier, S. 2009. *Prinsip Dasar Ilmu Gizi*. Jakarta: Gramedia Pustaka Utama
- Anandatia, A. 2009. Hubungan antara indeks massa tubuh (IMT) dengan rasio pinggang-tinggi badan (RPT) dan persentase lemak tubuh (PLT) pada siswa SMA Negeri 1 Sleman. *Skripsi*. Fakultas Kedokteran Universitas Gadjah Mada
- Auliyah, Aidah. 2012. Hubungan indeks massa tubuh, persen lemak tubuh, aktivitas fisik dan faktor lainnya dengan obesitas sentral pada pegawai satlantas dan sumda di Polresta Depok tahun 2012. *Skripsi*. Fakultas Kesehatan Masyarakat Universitas Indonesia
- Bacopoulou, F., Efthymiou, V., Landis, G., Rentoumis, A., Chrousos, G.P. 2015. Waist circumference, waist-to-hip ratio and waist-to-height ratio reference percentiles for abdominal obesity among greek adolescents. *BMC Pediatrics* 15:50
- Budiharjo, S., Rahmawati, N. T., Kandarina, B.J. I. 2017. *Anthropometry for health risk screening*. Tursilawati, B, editor. *Student's Book Block C.6 Lifestyle Related Diseases*. Third Edition. Yogyakarta: Universitas Gadjah Mada
- Boulier, A., Fricker, J., Thomasset, A.L., Apfelbaum, M. 1990. Fat-free mass estimation by the two-electrode impedance method. *American Journal of Clinical Nutrition* 52(4):581-585
- Cadman, editor. 2008. Waist circumference and waist-hip ratio. Report of a WHO Expert Consultation, Geneva. Available from : [http://apps.who.int/iris/bitstream/10665/44583/1/9789241501491\\_eng.pdf](http://apps.who.int/iris/bitstream/10665/44583/1/9789241501491_eng.pdf) [Accessed on 14 Nov. 2018]
- Casey, J. 2003. *Body fat measurement comparing percentage with body mass*. [online] WebMD. Available from: <http://www.webmd.com/diet/features/body-fat-measurement#1> [Accessed 16 Nov. 2018].
- Danielzik, S.P., Gehrke, M.I., Kehden, B., Hauschild, K.K., Grillenberger, M., Willhoft, C., Westphal, A.B., Muller, M.J. 2012. Body fat percentiles for German children and adolescents. *The European Journal of Obesity* 5:77-90

- De Lorenzo, A., Andreoli, A., Matthie, J., Withers, P. 1997. Predicting body cell mass with bioimpedance by using theoretical methods: a technological review. *Journal of Applied Physiology* 82(5):1542-1558
- Ellis, K.J. 2001. Selected body composition methods can be used in field studies. *The Journal of Nutrition* 131(5):1589-1595
- Escobar-Cardozo, G.D., Correa-Bautista, J.E., Gonzalez-Jimenez, E., Schmidt-RioValle, J., Ramirez-Velez, R. 2015. Percentiles of body fat measured by bioelectrical impedance in children and adolescent from Bogota (Colombia): the FUPRECOL Study
- Etchison, W., Bloodgood, E., Minton, C., Thompson, N., Collins, M., Hunter, S. and Dai, H. (2011). Body mass index and percentage of body fat as indicators for obesity in an adolescent athletic population. *Sports Health: A Multidisciplinary Approach*, 3(3), pp.249-252. [online] Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3445161/> [Accessed 16 Nov. 2018]
- Fadila, Ila dan Isfarudi. 2013. Pengukuran kadar trigliserida darah melalui pendekatan antropometri. Seminar Nasional FMIPA UNDIKSHA III
- Fredriks, A.M., Buuren, S.V., Fekkes, M., Vanhorick, S.P.V., Wit, J.M. 2005. Are age references for waist circumference and waist-hip ratio in Dutch children useful in clinical practice? *European Journal of Pediatrics* 164:216-222
- Freedman, D.S., Horlick, M., Berenson, G.S. 2013. A Comparison of the Slaughter skinfold-thickness equations and BMI in predicting body fatness and cardiovascular disease risk factor levels in children. *American Journal of Clinical Nutrition* 98:1417-24
- Gallagher, D., Heymsfield, S.B., Heo, M., Jebb, S.A., Murgatroyd, P.R., Sakamoto, Y. 2000. Healthy percentage body fat ranges : an approach for developing guideline based on body mass index. *American Journal of Clinical Nutrition* 72:694-701
- Giugliano, R., Melo, A.L.P. 2004. Diagnosis of overweight and obesity in schoolchildren: utilization of body mass index international standard. *Journal de Pediatria* 80(2):129-134
- Harsojo, Tjahjo. 1997. Model prediksi persen lemak tubuh orang dewasa dengan rasio lingkaran pinggang-pinggul. *Tesis*. Fakultas Kesehatan Masyarakat Universitas Indonesia

- Hassan, Rusepno dan Husein Alatas. 2007. *Buku Kuliah Ilmu Kesehatan Anak Jilid 1*. Jakarta: Bagian Ilmu Kesehatan Anak Fakultas Kedokteran Universitas Indonesia
- HealthStatus. *Body fat – how does it affect health? & essential body fat*. [online] Available from: [https://www.healthstatus.com/health\\_blog/bodyfat-calculator-2/body-fat-how-does-it-affect-health/](https://www.healthstatus.com/health_blog/bodyfat-calculator-2/body-fat-how-does-it-affect-health/) [Accessed 16 Nov.2018]
- Heitmann, B. 2010. Obesity and gender. In: Kopelman, PG, Caterson, ID, Dietz, WH. *Clinical Obesity*. 3<sup>rd</sup> edition. Singapore: Wiley-Blackwell, pp. 58-64
- Ilman, M., Zuhairini, Y., Siddiq, A. 2015. Correlation between body mass index and body fat percentage. *Althea Medical Journal* 2(4):575-578
- Inandia, Katrina. 2012. Kejadian obesitas berdasarkan persen lemak tubuh dan rasio lingkaran pinggang pinggul serta faktor-faktor lain yang berhubungan pada prelansia dan lansia Kelurahan Depok Jaya, Depok. *Skripsi*. Fakultas Kesehatan Masyarakat Universitas Indonesia
- Karundeng, R., Wangko, S., Kalangi, S.J.R. 2014. Jaringan lemak putih dan jaringan lemak coklat. *Jurnal Biomedik* 6(3):8-16
- Kementerian Kesehatan Republik Indonesia. 2007. Laporan hasil riset kesehatan dasar 2007. Badan Penelitian dan Pengembangan Kesehatan
- Kementerian Kesehatan Republik Indonesia. 2013. Laporan hasil riset kesehatan dasar 2013. Badan Penelitian dan Pengembangan Kesehatan
- Kementerian Kesehatan Republik Indonesia. 2018. Laporan hasil riset kesehatan dasar 2018. Badan Penelitian dan Pengembangan Kesehatan
- Khodijah, D., Lukman, E., Munigar, M. 2013. Obesitas dengan kualitas hidup remaja. *Jurnal Health Quality* 3(2):133-140
- Kusumastuti, J. A. 2015. Hubungan indeks pergelangan tangan, rasio lingkaran pinggang-pinggul, dan tekanan darah pada mahasiswa di Daerah Istimewa Yogyakarta. *Skripsi*. Fakultas Kedokteran Universitas Gadjah Mada
- Laurson, K.R., Eisenmann, J.C., Welk, G.J. 2011. Body fat percentile curves for U.S. children and adolescents. *American Journal of Preventive Medicine* 41(4S2):S87-S92

- Lobstein, T., Baur, L., Uauy, R. 2004. For the IASO international obesity task force, obesity in children and young people: a crisis in public health. *Obesity Reviews* 5(1):84-5
- Maharani, K. 2016. Hubungan kualitas dan durasi tidur terhadap indeks massa tubuh dan rasio lingkaran pinggang-pinggul pada mahasiswa Fakultas Kedokteran Universitas Gadjah Mada. *Skripsi*. Fakultas Kedokteran Universitas Gadjah Mada
- McCarthy, H.D., Cole, T.J., Fry, T., Jebb, S.A., Prentice, A.M. 2006. Body fat reference curves for children. *International Journal of Obesity* 30; 598-602
- Meeuwssen, S., Horgan, G.W., Elia, M. 2010. The relationship between BMI and percent body fat, measured by bioelectrical impedance, in a large adult sample is curvilinear and influenced by age and sex. *Clinical Nutrition* 29(5):560-566
- Moore, L.M., Fals, A.M., Jennelle, P.J., Green, J.F., Pepe, J., Richard, T. 2015. Analysis of pediatric waist to hip ratio relationship to metabolic syndrome markers. *Journal of Pediatric Health Care* 29:4
- Moreno, L.A., Mesana, M.I., Gross, M.G., Gil, C.M., Fleta, J., Warnberg, J., Ruiz, J.R., Sarria, A., Marcos, A., Bueno, M. 2005. Anthropometric body fat composition reference values in Spanish adolescents. The AVENA Study. *European Journal of Clinical Nutrition* 1-6
- Mueller, W.H., Harrist, R.B., Doyle, S.R., Labarthe, D.R. 2004. Percentiles of body composition from bioelectrical impedance and body measurements in U.S. adolescents 8-17 years old : Project HeartBeat! *American Journal of Human Biology* 16:135-150
- Mukhopadhyay, S., Bhattacharjee, P., Joshi, P. 2017. School based screening tools for childhood obesity: a comparison of TSFT, WHR and BMI. *International Journal of Contemporary Pediatrics* 4(2):370-373
- Mushtaq, M.U., Gull, S., Abdullah, H.M., Shahid, U., Shad, M.A., Akram, J. 2011. Waist circumference, waist-hip ratio and waist-height ratio percentiles and central obesity among Pakistani children aged five to twelve years. *BMC Pediatrics* 11:105. Available from: <http://www.biomedcentral.com/1471-2431/11/105/> [Accessed 14 Nov. 2018]
- Nathania, G. 2017. Hubungan antara status gizi berdasarkan lingkaran pinggang dan rasio lingkaran pinggang-tinggi badan dengan kejadian

*dysmenorrhea* pada siswi usia 13-15 tahun. *Skripsi*. Fakultas Kedokteran Universitas Gadjah Mada

Norton, K., Carter, L., Olds, T., Jones, M.M. 2001. International standard for anthropometric assessment. International Society for the Advancement of Kinanthropometry

Pahlevi, A.E., Indarjo, S. 2012. Determinan status gizi pada siswa sekolah dasar. *Jurnal Kesehatan Masyarakat* 7(2);116-120

Pal, A., Pari, A.K., Sinha, A., Dhara, P.C. 2017. Prevalence of undernutrition and associated factors: A cross-sectional study among rural adolescents in West Bengal, India. *International Journal of Pediatrics and Adolescent Medicine*. Elsevier Ltd, 4(1):9-18

Purnamasari, H., Gunarso, U., Rujito, L. 2010. *Overweight* sebagai faktor risiko *low back pain* pada pasien poli saraf RSUD Prof. Dr. Margono Soekarjo Purwokerto. *Mandala of Health* 4(1):26-32

Rahayu, Dianita Dwi Puji. 2018. Perbedaan prevalensi obesitas dan pendek pada anak SD dan SMP di kota dan desa di Provinsi Daerah Istimewa Yogyakarta. *Skripsi*. Fakultas Kedokteran, Kesehatan Masyarakat dan Keperawatan Universitas Gadjah Mada

Rahmawati, N.T., Hastuti, J., Muttaqien, Z. 2018. Correlation between anthropometric measurements, somatotype, and blood pressure of children 7-12 years old in Yogyakarta Province, Indonesia. *Proceedings of 21<sup>st</sup> Congress of the European Anthropological Association*; August 22-25; Denmark

Ramya, H.S., Goutham, A.S., Pragyee, D. 2017. Body mass index, waist hip ratio and body fat percentage as early predictors of pre-diabetes and pre-hypertension in adolescents. *Current Pediatric Research* 21(2):327-334

Ranasinghe, C., Gamage, P., Katulanda, P., Andraweera, N., Thilakarathne, S., Tharanga, P. 2013. Relationship between body mass index (BMI) and body fat percentage, estimated by bioelectrical impedance, in a group of Sri Lankan adults : A Cross Sectional Study. *BMC Public Health* 13:797

Sakina, Prihatanto, F.S.I., Purwidyastuti, D., Artaria, M.D. 2014. Pertumbuhan anak-anak usia 7-11 tahun di Surabaya: ketidaksesuaian berat badan dengan referensi WHO. *Jurnal Masyarakat, Kebudayaan, dan Politik* 27(2);113-120

- Sarayati, Safirah. 2016. Analisis faktor perilaku seksual pada anak SD di SDN Dukuh Kupang II – 489 Kecamatan Dukuh Pakis Kelurahan Dukuh Kupang Surabaya. *Skripsi*. Universitas Airlangga
- Sartika, R.A.D. 2011. Faktor risiko obesitas pada anak 5-15 tahun di Indonesia. *Makara Kesehatan* 15(1):37-43
- Sastroasmoro, S., Ismael, S. 2002. *Dasar-dasar metodologi penelitian klinis*. Jakarta : Sagung Seto
- Schwandt, P., Eckardtstein, A.V., Haas, G.M. 2012. Percentiles of percentage body fat in German children and adolescents : an international comparison. *International Journal of Preventive Medicine* 3:846-52
- Setiani, R.B. 2007. Indeks massa badan dan total tebal lipatan kulit triseps, biceps, subskapula, dan suprailiaka pada remaja usia 12-15 tahun di Kabupaten Bantul. *Skripsi*. Fakultas Kedokteran Universitas Gadjah Mada
- Silva, D.R., Ribeiro, A.S., Pavao, F.H., Ronque, E.R., Avelar, A., Silva, A.M., Cyrino, E.S. 2013. Validity of the methods to assess body fat in children and adolescent using multi-compartment models as the reference method: a systematic review. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24119380> [Accessed 23 Nov. 2018]
- Sitoayu, Laras dan Trini Sudiarti. 2016. Studi validasi pengukuran antropometri dan model prediksi terhadap persen lemak tubuh BIA pada siswa MTs dan MA Multiteknik Yayasan Asih Putera Cimahi tahun 2012. *Forum Ilmiah* 13(2):64-75
- Siwi, H.P. 2017. Hubungan antara usia *menarche* dengan tinggi badan dan rasio lingkaran pinggang terhadap lingkaran panggul pada mahasiswa di D.I. Yogyakarta. *Skripsi*. Fakultas Kedokteran Universitas Gadjah Mada
- Skruze, G., Kazoka, D. 2017. Use of waist to hip ratio in the determination of body composition in preschool children in Latvian population. *Papers on Anthropology* XXVI/2, pp.126-135
- Sugiyono. 2015. *Statistika untuk Penelitian*. Bandung: Alfabeta
- Sunarti, Maryani, E. 2013. Rasio lingkaran pinggang dan pinggul dengan penyakit jantung koroner di RSUD Kabupaten Sukoharjo. *Buletin Penelitian Sistem Kesehatan* 16 (1):73-82
- Supariasa, D.N., Bakri, B., Fajar, I. 2001. *Penilaian status gizi*. Jakarta : EGC

- Sweeting, H.N. 2007. Measurement and definitions of obesity in childhood and adolescence : a field guide for the uninitiated. *Nutrition Journal*, 6:32
- Truesdale, K.P., Roberts, A., Stevens, J. 2016. Comparison of eight equations that predict percent body fat using skinfolds in American youth. *Childhood Obesity* 12(4):314-323
- Wannamethee, S.G., Shaper, A.G., Whincup, P.H. 2005. Body fat distribution, body composition, and respiratory function in elderly men. *American Journal of Clinical Nutrition* 82(5):996-1003
- WHO expert consultation. 2004. Appropriate body mass index for Asian populations and its implication for policy and intervention strategies. *The Lancet* 363;157-163
- World Heart Organization. 2018. Obesity and overweight. Available from: <http://www.who.int/en/news-room/fact-sheets/detail/obesity-and-overweight> [Accessed 7 Nov. 2018]
- World Health Organization. 2017. Tenfold increase in childhood and adolescent obesity in four decades : new study by Imperial College London and WHO. Available from: <http://www.who.int/en/news-room/detail/11-10-2017-tenfold-increase-in-childhood-and-adolescent-obesity-in-four-decades-new-study-by-imperial-college-london-and-who> [Accessed 7 Nov. 2018]