

BIBLIOGRAPHY

- Ambrose JA and Barua RS. (2004) The pathophysiology of cigarette smoking and cardiovascular disease: an update. *Journal of the American college of cardiology* 43: 1731-1737.
- Anthonisen NR, Skeans MA, Wise RA, et al. (2005) The Effects of a Smoking Cessation Intervention on 14.5-Year Mortality. *Annals of Internal Medicine* 142: 233-239.
- Bilano V, Gilmour S, Moffiet T, et al. (2015) Global trends and projections for tobacco use, 1990–2025: an analysis of smoking indicators from the WHO Comprehensive Information Systems for Tobacco Control. *The Lancet* 385: 966-976.
- Borland R, Owen N, Hill D, et al. (1991) Predicting attempts and sustained cessation of smoking after the introduction of workplace smoking bans. *Health Psychology* 10: 336.
- Chomitz K, Setiadi G, Azwar A, et al. (1999) *What do doctors want? Developing incentives for doctors to serve in Indonesia's rural and remote areas*: The World Bank.
- Christofides NJ, Muirhead D, Jewkes RK, et al. (2006) Women's experiences of and preferences for services after rape in South Africa: interview study. *Bmj* 332: 209-213.
- Coast J and Horrocks S. (2007) Developing attributes and levels for discrete choice experiments using qualitative methods. *J Health Serv Res Policy* 12: 25-30.
- Coe JW, Brooks PR, Vetelino MG, et al. (2005) Varenicline: an $\alpha 4\beta 2$ nicotinic receptor partial agonist for smoking cessation. *Journal of medicinal chemistry* 48: 3474-3477.
- Control CfD. (1990a) *The health benefits of smoking cessation: a report of the Surgeon General*: US Department of Health and Human Services, Public Health Service, Centers for Disease Control, Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health.
- Control CfD. (1990b) Smokers' beliefs about the health benefits of smoking cessation--20 US communities, 1989. *MMWR. Morbidity and mortality weekly report* 39: 653.
- Czoli CD, Goniewicz M, Islam T, et al. (2016) Consumer preferences for electronic cigarettes: results from a discrete choice experiment. *Tob Control* 25: e30-e36.

- de Bekker-Grob EW, Ryan M and Gerard K. (2012) Discrete choice experiments in health economics: a review of the literature. *Health Economics* 21: 145-172.
- Derby CA, Lasater TM, Vass K, et al. (1994) Characteristics of smokers who attempt to quit and of those who recently succeeded. *American journal of preventive medicine* 10: 327-334.
- DeShazo JR and Fermo G. (2002) Designing Choice Sets for Stated Preference Methods: The Effects of Complexity on Choice Consistency. *Journal of Environmental Economics and Management* 44: 123-143.
- Drope J and Neil WS. (2018) The Tobacco Atlas. 6th Edition.
- Edwards R. (2004) ABC of smoking cessation: the problem of tobacco smoking. *BMJ: British Medical Journal* 328: 217.
- Ekpu VU and Brown AK. (2015) The economic impact of smoking and of reducing smoking prevalence: review of evidence. *Tobacco use insights* 8: TUI. S15628.
- El Hajj MS, Kheir N, Al Mulla AM, et al. (2015) Assessing the effectiveness of a pharmacist-delivered smoking cessation program in the State of Qatar: study protocol for a randomized controlled trial. *Trials* 16: 65.
- Eriksen M, Mackay J and Ross H. (2014) The Tobacco Atlas. 4th Edition.
- Fagerström K and Furberg H. (2008) A comparison of the Fagerström Test for Nicotine Dependence and smoking prevalence across countries. *Addiction* 103: 841-845.
- Fawzani N and Triatnawati A. (2005) Terapi berhenti merokok (studi kasus 3 perokok berat). *Makara, Kesehatan* 9: 15-22.
- Fiore MC, Jaen CR, Baker T, et al. (2008) Treating tobacco use and dependence: 2008 update. *Rockville, MD: US Department of Health and Human Services*.
- Getsios D, Marton JP, Revankar N, et al. (2013) Smoking cessation treatment and outcomes patterns simulation: a new framework for evaluating the potential health and economic impact of smoking cessation interventions. *Pharmacoeconomics* 31: 767-780.
- Gilpin E, Pierce JP, Goodman J, et al. (1992) Reasons smokers give for stopping smoking: do they relate to success in stopping? *Tob Control* 1: 256.

- Glantz SA and Parmley WW. (1991) Passive smoking and heart disease. Epidemiology, physiology, and biochemistry. *Circulation* 83: 1-12.
- Goto R, Nishimura S and Ida T. (2007) Discrete choice experiment of smoking cessation behaviour in Japan. *Tob Control* 16: 336-343.
- Goto R, Takahashi Y and Ida T. (2011) Changes in Smokers' Attitudes Toward Intended Cessation Attempts in Japan. *Value in Health* 14: 785-791.
- Goto R, Takahashi Y, Nishimura S, et al. (2009) A cohort study to examine whether time and risk preference is related to smoking cessation success. *Addiction* 104: 1018-1024.
- Hall J, Viney R, Haas M, et al. (2004) Using stated preference discrete choice modeling to evaluate health care programs. *Journal of Business Research* 57: 1026-1032.
- Hanson K, McPake B, Nakamba P, et al. (2005) Preferences for hospital quality in Zambia: results from a discrete choice experiment. *Health Econ* 14: 687-701.
- Hatziaandreu EJ, Pierce JP, Lefkopoulou M, et al. (1990) Quitting smoking in the United States in 1986. *JNCI: Journal of the National Cancer Institute* 82: 1402-1406.
- Hellman R, Cummings K, Haughey B, et al. (1991) Predictors of attempting and succeeding at smoking cessation. *Health Education Research* 6: 77-86.
- Helter TM and Boehler CEH. (2016) Developing attributes for discrete choice experiments in health: a systematic literature review and case study of alcohol misuse interventions. *Journal of substance use* 21: 662-668.
- Henry MJ, Pasco JA, Nicholson GC, et al. (2000) Prevalence of osteoporosis in Australian women: Geelong osteoporosis study. *Journal of Clinical Densitometry* 3: 261-268.
- Hensher DA, Rose JM and Greene WH. (2005) *Applied choice analysis: a primer*: Cambridge University Press.
- Hubbard G, Gorely T, Ozakinci G, et al. (2016) A systematic review and narrative summary of family-based smoking cessation interventions to help adults quit smoking. *BMC family practice* 17: 73.

- Hymowitz N, Cummings KM, Hyland A, et al. (1997) Predictors of smoking cessation in a cohort of adult smokers followed for five years. *Tob Control* 6: S57.
- Hymowitz N, Sexton M, Ockene J, et al. (1991) Baseline factors associated with smoking cessation and relapse. *Prev Med* 20: 590-601.
- Jha P and Peto R. (2014) Global effects of smoking, of quitting, and of taxing tobacco. *N Engl J Med* 370: 60-68.
- Jorenby DE, Hays JT, Rigotti NA, et al. (2006) Efficacy of varenicline, an $\alpha 4\beta 2$ nicotinic acetylcholine receptor partial agonist, vs placebo or sustained-release bupropion for smoking cessation: a randomized controlled trial. *Jama* 296: 56-63.
- Kjær T. (2005) *A review of the discrete choice experiment-with emphasis on its application in health care*: Syddansk Universitet Denmark.
- Kjaer T, Bech M, Gyrd-Hansen D, et al. (2006) Ordering effect and price sensitivity in discrete choice experiments: need we worry? *Health Econ* 15: 1217-1228.
- Klein RJ and Schoenborn CA. (2001) Age adjustment using the 2000 projected US population.
- Kotnowski K, Fong GT, Gallopel-Morvan K, et al. (2016) The Impact of Cigarette Packaging Design Among Young Females in Canada: Findings From a Discrete Choice Experiment. *Nicotine & Tobacco Research* 18: 1348-1356.
- Kristina SA. (2015) Development and Evaluation of Tobacco Education for Pharmacy Students and Pharmacists in Yogyakarta Province, Indonesia. Mahidol University.
- Lancaster KJ. (1966) A new approach to consumer theory. *Journal of political economy* 74: 132-157.
- Lee C-w and Kahende J. (2007) Factors associated with successful smoking cessation in the United States, 2000. *American Journal of Public Health* 97: 1503-1509.
- Lwanga SK, Lemeshow S and Organization WH. (1991) Sample size determination in health studies: a practical manual.
- Mangham LJ, Hanson K and McPake B. (2009) How to do (or not to do) ... Designing a discrete choice experiment for application in a low-income country. *Health Policy Plan* 24: 151-158.

- Marti J. (2012) Assessing preferences for improved smoking cessation medications: a discrete choice experiment. *Eur J Health Econ* 13: 533-548.
- McFadden D. (1986) The Choice Theory Approach to Market Research. *Marketing Science* 5: 275-297.
- Ministry of Health R. (2013) Basic Health Research *Jakarta: Agency for Health Research and Development*.
- Nurwidya F, Takahashi F, Baskoro H, et al. (2014) Strategies for an effective tobacco harm reduction policy in Indonesia. *Epidemiol Health* 36: e2014035.
- Odum AL, Madden GJ and Bickel WK. (2002) Discounting of delayed health gains and losses by current, never- and ex-smokers of cigarettes. *Nicotine Tob Res* 4: 295-303.
- Ohmura Y, Takahashi T and Kitamura N. (2005) Discounting delayed and probabilistic monetary gains and losses by smokers of cigarettes. *Psychopharmacology* 182: 508-515.
- Oncken C, Gonzales D, Nides M, et al. (2006) Efficacy and Safety of the Novel Selective Nicotinic Acetylcholine Receptor Partial Agonist, Varenicline, for Smoking Cessation. *Arch Intern Med* 166: 1571-1577.
- Orleans CT, Slade J and Slade JD. (1993) *Nicotine addiction: principles and management*: Oxford University Press on Demand.
- Paterson RW, Boyle KJ, Parmeter CF, et al. (2008) Heterogeneity in preferences for smoking cessation. *Health Economics* 17: 1363-1377.
- Pesko MF, Kenkel DS, Wang H, et al. (2016) The effect of potential electronic nicotine delivery system regulations on nicotine product selection. *Addiction* 111: 734-744.
- Powell JT. (1998) Vascular damage from smoking: disease mechanisms at the arterial wall. *Vascular medicine* 3: 21-28.
- President Republic of Indonesia. (2012) Government Regulation (PP) No. 109 Restraining Addictive Substances of Tobacco Product for Health. Jakarta: President Republic of Indonesia.
- Pryor WA and Stone K. (1993) Oxidants in cigarette smoke radicals, hydrogen peroxide, peroxyxynitrate, and peroxyxynitrite. *Annals of the New York Academy of Sciences* 686: 12-27.

- Pryor WA, Stone K, Zang L-Y, et al. (1998) Fractionation of aqueous cigarette tar extracts: fractions that contain the tar radical cause DNA damage. *Chemical research in toxicology* 11: 441-448.
- Regmi K, Kaphle D, Timilsina S, et al. (2018) Application of Discrete-Choice Experiment Methods in Tobacco Control: A Systematic Review. *Pharmacoecon Open* 2: 5-17.
- Roberts WL, Moulton L, Law TC, et al. (2001) Evaluation of nine automated high-sensitivity C-reactive protein methods: implications for clinical and epidemiological applications. Part 2. *Clinical chemistry* 47: 418-425.
- Royce JM, Hymowitz N, Corbett K, et al. (1993) Smoking cessation factors among African Americans and whites. COMMIT Research Group. *American Journal of Public Health* 83: 220-226.
- Ryan M. (2004) Discrete choice experiments in health care: NICE should consider using them for patient centred evaluations of technologies. *BMJ: British Medical Journal* 328: 360.
- Ryan M, Bate A, Eastmond C, et al. (2001) Use of discrete choice experiments to elicit preferences. *BMJ Quality & Safety* 10: i55-i60.
- Ryan M, Gerard K and Amaya-Amaya M. (2007) *Using discrete choice experiments to value health and health care*: Springer Science & Business Media.
- Ryan M, Netten A, Skåtun D, et al. (2006) Using discrete choice experiments to estimate a preference-based measure of outcome—an application to social care for older people. *Journal of health economics* 25: 927-944.
- Salloum RG, Abbyad CW, Kohler RE, et al. (2015) Assessing preferences for a university-based smoking cessation program in Lebanon: a discrete choice experiment. *Nicotine Tob Res* 17: 580-585.
- Schoren C, Hummel K and Vries H. (2017) Electronic cigarette use: comparing smokers, vapers, and dual users on characteristics and motivational factors. *Tobacco Prevention & Cessation* 3.
- Smith CJ and Fischer TH. (2001) Particulate and vapor phase constituents of cigarette mainstream smoke and risk of myocardial infarction. *Atherosclerosis* 158: 257-267.
- Stead LF, Perera R, Bullen C, et al. (2008) Nicotine replacement therapy for smoking cessation. *Cochrane Database Syst Rev* 1.

- Street DJ, Burgess L and Louviere JJ. (2005) Quick and easy choice sets: Constructing optimal and nearly optimal stated choice experiments. *International Journal of Research in Marketing* 22: 459-470.
- Taylor AE, Johnson DC and Kazemi H. (1992) Environmental tobacco smoke and cardiovascular disease. A position paper from the Council on Cardiopulmonary and Critical Care, American Heart Association. *Circulation* 86: 699-702.
- Tsai Y-W, Tsai T-I, Yang C-L, et al. (2008) Gender differences in smoking behaviors in an Asian population. *Journal of Women's Health* 17: 971-978.
- Tucker JS, Ellickson PL, Orlando M, et al. (2005) Predictors of attempted quitting and cessation among young adult smokers. *Prev Med* 41: 554-561.
- Vanasse A, Niyonsenga T and Courteau J. (2004) Smoking cessation within the context of family medicine: which smokers take action? *Prev Med* 38: 330-337.
- Venters MH, Kottke TE, Solberg LI, et al. (1990) Dependency, social factors, and the smoking cessation process: the doctors helping smokers study. *American journal of preventive medicine* 6: 185-193.
- West R and Shiffman S. (2001) Effect of oral nicotine dosing forms on cigarette withdrawal symptoms and craving: a systematic review. *Psychopharmacology* 155: 115-122.
- Whitty JA, Kendall E, Sav A, et al. (2015) Preferences for the delivery of community pharmacy services to help manage chronic conditions. *Research in Social and Administrative Pharmacy* 11: 197-215.
- WHO. *Tobacco*. Available at: <http://www.who.int/en/news-room/factsheets/detail/tobacco>.
- WHO. *The top 10 causes of death*. Available at: <http://www.who.int/mediacentre/factsheets/fs310/en/index2.html>.
- WHO. (2013) *WHO report on the global tobacco epidemic, 2013: enforcing bans on tobacco advertising, promotion and sponsorship*: World Health Organization.
- WHO Framework Convention on Tobacco Control. (2017) *Parties to the WHO Framework Convention on Tobacco Control*. Available at: https://treaties.un.org/pages/ViewDetails.aspx?src=TREATY&mtdsg_no=IX-4&chapter=9&clang=_en.

Wilcox NS, Prochaska JO, Velicer WF, et al. (1985) Subject characteristics as predictors of self-change in smoking. *Addict Behav* 10: 407-412.

Williams RJ, Herzog TA and Simmons VN. (2011) Risk perception and motivation to quit smoking: a partial test of the Health Action Process Approach. *Addict Behav* 36: 789-791.