

## DAFTAR PUSTAKA

- Afroz, H., Hossain, M. M., dan Fakruddin, M. (2014). A 6-year retrospective study of bloodstream Salmonella infection and antibiotic susceptibility of Salmonella enterica serovar Typhi and Paratyphi in a tertiary care hospital in Dhaka, Bangladesh. *Tzu Chi Med J*; 26(2): 73-78.
- Balcazar, J. L. (2014). Bacteriophages as Vehicles for Antibiotic Resistance Genes in the Environment. *PLoS Pathogens*; 10(7): 1-4.
- Buckle, G. C., Walker, C. L. F., dan Black, R. E. (2012). Typhoid fever and paratyphoid fever: Systematic review to estimate global morbidity and mortality for 2010. *GH Journal*; 2(1): 1-9.
- Cadieux G., Tamblyn R., Dauphinee D., Libman M. (2007). Predictors of Inappropriate Antibiotic Prescribing Among Primary Care Physicians. *Can Med Assoc J*; 177(8): 877-883.
- Chambers S., Murdoch D., Pearce M. (1995). Clinical and Economic Considerations in the Use of Third-Generation Oral Cephalosporins. *PharmacoEconomics*; 7(5):416-427.
- Chiou, C., Lauderdale, T., Phung, D. C., Watanabe, H., Kuo, J., Wang, P., Liu, Y., Liang, S., Chen, P. (2014). Antimicrobial Resistance in Salmonella enterica Serovar Typhi Isolates from Bangladesh, Indonesia, Taiwan, and Vietnam. *Antimicrob. Agents Chemother.*; 58(11): 6501-6507.
- Crump, J. A., Sjölund-Karlsson, M., Gordon, M. A., dan Parry, C. M. (2007). Predictors of inappropriate antibiotic prescribing among primary care physicians. *Can Med Assoc J*; 177(8): 877-883.
- Crump, J., Sjölund-Karlsson, M., Gordon, M. and Parry, C. (2015). Epidemiology, Clinical Presentation, Laboratory Diagnosis, Antimicrobial Resistance, and Antimicrobial Management of Invasive Salmonella Infections. *Clin. Microbiol. Rev*; 28(4): 901-937.
- Davies, S. (2018). Reducing inappropriate prescribing of antibiotics in English primary care: evidence and outlook. *J. Antimicrob. Chemother*; 73(4): 833-834.
- Depkes RI. (2007). Riset Kesehatan Dasar (RISKESDAS) 2007. Jakarta: Depkes RI.
- Depkes RI. (2008). Pedoman Pengendalian Demam Tifoid. Jakarta: Depkes RI
- Eliopoulos G., Huovinen P. (2001). Resistance to Trimethoprim-Sulfamethoxazole. *Clin. Infect. Dis.*; 32(11): 1608-1614.
- Fasih, N., Irfan, S., Zafar, A., Khan, E., Hasan, R. (2016). Inducible Clindamycin Resistance due to Expression of Erm Genes in Staphylococcus Aureus:

- Report From a Tertiary Care Hospital in Karachi, Pakistan. *J Pak Med Assoc*; 60(9): 750-753.
- Garner, J.S, Jarvis, W.R., Emori, T., Horan, T. C. dan Hughes, J. M. (1988). CDC definitions for nosocomial infections. *AJIC*; 16(3): 128-140.
- Geografi, L., Wahyono, D., Yasin, N. M. (2014). Evaluasi Penggunaan Antibiotik untuk Terapi Infeksi Saluran Kemih pada Pasien Sindrom Nefrotik Pediatri. *JMPF*; 4(1): 1-6.
- Guay, G. G., Tuckman, M. dan Rothstein, D. M. (1994). Mutations in the tetA(B) gene that cause a change in substrate specificity of the tetracycline efflux pump. *Antimicrob. Agents Chemother.*; 38(4): 857-860.
- Griffiths, A. J. F., Miller, J. H., Suzuki, D. T., Lewontin, R. C., dan Gelbart, W. M. (2000). *An Introduction to Genetic Analysis*. New York: W. H. Freeman.
- Grimont, P. A. D. dan Weil, F. (2007). *Antigenic Formulae of the Salmonella Serovars*. Paris: Institut Pasteur.
- Hadinegoro, S. R., Kadim, M., Devaera, Y., Idris, N. S., Ambarsari, C. G. *Update Management of Infectious Diseases and Gastrointestinal Disorders*. Jakarta: Fakultas Kedokteran Universitas Indonesia, 2012: 9-14
- Hardiyanti. (2018). Manajemen Obat di Instalasi Farmasi Rumah Sakit Umum Daerah Andi Makkasau Kota Parepare Tahun 2018. Universitas Hasanuddin: 23-28.
- Hidayat, F., Setiadi, A. P., Setiawan, E. (2017). Analisis penggunaan dan biaya antibiotik di ruang rawat intensif sebuah Rumah Sakit di Surabaya. *Pharmaciana*; 7(2): 213-230.
- Kaur, J. dan Jain, S. (2012). Role of antigens and virulence factors of Salmonella enterica serovar Typhi in its pathogenesis. *Microbiol. Res.*; 167(4): 199-210.
- Kono M., Sasatsu M., O'Hara K., Shiomi Y., Hayasaka T. (1983). Mechanism of resistance to some cephalosporins in Staphylococcus aureus. *Antimicrob. Agents Chemother.*; 23(6): 938-940.
- Labar, A. S., Millman, J. S., Ruebush, E., Opintan, J. A., Bishar, R., Aboderin, A., Newman, M., Lamikanra, A. dan Okeke, I. (2012). Regional Dissemination of a Trimethoprim-Resistance Gene Cassette via a Successful Transposable Element. *PLoS ONE*; 7(5): 1-10.
- Labi, A., Obeng-Nkrumah, N., Addison, N. O. dan Donkor, E. S. (2014). Salmonella blood stream infections in a tertiary care setting in Ghana. *BMC Infect Dis*; 14(1): 1-10.
- Leekha, S., Terrell, C. L. dan Edson, R. S. (2011). General Principles of Antimicrobial Therapy. *Mayo Clin. Proc.*; 86(2): 156-167.

- Llor C., dan Bjerrum L. (2014). Antimicrobial resistance: risk associated with antibiotic overuse and initiatives to reduce the problem. *Ther Adv Drug Saf*; 5(6): 229-241
- Lugito, N. H. dan Cucunawangsih. (2017). Antimicrobial Resistance of Salmonella enterica Serovars Typhi and Paratyphi Isolates from a General Hospital in Karawaci, Tangerang, Indonesia: A Five-Year Review. *Int. J. Med. Microbiol.*; 2017: 1-7.
- Mahon, C. R., Lehman, D. C., dan Manuseelis, G. *Textbook of Diagnostic Microbiology 5th edition*. Missouri: Saunders Elsevier; 2015: 275-310
- Martinez, R. M., dan Wolk, D. M. (2016). Bloodstream Infections. *Microbiol Spectr*; 4(4): 1-34
- McKay, R., Mah, A., Law, M. R., McGrail, K. and Patrick, D. M. (2016). Systematic Review of Factors Associated with Antibiotic Prescribing for Respiratory Tract Infections. *Antimicrob. Agents Chemother.*; 60(7): 4106-4118.
- Munita, J. M. dan Arias, C. A. (2016). Mechanisms of Antibiotic Resistance. *Microbiol Spectr*; 4(2): 481-511.
- Murray, P. R., Baron, E.J., Jorgensen, J. H., Landry, M. L., Pfaller, M. A. *Manual of Clinical Microbiology* (9th ed.). Washington: ASM Press, 2007: 345-382
- Ochiai, R. L., Acosta, C. J, Agtini, M., Bhattacharya, S. K., Bhutta, Z. A., Do, C. G., Dong, B., Chen, X., Stanton, B., Kaljee, L., Nyamete, A., Galindo, C. M., Seidlein, L. V., DeRoeck, D., Jodar, L. dan Clemens, J. D. (2007). The Use of Typhoid Vaccines in Asia: The DOMI Experience. *Clin. Infect. Dis.*; 45(Suppl 1): 34S-38S.
- Oxford, J. dan Kozlov, R. (2013). Antibiotic Resistance – a Call to Arms for Primary Healthcare Providers. *Int J Clin Pract*; 67(180): 1-3
- Poulos, C., Riewpaiboon, A., Stewart, J. F., Clemens, J., Guh, S., Agtini, M., Anh, D. D., Baiqing, D., Bhutta, Z., Sur, D. dan Whittington, D. (2011). Cost of illness due to typhoid fever in five Asian countries. *Trop Med Int Health*; 16(3): 314-323.
- Rodloff, A., Bauer, T., Ewig, S., Kujath, P., Muller, E. Susceptible, Intermediate, and Resistant – The Intensity of Antibiotic Action. (2008). *Dtsch Arztebl Int* 2008; 105(39): 657-662
- Ruvinsky, S., Monaco, A., Perez, G., Taicz, M., Inda, L., Kijko, I., Constanzo, P., Bologna, R. (2011). Reasons for Inadequate Prescription of Antibiotics in a High Complexity Pediatric Hospital. *Rev Panam Salud Publica*; 30(6): 580-585

- Saleh N, Awada S, Awwad R, Jibai S, Arfoul C, Zaiter L. (2015). Evaluation of antibiotic prescription in the Lebanese community: a pilot study. *Infect Ecol Epidemiol*; 5(1): 27094.
- Sari, D. P. P. Kajian Penggunaan Antibiotik pada Terapi Empiris dengan Hasil Terapi Di Ruang ICU RSUD “X” Periode 2015. Universitas Muhammadiyah Surakarta, 2016: 5-12.
- Sastroasmoro, S. (1995). *Dasar-dasar metodologi penelitian klinis*. Jakarta: Bagian Ilmu Kesehatan Anak, Fakultas Kedokteran, Universitas Indonesia.
- Scholar, E. (2007). Cephalosporins. *xPharm*: 1-4
- Schwalbe, R., Steele-Moore, L. dan Goodwin, A. C. *Antimicrobial susceptibility testing protocols*. Boca Raton: Taylor & Francis, 2007: 75-79
- Setiawan E., Felix H., Setiadi A. (2017). Analysis of the utilization and cost of antibiotics at an intensive care unit in Surabaya. *Pharmaciana*; 7(2): 217.
- Sköld, O. (2000). Sulfonamide resistance: mechanisms and trends. *Drug Resist. Updat.*; 3(3): 155-160.
- Smieszek, T., Pouwels, K. B., Dolk, F. C. K., Smith, D. R. M., Hopkins, S., Sharland, M., Hay, A. D., Moore, M. V. dan Robotham, J. V. (2018). Potential for reducing inappropriate antibiotic prescribing in English primary care. *J. Antimicrob. Chemother.*; 73(2 suppl): pp.36S-43S.
- Smith, D. R. M., Dolk, F. C. K., Pouwels, K. B., Christie, M., Robotham, J. V. dan Smieszek, T. (2018). Defining the appropriateness and inappropriateness of antibiotic prescribing in primary care. *J. Antimicrob. Chemother.*; 73(2 suppl): 11S-18S.
- Sundin, G. W. dan Bender, C. L. (1996). Dissemination of the strA-strB streptomycin-resistance genes among commensal and pathogenic bacteria from humans, animals, and plants. *Mol. Ecol.*; 5(1): 133-143.
- Thomas, C. M. dan Nielsen, K. M. (2005). Mechanisms of and Barriers to, Horizontal Gene Transfer between Bacteria. *Nat. Rev. Microbiol.*; 3(9): 711-721.
- Towsend, J. P., Nielsen, K. M., Fisher, D. S., dan Hartl, D. L. (2003). Horizontal Acquisition of Divergent Chromosomal DNA in Bacteria: Effects of Mutator Phenotypes. *Genetics*; 164: 13-21
- Ventola, C. (2015). The Antibiotic Resistance Crisis. *Pharm. Ther.*; 40(4): 277-283
- Viscoli, C. (2016). Bloodstream Infections: The peak of the iceberg. *Virulence*; 7(3): 248-251.

- Vlieghe, E. R., Phe, T., De Smet, B., Veng, C. H., Kham, C., Bertrand, S., Vanhoof, R., Lynen, L., Peetermans, W. E. dan Jacobs, J. A. (2012). Azithromycin and Ciprofloxacin Resistance in Salmonella Bloodstream Infections in Cambodian Adults. *PLoS Neglected Tropical Diseases*; 6(12): 1-7.
- Vollaard, A. M., Ali, S., Widjaja, S., van Asten, H. A. G. H., Visser, L. G., Surjadi, C., van Dissel, J. T. (2004). Identification of typhoid fever and paratyphoid fever cases at presentation in outpatient clinics in Jakarta, Indonesia. *Royal Society of Tropical Medicine and Hygiene*; 99: 440-450.
- World Health Organization. (2014). Typhoid fever surveillance and vaccine use, South-East Asia and Western Pacific Regions, 2009–2013. World Health Organization.