

DAFTAR PUSTAKA

- Antar, M., Hayward, P., Dunleavey, J., & Butler-Smith, P. (2018). Surface Integrity Evolution of Modified EDM surface Structure. *19th CIRP Confrence on Electro Physical and Chemical Machining*, 68, 308-312.
- Arifvianto, B., Suyitno, & Mahardika, M. (2011). Effect of Sandblasting and Surface Mechanical Attrition Treatment on Surface Roughness, Wettability, and Microhardness Distribution of AISI 316 L. *Key Engineering Material*, 462-463, 738-743.
- Arooj, S., Shah, M., Sadiq, S., & Jaffery, S. H. (2014). Effect of current in the EDM machining of Alumunium 6061 T6 and its effect on the surface morphology. *Arabian Journal for Science and Engineering*, 39 (5), 4187-4199.
- ASM Metal Handbook ; Metallography and Microstructure Volume 9*. (2004). USA : American Society for Metals International.
- ASM Metal Handbook ; Atlas of Microstructures of Industrial Alloys Volume 7*. (1972). USA: American Society for Metals International.
- Bhuyan, A., Gregory, B., Lei, H., Yee, S. Y., & Gianchandani, Y. B. (2005). Pulse and DC electropolishing of stainless steel for stents and other devices. *Proceedings of IEEE Sensors. 4th IEEE Confrence on Sensors*, 314-317. USA: IEEE.
- Bloyce, A. (1994). Surface Engineering of Titanium and Titanium Alloys. *ASM Metalhandbook Vol 5 Surface Engineering*. Amerika: ASM International.
- Brett, C. M., & Brett, A. M. (1994). *Electrochemistry : Principles, Methodes, and Applications*. New York : USA: Oxford University Press.
- Catalano, G., Demir, A. G., Furlan, V., & Previtali, B. (2017). Use of Sheet Material for Rapid Prototyping of Cardiovascular stents. *Procedia Engineering : 17 th International Confrence on Sheet metal SHEMET 17*, 183, 194-199.
- Chatterjee, B. (2015). *Science and Industry of Electropolishing*. Jahrbuch Oberflächentechnik Band.
- Colombo, A. (2002). Selection of Coronary Stent. *Journal of The American Collage of Cardiology*, 40 (6), 1021-1033.
- Cronary Heart Disease*. (2013). Australia: National Heart Foundation of Australia.

- Das, A. K., Kumar, P., Sethi, A., Singh, P. K., & Hussain, M. (2016). Influence of process parameters on the surface integrity of micro-holes of SS 314 obtained by micro-EDM. *The Brazillian Society of Mechanical Science and Engineering*, 38 (7), 2029-2037.
- Dave, H. K., Sesai, K. P., & Raval, H. K. (2012). Modeling and analysis of material removal rate during electro discharge machining of Inconel 718 under orbital tool movement. *Journal of Manufacturing System*, 2 (1), 12-20.
- Davis, J. R. (1994). Surface Engineering of Stainless Steel. Dalam *ASM Metalhandbook Vol 5 Surface Engineering*. Amerika: ASM International.
- Demir, A. G., Previtali, B., & Biffi, C. A. (2013). Fiber Laser Cutting and Chemical Etching of AZ31 for Manufacturing Biodegradable Stents. *Advance in Material Science and Engineering*, 2013, 1-10.
- El-Karamany, Y. (1984). Turning long work-pieces by changing the machining parameters. *International Journal of Machine Tool Design*, 24 (1), 1-10.
- Erwin, J. (2010). Coronary Arterial Anatomy : Normal, Variants and Well-describe Collaterals. *Cardiovascular Catheterization and Intervention* (Informa Health Care, United Kingdom).
- Euroinox. *Electropolishing Stainless Steel*. The European stainless Steel Development Association.
- Fang, G., Ai, W. J., Leeftang, S., Duszczak, J., & Zhou, J. (2013). Multipass Cold Drawing of Magnesium Alloy Minutubes for Biodegradable Vascular Stents. *Materials Science and Engineering*, 33, 3481-3488.
- Ge, Q., Vedani, M., & Vimercati, G. (2012). Extrusion of Magnesium Tube for Biodegradable Stent Precursors. *Material and Manufacturing Processes*, 27, 140-146.
- Gocke, C., Grabow, N., Schultze, C., Sternberg, K., Schmidt, W., & Schmitz, K. P. (Nov 2008). Coating homogeneity in the manufacture of Drug-Eluting Stents. *4th European Conference of the International Federation for Medical and Biological Engineering*, 2240-2243. Belgium: Springer Verlag .
- Gostimirovic, M., Kovac, P., Sekulic, M., & Skoric, B. (2012). Influence of discharge energy on machining characteristics in EDM. *Journal of Mechanical Science and Technology*, 26 (1), 173-179.

- Goswami, A., & Kumar, J. (2014). Investigation of Surface Integrity, Material Removal Rate and Wire Wear Ratio for WEDM of Nimonic 80 A Alloy Using GRA and taghuci Methode. *an International Journal Engineering Science and Technology*, 17 (4), 173-184.
- Groove, M. P. (2010). Thermal Energy Process. Dalam *Fundamental of Modern Manufacturing*. John Wiew & Sons. Inc.
- Groove, M. P. (2010). Dimensions, Surfaces, and Their Measurement. Dalam *Fundamentals of Modern Manufacturing*. Ameriks: John Wiley & Sons. Inc.
- Guerre, A. J., Farjas, J., & Ciurana, J. (2017). Fiber Laser Cutting of Polycaprolactone Sheet for Stent Manufacturing : A Feasibility Study. *Optic and Laser Technology*, 95, 113-123.
- Guide to-Mass Finishing Basics*. Rio Jeweler.
- Guiraldenq, P., & Duparc, O. H. (2017). The Genesis of the Schaeffler Diagram in the History of Stainless Steel. *Metallurgical Research and Technology*, 114 (613), 1-9.
- Hanada, K., Matsuzaki, K., Huang, X., & Chino, Y. (2013). Fabricating of Mg Alloy Tubes for Biodegradable Stent Application. *Material Science and Engineering*, 33, 4746-4750.
- Heart Disease and Stroke Statistics - At-a-Glance*. (2015). Amerika: American Heart Association.
- Hermawan, H., & Mantovani, D. (2013). Process of prototyping Coronary Stent from Biodegradable Fe-Mn Alloys. *Acta Biomateriala*, 9 (10), 8585-8592.
- Izwan, N. S., Feng, Z., Patel, J. B., & Hung, W. N. (2016). Prediction of Material Removal Rate in Die Singking Electrical Dsicharge Machining. *44 th Proceedings of the North American Manufacturing Research Institution of SME* <http://www.sme.org/namrc>, 5. 658-668.
- Jacquet, P. A. (1936). On the anodic behavior of cooper in aqueous solutions of orthoposphric acid. *Transactions of the Electrochemical Society*, 69, 629.
- Kalpakjian, S., & Schmid, S. R. (2009). Surface technology. Dalam *Manufacturing Engineering and Technology*. Person Longman Press.

- Karastojkovic, Z. (2003). Hardness and Structure Changes at Surface in Electrical Discharge Machined Steel C 3840. *Proceedings of 3rd BMC-2003-Ohrid*, 129-133.
- Khan, A. A., Adesta, E. Y., & Ali, M. Y. (2010). Influence of Process Parameters on Surface Integrity During EDM of Milled Steel. *Processings of the 22nd United Kingdom-Malaysia Engineering Confrence (CE-11)*, 1-7.
- Klocke, F., Schneider, S., Ehle, L., Meyer, H., Hensgen, L., & Klink, A. (2016). Investigation on surface integrity oh heat treated 42CrMo4 (AISI 4140) processes by singking EDM. *18th CIRP Confrence on Electro Physical and Chemical Machining (ISEM XVIII)*, 42, 580-585.
- Klock, F., Schwade, M., Klink , A., & Veselovec, D. (2013). Analysis of Material Removal Rate and Electrode Wear in Singking EDM Roughing Strategies Using Different Graphite Grades. *Procedia CIRP* , 6, 163-167.
- Koryta, J., Dvorak, J., & Kavan, L. (1993). *Principles of Electrochemistry : Second Edition*. New York : USA: John Wiley & Sons.
- Kuhn, A. (2004). *The Electropolishing of Titanium and Its Alloys*. Hertordshre, England, United Kingdom: Metal Finishing Information Services Ltd.
- Lampman, S. (1994). Wrought Titanium and Titanium Alloy. Dalam *ASM Metal Handbook Vol 2 : Non Ferrous Alloy*. America: ASM International.
- Li, J., Yang, Y., ren, Y., Dong, J., & Yang, K. (2017). Effect of Cold Deformation on Corrosion Fatigue Behavior of Nickel-Free High Nitorgen Austenitic Stainless Steel for Coronary Stent Application. *Material Science and Technology*, 34 (4), 660-665.
- Londa, P. (2016). Pengaruh Variabel Pemotongan Terhadap Keausan Elektroda dan Benda Kerja pada Proses EDM. *ROTASI Jurnal Teknik Mesin*, 16(4), 9-14.
- Mahardika, M. (2017). *Electrical Discharge Machining (EDM)*. Yogyakarta: Universitas Gadjah Mada.
- Mahardika, M., & Mitsui. (2008). A new methode for monitoring micro-electric discharge machining processes. *International Journal of Machine Tools and Manufacture*, 48, 446-458.
- Mahardika, M., & Sudiarso, A. (2015). *Advance Machining Processes : Non-Conventional*. Yogyakarta: Gadjah Mada University Press.

- Mahardika, M., Tsujimoto, T., & Mitsui, K. (2008). A new approach on the determination of ease of machining by EDM Processes . *Internaitonal Journal of Machine Tools and Manufacture*, 48, 746-760.
- Mazinani, A. (2014). *Surface Modification Treatment of cardiovascular Stent*. Milan: Department of Chemistry, Materials and Chemical Engineering, Politecnico Di Milano.
- Mohri, N., Fukusima, Y., Fukuzawa, Y., Tani, T., & Saito, N. (2003). Layer generation process on work-piece in electrical discharge machining. *Annals of the CIRP*, 52 (1), 157-160.
- Mohri, N., Fukuzawa, Y., Tani, T., & Sata, T. (2002). Some considerations to machining characteristics of insulatin ceramics. *Annals of the CIRP*, 51 (1), 161-164.
- Morajev, M., & Mantovani, D. (2011). Biodegradable Metals for Cardiovascular Stent Application : Interests and New Opportunities. *International Journal of Molecular Science*, 12, 4250-4270.
- Oberg, E., jones, F. D., Horton, H. L., & Ryffel, H. F. (2000). *Electrical Discharge Machining*. New York: Industrial Press Inc.
- Petropoulos, G. P., Vaxevanidis, N. M., Radovanoviu, M., & Zoler, C. (2009). Morphological functional aspects of Electro-Discharge Machined surface textures. *Journal of Mechanical Engineering*, 55 (2), 95-103.
- Phan, A. V., Cloutier, G., & Mayer, J. R. (1999). A finite element model with closed -form solution to workpiece deflection in turning. *International journal of Production Research*, 37 (17), 4039-4051.
- Pillar, R. M. (2009). Titanium-Pure. Dalam *Metallic Biomaterials*. Springer Science.
- Pilliar, R. M. (2009). Austenitic Stainless Steel 316 L. Dalam *Metallic Biomaterials*. Springer Science .
- Polmear, I., Stjohn, D., Nie, J.-F., & Qian, M. (2017). *Light Alloys ; Metallurgy of the Light Metal*. Oxford ; United Kingdom: Book Aid International.
- Pujiyulianto, E. (2015). *Proses electroplating Ni-Cr pada pipe leg caisar* . Bandung: UNJANI.

- Rahman, A. M., Baharudin, B. A., Adi, S., Hussein, S. N., Isa, H., Eri, F. R., & Azureen, N. M. (2013). Dimensional Deviation Affected by Cutting Parameters and Machine Tool Rigidity in Dry Turning Machine of S45C Steel. *Applied Mechanics and Materials*, 315, 749-754.
- Raju, P., Sarcar, M., & Satyanarayana, B. (2014). Optimization of Wire Electrical Discharge Machining Parameters for Surface Roughness on 316 L Stainless Steel Using Full Factorial Experimental Design. *Procedia Material Science*, 5, 1670-1676.
- Randhawa, K. S. (2015). Effect of Process Parameters on Surface Roughness and Material removal rate in EDM. *International Journal of Research in Mechanical Engineering & Technology (IJRMET)*, 5 (2), 78-81.
- Ratner, B. R. (2004). *Biomaterial Science " An Introduction to Materials in Medicine"*. Amerika: Elsevier Academic Press.
- Raval, A., Choubey, A., Engineer, C., & Kothwala, D. (2005). Surface Conditioning of 316LVM Slotted Tube Cardiovascular Stents. *Journal of Biomaterial Applications*, 19 (3), 197-213.
- Saraf, A. R., & Yadav, A. P. (2018). Fundamental of Bare Metal Stent. Dalam *Functionalized Cardiovascular Stent*, 27-28. Amerika: Woodhead Publishing.
- Schaeffler, A. L. (1949). *Metal progress*, 56 (11), 680-680B.
- Shabgrad, M., Sayedzavvar, M., & Nadimi, S. (2011). Influence of Input Parameters on the Characteristics of EDM Process. *Journal of Mechanical Engineering*, 57 (9), 689-696.
- Sojitra, P., Engineer, C., Kothwala, D., Raval, A., Kotadia, H., & Mehta, G. (2010). Electropolishing of 316 LVM Stainless Steel Cardiovascular Stent : An Investigation of Material Removal, Surface Roughness and Corrosion Behaviour. *Trends Biometer*, 23 (3), 115-121.
- Sultan, T., Kumar, A., & Gupta, R. D. (2014). Material Removal Rate, Electrode Wear Rate, and Surface Roughness Evaluation in Die Singking EDM with Hollow Tool through Response Surface Methodology. *International Journal of Manufacturing Engineering*, 2014, 1-16.

- Suryawan, D. (2017). *Desain, Pemodelan, dan Pembuatan Prototype Stent Jantung Menggunakan Electrical Discharge Machining (EDM)*. Yogyakarta: Fakultas Teknik UGM.
- Takahata, K., & Gianchandani, Y. B. (2004). A Planar Approach for Manufacturing Ccardiacc Stent : Design, Fabrication, and Mechanical Evaluation. *Journal of Microelectromechanical System*, 13, 933-939.
- Tan, C., & Schatz, R. A. (2016). The History of Coronary Stenting. *Division of Cardiology. Scripps Clinic*, 5 (3), 271-273.
- Tarmizi. (2016). *Welding of Stainless Steel*. Bandung: Universitas Jenderal Achmad Yani.
- Vishwakarma, M. (2012). Optimization and regression Analysis of Surface Roughness for Electrical Discharge Machining of EN-19 Alloy Steel Using Tungsten Cooper Electrode. *International Journal of Engineering Research and Applications (IJERA)*, 2 (6), 785-792.
- Wen, J. (2017). *Effect of Hydrogen on the Microstructure and Cold Rolling Behavior of Commercially Pure Titanium and Beta-MetasTabel Titanium Alloy*. Universite de Lorraine, Departement Material, Metalurgi, dan Mekanik. English: HAL archive-ouvertes.
- Zou, Q., Xue, W., Lin, J., & Fu, Y. (2016). Mechanical Characteristics of Novel Polyester / NiTi Wires Braided Composite Stent for Medical Application. *Result in Physiscs*, 6, 440-446.