UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA STATUS HIDRASI DENGAN SKOR NIHSS PASIEN STROKE ISKEMIK AKUT SAAT ADMISI
LOTHAR MATHEUS M V S, dr. Paryono, Sp.S(K); Prof. Dr. dr. Samekto Wibowo, P. FarkK, Sp.FK(K), Sp.S(K)
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adams, H., Davis, P., Leira, E *et al.*, (1999). Baseline NIH Stroke Scale Score Strongly Predicts Outcome After Stroke: A Report of the Trial of Org 10172 in Acute Stroke Treatment (TOAST). *Neurology*, pp. 126–131.

Adams, H. P., Bruno, J., Connors *et al.*, (2013). AHA / ASA Guideline Guidelines for the Early Management of Patients With Acute Ischemic Stroke'. *Avaliable from DOI: 10.1161/STR.0b013e318284056a*.

Akimoto, T., Ito, C., Kato, M *et al.*, (2011). Reduced hydration status characterized by disproportionate elevation of blood urea nitrogen to serum creatinine among the patients with cerebral infarction, *Medical Hypotheses*. Elsevier Ltd, 77(4), pp. 601–604. *Avaliable from DOI: 10.1016/j.mehy.2011.06.044*.

Amstrong, L. (2007). Assesing Hydration Status : The Elusive Gold Standard, *Journal of The American College of Nutrition*, 26(5), p. 26 (14): 575-84.

Andersen, K., Andersen, Z., Olsen, T *et al.*, (2010). Age- and Gender-Specific Prevalence of Cardiovascular Risk Factors in 40 102 Patients With First-Ever Ischemic Stroke A Nationwide Danish Study, pp. 2768–2774. *Avaliable from DOI: 10.1161/STROKEAHA.110.595785*.

Appelros, P., Nydevik, I, Seiger, A *et al.*, (2002). Predictors of severe stroke: Influence of Preexisting Dementia And Cardiac Disorders, *Stroke*, 33(10), pp. 2357–2362. *Avaliable from DOI: 10.1161/01.STR.0000030318.99727.FA.*

Appelros, P., Stegmayr, B., Terent, A *et al.*, (2009). Go Red for Women A Systematic Review. pp. 1082–1091. *Avalaible from DOI: 10.1161/STROKEAHA.108.540781*.

Appelros, P., Stegmayr, B., Terént, A *et al.*, (2009). Sex Differences in Stroke Epidemiology. *Stroke*, 40(4), p. 1082 LP-1090. *Avaliable from DOI: 10.1161/STROKEAHA.108.540781*.

Baskurt, O. K, Meiselman, H. J. (2012). Iatrogenic Hyperviscosity And Thrombosis'. *Seminars in Thrombosis and Hemostasis*, 38(8), pp. 854–864. *Avaliable from DOI: 10.1055/s-0032-1325616*.

Begum, M. N., Johnson, C. S. (2010). A Review Of The Literature On Dehydration In The Institutionalized Elderly. *e-SPEN*. Elsevier Ltd, 5(1), pp. e47–e53. *Avaliable from DOI: 10.1016/j.eclnm.2009.10.007*.

Beier, K., Eppanapally, S., Bazick, H. S *et al.*, (2011). Elevation Of Blood Urea Nitrogen Is Predictive Of Long-Term Mortality In Critically Ill Patients Independent Of "Normal" Creatinine. *Crit Care Med* 2011;39(2):30513

Bevers, M. B, Vaishnav, N., Pham, L *et al.*, (2016). Hyperglycemia Is Associated With More Severe Cytotoxic Injury After Stroke. *Avaliable from DOI: 10.1177/0271678X16671730*.

Bhatia, K., Mohanty, S., Tripathi, B *et al.*, (2015). Predictors Of Early Neurological Deterioration In Patients With Acute Ischaemic Stroke With Special Reference To Blood Urea Nitrogen (BUN)/Creatinine Ratio & Urine Specific Gravity. (March), pp. 299–307.

Black-Schaffer, R. M., Winston, C. (2004). Age and Functional Outcome After Stroke. *Topics in Stroke Rehabilitation*, 11(2), pp. 23–32. *Avaliable from DOI: 10.1310/DNJU-9VUH-BXU2-DJYU.*

Blantz, R. C., Deng, A., Miracle, C. M.M *et al.*, (2007). Regulation of Kidney Function and Metabolism: A Question of Supply and Demand. *Trans Am Clin Climatol Assoc* 118: 23–43

Bravata, D. M., Kim, N., Concato, J *et al.*, (2003). Hyperglycaemia In Patients With Acute Ischaemic Stroke : How Often Do We Screen For Undiagnosed Diabetes ?'. pp. 491–

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA STATUS HIDRASI DENGAN SKOR NIHSS PASIEN STROKE ISKEMIK AKUT SAAT ADMISI
LOTHAR MATHEUS M V S, dr. Paryono, Sp.S(K); Prof. Dr. dr. Samekto Wibowo, P. FarkK, Sp.FK(K), Sp.S(K)
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

497. *Avaliable from DOI: 10.1093/qjmed/hcg087*.

Broadley, S. A., Thompson, P. D. (2003). Time To Hospital Admission For Acute Stroke : An Observational Study. 178(April), pp. 329–331.

Brott, T., Adams Jr. H.P., Olinger, C.P *et al.*, (1989). Measurements of Acute Cerebral Infarction :A Clinical Examination Scale, 1, pp. 864–871.

Chang, S. W., Huang, Y., Lin, L *et al.*, (2016). Effect Of Dehydration On The Development Of Collaterals In Acute Middle Cerebral Artery Occlusion. *European Journal of Neurology*, 23(3), pp. 494–500. *Avaliable from DOI: 10.1111/ene.12841*.

Chao, J. H., Hirsch, I. B. (2018). Initial Management of Severe Hyperglycemia in Type 2 Diabetes. *Diabetes Care.* 41:S1–S159

Corso, G., Bottacchi, E., Tosi, P *et al.*, (2014). Outcome Predictors in First-Ever Ischemic Stroke Patients: A Population-Based Study. *International Scholarly Research Notices*, 2014, pp. 1–8. *Avaliable from DOI: 10.1155/2014/904647*.

Cuadrado-Godia, E., Ois, A., Roquer, J. (2010). Heart Failure in Acute Ischemic Stroke'. *Current Cardiology Reviews*, 6(3), pp. 202–213. *Avaliable from DOI: 10.2174/157340310791658776*.

Culp, K., Mentes, J., Wakefield, B. (2003). Hydration And Acute Confusion In Long-Term Care Residents. *West J Nurs Res* 25(3):251–66

Dahlan, M. S. (2014). *Statistik untuk Kedokteran dan Kesehatan*. 6th ed. Jakarta: Epidemiologi Indonesia.

Dahlan, M. S. (2016). *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan*. 4th ed. Jakarta: Epidemiologi Indonesia.

Dan, S., Kant, M, Dey, S *et al.*, (2016). Comparative Study of Lipid Abnormality in Ischemic and Haemorrhagic Stroke in Tribal Population of west Bengal. 15(11), pp. 36–40. *Avaliable from DOI: 10.9790/0853-1511063640*.

Dasgupta, A., Wahed, A. (2014). Clinical Chemistry, Immunology and Laboratory Quality Control. *Clinical Chemistry, Immunology and Laboratory Quality Control*, pp. 197–212. *Avaliable from DOI: http://dx.doi.org/10.1016/B978-0-12-407821-5.00011-5*.

Davis, J. E., Fortney, S. M. (1997). Effect Of Fluid Ingestion On Orthostatic Responses Following Acute Exercise. *Int J Sports Med* 18:174±178

Deb, P., Sharma, S., Hassan, K. M *et al.*, (2010). Pathophysiologic Mechanisms Of Acute Ischemic Stroke: An Overview With Emphasis On Therapeutic Significance Beyond Thrombolysis. *Pathophysiology*. Elsevier Ireland Ltd, 17(3), pp. 197–218. *Avaliable from DOI: 10.1016/j.pathophys.2009.12.001*.

Degoutte, F., Jouanel, P., Begue, R. J *et al.*, (2006). Food Restriction, Performance, Biochemical, Psychological, And Endocrine Changes In Judo Athletes. *Int J Sports Med* 27(1):918

Del Zoppo, G. J. (2008). Virchow's Triad: The Vascular Basis of Cerebral Injury. *Rev Neurol Dis*. 2008 ; 5(Suppl 1): S12–S21

Desilles, J. P., Meseguer, E., Labreuche, J *et al.*, (2013). Diabetes Mellitus, Admission Glucose, And Outcomes After Stroke Thrombolysis: A Registry And Systematic Review'. *Stroke*, 44(7), pp. 1915–1923. *Avaliable from DOI: 10.1161/STROKEAHA.111.000813*.

Dill, D. B., Costill, D. L. (1974). Calculation Of Percentage Changes In Volumes Of Blood,Plasma And Red Cells In Dehydration. *J Appl Physiol* 37:247±248

Direkx, J. H. (2001). *Stedman's Concise Medical Dictionary for the Health Professions 4th ed*. Philadelphia: Lippincott Williams & Wilkins.

Dmitrieva, N. I., Burg. M. B. (2015). Elevated Sodium and Dehydration Stimulate Inflammatory Signaling in Endothelial Cells

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA STATUS HIDRASI DENGAN SKOR NIHSS PASIEN STROKE ISKEMIK AKUT SAAT ADMISI
LOTHAR MATHEUS M V S, dr. Paryono, Sp.S(K); Prof. Dr. dr. Samekto Wibowo, P. FarkK, Sp.FK(K), Sp.S(K)
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

and Promote Atherosclerosis. *PLoS ONE* 10(6): e0128870

Dostovi, Z., Dostovi, E., Omer, C *et al*., (2012). Stroke and Disorders of Consciousness. *Cardiovascular Psychiatry and Neurology*. *Avaliable from DOI: 10.1155/2012/429108.*

Duan, C. M., Anderson, E. C., Keung, Y *et al.* (2003). P2X7 Receptor-Mediated Release Of Excitatory Amino Acids From Astrocytes, J. *Neurosci*. 23 1320–1328

Duffey, K., Popkin, B. M. (2002). Shifts in patterns and consumption of beverages between 1965 and 2002. *Obesity* 15:2739–2747

Elnan, C., Logallo, N. (2013). Elevated Admission Blood Pressure and Stroke Severity in Acute Ischemic Stroke : The Bergen NORSTROKE Study'. pp. 351–354. *Avaliable from DOI: 10.1159/000355685.*

Gajurel, B., Dhungana, P., Parajuli, P *et al.*, (2014). The National Institute of Health Stroke Scale Score and Outcome in Acute Ischemic Stroke. *Journal of Institute of Medicine*, 36(3), pp. 9–13.

Gofir, A., Mulyono, B., Sutarni, S. (2017). Hyperglycemia as a prognosis predictor of length of stay and functional outcomes in patients with acute ischemic stroke. *International Journal of Neuroscience*. Taylor & Francis, 127(10), pp. 923–929. *Avaliable from DOI: 10.1080/00207454.2017.1280793*.

Grabska, K., Gromadzka, G., Członkowska, A *et al.*, (2011). Infections and Ischemic Stroke Outcome. *Neurology Research International*, pp. 1–8. *Avaliable from DOI: 10.1155/2011/691348.*

Hafez, S., Coucha, M., Bruno, A *et al.*, (2014). Hyperglycemia, Acute Ischemic Stroke and Thrombolytic Therapy. 5(4), pp. 706–721. *Avaliable from DOI: 10.1007/s12975-014-0336-z.Hyperglycemia.*

Haft, J. I., Teichholz, L. E. (2014). Clinical Heart Failure Patients with Ischemic Stroke Have a High Incidence (> 60 %) of Atrial Fibrillation or Flutter Whether Systolic Function Is Preserved or Depressed. (August), pp. 455–464.

Hannon, N., Sheehan, O., Kelly, L *et al.*, (2010). Stroke Associated with Atrial Fibrillation – Incidence and Early Outcomes in the North. 7, pp. 43–49. *Avaliable from DOI: 10.1159/000255973*.

Hasibuan, A. E., Fitri, A., Surbakti, K *et al.*, (2015). Hubungan Kadar Low-Density Lipoprotein Cholesterol dengan Kejadian dan Keparahan Stroke Akut. *Neurona*, 32(July).

Heldner, M. R., Zubler, C., Mattle, H. P *et al.*, (2013). National Institutes of Health Stroke Scale Score and Vessel Occlusion in 2152 Patients With Acute Ischemic Stroke. *Stroke* April

Hjalmarsson, C., Manhem, K., Bokemark, L *et al.*, (2014). The Role Of Prestroke Glycemic Control On Severity And Outcome Of Acute Ischemic Stroke. *Stroke Res Treat*, 2014, p. 694569. *Avaliable from DOI: 10.1155/2014/694569*.

Hoffman, J. R., Maresh, C. M., Armstrong, L. E *et al.*, (1994). Effects Of Hydration State On Plasma Testosterone, Cortisol, And Catecholamine Concentrations Before And During Mild Exercise At Elevated Temperature. *Eur. J. Appl. Physiol.* 69, 294–300

Hooper, L., Abdelhamid, A., Ali, A *et al.*, (2015). Diagnostic Accuracy Of Calculated Serum Osmolarity To Predict Dehydration In Older People: Adding Value To Pathology Laboratory Reports. *BMJ open*, 5(10), p. e008846. *Avaliable from DOI: 10.1136/bmjopen-2015-008846*.

Ionita, C. C., Sididiqui, A., Levy, E *et al.*, (2011). Acute Ischemic Stroke And Infections. *Journal of Stroke and Cerebrovascular Diseases*. Elsevier Ltd, 20(1), pp. 1–9. *Avaliable from DOI: 10.1016/j.jstrokecerebrovasdis.2009.09.011*.

Ishitsuka, K., Kamouchi, M., Hata, J *et al.*, (2014). High Blood Pressure After Acute

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA STATUS HIDRASI DENGAN SKOR NIHSS PASIEN STROKE ISKEMIK AKUT SAAT ADMISI
LOTHAR MATHEUS M V S, dr. Paryono, Sp.S(K); Prof. Dr. dr. Samekto Wibowo, P. FarkK, Sp.FK(K), Sp.S(K)
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Ischemic Stroke Is Associated With Poor Clinical Outcomes: Fukuoka Stroke Registry. *Hypertension*, 63(1), pp. 54–60. *Avaliable from DOI: 10.1161/HYPERTENSIONAHA.113.02189.*

Karaszewski, J.M., Wardlaw, I., Marshall, V *et al.*, (2009). Early Brain Temperature Elevation And Anaerobic Metabolism In Human Acute Ischaemic Stroke, *Brain* 132 955–964

Kasner, S. E., Chalela, J. A., Luciano, J. M *et al.*, (2007). Reli—ability and validity of estimating the NIH Stroke Scale score from medical records. International Classification of Functioning, Disability and Health. *Disabil Rehabil*, 29, pp. 221–230.

Kavouras, S. A. (2002). Assessing hydration status. *Lippincott Williams & Wilkins* pp. 519–524.

Kenney WL, Chiu P. (2001). Influence Of Age On Thirst And Fluid Intake. *Med Sci Sports Exerc* 33(9):1524–32

Kim, W., Kim, E. J. (2018). Heart Failure as a Risk Factor for Stroke. *Journal of Stroke* 20(1), pp. 33–45.

Kimura, K. (2005). Atrial Fibrillation As A Predictive Factor For Severe Stroke And Early Death In 15 831 Patients With Acute Ischaemic Stroke. *Journal of Neurology, Neurosurgery & Psychiatry*, 76(5), pp. 679–683. *Avaliable from DOI: 10.1136/jnnp.2004.048827.*

Kimura, K., Minematsu, K., Yamaguchi, T *et al.*, (2005). Atrial Fibrillation As A Predictive Factor For Severe Stroke And Early Death In 15 831 Patients With Acute Ischaemic Stroke. (April 2000), pp. 679–684. *Avaliable from DOI: 10.1136/jnnp.2004.048827.*

Kissela, B. M., Khoury, J., Alwell, K *et al.*, (2012). Age At Stroke: Temporal Trends In Stroke Incidence In A Large, Biracial Population. *Neurology*, 79(17), pp. 1781–1787. *Avaliable from DOI: 10.1212/WNL.0b013e318270401d*.

Kreimeier, U. (2000). Pathophysiology of Fluid Imbalance. *Critical care / the Society of Critical Care Medicine*, 4(2), pp. 3–7. *Avaliable from DOI: 10.1186/cc968.*

Kumar, A. D., Boehme, A. K., Siegler, J. E *et al.*, (2016). Leukocytosis in Patients with Neurologic Deterioration after Acute Ischemic Stroke is Associated with Poor Outcomes. *Stroke Cerebrovascular Disease*, 72(21), pp. 4139–4156. *Avaliable from DOI: 10.1007/s00018-015-1997-9.Epigenetic*.

Kvistad, C. E., Logallo, N., Oygarden, H *et al.*, (2013). Elevation Admission Blood Pressure and Stroke Severity in Acute Ischemic Stroke: The Bergen NORSTROKE Study. *Cerebrovasc Dis* 2013;36:351–354

Lee, M., Saver, J., Chang, K *et al.*, (2010). Low Glomerular Filtration Rate And Risk Of Stroke: Meta-Analysis. *Bmj*, 341, p. c4249. *Avaliable from DOI: 10.1136/bmj.c4249.*

Lentner, C. (1981). *Geigy Scientific Tables. 8th Edition*. Basle: Ciba-Geigy Limited

Lévigne, D., Tobalem, M., Modarressi, A *et al.*, (2013). Hyperglycemia Increases Susceptibility To Ischemic Necrosis. *BioMed Research International*, 2013. *Avaliable from DOI: 10.1155/2013/490964.*

Li, J., Wang, D., Tao, W *et al.*, (2016). Early Consciousness Disorder In Acute Ischemic Stroke : Incidence , Risk Factors And Outcome. *BMC Neurology*. BMC Neurology, pp. 1–7. *Avaliable from DOI: 10.1186/s12883-016-0666-4.*

Li, S.-S., Yin, M., Zhou, Z *et al.*, (2017). Dehydration Is A Strong Predictor Of Long-Term Prognosis Of Thrombolysed Patients With Acute Ischemic Stroke. *Brain and Behavior*, 7(11), p. e00849. *Avaliable from DOI: 10.1002/brb3.849.*

Lin, L. C., Yang, J., Weng, H *et al.*, (2011). Predictors Of Early Clinical Deterioration After Acute Ischemic Stroke. *The American Journal of Emergency Medicine*. Elsevier Inc., 29(6), pp. 577–581. *Avaliable from DOI: 10.1016/j.ajem.2009.12.019.*

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA STATUS HIDRASI DENGAN SKOR NIHSS PASIEN STROKE ISKEMIK AKUT SAAT ADMISI
LOTHAR MATHEUS M V S, dr. Paryono, Sp.S(K); Prof. Dr. dr. Samekto Wibowo, P. FarkK, Sp.FK(K), Sp.S(K)
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Lin, L. C, Lee, J., Hung, Y *et al.,* (2014). BUN/Creatinine Ratio-Based Hydration For Preventing Stroke-In-Evolution After Acute Ischemic Stroke', *American Journal of Emergency Medicine*. Elsevier Inc., 32(7), pp. 709–712. *Avaliable from DOI: 10.1016/j.ajem.2014.03.045*.

Lin, W. C., Shih, H. M., Lin, L. C *et al.,* (2015). Preliminary Prospective Study to Assess the Effect of Early Blood Urea Nitrogen/Creatinine Ratio-Based Hydration Therapy on Poststroke Infection Rate and Length of Stay in Acute Ischemic Stroke. *Journal of Stroke and Cerebrovascular Diseases*. Elsevier Inc., 24(12), pp. 2720–2727. *Avaliable from DOI: 10.1016/j.jstrokecerebrovasdis.2015.08.002.*

Liu, C.-H., Wei, Y., Lin, J *et al.,* (2016). Initial Blood Pressure Is Associated With Stroke Severity And Is Predictive Of Admission Cost And One-Year Outcome In Different Stroke Subtypes: A Srichs Registry Study. *BMC Neurology*. BMC Neurology, 16(1), p. 27. *Avaliable from DOI: 10.1186/s12883-016-0546-y.*

Liu, C. H., Lin, S, Lin, J *et al.,* (2014). Dehydration Is An Independent Predictor Of Discharge Outcome And Admission Cost In Acute Ischaemic Stroke', *European Journal of Neurology*, 21(9), pp. 1184–1191. *Avaliable from DOI: 10.1111/ene.12452.*

Long, M., Tao, S., Vega, D *et al.,* (2016). Persistent Leukocytosis—Is this a Persistent Problem for Patients with Acute Ischemic Stroke?. 8(5), pp. 444–454. *Avaliable from DOI: 10.1158/1940-6207.CAPR-14-0359.Nrf2-dependent.*

Manz, F., Wentz, A. (2003). 24-h hydration status: parameters, epidemiology and recommendations. *Eur J Clin Nutr* 57(Suppl 2):S10–S18, 2003.

Maughan, R. J. (2003). Impact of mild dehydration on wellness and on exercise performance. *Eur J Clin Nutr* 57(Suppl. 2):S19–23.

McManus, M., Liebeskind, D. S. (2016). Blood Pressure in Acute Ischemic Stroke. *Journal of Clinical Neurology*, 12(2), pp. 137–46. *Avaliable from DOI: 10.3988/jcn.2016.12.2.137.*

Meissner, M. H., Caps. M. T., Bergelin, R. O., *et al.,* (1995). Propagation, rethrombosis and new thrombus formation after acute deep venous thrombosis. *Journal of vascular surgery* Volume 22, Number 5.

Menon, B. K., Puetz, V., Kochar, P *et al.,* (2011). ASPECTS and Other Neuroimaging Scores in the Triage and Prediction of Outcome in Acute Stroke Patients. *Neuroimaging Clinics of North America*, 21(2), pp. 407–423. *Avaliable from DOI: 10.1016/j.nic.2011.01.007.*

Miller, J. B., Lee, A., Susjanski, J *et al.,* (2018). Challenge Of Intravascular Volume Assessment In Acute Ischemic Stroke. *American Journal of Emergency Medicine*. Elsevier Inc. *Avaliable from DOI: 10.1016/j.ajem.2018.01.071*.

Minaoki, A., Gofir, A., Nuradyo, D. (2017). Korelasi Antara Indeks Aterogenik Plasma Dengan Derajat Defisit Neurologis Pasien Stroke Iskemik Akut. Universitas Gadjah Mada.

Mogensen, U. B., Olsen, T., Andersen, K *et al.,* (2013). Cause-Specific Mortality After Stroke: Relation To Age, Sex, Stroke Severity, And Risk Factors In A 10-Year Follow-Up Study. *Journal of Stroke and Cerebrovascular Diseases*. Elsevier Ltd, 22(7), pp. e59–e65. *Avaliable from DOI: 10.1016/j.jstrokecerebrovasdis.2012.04.006.*

Nakanishi, S., Tu, Y., Shin, J *et al.,* (2009). Neuroprotection By The NR3A Subunit Of The NMDA Receptor, J. *Neurosci*, 29 5260–5265

Nardi, K., Milia, P., Eusebi, P *et al.,* (2012). Admission Leukocytosis in Acute Cerebral Ischemia : Influence on Early Outcome'. *Journal of Stroke and Cerebrovascular*

HUBUNGAN ANTARA STATUS HIDRASI DENGAN SKOR NIHSS PASIEN STROKE ISKEMIK AKUT SAAT ADMISI
LOTHAR MATHEUS M V S, dr. Paryono, Sp.S(K); Prof. Dr. dr. Samekto Wibowo, P. FarkK, Sp.FK(K), Sp.S(K)
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Diseases. Elsevier Ltd, 21(8), pp. 819–824. *Avaliable from DOI: 10.1016/j.jstrokecerebrovasdis.2011.04.015.*

Nezu, T., Hosomi, N., Kondo, K *et al.,* (2016). Greater Severity of Neurological Defects in Women Admitted With Atrial Fibrillation-Related Stroke. *Circulation Journal*, 80(1), pp. 250–255. *Avaliable from DOI: 10.1080/10739149709351455.*

Nicolaidis, S. (1998). *Physiology of thirst. Hydration Throughout Life*. Montrouge: John Libbey Eurotext; p. 247

Ortiz, G., Sacco, R. (2008). National Institute of Health Stroke Scale (NIHSS). *Wiley Encyclopedia Clinical Trial*, pp. 1–9.

Paper, C. (2008). Guidelines for Management of Ischaemic Stroke and Transient Ischaemic Attack 2008. *Cerebrovascular Diseases*, 25(5), pp. 457–507. *Avaliable from DOI: 10.1159/000131083*.

Persky, R. W., Turtzo, L. C., Mccullough, L. D *et al.,* (2010). Stroke in Women : Disparities and Outcomes. 12(1), pp. 6–13. *Avaliable from DOI: 10.1007/s11886-009-0080-2.Stroke.*

Persky, R. W., Turtzo, L. C., McCullough, L. D *et al*., (2010). Stroke In Women: Disparities And Outcomes. *Current Cardiology Reports*, 12(1), pp. 6–13. *Avaliable from DOI: 10.1007/s11886-009-0080-2*.

Piccoli, A., Piazza, P., Noventa, D *et al*., (1996). A New Method For Monitoring Hydration At High Altitude By Bioimpedance Analysis. *Med Sci Sports Exerc* 28:1517±1522

Popkin, B. M., Rosenberg, I. H. (2011). Water, Hydration and Health. *NIH Public Access*, 68(8), pp. 439–458. *Avaliable from DOI: 10.1111/j.1753-4887.2010.00304.x.Water*.

Popowski, L. A., Oppliger, R. A., Patrick, L. G *et al.,* (2001). Blood And Urinary Measures Of Hydration Status During Progressive Acute Hydration. *Med Sci Sports Exerc*33:747–753

Rachoin, J. S., Dahar, R., Moussallem, C *et al*., (2012). The Fallacy Of The BUN: Creatinine Ratio In Critically Ill Patients. *Nephrol Dial Transplant* 27:224854

Ramírez-Moreno, J. M., Casado-Naranjo, I., Portilla, J *et al.,* (2009). Serum Cholesterol LDL And 90-Day Mortality In Patients With Intracerebral Hemorrhage. *Stroke*, 40(5), pp. 1917–1920. *Avaliable from DOI: 10.1161/STROKEAHA.108.536698.*

Rasouli, M., Kiasari, A. M., Arab, S. (2008). Indicators Of Dehydration And Haemoconcentration Are Associated With The Prevalence And Severity Of Coronary Artery Disease. *Clin Exp Pharmacol Physiol* 2008;35(8):889–94

Ren, H., Xiu, X., Wang, L *et al.,* (2017). Lymphocyte-to-Monocyte Ratio: A Novel Predictor of the Prognosis of Acute Ischemic Stroke. *Journal of Stroke and Cerebrovascular Diseases*. Elsevier Inc., 26(11), pp. 2595–2602. *Avaliable from DOI: 10.1016/j.jstrokecerebrovasdis.2017.06.019.*

Robinson, B. E., Weber, H. (2002). Dehydration Despite Drinking: Beyond The BUN/Creatinine Ratio. *Journal of the American Medical Directors Association*, 3(6), pp. 386–389. *Avaliable from DOI: 10.1016/S1525-8610(04)70532-0.*

Rodriguez, G. J., Cordina, S., Vazquez, G *et al.,* (2009). The Hydration Influence On The Risk Of Stroke (THIRST) Study. *Neurocritical Care*, 10(2), pp. 187–194. *Avaliable from DOI: 10.1007/s12028-008-9169-5.*

Rowat, A., Graham, C., Dennis, M. (2012). Dehydration In Hospital-Admitted Stroke Patients: Detection, Frequency, And Association. *Stroke*, 43(3), pp. 857–859. *Avaliable from DOI: 10.1161/STROKEAHA.111.640821.*

Ryu, C.-W., Shin, H., Park, S *et al.,* (2017). Alberta Stroke Program Early CT Score in the Prognostication after Endovascular Treatment for Ischemic Stroke: A Meta-analysis. *Neurointervention*, 12(1), pp. 20–30. *Avaliable from DOI: 10.5469/neuroint.2017.12.1.20.*

HUBUNGAN ANTARA STATUS HIDRASI DENGAN SKOR NIHSS PASIEN STROKE ISKEMIK AKUT SAAT ADMISI
LOTHAR MATHEUS M V S, dr. Paryono, Sp.S(K); Prof. Dr. dr. Samekto Wibowo, P. FarkK, Sp.FK(K), Sp.S(K)
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Sawka, M. N., Cheuvront, S. N., Carter, R. (2005). Human Water Needs. *Nutr Rev* 63:S30–S39

Scherbakov, N., Haeusler, K.G., Doehner, W *et al.,* (2015). Ischemic Stroke and Heart Failure: Facts and Numbers. *ESC Heart Failure* 2015; 2: 1–4

Schrock, J. W., Glasenapp, M., Drogell, K *et al.,* (2012). Elevated Blood Urea Nitrogen/Creatinine Ratio Is Associated With Poor Outcome In Patients With Ischemic Stroke. *Clinical Neurology and Neurosurgery*, 114(7), pp. 881–884. *Avaliable from DOI: 10.1016/j.clineuro.2012.01.031.*

Sepulveda, J. (2013). Challenges in Routine Clinical Chemistry Testing. Analysis of Small Molecules', in *Accurate Results in the Clinical Laboratory: A Guide to Error Detection and Correction,* pp. 93–129. *Avaliable from DOI: 10.1016/B978-0-12-415783-5.00008-6.*

Setyopranoto, I., Wibowo, S., Sadewa, A.H., *et al*., 2016. The Interaction of Stroke Risk Factors, Clinical Outcomes and Matrix Metalloproteinase-9 Levels with the Reduction of Vascular Endothelial Growth Factor A Levels at the Incidence of Brain Edema in Acute Ischemic Stroke Patients. *British Journal of Medicine and Medical Research* 11(12): 1-14

Shah, R., Vyas, C., Vora, J *et al*., (2014). NIHSS Score : A Handy Tool To Predict Vascular Occlusion In Acute Ischemic Stroke. *Circulation*, pp. 18–22.

Shirreffs, S. M. (2003). Markers Of Hydration Status. *European Journal of Clinical Nutrition*, 57, pp. S6–S9. *Avaliable from DOI: 10.1038/sj.ejcn.1601895.*

Sico, J. J., Phipps, M., Concato, J *et al.,* (2016). Using Radiological Data to Estimate Ischemic Stroke Severity. *Journal of Stroke and Cerebrovascular Diseases*. Elsevier Inc., 25(4), pp. 792–798. *Avaliable from DOI: 10.1016/j.jstrokecerebrovasdis.2015.12.002.*

Sohail, A., Khatri, I. A., Mehboob, N *et al*., (2013). Effect Of Dyslipidemia On Severity And Outcome Of Stroke Using Mrs Scores In Northern Pakistani Population. *Rawal Medical Journal*, 38(4), pp. 345–350.

Sohrabji, F., Bake, S., Lewis, D. K *et al.,* (2013). Age-Related Changes In Brain Support Cells: Implications For Stroke Severity. *Neurochemistry International*. Elsevier Ltd, 63(4), pp. 291–301. *Avaliable from DOI: 10.1016/j.neuint.2013.06.013.*

Song, S. H., Kim, J. H., Lee, J. H *et al.,* (2017). Elevated blood viscosity is associated with cerebral small vessel disease in patients with acute ischemic stroke. *BMC Neurology* (2017) 17:20

Soriano-tárraga, C., Giralt-steinhauer, E., Mola-caminal, M *et al.,* (2018). Biological Age Is A Predictor Of Mortality In Ischemic Stroke. pp. 1–8. *Avaliable from DOI: 10.1038/s41598-018-22579-0.*

Spiotta, A. M., Vargas, J., Hawk, W *et al.,* (2015). Impact Of The ASPECT Scores And Distribution On Outcome Among Patients Undergoing Thrombectomy For Acute Ischemic Stroke. pp. 551–558. *Avaliable from DOI: 10.1136/neurintsurg-2014-011195.*

Stevens, L., Coresh, J., Greene, T *et al*., (2006). Assessing Kidney Function: Measured And Estimated Glomerular Filtration Rate. *N Eng J Med* 2006;345:247383

Suganya, Shanmugapriya, T., Rajinisamuel, T *et al.,* (2016). A Study To Evaluate The Role Of Bun/Creatinine Ratio As A Discriminator Factor In Azotemia. *International Journal of Pharmaceutical Sciences Review and Research*, 40(1), pp. 131–134.

Swerdel, J. N., Janevic, T., Kostis, W *et al.,* (2016). Association Between Dehydration and Short-Term Risk of Ischemic Stroke in Patients with Atrial Fibrillation. *Translational stroke research*. Translational Stroke Research. *Avaliable from DOI: 10.1007/s12975-016-0471-9.*

Thomas, D. R., Tariq, S. H., Makhdomm, S *et al.,* (2004). Physician

UNIVERSITAS
GADJAH MADA
HUBUNGAN ANTARA STATUS HIDRASI DENGAN SKOR NIHSS PASIEN STROKE ISKEMIK AKUT SAAT ADMISI
LOTHAR MATHEUS M V S, dr. Paryono, Sp.S(K); Prof. Dr. dr. Samekto Wibowo, P. FarkK, Sp.FK(K), Sp.S(K)
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

misdiagnosis of dehydration in older adults. *J Am Med Dir Assoc* 2004;5(2 Suppl): S31–S34

Tomita, H., Hagii, J., Metoki, N *et al.*, (2015). Impact of Sex Difference on Severity and Functional Outcome in Patients with Cardioembolic Stroke. *Journal of Stroke and Cerebrovascular Diseases*. National Stroke Association, 24(11), pp. 2613–2618. *Avaliable from DOI: 10.1016/j.jstrokecerebrovasdis.2015.07.016.*

Turtzo, L. C., Mccullough, L. D. (2008). Sex Differences in Stroke. *Cerebrovasc Dis* 06030, pp. 462–474. *Avaliable from DOI: 10.1159/000155983.*

Wann, L. S., Curtis, A., January, C *et al.*, (2011). 2011 ACCF/AHA/HRS focused update on the management of patients with atrial fibrillation (Updating the 2006 Guideline): A report of the American college of cardiology foundation/American heart association task force on practice guidelines. *Circulation*, 123(1), pp. 104–123. *Avaliable from DOI: 10.1161/CIR.0b013e3181fa3cf4.*

Wartenberg, K. E., Stoll, A., Funk, A *et al.*, (2011). Infection after Acute Ischemic Stroke: Risk Factors, Biomarkers, and Outcome. *Stroke Research and Treatment*, 2011(1), pp. 1–8. *Avaliable from DOI: 10.4061/2011/830614*.

Westendorp, W. F., Nederkoorm, P., Vermeij, J *et al.*, (2011). Post-Stroke Infection : A Systematic Review And Meta-Analysis. *BMC Neurology*. BioMed Central Ltd, 11(1), p. 110. *Avaliable from DOI: 10.1186/1471-2377-11-110.*

Wicaksana, H. Y., Adrianto, Y., Rehattam, N.M *et al.*, (2017). Correlation between white blood cell count and clinical severity based on NIHSS in acute ischemic stroke patients. *Bali Medical Journa*, Volume 6, Number 1: 130-134

Xing, Y. (2016). Low Density Lipoprotein Cholesterol and the Outcome of Acute Ischemic Stroke : Results of a Large Hospital-Based Study. *Eur Neurol* pp. 195–201. *Avaliable from DOI: 10.1159/000450604*.

Xu, T., Zhang, J, Yang, M *et al.*, (2014). Dyslipidemia and outcome in patients with acute ischemic stroke.', *Biomedical and environmental sciences : BES*, 27(2), pp. 106–10. *Avaliable from DOI: 10.3967/bes2014.023*.

Yoo, D. S., Chang, J., Kim, J *et al.*, (2014). Various Blood Glucose Parameters That Indicate Hyperglycemia After Intravenous Thrombolysis In Acute Ischemic Stroke Could Predict Worse Outcome. *PLoS ONE*, 9(4). *Avaliable from DOI: 10.1371/journal.pone.0094364.*

Yu, J. G., Zhou, R. R., Cai, G. J *et al.*, (2011). From Hypertension to Stroke: Mechanisms and Potential Prevention Strategies. *CNS Neuroscience and Therapeutics*, 17(5), pp. 577–584. *Avaliable from DOI: 10.1111/j.1755-5949.2011.00264.x.*

Zanzmera, P., Srivastava, P., Garg, A *et al.*, (2012). Prediction Of Stroke Outcome In Relation To Alberta Stroke Program Early CT Score (ASPECTS) At Admission In Acute Ischemic Stroke: A Prospective Study From Tertiary Care Hospital In North India. *Neurology Asia*, 17(2), pp. 101–107.

Zhang, Z., Yan, J., Shi, H *et al.*, (2008). Hyperglycemia as a Risk Factor of Ischemic Stroke. *J Drug Metab Toxicol* 64(12), pp. 2391–2404. *Avaliable from DOI: 10.1038/jid.2014.371*.