

DAFTAR PUSTAKA

- American Diabetes Association. (2014). Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*, 37(1): 581-590.
- Arini, S., Nurmawan, D., Alfiani, F., Hertiani, T. (2003). Daya Antioksidan dan Kadar Flavonoid Hasil Ekstraksi Etanol-air Daging Buah Mahkota Dewa [*Phaleria Macrocarpa* (Scheff.) Boerl.]. *Buletin Penalaran Mahasiswa UGM*, 10(1), pp. 2-6.
- Berata, I.K., Arjana, A.A.G., Sudira, A.W., Merdana, I.M., Budiasa, I.K., et al. (2010). Patologi Kejadian Cysticercosis pada Tikus Putih. *Jurnal Veteriner*, 11(4), pp. 232-237.
- Cepeda, V., Fuertes, M.A., Castilla, J., Alonso, C., Quevedo, C., et al. (2006). Poly (ADP-Ribose) Polymerase-1 (PARP-1) Inhibitors in Cancer Chemotherapy. *Rec Pat Anticanc Drug Discov*, 1(1), pp. 39-53.
- Cheng, Y., Kang, H., Shen, J., Hao, H., Liu, J., et al. (2015). Beta-cell regeneration from vimentin+/MafB+ cells after STZ-induced extreme beta-cell ablation. *Sci Rep*, 5:11703, pp. 1-12.
- Choi, K.M., Kashyap, P.C., Dutta, N., Stoltz, G.J., Ordog, T., et al. (2010). CD206-Positive M2 Macrophages that Express Heme Oxygenase-1 Protect Against Diabetic Gastroparesis in Mice. *Gastroenterology*, 138, pp. 2399-2409.
- Corbett, J.A., McDaniel, M.L. (1995). Intraislet Release of Interleukin 1 Inhibits 3 Cell Function by Inducing 3 Cell Expression of Inducible Nitric Oxide Synthase. *J Exp Med*, 181(2), pp. 559-568.
- Daud, M.F., Sadiyah, E.R., Rismawati. (2011). Pengaruh Perbedaan Metode Ekstraksi terhadap Aktivitas Antioksidan Ekstrak Etanol Daun Jambu Biji (*Psidium guajava* L.) Berdaging Buah Putih. *Prosiding SNaPP2011 Sains, Teknologi dan Kesehatan*, 2(1).

- Delaney, C.A., Eizirik, D.L. (1996). Intracellular Targets for Nitric Oxide Toxicity to Pancreatic Beta-cells. *Braz J Med Biol Res*, 29(5), pp. 569-579.
- Dengping, Y., Jing, T., Lee, D.D., Shen, J., Hara, M., et al. (2006). Recovery of Islet β -Cell Function in Streptozotocin- Induced Diabetic Mice, an Indirect Role for the Spleen. *Diabetes*, 55, pp. 3256-3263.
- Donath, M.Y., Shoelson, S.E. (2010). Type 2 Diabetes as an Inflammatory Disease. *Nat Rev Immunol*, 11(2), pp. 98-107.
- Egan, D.F, Shackelford, D.B., Mihaylova M.M., Gelino, S., Kohnz, R.A., et al. (2011). Phosphorylation of ULK1 (hATG1) by AMP-activated Protein Kinase Connects Energy Sensing to Mitophagy. *Science*, 331(6016), pp.456–461.
- Ehse, J.A., Perren, A., Eppler, E., Ribaux, P., Pospisilik, J.A., et al. (2007). Increased Number of Islet-associated Macrophages in Type 2 Diabetes. *Diabetes*, 56, pp. 2356-2370.
- Fariza, I.N., Fadzureena, J., Zunoliza, A., Luqman Chuah, A., Pin, K.Y., et al. (2012). Anti-inflammatory Activity of the Major Compound from Methanol Extract of *Phaleria Macrocarpa* Leaves. *J Applied Sci*, 12(11), pp. 1195-1198.
- Friederich, M., Hansell, P., Palm, F. (2009). Diabetes, Oxidative Stress, Nitric Oxide and Mitochondria Function. *Curr Diabetes Rev*, 5(2), pp. 120–144.
- Galic, S., Fullerton, M.D., Schertzer, J.D., Sikkema, S., Marchinko, K., et al. (2011). Hematopoietic AMPK β 1 Reduces Mouse Adipose Tissue Macrophage Inflammation and Insulin Resistance in Obesity. *J Clin Invest*, 121(12), pp. 4903–4915.
- Ghufron, M. Marsetyawan, H.N.E., Soesatyo. (2011). Pengaruh Ekstrak Etanol Daun Mahkota Dewa (*Phaleria macrocarpa* (Scheff Boerl) terhadap Aktivitas Sel NK dan Makrofag Mencit. *Repository UGM*. Yogyakarta: Universitas Gadjah Mada.

- Ghufron, M., Sismindari, Mubarika, S., Soesatyo, M. 2004. Pengaruh ekstrak etanol daun mahkota dewa terhadap aktivitas makrofag mencit. *Laporan Penelitian LPPM UGM*.
- Goud, B.J., Dwarakanath, V., Swamy, B.K.C. (2015). Streptozotocin – A Diabetogenic Agent in Animal Models. *Int J Pharm Res*, 3(1), pp. 253-269. 52
- Hanninen, A., Jalkanen, S., Salmi, M., Toikkanen, S., Nikolakaros, G., et al. (1992). Macrophages, T Cell Receptor Usage, and Endothelial Cell Activation in the Pancreas at the Onset of Insulin-dependent Diabetes Mellitus. *J Clin Invest*, 90(5), pp. 1901-1910.
- Hardie, D. G. (2014). AMP-Activated Protein Kinase: A Key Regulator of Energy Balance with Many Roles in Human Disease. *J Intern Med*, 276(6), pp. 543-549.
- Harmanto, N. (2005). *Mahkota Dewa, Gods Heritage Drugs*, 1st ed. Jakarta: Agro Media Pustaka.
- Henin, N., Vincent, M.F., Gruber, H.E., Van den, B.G. (1995). Inhibition of Fatty Acid and Cholesterol Synthesis by Stimulation of AMP-activated Protein Kinase. *The FASEB J*, 9(7), pp. 541–546.
- Hwang, J.T., Kwon, D.Y., Yoon, S.H. (2009). AMP-activated Protein Kinase: a Potential Target for the Diseases Prevention by Natural Occurring Polyphenols. *N Biotechnol*, 26(2), pp.17–22.
- Italiani P., Boraschi, D. (2014). From Monocyte to M1/M2 Macrophages: Phenotypical vs. Functional Differentiation. *Frontiers in Immunology*, 5(541), pp. 1-22.
- Jackson, T.M., Rawling, J.M., Roebuck. B.D., Kirkland, J.B. (1995). Large Supplements of Nicotinic Acid and Nicotinamide Increase Tissue NAD⁺ and Poly(ADP-Ribose) Levels but Do Not Affect Diethylnitrosamine-Induced Altered Hepatic Foci in Fischer-344 Rats. *J Nutr*, 125(6), pp. 1455- 1461.

- Jun, H.S., Yoon, C.S., Zbytnuik, L., van Rooijen, N., Yoon, J.W. (1999). The Role of Macrophages in T Cell-mediated Autoimmune Diabetes in Nonobese Diabetic Mice. *J Exp Med*, 189(2), pp. 347–358.
- Kaneto, H., Kajimoto, Y., Miyagawa, J., Matsuoka, T., Fujitani, Y., et al. (1999). Beneficial Effects of Antioxidants in Diabetes: Possible Protection of Pancreatic β -Cells Against Glucose Toxicity. *Diabetes*, 48(12), pp. 2398-2406.
- Keklikoglu, N. (2008). Inducible Nitric Oxide Synthase Immunoreactivity In Healthy Rat Pancreas. *Folia Histochem Cytobiol*, 46(2), pp. 213-217.
- Kelley, D.E., Goodpaster, B.H., Storlien, L. (2002). Muscle Triglyceride and Insulin Resistance. *Annu Rev Nutr*, 22, pp. 325–346.
- Kim, J., Yang, G., Kim, Y., Kim, J., Ha, J. (2016). AMPK Activators: Mechanisms of Action and Physiological Activities. *Exp Mol Med*, 48(224), pp. 6413-6416.
- Kishore, L., Kajal, A., Kaur, N. (2017). Role of Nicotinamide in Streptozotocin induced Diabetes in Animal Models. *J Endocrinol Thyroid Res*, 2(1), pp. 1-4.
- Kumar, V., Abbas, A.K, Aster, J.C. (2013). *Robbins Basic Pathology*. 9th ed. Philadelphia: Elsevier Saunders.
- Laurence, D.R dan Bacharach, A.L. (1964). *Evaluation of Drug Activities: Pharmacometrics*. 1th ed. Academic Press, London.
- Lestari, I.C. Ghufon, M., Herwiyanti, S., Sumiwi, Y.A.A. (2016). Effect of Ethanolic Extract of *Phaleria Macrocarpa* Scheff Boerl Leaf Administration on Peritoneal Macrophage Phagocytic Activity and Percentage of M1 and M2 Macrophage in Diabetic Rat Model. *Berkala Ilmu Kedokteran*, 50.
- Lowell, B.B., Shulman, G.I. (2005). Mitochondrial Dysfunction and Type 2 Diabetes. *Science*, 307(5708), pp. 384–387.
- Martinez, F.O., Gordon, S. (2014). The M1 And M2 Paradigm of Macrophage Activation: Time for Reassessment. *F1000Prime Rep*. 6(13), pp. 1-13.

- Mantovani, A., Sica, A., Sozzani, S., Allavena, P., Vecchi, A., et al. (2004). The Chemokine System in Diverse Forms of Macrophage Activation and Polarization. *Trends in Immunology*, 25(12), pp. 677-686.
- McCarty, K.S., Jr., Szabo, E., Flowers, J.L., Cox, E.B., Leight, G.S., et al. (1986). Use of a Monoclonal Anti-Estrogen Receptor Antibody in the Immunohistochemical Evaluation of Human Tumors. *Cancer Res*, 46(8), pp. 4244-4248.
- McGee, S.L., van Denderen, B.J., Howlett, K.F., Mollica, J., Schertzer, J.D., et al. (2008). AMP-activated Protein Kinase Regulates Glut4 Transcription by Phosphorylating Histone Deacetylase 5. *Diabetes*, 57, pp. 860–867.
- Merrill, G.F., Kurth, E.J., Hardie, D.G., Winder, W.W. (1997). AICA Riboside Increases AMP-Activated Protein Kinase, Fatty Acid Oxidation, and Glucose Uptake in Rat Muscle. *Am J Physiol*, 273(6), pp.1107–1112.
- Mescher, A.L. (2013). *Junquiera's Basic Histology Text and Atlas*. 13th ed. USA: McGraw Hill Company.
- Mills, C.D. (2012). M1 and M2 Macrophages: Oracles of Health and Disease. *Crit Rev Immunol*, 32(6), pp. 463-488.
- Mounier, R., Theret, M., Arnold, L., Cuvellier, S., Goransson, O., et al. (2013). AMPK α 1 Regulates Macrophage Skewing at the Time of Resolution of Inflammation During Skeletal Muscle Regeneration. *Cell Metab*, 18(2), pp. 251–264.
- Muhammed, S.J., Lundquist, I., Salehi, A. (2012). Pancreatic β -Cell Dysfunction, Expression of INOS and the Effect of Phosphodiesterase Inhibitors in Human Pancreatic Islets of Type 2 Diabetes. *Diabetes Obes Metab*, 14(11), pp. 1010-1109.
- Muntha, M. (2001). Teknik Pembuatan Preparat Histopatologi dari Jaringan Hewan dengan Pewarnaan Hematoksilin dan Eosin (H&E). *Temu Teknis Fungsional Non Peneliti*, pp. 156-163.

- Pandya, K.G., Patel, M.R., Lau-Cam, C.A. (2010). Comparative Study of the Binding Characteristics to an Inhibitory Potencies Towards PARP and in Vivo Antidiabetogenic Potencies of Taurine, 3-Aminobenzamide and Nicotinamide. *J Biomed Sci*, 17(1), pp. 1-16.
- Parsa, R., Andresen, P., Gillett, A., Mia, S., Zhang, X.M., et al. (2012). Adoptive Transfer of Immunomodulatory M2 Macrophage Prevents Type 1 Diabetes in NOD Mice. *Diabetes*, 61(11), pp. 2881-2892.
- Pilon, G., Dallaire, P., Marette, A. (2004). Inhibition of Inducible Nitric-Oxide Synthase by Activators of Amp-Activated Protein Kinase: a New Mechanism of Action of Insulin-sensitizing Drugs. *J Biol Chem*, 279(20), pp. 20767–20774.
- Piper, A.A., Verma, A., Zhang, J., Snyder, S.H. (1999). Poly(ADP-ribose) Polymerase, Nitric Oxide, and Cell Death. *Trends Pharmacol Sci*, 20(4), pp. 171-181.
- Powers, A.C. (2012). *Harrison's Principle of Internal Medicine*. 18th ed. USA: McGraw Hill Company, pp. 2968-3003.
- Purnamasari, D. (2014). *Diagnosis dan Klasifikasi DM Buku Ajar Ilmu Penyakit Dalam*. 6th ed. Jakarta: Interna Publishing, pp. 2323-2327
- Rabinovitch, A., Suarez-Pinzon, W.L., Sorensen, O., Bleackley, R.C. (1996). Inducible Nitric Oxide Synthase (iNOS) in Pancreatic Islets of Nonobese Diabetic Mice: Identification of iNOS-expressing Cells and Relationships to Cytokines Expressed in the Islets. *Endocrinology*, 137(5), pp. 2093-2099
- Riset Kesehatan Dasar (Riskesdas). 2013. Jakarta: Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan Republik Indonesia. Diakses pada tanggal 23 Oktober 2017 dari <http://www.depkes.go.id/resources/download/general/Hasil%20Riskesdas%202013.pdf>.
- Ross, M.H., Pawlina, W. (2011). *Histology: A Text and Atlas*. 6th ed. Philadelphia: Wolters Kluwer, Lippincott Williams & Wilkins.

- Salih, N.D., Azmi, N., Gopalan, H.K. (2015). The Protective Effects of *Phaleria Macrocarpa* Leaves Methanol Extract on Pancreatic Islets Histology in Streptozotocin-induced Diabetic Rats. *Sci Int (Lahore)*, 27(5), pp. 4219-4224.
- Shanmugam, N., Reddy, M.A., Guha, M., Nutarajan, R. (2003). High Glucose-Induced Expression of Proinflammatory Cytokine and Chemokine Genes in Monocytic Cells. *Diabetes*, 5, pp. 1256-1264.
- Skau, M., Pakkenberg, B., Buschard, K., Bock T. (2001). Linear Correlation Between the Total Islet Mass and the Volume-weighted Mean Islet Volume. *Diabetes*, 50(8), pp. 1763-1770.
- Soeksmanto, A., Hapsari, Y., Simanjuntak, P. (2007). Kandungan Antioksidan pada Beberapa Bagian Tanaman Mahkota Dewa, *Phaleria macrocarpa* (Scheff) Boerl. (Thymelaceae). *Biodiversitas*, 8(2), pp. 92-95.
- Spinas, G.A. (1999). The Dual Role of Nitric Oxide in Islets β -cells. *News Physiol Sci*, 14, pp. 49-54.
- Sugiwati, S., Setiasih, S., Afifah, E. (2009). Antihyperglycemic Activity of the Mahkota Dewa [*Phaleria Macrocarpa* (Scheff.) Boerl.] Leaf Extracts as an Alpha-glucosidase Inhibitor. *Makara Kesehatan*, 13(2), pp. 74-78
- Uckun, F.M., Rustamora, L., Vassilev, A.O., Tibbles, H., Petkevich, A. (2005). CNS Activity of Pokeweed Anti-viral Protein (PAP) in Mice Infected with Limfositic Choriomeningitis Virus (LCMV). *BMC Infec Dis*, 5(9), pp. 1-7.
- Wahyuningsih, M.S.H., Mubarika, S., Gandjar, I.G., Hamann, M.T., Rao, K.V., Wahyuono, S. (2005). Phalerin, a New Benzophenoic Glucoside Isolated From the Methanolic Extract of Mahkota Dewa [*Phaleria macrocarpa* (scheff) Boerl.] Leaves. *Majalah Farmasi Indonesia*, 16(1), pp. 51-57.
- Wahyuningsih, M.S.H., Mubarika, S., Wahyuoni, S. 2016. Pengaruh *Phalerin* Hasil Isolasi dari Daun *Phaleria macrocarpa* Scheff Boerl. terhadap Ekspresi Protein p53 Sel EVSA-T in Vitro. Fakultas Kedokteran, Universitas Gadjah Mada.

- Waspadji, S. (2014). *Komplikasi Kronik Diabetes: Mekanisme Terjadinya, Diagnosis dan Pengelolaan Buku Ajar Ilmu Penyakit Dalam*. 6th. Jakarta: Interna Publishing, pp. 2359-2366
- Wijanarko, H., Wahyuono, S., Ganjar, I.G., Hartati, M.S., Mubarika, S. 2005. Aktivitas *Phalerin* hasil isolasi dari daun mahkota dewa (*Phaleria macrocarpa* (scheff) boerl) sebagai pemicu fagositosis makrofag in vitro. *Majalah Obat Tradisional* 10(33):11-15.
- World Health Organization. (2015). Fact Sheet No 310 - The Top 10 Causes of Death. Geneva: World Health Organization.
- World Health Organization. (2015). Global, Regional, and National Incidence, Prevalence, and Years Lived with Disability for 301 Acute and Chronic Diseases and Injuries in 188 Countries, 1990–2013: a Systematic Analysis for the Global Burden of Disease Study. *Lancet*, 386, pp. 743–800.
- Yin, D., Tao, J., Lee, D.D., Shen, J., Hara, M., et al. (2006). Recovery of Islet b-Cell Function in Streptozotocin-induced Diabetic Mice: An Indirect Role for the Spleen. *Diabetes*, 55, pp. 3256-3263.
- Yu, C., Hongjun, K., Jing, S., Haojie, H., Jiejie, L., et al. (2015). Beta-Cell Regeneration from Vimentin+/Mafb+ Cells after Stzinduced Extreme Beta-Cell Ablation. *Sci Rep*, 5(11703), pp. 1-12.
- Zhao, X., Zmijewski, J.W., Lorne, E., Liu, G., Park, Y.J., et al. (2008). Activation of AMPK Attenuates Neutrophil Proinflammatory Activity and Decreases the Severity of Acute Lung Injury. *Am J Physiol Lung Cell Mol Physiol*, 295(3), pp. 497–504.