

## DAFTAR PUSTAKA

- Acebey, A., Gradstein, S.R., and Krömer, T. 2003. Species Richness and Habitat Diversification of Bryophytes in Submontane Rain Forest and Follows of Bolivia. *Journal of Tropical Ecology*. 19(1): 9–18.
- Agarwal, M., Shrivastava, N., and Padh, H. 2008. Advances in molecular marker techniques and their applications in plant sciences. *Plant Cell Rep.* 27: 617–631.
- Anonymous, 1954, Nomina generica conservanda. *Taxon*. 3 (5): 155-156.
- Arif, I.A., Bakir, M.A., Khan, H.A., Al Farhan, A.H., Al Homaidan, A.A., Bahkali, A.H., Al Sadoon, M., and Shobrak, M. 2010. A brief review of molecular techniques to assess plant diversity. *International Journal of Molecular Sciences*. 11 (5): 2079-2096.
- Ariyanti, N.S., dan Sulistijorini. 2011. Contrasting arboreal and terrestrial bryophytes communities of the Mount Halimun Salak National Park, West Java. *Biotropia*. 18 (2): 81 – 93.
- Backiewicz, A., 2012. Genetic Diversity of Leafy liverwort species (Jungermanniidae, Marchantiophyta) in polandia: Diversity of Leafy Liverwort species with Various Reproductive modes. *Biodive. Res Conserv.* 27:3-54.
- Bakalin, V.A. 2016. A revision of Lepidoziaceae (*Hepaticae*) in the Russian Far East I. *Bazzania. Botanica Pacifica*. (5) 1: 33-52.
- Bernecker-Lucking, A. 1999. Key to Latin American species of *Bazzania* S.F. Gray. *Tropica Bryology*. 16: 117-126.
- Bombosch, A., Wieneke, A. Busch, A., Jonas, R., Hentschel, J., Kreier, H.P., Shaw, B., Shaw, A.J. and Heinrichs, J. 2010. Narrow species concepts in the *Frullania dilatata–appalachiana–eboracensis* complex (Porellales, Jungermanniopsida): evidence from nuclear and chloroplast DNA markers. *Plant Syst Evol.* 290: 151–158.
- Bornet, M. and Branchard, M., 2001. Nonanchored Inter Simple Sequence Repeat (ISSR) markers: Reproducible and specific tools for genome fingerprinting. *Plant Molecular Reporter*. 19: 209-215.
- Braby, M.F. and Williams, M.R. 2016. Biosystematics and conservation biology: critical scientific disciplines for the management of insect biological diversity. *Austral Entomology*. 55: 1– 17
- Brinegar, C. 2009. Assessing evolution and biodiversity in plants at the molecular level. *Kathmandu University Journal of Science, Engineering and Technology*. 5 (II): 149- 159.
- Buczkowska, K., Sawicki, J., Szczecinska, M., Klama, H., Milewicz, M., and Czkwicz, A. 2010. Genetic variation in the liverwort *Bazzania trilobata* inferred from ISSR markers. *Journal of Bryology*. 32: 265–274.
- Buczkowska, K., Sawicki, J., Szczecińska, M., Klama, H. and Bączkiewicz, A. 2012. Isozyme and DNA markers reveal a new genetically distinct taxon of *Calypogeia sphagnicola* (Jungermanniopsida, Calypogeiaceae). *Pol. Bot. J.* 57: 95-107.

- Buczowska, K., Rabska, M., Gonera, P., Pawlaczyk, E. M., Wawrzyniak, P., Czołpińska, M., and Bączkiewicz, A. 2016. Effectiveness of ISSR markers for determination of the *Aneura pinguis* cryptic species and *Aneura maxima*. *Biochemical Systematics and Ecology*. 68: 27-35.
- Chang, Y., and Graham, S.W. 2011. Bryophyte-specific primers for retrieving plastid genes suitable for phylogenetic inference. *American Journal of Botany*. 98. (5): 109–113.
- Cheah Y.H., and Yong, K.T. 2016. New records of *Bazzania* species (Marchantiophyta: Lepidoziaceae) in Peninsular Malaysia with identification key. *Cryptogamie Bryologie*. 37 (2): 199-210.
- Cooper, E.D., Shaw, A.J., Shaw, B., Henwood, M.J., Heslewood, M.M., and Brown, E.A. 2011. A multi-locus molecular phylogeny of the Lepidoziaceae: Laying the foundations for a stable classification. *Molecular Phylogenetics and Evolution*. 59: 489–509.
- Cooper, E.D., Henwood, M.J. and Brown, E.A. 2012. A molecular phylogeny of the *Lepidozia* generic complex supports re-circumscription of the Lepidozioideae. *Molecular Phylogenetics and Evolution*. 65: 10–22.
- Cooper, D.E. 2013. Notes on early land plants today. 37. Towards a stable, informative classification of the Lepidoziaceae (Marchantiophyta). *Phytotaxa*. 97 (2): 44–51.
- Crandall-Stotler, B., Stotler, R.E., and Long, D.G. 2009a. Phylogeny and classification of the Marchantiophyta. *Edinburgh Journal Of Botany*. 66 (1): 155–198.
- 2009b. *Morphology and Classification of the Marchantiophyta* pp. 1-47. In Goffinet, B. and Shaw, J. (Eds). *Bryophyte Biology*, 2<sup>nd</sup> ed. Cambridge University Press.
- Cros, R. M., and Infante, M. 1999. *Bazzania* Gray (Jungermanniales, Bryophyta) on the Iberian Peninsula. *Lindbergia*. 24 (1): 38-42.
- Damayanti, L. 2006. *Koleksi Bryophyta Taman Lumut Kebun Raya Cibodas*. UPT Balai Konservasi Tumbuhan Kebun Raya Cibodas, Sindanglaya, Cianjur.
- Davis, P. H. and V. H. Heywood. 1963. *Principles of angiosperm taxonomy*. Oliver & Boyd, burgh, London.
- de Groot, G. A., During, H. J., Maas, J. W., Schneider, H., Vogel, J. C., and Erkens, R. H. 2011. Use of *rbcL* and *trnL-F* as a two-locus DNA barcode for identification of NW-European ferns: an ecological perspective. *PLoS one*. 6(1). e16371.
- Doyle, J. 1991. DNA protocols for plants. In *Molecular techniques in taxonomy*. Springer, Berlin, Heidelberg. pp. 283-293.
- Duminil, J. and Michele. 2009. Progress In morphological and molecular systematics. Plant species delimitation: A comparison of morphological and molecular markers. *Plant Biosystems*. 1: 1–15.
- Dumortier, B.C. 1835. *Recueil d'observations sur les Jungermanniacées. I. Révision des genres. J.-A. Blanquart, Tournay*. pp. 27.
- Elbert, L and Little, Jr. 1949. Nomina conservanda Proposals in Hepaticae. *The Bryologist*. 52 (1): 1-22.

- Endreas, P.K. 2003. Morphology and Angiosperm systematics in the molecular era. *The Botanical Review*. 68 (4): 545-570.
- Evans A.W. 1933. Some representative species of *Bazzania* from Sumatra. *Pap Michigan Acad Sci Arts Lett*. 17: 69-118.
- 1939. The classification of the Hepaticae. *The Botanical Review*. 5(1): 49-96.
- Feldberg, K., Váña, J., Long, D. G., Shaw, A. J., Hentschel, J., and Heinrichs, J. 2010. A phylogeny of Adelanthaceae (Jungermanniales, Marchantiophyta) based on nuclear and chloroplast DNA markers, with comments on classification, cryptic speciation and biogeography. *Molecular Phylogenetics and Evolution*. 55(1): 293-304.
- Finkeldey, R. and Hettmer, H.H. 2007. *Tropical Forest Genetics*. Springer. Berlin.
- Frahm, J. P., and Gradstein, S. R. 1991. An altitudinal zonation of tropical rain forests using bryophytes. *Journal of biogeography*. 18 (6): 669-678.
- Frahm, J.P. 1991. A phenetic and cladistic study of the Campyloidioideae. *Journ. Hattori Bot. Lab*. 69: 65 – 78.
- Frankham, R., Ballao, J.D., and Briscoe, D.A. 2002. *Introduction to conservation Genetics*. Cambridge University Press. New York. USA.
- Fulford, M. 1936. The Genus *Bazzania* in the United States and Canada. *American Midland Naturalist*. 17(2): 385-424.
- 1946. The genus *Bazzania* in Central and South America. *Annales Cryptogamici et Phytopathologici*. 3: 1-175.
- 1959a. Studies on American Hepaticae. 7. A Supplement to "The Genus *Bazzania* in Central and SouthAmerica." Part 1. Introduction and the Subgenus Bidentatae. *Bulletin of the Torrey Botanical Club*. 86 (5): 308-341.
- 1959b. Society Studies on American Hepaticae. 9. A Supplement to "The Genus *Bazzania* in Central and SouthAmerica." II. Tridentatae (3). *Bulletin of the Torrey Botanical Club*. 86 (6): 394-412.
- Gallego, M. T., Werner, O., Sérgio, C., and Guerra, J. 2005. A morphological and molecular study of the *Syntrichia laevipila* complex (Pottiaceae) in Portugal. *Nova Hedwigia*. 80(3-4), 301-322.
- Glime, J. M. 2006. *Bryophyte Ecology*, Volume 1, Physiological Ecology. <http://www.bryoecol.mtu.edu>
- Goffinet, B., and Buck, W.R. 2013. *The Evolution of Body Form in Bryophytes*. pp. 51-84. In Ambrose, B.A., Purugganan, M. (Eds). *The Evolution of Plant Form*. Annual Plant Reviews, Volume 45. Blackwell Publishing Ltd.
- Gradstein, S.R., Churchill, S.P., and Allen, N.S. 2001. *Guide to the Bryophytes of Tropical America*. The New York Botanical Garden Press. New York.
- Gradstein, S.R., Tan, B.C., Zhu, R. L., HO, B. C., DRÜBERT, C., and PITOPANG, R. 2005. A catalogue of the bryophytes of Sulawesi, Indonesia. *The Journal of the Hattori Botanical Laboratory*. 98 : 213-257
- Gradstein, R., Kien–Thai, Y., Suleiman, M., Putrika, A., Apriani, D., Yuniati, E., Kanak, F.A.G., Ulum, F.B. Wahyuni, I., Wongkuna, K., Lubos, L.C., Tam, L.T., Puspaningrum, M.R., Serudin, M.R.Pg., Zuhri, M., Min, Ng. A.,

- Junita, N., Pasaribu, N., and Kornochalert, S. 2010. Bryophytes of Mount Patuha, West Java, Indonesia. *Reinwardtia*. 13(2): 107 – 123.
- Gradstein, S.R. 2011. *Guide to the Liverwort and hornwort of Java*. SEAMOE Biotrop. Bogor.
- .. 2017. *Bazzania* (Marchantiophyta) in South America. *Nova Hedwigia*. 105(1-2): 243-266.
- Gray, S. F. 1821. *A Natural Arrangement of British Plants* 1: i-xxviii, 1- 824. pi. 1-21. London.
- Haider, N. 2011. Chloroplast-specific universal primers and their uses in plant studies. *Biologia Plantarum*. 55 (2): 225-236.
- Hartmann, F.A., Wilson, R., Gradstein, S.R., Schneider, H., and Heinrichs, J. 2006. Testing Hypotheses on Species Delimitations and Disjunctions in the Liverwort *Bryopteris* (Jungermanniopsida: Lejeuneaceae). *International Journal of Plant Sciences*. 167 (6): 1205-1214.
- Hassel, K., and Gunnarsson, U. 2003. The use of inter simple sequence repeats (ISSR) in bryophyte population studies. *Lindbergia*. 28: 152-157.
- Hattori S, Mizutani M. 1958. A Revision of the Japanese Species of the Family Lepidoziaceae. *J Hattory Bot Lab*. 19: 76-118.
- He, X., Sun Y., and Zhu, R.L. 2013. The Oil Bodies of liverworts: Unique and important organelles in land plants. *Critical Reviews in Plant Sciences*. 32:293–302.
- Heinrichs, J., Kreier, H.P., Feldberg, K., Schmidt, A.R., Zhu, R.L., Shaw, B. Shaw, A.J., and Wissemann, V. 2011. Formalizing morphologically cryptic biological entities: New insights from DNA taxonomy, hybridization, and biogeography in the leafy liverwort *Porella Platyphylla* (Jungermanniopsida, Porellales). *American Journal of Botany*. 98(8): 1252–1262.
- Heinrichs, J. Dong, S., Schafer-Verwimp, A., Pocs, T., Feldberg, K., Czumaj, A., Schmidt, A.R., Reitner, J., Renner, M.A.M., Hentschel, J., Stech, M. and Schneider H. 2013. Molecular phylogeny of the leafy liverwort *Lejeunea* (Porellales): Evidence for a Neotropical origin, uneven distribution of sexual systems and insufficient taxonomy. *PLOS ONE*. 8 (12). e82547. [www.plosone.org](http://www.plosone.org)
- Hentschel, J., von Konrat, M.J., Pocs, T., Schafer-Verwimp, A., Shaw, A.J., Schneider, H., and Heinrichs, J. 2009. Molecular insights into the phylogeny and subgeneric classification of *Frullania raddi* (Frullaniaceae, Porellales). *Molecular Phylogenetics and Evolution*. 52: 142–156.
- Heslewood, M. M., and Brown, E. A., 2007. A molecular phylogeny of the liverwort famili Lepidoziaceae Limpr in Australasia, *Pl. Syst. Evol.* 265: 193–219.
- Hidayat, T., dan Pancoro, A. 2008. Kajian filogenetik molekuler dan perannya dalam menyediakan informasi dasar untuk meningkatkan kualitas sumber genetik anggrek. *Jurnal AgroBiogen*. 4(1): 35-40.
- Hodgson, E. A. 1954. New Zealand hepaticae (liverworts)–VIII. A review of the New Zealand species of the genera *Bazzania* and *Acromastigum*. In *Transactions of the Royal Society of New Zealand*. 82 (1): 7-24.

- Hollingsworth, P. M., Graham, S. W. and Little, D. P. (2011). Choosing and using a plant DNA barcode. *PLoS One*. 6(5): e19254.
- Holz and Gradstein, S.R. 2005. Cryptogamic epiphytes in primary and recovering upper montane oak forests of Costa Rica – species richness, community composition and ecology. *Plant Ecology*. 178: 89–109.
- Hong, W. S. 1988. The family Lepidoziaceae in North America west of the hundredth meridian. *Bryologist*. 91(64): 326-333.
- Jabbarzadeh, Z., Khosh-khui, M., Salehi, H., and Saberivand, A., 2010. Inter simple sequence repeat (ISSR) markers as reproducible and specific tools for genetic diversity analysis of rose species. *African Journal of Biotechnology*. 9 (37): 6091-6095.
- Jankowiak, K., Buczkowska, K. and Szweykowska-Kulinska, Z. 2005. Reviewed successful extraction of DNA from 100-year-old herbarium specimens of the liverwort *Bazzania trilobata*. *Taxon*. 54 (2): 335-336.
- Judd, W.S., Campbell, C.S., Kellog, E.A. and Stevens, P.E. 1999. *Plant Systematics A Phylogenetic Approach*. Sinaur Associates, Inc. Publisher
- Karsinah, L., Setyobudi dan Aswidinor, H. 2002. Keragaman genetik Plasma Nutfah Jeruk Berdasarkan Analisis Penanda RAPD. *Jurnal Bioteknologi Pertanian*. 1 (7): 8-16.
- Kellermann, J., and Udovicic, F. 2008. Large indels obscure phylogeny in analysis of chloroplast DNA (*trnL-F*) sequence data: Pomaderreae (Rhamnaceae) revisited. *Telopea*: 12(1): 1–22.
- Kitagawa, N. 1967. Studies on the Hepaticae of Thailand. I. The genus *Bazzania*, with general introduction. *J. Hattori Bot. Lab.* 30: 249-270.
- 1969. A small collection of Hepaticae from Penang, Malaysia. *Bull. Nara U.Educ.* 18 (2): 27-43.
- 1971. A small collection of Hepaticae from Penang, Malaysia-Continued. *Bull. Nara U.Educ.* 20 (2): 7-14.
- 1977. Studies on Asian Species of *Bazzania*, Hepaticae, I. *Bull. Nara Univ. Educ.* 26 (2): 73-82.
- 1979. Studies on Asian Species of *Bazzania*, Hepaticae, II. *Bull. Nara Univ. Educ.* 28 (2): 71-83.
- 1980. New Guinean species of the genus *Bazzania*. I. *Journal of the Hattori botanical laboratory*.
- Kotia, A., Mohil, P., Verma, J.K., Verma, S.C., Soni, P., Joshi, S. & Dubey, A. 2017. *Biosystematics*. In Singh, G.P. (Eds). *Biosystematics of Angiosperms, Plant Development and Reproduction*. Rajasthan State Cooperative Press Ltd., Jaipur. pp 40-48.
- Kovach, W. L. 2007. Multivariate Statistical Package (MVSP) Plus Version 3.22 User's Manual. *Publish by Kovach Computing Services*. 137.
- Krauss, S. L. 1996. A multivariate analysis of geographic variation in morphology in *Persoonia mollis* (Proteaceae). *Plant Systematics and Evolution*. 202(12) : 65-86.
- Kreier, H.P., Feldberg, K., Mahr, F., Bombosch, A., Schmidt, A.R., Zhu, Rui-Liang, von Konrat, M., Shaw, B., Shaw, A.J., and Heinrichs, J. 2010. Phylogeny of the leafy liverwort *Ptilidium*: Cryptic speciation and shared

- haplotypes between the Northern and Southern Hemispheres. *Molecular Phylogenetics and Evolution*. 57:1260–1267.
- Lai, M. J., Zhu, R. L., and Chantanaorrapint, S. 2008. Liverworts and hornworts of Thailand: an updated checklist and bryofloristic accounts. In *Annales Botanici Fennici*. 45 (5): 321-341.
- Lang, A. S., Kruijer, J. D. and Stech, M. 2014. DNA barcoding of Arctic bryophytes: an example from the moss genus *Dicranum* (Dicranaceae, Bryophyta). *Polar biology*. 37(8):1157-1169.
- Lawrence, G. H. M. 1951. *Taxonomy of vascular plants*. Macmillan, New
- Lestari, R. W., dan Ariyanti, N. S. 2017. *Bazzania* (Marchantiophyta: Lepidoziaceae) Di Taman Nasional Gunung Leuser (Sumatra). *Floribunda*, 5(7): 227-238.
- Lindenberg, J.B.G., Gottsche, C.M. and Esenbeck, C.N. (1844). 1847. *Synopsis Hepaticarum*, 1-834.
- Long, D. G., and Rubasinghe, S. C. 2014. Liverworts and hornworts of Sri Lanka: a revised checklist. *Ceylon Journal of Science. Biological Sciences*. 43(1): 1-36.
- Mao, L. H., and Fang, Y. M. 2014. ISSR primer screening and preliminary evaluation of genetic diversity in *Haplocladium microphyllum*. *Biochemical Systematics and Ecology*. 55: 107-111.
- Maryanto, I., Noerdjito, M., dan Partomihardjo, T. 2012. *Ekologi Gunung Slamet. Geologi, Klimatologi, Biodiversitas dan Dinamika Sosial*. LIPI Press, Jakarta.
- Meagher, D. 2005. *Bazzania sauropoda* (Marchantiophyta: Lepidoziaceae), a new species from tropical Queensland. *Austrobaileya*. 7 (1): 129-133.
- 2006. *Bazzania scalaris* sp. nov. (Marchantiophyta: Lepidoziaceae) from Papua New Guinea. *Telopea*. 11(3): 246–251.
- 2008. Studies on *Bazzania* 1. Some new and little known species from Australasia. *Nova Hedwigia*. 86. (3-4): ( 477-495.
- 2013. A study of branching patterns in *Bazzania* (Jungermanniales, Lepidoziaceae). *Polish Botanical Journal*. 58(2): xx–xx, 2013 doi: 10.2478/pbj-2013-0042.
- 2015. Studies on *Bazzania* (Marchantiophyta: Lepidoziaceae) 8. *Bazzania wooroonooran* sp. nov. and seven other rare species from tropical Australia. *Nova Hedwigia*. 100 (3-4): 535-552.
- Meijer W. 1960. Notes of the species of *Bazzania* (Hepaticae) mainly in Java. *Blumea*. 10: 323-661.
- Menzel M. 1988. Annotated catalogue of the Hepaticae and Anthocerotae of Borneo. *J Hattory Bot Lab*. 65: 145-206.
- Mishra, R.K., and Tomar, R.S. 2014. Molecular markers and their application in genetic mapping. *European Academic Research*. II (3): 4012-4040.
- Mizutani M., and Chang K.C. 1986. A Preliminary Study of Chinese Lepidoziaceae Flora. *J Hattory Bot Lab*. 60: 419-437.
- Mizutani M. 1967. Studies of The Himalayan Species of *Bazzania*. *J Hattory Bot Lab*. 30: 7-90.

- Mondini, L., Noorani, A., and Pagnotta, M.A. 2009. Assessing plant genetic diversity by molecular tools. *Diversity*. 1: 19-35. doi:10.3390/d1010019.
- Nei, M. 1972. Genetic distance between populations. *The American Naturalist*. 106(949): 283-292.
- 1978. Estimation of average heterozygosity and genetic distance from a small number of individuals. *Genetics*. 89(3), 583-590.
- 1987. *Molecular Evolutionary Genetics*. New York. Columbia University Press. New York.
- Pickering, J. 2014. *Discover life*. [www.discoverlife.org/mp/20p?res=320&see-Bazzania](http://www.discoverlife.org/mp/20p?res=320&see-Bazzania). Diakses 8 Februari 2014.
- Poerba, S.P. dan Martanti, D. 2008. Keragaman Genetik Berdasarkan Marka Random Amplified Polymorphic DNA pada *Amorphophallus mulleri* Blume di Jawa. *Biodiversitas*. 9(4): 245-249.
- Pokorny, L., Ho, B.C., Frahm, J.P., Quandt, D., and Shaw, A.J. 2012. Phylogenetic analyses of morphological evolution in the gametophyte and sporophyte generations of the moss order Hookeriales (Bryopsida). *Molecular Phylogenetics and Evolution*. 63: 351–364.
- Pócs T. 1969. A short survey of the *Bazzania* of North Vietnam. *J Hattory Bot Lab*. 32: 81-94.
- Quandt, D., and Stech, M. 2005. Molecular evolution of the *trnL* UAA intron in bryophytes. *Molecular Phylogenetics and Evolution*. 36: 429–443.
- Radford, A.E. 1986. *Fundamentals of Plant Systematics*. Harper & R. Publishers, Inc, New York.
- Reddy, M.P., Sarla, N., and Siddiq, E.A. 2002. Inter simple sequence repeat (ISSR) polymorphism and its application in plant breeding. *Euphytica*. 128: 9–17
- Renner, M.A., Brown, E.A., and Wardle, G.M. 2013. Averaging v. outlier removal. Decrypting variance among cryptic *Lejeunea* species (Lejeuneaceae: Jungermanniopsida) using geometric morphometrics. *Australian Systematic Botany*. 26: 13–30.
- Richter, S. P., SchuTze and Bruelheide, H. 2009. Modelling epiphytic vegetation in an urban landscape. *Journal of Bryology*. 31: 159–168.
- Ross, H. H. 1974. *Biological systematics*. Addison-Wesley, Reading, Massachusetts; Menlo Park, California; London, England; Don Mills
- Rowntree. J.K., Cowan, E.R.S., Leggett, E.M., Ramsay, E.M.M., and Fay, E.M.F. 2010. Which moss is which? Identification of the threatened moss *Orthodontium gracile* using molecular and morphological Techniques. *Conserv Genet* . 11:1033–1042.
- Salimpour, F. and Kolivand, H. 2014. Numerical taxonomy of selected species of Pottiaceae famyli in Iran. *J. Bio & Env. Sci*. 4. (5): 310 – 313.
- Sambrook, J., Fritsh, E.F. and Maniatis, T. 1989. *Molecular Cloning: a laboratory manual*. 2<sup>nd</sup> ed. N.Y., Cold Spring Harbor Laboratory Press. New York.
- Sari, N.K. 2014. Keanekaragaman *Bazzania* di Hutan Sibayak Sumatra Utara. IPB. Bogor. Indonesia. *unpublished*.

- Sawicki, J. and Szczecińska, M. 2011. A comparison of PCR-based markers for the molecular identification of *Sphagnum* species of the section *Acutifolia*. *Acta Soc Bot Pol.* 80.(3):185-192.
- Semagn, K., Å. Bjørnstad, A., and Ndjiondjop, M. N. 2006. An overview of molecular marker methods for plants. *African Journal of Biotechnology.* 5. (25): 2540-2568.
- Shaw, A.J. 2009. *Bryophyte species and speciation.* pp. 445-485. In Goffinet, B. and Shaw, J. (eds). *Bryophyte Biology.* 2<sup>nd</sup> ed. Cambridge University Press.
- Shaw, A.J., Szövényi, P., and Shaw, B., 2011. Bryophytes diversity and evolution: Windows into the early evolution of land plants. *American Journal of Botany.* 98(3): 352 – 369.
- Shaw, J., and Renzaglia, K. 2004. Phylogeny and diversification of Bryophytes. *American Journal of Botany.* 91(10): 1557–1581.
- Shaw, J., Lickey, E.B., Beck, J.T., Farmer, S.B., Liu, W., Miller, J., Siripun, K.C., Winder, C.T., Edward, Schilling, E., and Small, R.L. 2005. The Tortoise and the hare II: Relative utility of 21 noncoding chloroplast dna sequences for phylogenetic analysis. *American Journal of Botany.* 92(1): 142–166.
- Shaw, J., Lickey, E.B., Schilling, E.E. and Small, R.L. 2007. Comparison of whole chloroplast genome sequences to choose noncoding regions for phylogenetic studies in Angiosperms: the tortoise and the hare III: *American Journal of Botany.* 94(3): 275–288.
- Shukkkharak P, Kitlap P, Likananonn A, He S. 2014. A preliminary study of bryophytes in the Khao Soi Dao wildlife sanctuary, Chanthaburi Province, Thailand. *Songklanakarinn J Sci Technol.* 36 (5): 527-534.
- Simpson, G. G. 1961. *Principles of animal taxonomy.* Columbia University Press, New York, London.
- Simpson, M.G. 2006. *Plant systematic.* Elsevier Academic Press.
- Singh, D., Dey, M., and Singh, D. K. 2012. Studies on oil-bodies in some liverworts from Sikkim, Eastern Himalaya, India. *Taiwania.* 57 (4): 384–390.
- Singh, M.G. 2010. *Plant Systematics An Integrated Approach.* 3<sup>th</sup> ed. Science Publishers. Inc. USA.
- So, M.L. 1996. *Mosses and Liverworts of Hong Kong.* Heavenly People Depot. Hong Kong.
- Soderstrom, L. Gradstein, S.R., and Harborg, A. 2010. Checklist of the Hornworts and Liverworts of Java. *Phytotaxa.* 9:53-149.
- Soltis, D.E. and Soltis, P.S. 1998. *Choosing an Approach and an Appropriate Gene for Phylogenetic Analysis.* pp. 1-42. In. Soltis, D.E., Soltis, P.S. and Doyle, J.F. (eds). 1998. *Molecular Systematics of Plants II. DNA Sequencing.* Kluwer Academic Publishers.
- Soni, A. and Kumar, A. 2009. Protocol for improved extraction and PCR amplification of genomic DNA from liverworts, *Plagiochasma appendiculatum.* *Indian Journal of Experimental Biology.* 47: 921-924.
- Stace, C.A. 1989. *Plant Taxonomy and Biosystematics.* 2<sup>nd</sup> ed. Edward Arnold, London.

- Stech, M. and Frey, W., 2001. CpDNA-relationship and classification of the liverworts (Hepaticophytina, Bryophyta). *Nova Hedwigia*. 72: 45–58.
- Stech, M., Quandt, D., and Frey, W. 2003. Molecular circumscription of the hornworts (Anthocerotophyta) based on the chloroplast DNA *trnL*- *trnF* region. *J Plant Res*. 116: 389–398.
- Stech, M., and Quandt, D. 2010. 20,000 species and five key markers: The status of molecular bryophyte phylogenetics. *Phytotaxa*. 9: 196–228.
- Steneien, H.K. 2002. Bryophyte Species and Population Concepts in Relation to Molecular Markers . *Lindbergia*. 27 (3): 134-140.
- Stuessy , T.F. 1990. *Plant Taxonomy, The Systematic Evaluation of Comparative Data*. Columbia Univ. Press. New York. pp. 291-311.
- Sulistyowati, D.A, Perwati, L. K., dan Wiryani, E. 2014. Keanekaragaman Marchantiophyta Epifit Zona Montana di Kawasan Gunung Ungaran, Jawa Tengah. *Bioma: Berkala Ilmiah Biologi*. 16(1): 26-32.
- Swofford, D.L. 2002. *Phylogenetic Analysis Using Parsimony and Other Methods. Version 4.0 beta version*. Sinauer Associates, Sunderland, Massachusetts.
- Taberlet, P., Gielly, L., Pautou, G. and Bouvet, J. 1991. Universal primers for amplification of three non-coding regions of chloroplast DNA. *Plant Molecular Biology*. 17: 1105-1109,
- Tallei, T. E., Rembet, R. E., Pelealu, J. J., and Kolondam, B. J. 2016. Sequence Variation and Phylogenetic Analysis of *Sansevieria trifasciata* (Asparagaceae). *Bioscience Research*. 13(1): 01-07.
- The Plant List, 2013. *Species in Bazzania*.  
[www.theplantlist.org/browse/Lepidoziaceae/Bazzania/](http://www.theplantlist.org/browse/Lepidoziaceae/Bazzania/) diakses 25 Januari 2014.
- Troitsky, A.V., Ignatov, M.S., Bobrova, V.K., and Milyutina I.A., 2007. Contribution of genosystematics to current concepts of phylogeny and classification of bryophytes. *Biochemistry*. 72. (12): 1368 – 1376.
- Uno, G.E., Storey, R., and Moore, R. 2001. *Principles of Botany*. Mc.Graw Hill. New York.
- Ubaidillah, R., dan Sutrisno, H., 2009. *Pengantar Biosistematik: Teori dan Praktek*. Puslitbang Penelitian Biologi-LIPI.
- Valcárcel, V., and Vargas, P. 2010. Quantitative morphology and species delimitation under the general lineage concept: optimization for *Hedera* (Araliaceae). *American Journal of Botany*. 97(9): 1555–1573
- Vanderpoorten, A., and Goffinet, B. 2009. *Introduction to Bryophytes*. Cambridge University Press.
- Vanderpoorten, A., and Shaw, A.J. 2010. The application of molecular data to the phylogenetic delimitation of species in bryophytes: A note of caution. *Phytotaxa*. 9: 229–237.
- Vanderpoorten, A., Hedenäs, L. and Jacquemart, Anne-Laure. 2003. Differentiation in DNA fingerprinting and morphology among species of the pleurocarpous moss genus *Rhytidiadelphus* (Hylocomiaceae). *Taxon*. 52. 229-236.
- van Steenis CGGJ. 1972. *The Mountain Flora of Java*. E.J.Brill, Leiden.

- Verdoorn, F. 1932. Classification of hepatics. *Manual of Bryology*, 1: 413-432.
- Vickery, R.K. *Biosystematics* 1984. In Grant.W.F. (Eds). *Plant Biosystematics*. Academic Press Canada.
- von Konrat, M., de Lange, P., Greif, M., Strozier, L., Hentschel, J., and Heinrichs, J., 2012. *Frullania knightbridgei*, a new liverwort (Frullaniaceae, Marchantiophyta) species from the deep south of Aotearoa-New Zealand based on an integrated evidence-based approach. *Phyto Keys*. 8: 13–36. doi: 10.3897/phytokeys.8.2496.
- Weising, K. Nybom, H. and Rotter, B. 2014. Review: DNA fingerprinting in botany: past, present, future. *Investigative Genetics*. 5 (1): 1-35.
- Werner, O., Ros, R.M., Guerra, J. and Cano, M.J., 2004. Inter Simple Sequence Repeat (ISSR) markers support the species status of *Weissia wimmeriana* (Sendtn.) Bruch and Schimp. (Pottiaceae, Bryopsida). *Cryptogamic, Bryologie*. 25 (2): 137 – 146.
- Wheeler, J. A. 2000. Molecular phylogenetic reconstructions of the marchantioid liverwort radiation. *Bryologist*. 103(2):314-333.
- Wikstrom, N., He-Nyngren, X., and Shaw A.J., 2009. Liverworts (Marchantiophyta). Pp. 146-152. In Edges, S.B. and Kumar, S. (eds). *The Timetree of Life*. Oxford University press.
- Windadri, F.I. 2015. Peranan Lumut Dalam Menunjang Penangkaran Tumbuhan (Studi kasus disekitar Kebun Raya Baturaden, Jawa Tengah). *Prosiding Semnas Biodiversitas*. 4(3): 131-133
- Wolfe A. D. and Liston A. 1998. *Contributions of PCR based methods to plant systematics and evolutionary biology*. pp. 43-86. In Soltis, D. E. Soltis P. S. and Doyle J. J. (eds.). *Molecular Systematics in plants. II. DNA sequencing*. Kluwer Academic Press.
- Wolfe, A.D. and Randle. C.P. 2001. Relationships within and among species of the holoparasitic genus *Hyobanche* (Orobanchaceae) inferred from ISSR banding patterns and nucleotide sequences. *Syst. Bot.* 26: 120-130.
- Wurdack, K. J., Hoffmann, P., and Chase, M. W. 2005. Molecular phylogenetic analysis of uniovulate Euphorbiaceae (Euphorbiaceae sensu stricto) using plastid rbcL and trnL-F DNA sequences. *American Journal of Botany*. 92(8): 1397-1420.
- Wyatt, R. and Stoneburner, A. 1984. *Biosystematics of Bryophytes: An Overview*. In Grant. W.F. (Eds). *Plant Biosystematics*. Academic Press.
- Yeh, F. C., and Boyle, T. 1997. POPGENE version 1.2, Microsoft Windows-based software for population genetics analysis. *University of Alberta. Alberta, Canada*.
- Zhou, L.P., Zhang, L., and Xing, F.W. 2012a. The genus *Bazzania* in China and adjacent regions. I. *Bazzania dulongensis* L.P.Zhou and L.Zhang sp. nov. and *Bazzania hainanensis* L.P.Zhou and L.Zhang sp. nov. *Journal of Bryology*. 34 (1): 22-31.
- 2012b. *Taxonomical review of Bazzania (Lepidoziaceae, Marchantiophyta) in China*. Fairylake Botanical Garden.



UNIVERSITAS  
GADJAH MADA

**Biosistematika Bazzania Gray (Lepidoziaceae) Berdasarkan Karakter Morfologis, Anatomis dan Molekular**

LILIH KHOTIMPERWATI, Rina Sri Kasiamdari, S.Si. Ph.D.; Prof(emr). Dr. Santosa; Dr. Budī Sĕtiadi Daryono, M.Agr.

Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zietkiewicz, E., Rafalski, A., and Labuda, D. 1994. Genome fingerprinting by Simple Sequence Repeat (SSR) – anchored Polymerase Chain Reaction amplification. *Genomics*. 20: 178–183.