



## DAFTAR PUSTAKA

- Abdullah, M. (2008). *Pengantar Nanosains*. Bandung: Penerbit ITB.
- Al-Dulaimi, A., & Wanrosli, W. (2017). Isolation and Characterization of Nanocrystalline Cellulose from Totally Chlorine Free Oil Palm Empty Fruit Bunch Pulp. *Journal of Polymers and the Environment*, 25 (2), 192-202.
- Beck-Candanedo, S., Roman, M., & Gray, D. (2005). Effect of reaction conditions on the properties and behavior of wood cellulose nanocrystal suspensions. *Biomacromolecules*, 6, 1048-1054.
- Belgacem, M., & Pizi, A. (2016). *Lignocellulosic Fibers and Wood Handbook: Renewable Materials for Today's Environment*. John Wiley & Sons/Scrivener Publishin, Hoboken/ Salem: Massachusetts.
- Brinchi, L., Cotana, F., Fortunati, E., & Kenny, J. (2013). Production of nanocrystalline cellulose from lignocellulosic biomass: Technology and applications. *Carbohydrate Polymers*, 94, 154-169.
- Charreau, H., Foresti, M., & Vazquez, A. (2013). Nanocellulose patents trends: a comprehensive review on patents on cellulose nanocrystals, microfibrillated and bacterial cellulose. *Recent Pat Nanotechnol*, 56-80.
- Chen, H. (2014). *Biotechnology of lignocellulose: theory and practice*. Chemical Industry Press, Beijing.
- Chen, Y., Liu, C., Chang, P., Cao, X., & Anderson, D. (2009). Bionanocomposites based on pea starch and cellulose nanowhiskers hydrolyzed from pea hull fibre: Effect of hydrolysis time. *Carbohydrate Polymers* 76, 607-615.
- Das, K., Ray, D., Bandyopadhyay, N., Ghosh, T., Mohanty, A., & Misra, M. (2009). A study of the mechanical: thermal and morphological properties of microcrystalline cellulose particles prepared from cotton slivers using different acid concentrations. *Cellulose*, 16, 783-793.
- de Rosa, & Auriemma. (2013). Crystals and Crystallinity in Polymers: Diffraction Analysis of Ordered and Disordered Crystals. *John Wiley & Sons, Hoboken*.



- Djahedi, C., Bergenstrahle-Wohlert, M., Berglund, L., & Wohlert, J. (2016). Role of hydrogen bonding in cellulose deformation: the leverage effect analyzed by molecular modeling. *Cellulose*, 23, 2315-2323.
- Dufresne, A. (2012). *Nanocellulose : From Nature to High Performance Tailored Materials*. Walter de Gruyter.
- Dufresne, A. (2012). Nanocellulose: From nature to high-performance tailored material. *de Gruyter, Berlin/Boston*.
- Eicchorn, S., Dufresne, A., Aranguren, M., Marcovich, N., Capadona, J., Rowan, S.,... Pejis, T. (2010). Review: Current international research into cellulose nanofibres and nanocomposites. *J. Mater. Sci.*, 45, 1-33.
- Espinosa, S., Kuhnt, T., Foster, E., & Weder, C. (2013). Isolation of Thermally Stable Cellulose Nanocrystals by Phosphoric Acid Hydrolysis. *Biomacromolecules*.
- Fahma, F., Iwamoto, S., Hori, N., Iwata, T., & Takemura, A. (2011). Effect of pre-acid-hydrolysis treatment on morphology and properties of cellulose nanowhiskers from coconut husk. *Cellulose* 18(2), 443-450.
- Filson, P., & Dawson-andoh, B. (2009). Sono-chemical preparation of cellulose nanocrystals from lignocellulose derived materials. *Bioresource Technology*, 100, 2259-2264.
- Flauzino Neto, W., Putaux, J., Mariano, M., Ogawa, Y., Otaguro, H., Pasquini, D., & Dufresne, A. (2016). Comprehensive morphological and structural investigation of cellulose I and II nanocrystals prepared by sulfuric acid hydrolysis. *RSC Advances*, 6, 76017-76027.
- Grunert, M., & Winter, W. (2012). Nanocomposites of Cellulose Acetate Butyrate Reinforced with Cellulose Nanocrystals. *Journal of Polymers and the Environment*, Vol. 10.
- Gul Amin. (2012). ZnO and CuO Nanostructures: Low Temperature Growth, Characterization, their Optoelectronic and Sensing Applications. *Linköping Studies in Science and Technology Dissertation, No. 1441*.



- Habibi, Y., Lucia, L., & Rojas, O. (2010). Cellulose nanocrystals: chemistry, self-assembly and applications. *Chemical Reviews*, 110, 3479-3500.
- Ilyas, R., Sapuan, S., & Ishak, M. (2018). Isolation and characterization of nanocrystalline cellulose from sugar palm. *Carbohydrate Polymers* Vol. 181, 1038-1051.
- Ioelovich, M. (2008). Cellulose as a nanostructured polymer: a short review. *BioResources* 3, 1403-1418.
- Ishak, M., Sapuan, S., Leman, Z., Rahman, M., & Anwar, U. (2012). Characterization of Sugar Palm (Arenga Pinnata) fibres. *Journal of Thermal Analysis, and Calorimetry*, Vol. 109 (2), 981-989.
- Jiang, F., & Hsieh, Y.-L. (2013). Chemically and mechanically isolated nanocellulose and their self-assembled structures. *Carbohydrate Polymer*, 95, 32-40.
- Kamide, K. (2005). Cellulose and Cellulose Derivatives. Elsevier B. V., Amsterdam.
- Kargarzadeh, H., Ahmad, I., Abdullah, I., Dufresne, A., Zainudin, S., & Sheltami, R. (2012). Effects of hydrolysis conditions on the morphology, crystallinity, and thermal stability of cellulose nanocrystals extracted from kenaf bast fibers. *Cellulose* 19, 855-866.
- Khalil, A. (2014). Nanocellulose Based Polymer Nanocomposite: Isolation, Characterization and Applications. *Nanocellulose Polymer Nanocomposites: Fundamentals and Applications*, V.K. Thakur, Ed. USA: John Wiley & Sons, Inc. pp. 1-31.
- Klemm, D., Heublein, B., Fink, H., & Bohn, A. (2005). Cellulose: Fascinating biopolymer and sustainable raw material. *Angewandte Chemie International Edition* 44, 2-37.
- Kovalenko, V. (2010). Crystalline cellulose: structure and hydrogen bonds. *Russian Chemical Reviews*, 79, 231-241.
- Kozlowski, R., Rawluk, M., & Barriga-Bedoya, J. (2005). Ramie. In Franck R.R (Ed.). *In Bast and Other Plant Fibres* (pp. 207-226). The Textile Institute: Woodhead Publishing Ltd.



- Kumar, A., Negi, Y., Bhardwaj, N., & Choudhary, V. (2012). Synthesis and characterization of methylcellulose/PVA based porous composite. *Carbohydrate Polymers*, 88 , 1364-1372.
- Kumar, A., Negi, Y., Choudhary, V., & Bhardwaj, N. (2014). Characterization of Cellulose Nanocrystals Produced by Acid-Hydrolysis from Sugarcane Bagasse as Agro-Waste. *Journal of Materials Physics and Chemistry*, Vol. 2, No. 1, 1-8.
- Kusmono, Wildan, M., & Ilman, M. (2018). Studi awal ekstraksi dan karakterisasi nanocrystalline cellulose (NCC) dari serat rami. *MECHANICAL ENGINEERING AND EMERGING TECHNOLOGIES NATIONAL CONFERENCE*. Yogyakarta.
- Lei, W., Fang, C., Zhou, X., Yin, Q., Pan, S., Yang, R., . . . Ouyang, Y. (2018). Cellulose nanocrystals obtained from office waste paper and their potential application in PET packing materials. *Carbohydrate Polymers* 181, 376-385.
- Li, B., Xu, W., Kronlund, D., Maattanen, A., Liu, J., Smatt, J., . . . Xu, C. (2015). Cellulose nanocrystals prepared via formic acid hydrolysis followed by TEMPO-mediated oxidation. *Carbohyd. Polym.* 133, 605-612.
- Lin, N., & Dufresne, A. (2014). Nanocellulose in biomedicine: current status and future prospect. *Eur Polym J* 59, 302-325.
- Lu, P., & Hsieh, Y.-L. (2012). Preparation and characterization of cellulose nanocrystals from rice straw. *Carbohydrate Polymer* 87, 564-573.
- Mariano, M., El Kissi, N., & Dufresne, A. (2014). Cellulose nanocrystals and related nanocomposites: Review of some properties and challenges. *Journal of Polymer Science B*, 52, 791-806.
- Masturi, Surtiyeni, N., Yuliza, E., Khairurrijal, & Abdullah, M. (2013). *Sintesis Material Komposit dari Sampah Organik Menggunakan PVAc sebagai Matriks dan Serat Pisang sebagai Penguat*. Bandung: Seminar Nasional Material 2013.
- Miracle, D., & Donaldson, S. (2001). *ASM Handbook Volume 21: Composite*. ASM international.



- Moon, R. J., Martini, A., Nairn, J., Simonsen, J., & Youngblood, J. (2011). Cellulose nanomaterials review: structure, properties and nanocomposites. *Chemical Society Reviews*, 40, 3941-3994.
- Nada, A.-A., El-Kady, M., Abd El-Sayed, E., & Amine, F. (2009). Preparation and characterization of microcrystalline cellulose (MCC). *BioResources* 4, 1359-1371.
- Neto, W. P. (2017). *Morphological Investigation of Cellulose Nanocrystals and Composite Applications*. Dissertasi. Graduate Program in Chemistry from Federal University of Uberlândia, Brazil.
- Nillson, L. (2015). *Preparation Methods for Nanocrystalline Cellulose - Acid hydrolysis and various cellulose sources*. Bachelor Thesis. Department of Chemistry and Chemical Engineering, Chalmers University of Technology, Gothenburg.
- O'Connor, R., DuPre, E., & Mitcham, D. (1958). Application of infrared absorption spectroscopy to investigations of cotton and modified cottons. Part 1: physical and crystalline modifications and oxidation. *Textile Res. J*, 28, 382-392.
- Ojeda, J., & Dittrich, M. (2012). Fourier Transform Infrared Spectroscopy for Molecular Analysis of Microbial Cells. *Methods in molecular biology - April 2012*, 187-212.
- Park, S., Baker, J., Himmel, M., Parilla, P., & Johnson, D. (2010). Cellulose crystallinity index: Measurement techniques and their impact on interpreting cellulase performance. *Biotechnology for Biofuels*, 3, 1-10.
- Park, S., JBaker, J., Himmel, M., Parilla, P., & Johnson, D. (2010). Cellulose crystallinity index: Measurement techniques and their impact on interpreting cellulase performance. *Biotechnol. Biofuels*, 3, 1-10.
- Peng, B., Dhar, N., Liu, H., & Tan, K. (2011). Chemistry and applications of nanocrystalline cellulose and its derivatives: a nanotechnology perspective. *The Canadian journal of chemical engineering*, vol. 89, no 5, 1191-1206, June 2011.



- Perez, S., & Mazeau, K. (2004). Conformations, Structures and Morphologies of Celluloses. In: Dimitriu, S. (eds). Polysaccharides: Structural Diversity and Functional Versatility. *Marcel Dekker*, 41-68.
- Ranby, B. (1951). III. Fibrous macromolecular systems. Cellulose and muscle. The colloidal properties of cellulose micelles. *Faraday Society*, 11, 158-164.
- Rosa, M., Medeiros, E., Malmonge, J., Gregorski, K., Wood, D., Mattoso, L., . . . Imam, S. (2010). Cellulose nanowhiskers from coconut husk fibers: Effect of preparation conditions on their thermal and morphological behavior. *Carbohydrate Polymers* 81, 83-92.
- Roy, S., & Lutfar, L. (2012). Bast fibre: Ramie. In R. M. Kozlowski (Ed.). In *Handbook of Natural Fibres. Volume 1: Types, Properties and Factors Affecting Breeding and Cultivation* (pp. 47-55). The Textile Institute: WoodHead Publishing Ltd.
- Saito, T., & Isogai, A. (2006). Introduction of aldehyde groups on surfaces of native cellulose fibers by TEMPO-mediated oxidation. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 289, 219-225.
- Saurabh, C., Dungani, R., Owalobi, A., Atiqah, N., Zaidon, A., Aprilia, N., . . . Khalil, H. (2016). Effect of Hydrolysis Treatment on Cellulose Nanowhiskers from Oil Palm (*Elaeis guineensis*) Fronds: Morphology, Chemical, Crystallinity, and Thermal Characteristics. *Bioresources* 11.3., 6742-6755.
- Sebe, G., Ham-Pichvant, F., Ibarboure, E., Koffi, A., & Tingaut, P. (2012). Supramolecular structure characterization of cellulose II nanowhiskers produced by acid hydrolysis of cellulose I substrates. *Biomacromolecules*, 13, 570-578.
- Sinko, R., Mishra, S., Ruiz, L., Brandis, N., & Keten, S. (2013). Dimensions of biological cellulose nanocrystals maximize fracture strength. *ACS Macro Letters*, 3, 64-69.
- Skoog, D., Holler, F., & Crouch, S. (1998). *Principles of Instrumental Analysis*, 6th ed. Thomson Brooks/Cole.



- Tonoli, G., Teixeira, E., & Correa, A. (2012). Cellulose micro/nanofibres from Eucalyptus kraft pulp: preparation and properties. *Carbohydrate Polymer*, 89, 80-88.
- Trache, D., Hussin, M., Haafiz, M., & Thakur, V. (2017). Recent progress in cellulose nanocrystals: sources and production. *Nanoscale*, 9, 1763-1786.
- Vanderfleet, O., Osorio, D., & Cranston, E. (2017). Optimization of cellulose nanocrystal length and surface charge density through phosphoric acid hydrolysis. *Phil. Trans. R. Soc. A* 376.
- Varshney, V., & Naithani, S. (2011). Chemical Functionalization of Cellulose Derived from Nonconventional Sources. In: Kalia, S., Kaith, B. S., & Kaur, I. (eds). *Cellulose Fibers: Bio- and Nano-Polymer Composites*. Springer Berlin Heidelberg. 43-60.
- Velmurugan, R., & Manikandan, V. (2005). Mechanical properties of glass/palmyra fiber waste sandwich composites. *Indian J Eng Mater Sci*, 12, 563-570.
- Wang, Q., Zhao, X., & Zhu, J. (2014). Kinetics of strong acid hydrolysis of a bleached kraft pulp for producing cellulose nanocrystals (CNCs). *Ind. Eng. Chem. Res* 53, 11007-11014.
- Xu, Q., Gao, Y., Qin, M., Wu, K., Fu, Y., & Zhao, J. (2013). Nanocrystalline cellulose from aspen kraft pulp and its application in deinked pulp. *International Journal of Biological Macromolecules* 60, 241-247.
- Yu, H. (2013). Comparison of the reinforcing effects for cellulose nanocrystals obtained by sulphuric and hydrochloric acid hydrolysis on the mechanical and thermal properties of bacterial polyester. *Composites Science and Technology*, vol. 87, pp. 22-28.