

## DAFTAR PUSTAKA

- Adams, A., Borrelli, R.C., Fogliano, V. dan De Kimpe, N. (2005). Thermal Degradation Studies of Food Melanoidins. *J. Agric. Food Chem* **53**, 4136-4142.
- Ajandouz, E.H., Tchiakpe, L.S., Ore, F.D., Benajiba, A. dan Puigserver, A. (2001). Effects of pH on Caramelization and Maillard Reaction Kinetics in Fructose-Lysine Model Systems. *Journal of Food Science* **66** (7): 926-931.
- Akoh, C.C. dan Min, D.B. (2002). Food Lipids: Chemistry, Nutrition and Biotechnology. 2<sup>nd</sup> edition. Marcel Dekker. Inc., New York.
- Ames, J.M. (1990). Control of the Maillard reaction in food systems. *Trends and Food Science & Technology*: 150-154.
- Ames, J., Bailey, R.G. dan Mann, J. (1999). Analysis of furanone, pyranone, and new heterocyclic colored compounds from sugar-glycine model Maillard systems. *Journal of Agricultural and Food Chemistry* **4**: 438-443.
- Ames, J., Guy, R.C.E. dan Kipping, G.J. (2001). Effect of pH, temperature, and moisture on the formation of volatile compounds in glycine/glucose model systems. *Journal of Agricultural and Food Chemistry* **49**: 4315-4323.
- Amin, N.A.M., Mustapha, W.A.W., Maskat, M.Y. dan Wai, H.C. (2010). Antioxidative activities of palm sugar-like flavouring. *The Open Food Science Journal* **4**: 23-29.
- Ashrafi, F., Khneghahi, A.K.E., Karbasyan, A., dan Norouzi1, M. (2011). Contribution on Determination of the Rate Constant of Sucrose Hydrolysis in 20, 24 and 28 °C in H<sub>2</sub>O and CH<sub>3</sub>OH Mixture and the Order of Reaction. *International Journal of ChemTech Research* **3**(2): 975-980.
- AOAC. (1990). *Official Methods of Analysis*, 15 th edn. Association of Official Analytical Chemists Inc., Virginia.
- Apriyantono, A., Aristyani, A., Nurhayati, Lidya, Y., Budiyo, S. dan Soekarto, S.T. (2002). Rate of browning reaction during preparation of coconut and palm sugar. *International Congress Series* **1245**: 275– 278.
- Asikin, Y., Kamiya, A., Mizu, M., Takara, K., Tamaki H. dan Wada, K. (2014). Changes in the physicochemical characteristics, including flavor components and Maillard reaction products, of non-centrifugal cane brown sugar during storage. *Food Chemistry* **149**: 170–177.

- Atputharajah, J. D., Widanapathiranata, S. dan Samarajeewa, U. (1986). Microbiology and biochemistry of natural fermentation of coconut palm sap. *Food Microbiology* **3**: 273-280.
- Badan Pengawas Obat dan Makanan Republik Indonesia. (2015). *Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia No. 1 tentang Kategori Pangan*.
- Badan Standardisasi Nasional. (1995). Standar Nasional Indonesia (SNI): SNI 01-3743-1995 tentang Gula Palma.
- Barh, D. dan Mazumdar, B.C. (2008). Comparative Nutritive Values of Palm Saps Before and after Their Partial Fermentation and Effective Use of Wild Date (*Phoenix sylvestris* Roxb.) Sap in Treatment of Anemia. *Research Journal of Medicine and Medical Sciences* **3**(2): 173-176.
- Bartel, C., Mesias, M. dan Morales, F.J. (2015). Investigation on the extractability of melanoidins in portioned espresso coffee. *Food Research International* **67**: 356–365.
- Bedinghaus, A.J. dan Ockerman, H.W. (1995). Antioxidative Maillard reaction products from reducing sugars and free amino acids in cooked ground pork patties. *Journal of Food Science* **60**(5): 992-995.
- Bekedam, E.K., Schols, H.A., Van Boekel, M.A.J.S. dan Smit, G. (2006). High molecular weight melanoidins from coffee brew. *Journal of Agricultural and Food Chemistry* **54**: 7658-7666.
- Borelli, R.C., Visconti, A., Mennella, C., Anese, M. dan Fogliano, V. (2002). Chemical characterization and antioxidant properties of coffee melanoidins. *Journal of Agricultural and Food Chemistry* **50**: 6527-6533.
- Borse, B.B., Rao, L.J.M., Ramalakshmi, K., dan Raghavan, B. (2007). Chemical composition of volatiles from coconut sap (neera) and effect of processing. *Food Chemistry* **101**: 877–880.
- Brand-Williams, W., Cuvelier, M.E. dan Berset, C. (1995). Use of a free radical method to evaluate antioxidant activity. *Lebensmittel-Wissenschaft Technologie-Food Science and Technology* **28** : 25 – 30.
- Brudzynski, K. dan Miotto, D. (2011). The relationship between the content of Maillard reaction-like products and bioactivity of Canadian honeys. *Food Chemistry* **124**: 869–874.

- Buchner, N., Krumbein, A. Rohn, S. dan Krohet, L.W. (2006). Effect of thermal processing on the flavonols rutin and quercetin. *Rapid Commun. Mass Spectrom.* **20**: 3229–3235.
- Cammerer, B., Jalyschko, W. dan Kroh, L.W. (2002). Intact carbohydrate structures as part of the melanoidin skeleton. *Journal of Agricultural and Food Chemistry* **50**: 2083-2087.
- Cosovic, B., Vojvodic, V., Boskovic, N., Plavsic, M. dan Lee, C. (2010). Characterization of natural and synthetic humic substances (melanoidins) by chemical composition and adsorption measurements. *Organic Geochemistry* **41**: 200–205.
- Daglia, M., Papetti, A., Aceti, C., Sordelli, B., Gregotti, C. dan Gazzani, G. (2008). Isolation of high molecular weight components and contribution to the protective activity of coffee against lipid peroxidation in a rat liver microsome system. *Journal of Agricultural and Food Chemistry* **56**: 11653–11660.
- Delgado-Andrade, C. Seiquer, I., Nieto, R. dan Navarro, M.P. (2004). Effects of heated glucose-lysine and glucose-methionine model-systems on mineral solubility. *Food Chemistry* **87**: 329 – 337.
- Delgado-Andrade, C., Rufian-Henares, J.A. dan Morales, F.J. (2005). Assessing the antioxidant activity of melanoidins from coffee brews by different antioxidant methods. *Journal of Agricultural and Food Chemistry* **53**: 7832-7836.
- Delgado-Andrade, C. dan Rufian-Henares, J. (2009). *Assessing The Generation And Bioactivity Of Neo-Formed Compounds In Thermally Treated Food*. Editorial Atrio, Granada.
- Devi, N.S., Prasad, T.H., Ramesh, K. dan Merugu, R. (2015). Antioxidant Properties of Coconut Sap and its Sugars. *International Journal of PharmTech Research* **8**(1): 160-162.
- Dungir, S. G., Katja, D.G. dan Kamu, V.S. (2012). Aktivitas antioksidan ekstrak fenolik dari kulit buah manggis (*Garcinia mangostana*. L). *Jurnal MIPA UNSRAT* **1**(1): 11-15.
- Dwiyanti, H., Riyadi, H., Rimbawan, Damayanthi, E. dan Sulaeman A. (2014). Penambahan CPO dan RPO sebagai sumber provitamin A terhadap retensi karoten, sifat fisik, dan penerimaan gula kelapa. *Jurnal Teknologi Industri Pertanian.* **24** (1): 28 – 33.

- Echavarria, A.P., Pagan, J. dan Ibarz, A. (2013). Optimization of Maillard reaction products isolated from sugar-amino acid model system and their antioxidant activity. *Afinidad LXX* 562: 86-92.
- El Naggar A.L.Y.H dan Swedan, E.A. (2009). Effect of light intensity and amino acid tryptophan on the growth and flowering of amaryllis (*Hippeastrum vittatum*, Herb.) plants. *J. Agric. & Env. Sci. Alex. Univ., Egypt* **8**(1): 22-42.
- Eichner, K. (1981). Antioxidant effect of Maillard reaction intermediates. *Progress in Food Nutrition Science* **5**: 441 – 451.
- Eskin, N.A.M. dan Shahidi, F. (2013). *Biochemistry of Foods*. 3<sup>rd</sup> edn. Elsevier. Inc., Oxford, UK.
- Fernandez, C.L., Doval, M.M., dan Judis, M.A. (2014). Maillard reaction product from bovine plasma proteins as antioxidant on model systems. *International Journal of Applied Science and Technology* **4** (5): 104 – 110.
- Fernando, K.M.E.P. dan Dasanayake, P.N. (2006). Antibacterial activity of extracts of pericarp of *Garcinia mangostana*. *Vldyodaya J. cf Sci.* **13**: 99-107.
- Fogliano, V. (2014). Maillard Reaction Products: Occurrence, Mitigation Strategies and Their Physiological Relevance. Doctoral Thesis. Corvinus University of Budapest, Budapest.
- Geetha, R.V. Roy, A. dan Lakshmi. (2011). Evaluation of anti bacterial activity of fruit rind extract of *Garcinia mangostana linn* on enteric pathogens-an in vitro study. *Asian J Pharm Clin Res* **4**(2): 115-118.
- Gomez-Ruiz, J.A. Ames, J.M. dan Leake, D.S. (2008). Antioxidant activity and protective effects of green and dark coffee components against human low density lipoprotein oxidation. *European Food Research Technology* **227**:1017–1024.
- Gu, F.L., Kim, J.M., Hayat, K., Xia, S., Feng, B., dan Zhang, X. (2009). Characteristics and antioxidant activity of ultrafiltrated Maillard reaction products from a casein–glucose model system. *Food Chemistry* **117**: 48–54.
- Haloho, W.F. dan Susanto, W.H. (2015). Pengaruh penambahan larutan susu kapur dan STPP (*Sodium Tripolyphospat*) terhadap kualitas gula kelapa (*Cocos nucifera L*). *Jurnal Pangan dan Agroindustri* **3** (3): 1160 – 1170.
- Hancock, R.D., Galpin, J.R. dan Viola, R. (2000). Biosynthesis of L-ascorbic acid (vitamin C) by *Saccharomyces cerevisiae*. *FEMS Microbiology Letters* **186**: 245-250.

- Hariharan, B., Singaravadivel, K. dan Alagusundaram, K. (2014). Effect of Food Grade Preservatives on the Physicochemical and Microbiological Properties of Coconut Toddy during Fermentation. *J Nutr Food Sci* **4**(5): 1-5.
- Haryanti, P., Karseno dan Setyawati, R. (2012). Aplikasi Pengawet Alami Nira Kelapa Bentuk Serbuk Berbahan Sirih Hijau Terhadap Sifat Fisik Dan Kimia Gula Kelapa. *Jurnal Pembangunan Pedesaan* **12** (2): 106 – 112.
- Hayase, F., Usui, T. dan Watanabe, H. (2006). Chemistry and some biological effects of model melanoidins and pigments as Maillard intermediates. *Molecular Nutrition Food Research*. **50**: 1171 – 1179.
- Hebbar, K.B., Arivalagan, M., Manikantan, M.R., Mathew, A.C., Thamban, C., Thomas, G.V. dan Chowdappa, P. (2015). Coconut inflorescence sap and its value addition as sugar – collection techniques, yield, properties and market perspective. *Current Science* **109**(8): 1411-1417.
- Hettiarachchy, N.S., Sato, K., Marshall, M.R. dan Kannan, A. (2012). Food Proteins and Peptides: Chemistry, Functionality, Interactions, and Commercialization. CRC press, Taylor & Francis Group, Boca Raton, Florida.
- Ho, C.W., Wan Aida, W.M., Maskat, M.Y. dan Osman, H. (2008). Effect of thermal processing of palm sap on the physico-chemical composition of traditional palm sugar. *Pakistan Journal of Biological Sciences* **11** (7): 989 – 995.
- Hwang, I.G., Kim, H.Y., Woob, K.S., Lee, J. dan Jeong, H.S. (2011). Biological activities of Maillard reaction products (MRPs) in a sugar–amino acid model system. *Food Chemistry* **126**: 221:227.
- Ide, N., Lau, B.H.S., Ryu, K., Matsuura, H. dan Itakura, Y. (1999). Antioxidant effects of fructosyl arginine, a Maillard reaction product in aged garlic extract. *The Journal of Nutritional Biochemistry* **10**: 372–376.
- Indahyanti, E., Kamulyan, B. dan Ismuyanto B. (2014). Optimasi konsentrasi garam bisulfit pada pengendalian kualitas nira kelapa. *Jurnal Penelitian Saintek* **19** (1): 1 – 8.
- Jakobek, L. (2015). Interactions of polyphenols with carbohydrates, lipids and proteins. *Food Chemistry* **175**: 556 – 567.
- Jing, H. dan Kitts, D.D. (2004). Antioxidant activity of sugar–lysine Maillard reaction products in cell free and cell culture systems. *Archives of Biochemistry and Biophysics* **429**: 154–163.

- Jung, W.K., Park, P.J., Ahn, C.B. dan Je, J.Y. (2014). Preparation and antioxidant potential of Maillard reaction products from (MRPs) chitoooligomer. *Food Chemistry* **145**: 173–178.
- Karseno, Setyawati, R. dan Haryanti, P. (2013). Penggunaan bubuk kulit buah manggis sebagai laru alami nira terhadap karakteristik fisik dan kima gula kelapa. *Jurnal Pembangunan Pedesaan* **13** (1): 27 – 38.
- Karseno, Erminawati, Tri Yanto, Setyowati, R. dan Haryanti, P. (2018). Effect of pH and temperature on browning intensity of coconut sugar and its antioxidant activity. *Food Research* **2**(1): 32–38.
- Kikuzaki, H. dan Nakatani, N. (1993). Antioxidant Effects of Some Ginger Constituents. *Journal of Food Science* **58**(6): 1407-1410.
- Kim, J.S. (2013a). Antioxidant activity of Maillard reaction products derived from aqueous and ethanolic glucose-glycine and its oligomer solutions. *Food Science and Biotechnology* **22** (1): 39-46.
- Kim, J.S. (2013b). Antioxidant and antiradical properties of Maillard reaction products in both aqueous and ethanolic fructose-glycine oligomer solutions. *Food Science and Biotechnology* **22**(3): 831-837.
- Kim, J.S. dan Lee, Y.S. (2009). Antioxidant activity of Maillard reaction products derived from chitosan-sugar solution.
- Kim, J.S. dan Lee, Y.S. (2010). Characteristics and Antioxidant Activity of Maillard Reaction Products from Fructose-glycine Oligomer. *Food Sci. Biotechnol.* **19**(4): 929-940.
- Kroh, L.W. (1994). Caramelisation in food and beverages. *Food Chemistry* **51**: 373-379.
- Lalujan, L.E. (1995). Studi pengawetan nira aren untuk industri kecil. *Tesis*. Program Pascasarjana KPK-IPB-UNSRAT, Bogor-Manado.
- Lantemona, H., Abadi, A.L., Rachmansyah, A., Pontoh, J. (2013). Impact of Altitude and Seasons to Volume, Brix Content, and Chemical Composition of Aren Sap in North Sulawesi. *IOSR Journal of Environmental Science, Toxicology and Food Technology* **4**(2):42-48.
- Limsuwanmanee, J., Chaijan, M., Manurakchinakorn, S., Panpipat, W., Klomklao, S. dan Benjakul, S. (2014). Antioxidant activity of Maillard reaction products derived from stingray (*Himantura signifier*) non-protein nitrogenous fraction and sugar model systems. *Lebensmittel-Wissenschaft Technologie-Food Science and Technology* **57**: 718-724.



- Lingnert, H. dan Eriksson, C.E. (1980). Antioxidative Maillard reaction products: I. Products from sugars and free amino acids. *Journal of Food Processing and Preservation* **4**: 161-172.
- Lingnert, H. (1980). Antioxidative Maillard reaction products: III. Application in cookies. *Journal of Food Processing and Preservation* **4**:219-233.
- Liu, Y. dan Kitts, D.D. (2011). Confirmation that the Maillard reaction is the principle contributor to the antioxidant capacity of coffee brews. *Food Research International* **44**: 2418–2424.
- Mahmood, W.A. (2010). Hydrolysis of sucrose by immobilized *Saccharomyces cerevisiae* invertase. *Mesopotamia J. of Agric* **38**(1): 1-10.
- Manel, Z., Sana1, M., Nedia, K., Moktar, H. dan Ali, F. (2011). Microbiological analysis and screening of lactic acid bacteria from Tunisian date palm sap. *African Journal of Microbiology Research* **5**(19): 2929-2935.
- Manzocco, L., Calligaris, S., Mastrocola, D. Nicoli, M.C. dan Lerici, C.R. (2011). Review of nonenzymatic browning and antioxidant capacity in processed foods. *Trends in Food Science & Technology* **11** (2001) 340–346.
- Mardawilis, Sudira, P., Sunarminto, B.H. dan Shiddiq, D. (2011). Analisis neraca air untuk pengembangan tanaman pangan pada kondisi iklim yang berbeda. *Agritech* **31**(2): 109:115.
- Martins, S.I.F.S., Jongen, W.M.F. dan Van Boekel, M.A.J.S. (2001). A review of Maillard reaction in food and implications to kinetic modelling. *Trends in Food Science & Technology* **11**: 364–373.
- Martin, C.L., Murphy, S.P. dan Au, D.L.M. (2008). Compiling glycemic index and glycemic load values for addition to a food composition database. *Journal of Food Composition and Analysis* **21**: 469– 473.
- Michalska, A., Amigo-Benavent, M. Zielinski H. dan del Castillo, M.D. (2008). Effect of bread making on formation of Maillard reaction products contributing to the overall antioxidant activity of rye bread. *Journal of Cereal Science* **48**: 123–132.
- Miller, G.L. (1959). Use of Dinitrosalicylic Acid Reagent for Determination of Reducing Sugar. *Analytical Chemistry* **31**(3): 426-428.
- Miranda, I.T., Rakovski, C. dan Were, L.M. (2012). Effect of Maillard reaction products on oxidation products in ground chicken breast. *Meat Science* **90**: 352–360.

- Mogol, B.A., Yildirim, A. dan Gokmen, V. (2012). Inhibition of enzymatic browning in actual food systems by the Maillard reaction products. *J Sci Food Agric* **90**: 2556–2562.
- Morales, F.J. (2005). Assessing the non-specific hydroxyl radical scavenging properties of melanoidins in a Fenton-type reaction system. *Analytica Chimica Acta* **534**: 171–176.
- Morales, F.J. dan Jimenez-Perez, S. (2001). Free radical scavenging capacity of Maillard reaction products as related to colour and fluorescence. *Food Chemistry* **72**: 119 – 125.
- Morales, F.J. dan Jimenez-Perez, S. (2004). Peroxyl radical scavenging activity of melanoidins in aqueous systems. *European Food Research Technology* **218**: 515–520.
- Muchtadi, T.R., Sugiyono dan Ayustaningwarno, F. (2010). Ilmu Pengetahuan Bahan Pangan. Alfabeta, Bandung.
- Naufalin, R., Yanto, T. dan Binardjo, A.G. (2012). Penambahan konsentrasi  $\text{Ca}(\text{OH})_2$  dan bahan pengawet alami untuk peningkatan kualitas nira kelapa. *Jurnal Pembangunan Pedesaan* **12** (2): 87 – 96.
- Nagai T., Kai, N., Tanoue, Y. dan Suzuki, N. (2018). Chemical properties of commercially available honey species and the functional properties of caramelization and Maillard reaction products derived from these honey species. *J Food Sci Technol* **55**(2):586–597.
- Naknean, P., Meenune, M. dan Roudaut, G. (2010). Characterization of palm sap harvested in Songkhla province, Southern Thailand. *International Food Research Journal* **17**: 977-986.
- Nivetha, S. dan Roy, D.V. (2015). Antioxidant activity and antimicrobial studies on *Garcinia mangostana*. *American Journal of Biological and Pharmaceutical Research* **2**(3):129-134.
- Nursten, H. (2005). *The Maillard Reaction, Chemistry, Biochemistry and Implications*. The Royal Society of Chemistry, Cambridge.
- Obahiagbon, F.I., dan Osagie, A.U. (2007). Sugar and macrominerals composition of sap produced by *Raphia hookeri* palms. *African Journal of Biotechnology* **6**(6): 744-750.



- O'Brien, J., Nursten, H.E., Crabbe, M.J.C. dan Ames, J.M. (2005). *The Maillard Reaction in Foods and Medicine*. Woodhead Publishing Limited. Cambridge, England.
- Ortiz-Lopez, A. Chang, H.C. Bush, D.R. (2000). Amino acid transporters in plants. *Biochimica et Biophysica Acta* **1465**: 275-280.
- Palakawong, C., Sophanodora, P., Pisuchpen, S. dan Phongpaichit, S. (2010). Antioxidant and antimicrobial activities of crude extracts from mangosteen (*Garcinia mangostana* L.) parts and some essential oils. *International Food Research Journal* **17**: 583-589.
- Payet, B.P., Sing, A.S.C. dan Smadja, J. (2005). Assessment of Antioxidant Activity of Cane Brown Sugars by ABTS and DPPH Radical Scavenging Assays: Determination of Their Polyphenolic and Volatile Constituents. *Journal of Agricultural and Food Chemistry* **53**: 10074-10079.
- Pavlik, M., Pavlikova, D., Balík, J dan Neuberg, M. (2010). The contents of amino acids and sterols in maize plants growing under different nitrogen conditions. *Plant Soil Environ.* **56**(3): 125–132.
- PCCARD. (1993). *What is organic coconut sugar*. Nature's Blessing Inc. <http://www.naturesblessings.com.ph>. Online. 1 Januari 2016.
- Pedraza-Chaverri, J., Cardenas-Rodriguez, N., Orozco-Ibarra, M. dan Perez-Rojas, J.M. (2008). Medicinal properties of mangosteen (*Garcinia mangostana*). *Food and Chemical Toxicology* **46**: 3227–3239.
- Phisut, N. dan Jiraporn, B. (2013). Characteristics and antioxidant activity of Maillard reaction products derived from chitosan-sugar solution. *International Food Research Journal* **20**(3): 1077-1085.
- Pokorny, J., Yanishlieva, N dan Gordon, M. (2001). *Antioxidants in Food: Practical applications*. CRC Press, Boca Raton.
- Pratama, F., Susanto, W.H. dan Purwantiningrum, I. (2015). Pembuatan gula kelapa dari nira terfermentasi alami (kajian pengaruh konsentrasi anti inversi dan natrium metabisulfit) *Jurnal Pangan dan Agroindustri* **3** (4): 1272 – 1282.
- Priya, V.V., Jainu, M., Mohan, S.K., Saraswathi, P. dan Gopan, V.S.C.S. (2010). Antimicrobial activity of pericarp extract of *Garcinia mangostana* linn. *International Journal of Pharma Sciences and Research (IJPSR)* **1**(8): 278-281.
- Purnomo, H. (2007). Volatile Components of Coconut Fresh Sap, Sap Syrup and Coconut Sugar. *ASEAN Food Journal* **14**(1): 45-49.

- Raharjo, S. (2006). Kerusakan Oksidatif Pada Makanan. Gadjah Mada University Press, Yogyakarta.
- Rao, M.S., Chawla, S.P., Chander, R. dan Sharma, A. (2011). Antioxidant potential of Maillard reaction products formed by irradiation of chitosan–glucose solution. *Carbohydrate Polymers* **83**: 714–719.
- Rohn, S., Rawel, H.M. dan Kroll, J. (2004). Antioxidant Activity of Protein-Bound Quercetin. *Journal of Agricultural and Food Chemistry* **52**: 4725–4729.
- Rosida, D. F., Fardiaz, D., Apriyantono, A. dan Andarwulan, N. (2006). Isolasi dan karakterisasi melanoidin kecap manis dan peranannya sebagai antioksidan. *Jurnal Teknologi dan Industri Pangan* **17** (3): 204–213.
- Rufian-Henares, J.A. dan De La Cueva, S.P. (2009). Antimicrobial activity of coffee melanoidins – A study of their metal-chelating properties. *Journal of Agricultural and Food Chemistry* **57**: 432–438.
- Santoso, U. (2016). Antioksidan Pangan. Gadjah Mada University Press. Yogyakarta.
- Samarajeewa, U. dan Wijeratna, M.C.P. (1983). Coconut sap as a source of sugar. *Vidyodaya J. Arts. Sci. Lett.* **11**(1): 69–75.
- Setyamidjaja, D. (2008). *Bertanam Kelapa: Budidaya dan Pengolahannya*. Kanisius, Yogyakarta.
- Siddiqui, I. (2010). Polarographic investigation of kinetics of inversion of sucrose. *Rasayan J. Chem.* **3**(2): 255–259.
- Silvan, J.M., van de Lagemaat, J., Olano, A. dan del Castillo, M.D. (2006). Analysis and biological properties of amino acid derivatives formed by Maillard reaction in foods. *Journal of Pharmaceutical and Biomedical Analysis* **41**: 1543–1551.
- Singaravadivel, K., Alagusundaram, K. dan Hariharan, B. (2012). Physicochemical Properties of Fresh and Stored Coconut Palm Toddy. *Open Access Scientific Reports* **1**(8):1–2.
- Soekardi, Y. (2012). *Pemanfaatan dan Pengolahan Kelapa Menjadi Berbagai Bahan Makanan dan Obat Berbagai Penyakit*. Yrama Widya, Bandung.
- Soekarto, S. T. (1985). *Penilaian Sensoris: Untuk Industri Pangan dan Hasil Pertanian*. Bhratara Karya Aksara, Jakarta.

- Supangat, A.B. (2016). Analisis perubahan nilai pendugaan Evapotranspirasi potensial akibat Perubahan iklim di kawasan hutan tanaman *Eucalyptus pellita*. *Prosiding Seminar Nasional Geografi UMS 2016 Upaya Pengurangan Risiko Bencana Terkait Perubahan Iklim*: 112-122.
- Teh, H., Chan, A.C., Kamal, N.F., Shahidan, N.I. dan Wahid, W.A. (2014). Antimicrobial Activity of Bio-enzyme Extract from *Garcinia mangostana* Peel, *Morinda citrifolia* Fruit and *Hibiscus sabdariffa* Petal. *International Conference on Food and Nutrition Technology IPCBEE 72*: 16-20.
- Tagliazucchi, D., Verzelloni, E. dan Conte, A. (2010). Effect of dietary melanoidins on lipid peroxidation during simulated gastric digestion: their possible role in the prevention of oxidative damage. *Journal of Agricultural and Food Chemistry* **58** (4): 2513–2519.
- Valdez, B. (2012). Food Industrial Processes - Methods and Equipment. In Tech. Rijeka, Croatia.
- Verzelloni, E., Tagliazucchi, D. dan Conte, A. (2010). From balsamic to healthy: Traditional balsamic vinegar melanoidins inhibit lipid peroxidation during simulated gastric digestion of meat. *Food and Chemical Toxicology* **48**: 2097–2102.
- Vidanapathirana, S., Atputharajah, J.D. dan Samarajeewa, U. (1983). Microbiology of coconut sap fermentation. *Vidyodaya J., Arts, Sci., Lett.* **11**(1): 35-39.
- Vignoli, J.A., Bassoli, D.G. dan Benassi, M.T. (2011). Antioxidant activity, polyphenols, caffeine and melanoidins in soluble coffee: The influence of processing conditions and raw material. *Food Chemistry* **124**: 863–868.
- Wang, L., Xu, R., Hu, B., Li, W., Sun, Y., Tu, Y. dan Zeng, X. (2010). Analysis of free amino acids in Chinese teas and flower of tea plant by high performance liquid chromatography combined with solid-phase extraction. *Food Chemistry* **123**: 1259–1266.
- Wang, H. Y., Qian, H. dan Yao, W.R. (2011). Melanoidins produced by the Maillard reaction: Structure and biological activity. *Food Chemistry* **128**: 573–584.
- Wen-qiong, W., Yi-hong, B. dan Ying, C. (2013). Characteristics and antioxidant activity of water-soluble Maillard reaction products from interactions in a whey protein isolate and sugars system. *Food Chemistry* **139**: 355–361.
- Wijewickreme, A.N., Krejpcio, Z. dan Kitts, D.D. (1999). Hydroxyl scavenging activity of glucose, fructose, and ribose-lysine model Maillard Products. *Journal of Food Science* **64** (3): 457 – 461.

- Wienen, W.J. dan Shallenberger, R.S. (1988). Influence of Acid and Temperature on the Rate of Inversion of Sucrose. *Food Chemistry* **29**: 51-55.
- Xia, Q., Li, R., Zhao, S., Chen, W., Chen, H., Xin, B., Huang, Y. dan Tang, M. (2011). Chemical composition changes of post-harvest coconut inflorescence sap during natural fermentation. *African Journal of Biotechnology* **10** (66): 14999 – 15005.
- Yao, L., Liu, X., Jiang, Y., Caffin, N., D-Arcy, B., Singanusong, R., Datta, N. dan Xu, Y. 2006. Compositional analysis of teas from Australian supermarkets. *Food Chemistry* **94**: 115–122.
- Yaylayan, V.A. dan Kamisnky, E. (1998). Isolation and structural analysis of Maillard polymers: caramel and melanoidin formation in glycine/glucose model system. *Food Chemistry* **63**(1): 25-31.
- Yildiz, F. (2010). *Advances in Food Biochemistry*. CRC Press, Boca Raton.
- Yilmaz Y. dan Toledo, R. (2005). Antioxidant activity of water-soluble Maillard reaction products. *Food Chemistry* **93**: 273–278.
- Ysidor, K.N., Rachel, A.R., Jean-Louis, K.K., Joelle, O.D.M., Prades, A., Kouassi, A. dan Marius, B.G.H. (2014). Glucide Factors of the Inflorescence Sap of Four Coconut (*Cocos nucifera* L.) Cultivars from Cote D’Ivoire. *International Journal of Biochemistry Research & Review* **4**(2): 116-127.
- Ysidor, K.N., Jean-Louis, K.K., Roger, K.B., Rachel, A.R., Joelle, O.D.M., Emmanuel, I.A.E. dan Marius, B.G.H. (2015). Changes in physicochemical parameters during storage of the inflorescence sap derived from four coconut (*Cocos nucifera* L.) varieties in Côte d’Ivoire. *American Journal of Experimental Agriculture* **5**(4): 352-365.
- Yuliasari, H. (2016). Pengaruh penambahan kombinasi getah manggis dan kapur dan natrium metabisulfit terhadap sifat fisik, kimia dan aktivitas antioksidan selama pemasakan nira menjadi gula kelapa. *Tesis*. Program Pascasarjana Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.