



UNIVERSITAS
GADJAH MADA

Laboratory study on the durability characteristics (moisture damage evaluation) of asphalt concrete wearing course (AC-WC) utilizing Bantak and Clereng as aggrerage (using Marshall and indirect tensile strength methods)

PUTRI, Ajeng Miranti, Dr. Ir. Latif Budi Suparma, M.Sc

Universitas Gadjah Mada, 2009 | Diunduh dari <http://etd.repository.ugm.ac.id/>



REFERENCES



REFERENCES

- AASHTO, 1998, *Standard Specification for Transportation Materials and Methods of sampling and Testing, part 1, specification 13 Edition USA.*
- Asphalt Institute, 1993, *Mix Design Methods of asphalt concrete and other hot mix types*, Manual Series No.2 (MS 2-2), 6 Edition, Maryland, USA.
- ASTM, 2003, **Annual Book of ASTM Standards section four: Construction**, volume 04.03: Road and Paving Materials; ASTM International, Baltimore.
- Atkins, H.N., 1980, **Highway Materials, Soils, and Concretes**. A Prentice-Hall Company, Virginia.
- Croney, D. and Croney, P., 1998, **Design and Performance of Road Pavements**, McGraw-Hill Companies, Inc., New York.
- Fwa, T.F., Tan, S.A., and Guwe, Y.K. (1999). **Laboratory Evaluation of Clogging Potential of Porous Asphalt Mixture**, Paper No. 99-0087, Transportation Research Board, National Research Council, Washington, D.C., USA., pp. 43-49.
- Hapsari, W.M., 2007, *Laboratory Study on The Durability Behaviour of AC-WC Mixture to Oil Product (Indirect Tensile Strength Test Method)*, Undergraduate Final Project, Unpublished, Civil Engineering Department Faculty of Engineering Gadjah Mada University, and Yogyakarta.
- Kennedy, T.W., 1977, *Characterization of Asphalt Pavement Material Using the Indirect Tensile Strength Tester*, Proceedings Association of Asphalt Paving Technologists, Technical Sessions, vol 46, page 132-149.

Kennedy, T.W. and Ping, W.V. (1991). **Comparison study of Moisture Damage Test**

Methods for Evaluating Antis tripping Treatments in Asphalt, *Transport Research Record 1323*, Transportation Research Board, National Research Council, Washington, D.C., USA, pp.94-111.

Kerbs, R.D. and Walker, R.D., 1971, **Highway Materials**, McGraw-Hill Companies, Inc., United States of America.

Mc Laughlin, J.F., and Goetz, W.H. (1955). **Permeability, Void Content, and Durability of Bituminous Concrete**, *Proceedings Volume 34*, Highway Research Board.

Nakanishi H., Kawanaka T., Ziqing L., Baocun H., (2001), **Study on Improvement in Durability and Function of Porous asphalt Pavement**, Road Construction, Japan.

Rohmah, E.N., 2008, **The Laboratory Design as Aggregate to Hot Asphalt consist of 40% Bantak 60% Clereng Aggregate Based on Dry Compaction Methods**, Undergraduate Final Project, Unpublished, Civil Engineering Department Faculty of Engineering Gadjah Mada University, and Yogyakarta.

Sibuea, A.N., 2008, **The Laboratory Design as Aggregate to Hot Asphalt consist of 10% Bantak 90% Clereng Aggregate Based on Dry Compaction Methods**, Undergraduate Final Project, Unpublished, Civil Engineering Department Faculty of Engineering Gadjah Mada University, and Yogyakarta.

Suparma, L.B., 2001, **The Use of Recycled Waste Plastics in Bituminous Composite**, Dissertation, Unpublished, The University of Leeds, Leeds.



Laboratory study on the durability characteristics (moisture damage evaluation) of asphalt concrete wearing course (AC-WC) utilizing Bantak and Clereng as aggregate (using Marshall and indirect tensile strength methods)

PUTRI, Ajeng Miranti, Dr. Ir. Latif Budi Suparma, M.Sc

Universitas Gadjah Mada, 2009 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Syafiyah, D., 2008, **The Laboratory Design as Aggregate to Hot Asphalt consist of**

30% Bantak 70% Clereng Aggregate Based on Dry Compaction Methods,

Undergraduate Final Project, Unpublished, Civil Engineering Department

Faculty of Engineering Gadjah Mada University, Yogyakarta.

Yoder, E.J. and Witczak, M.W., 1975, **Principles of Pavement Design**, John Wiley and

Sons, Inc., United States of America.