



DAFTAR PUSTAKA

- Azrai, M. 2006. Sinergi teknologi marka molekular dalam pemuliaan tanaman jagung. *Jurnal Litbang Pertanian*. 25: 81-89.
- Anggeraini, E. 2008. Random Amplified Polymorphic DNA (RAPD), Suatu Metode Analisis DNA dalam Menjelaskan Berbagai Fenomena Biologi. *Biospecies* 1(2): 73-76.
- Arunachalam, V and Rajesh, M.K. 2008. Breeding of cocconut palm (*Cocos nucifera* L.). *CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources*, No.053.p. 1-12.
- Batugal, P. and Bourdeix, R., 2005. Conventional coconut breeding. In: Batugal, P., Rao, R.V., Oliver, J. (Eds.), *Coconut Genetic Resources*. International Plant Genetic Resources Institute—Regional Office for Asia, the Pacific and Oceania (IPGRI–APO), Serdang, Selangor DE, Malaysia.
- Brown, S.M., Szewc-McFadden, and S. Kresovich. 1996. Development and application of Simple Sequence Repeats (SSR) loci for plant genome analysis. In Jauhar, P (Ed). *Methods of genome analysis in plants*. CRC Press. New York.p.147-159.
- Boer D. 2007. Keragaman dan struktur genetik populasi jati sulawesi tenggara berdasarkan marka mikrosatelit [diseriasi]. Bogor (ID): Institut Pertanian Bogor.
- Chandrasiri, K.A.S and L.C.P. Fernando. 2004. Effectiveness of used engine oil in the management of coconut mite, *Aceria guerreronis* (acari: eriophyidae). *Cocos*. 16: 43-55.
- Champoux M.C., Wang G., Sarkarung S., O'Toole J.C., Huang N., McCouch S.R. 1995. Locating genes associated with root morphology and drought avoidance in rice via linkage to molecular markers. *Theor Appl Genet*. 90:969-981.
- Crouch JH, Crouch HK, Tenkouano A & Ortis RR. 1998. VNTR-based diversity analysis of 2x and 4x full-sib Musa hybrids. *EJB Elec. J. Biotech*. 2(3): 1–8.
- FAO. Statistic Year Book 2016. <http://www.fao.org/faostat/en/#data/QC> [2 Mei 2017].
- Fernando, W.M.U and Perera L. 1997. Evaluation of genotype arising from F2 generation segregations in Dwarf x Tall crosses of *Cocos nucifera*. *CORD XIII*: 26-33.
- Hannum S., Hartana A., Suharsono. 2003. Kemiripan Genetika Empat Populasi Kelapa Genjah Berdasarkan Pada Random Amplified Polymorphic DNA. *Hayati*. 10:125-129.



- Harries, H.C. 1978. The Evolution, dissemination and classification of *Cocos nucifera* L. The botanical review 44: 265-319.
- Herran A., Estioko L., Becker D., Rodriguez MJB, Rohde W. 2000. Linkage mapping and QTL analysis in coconut (*Cocos nucifera* L). Theor Appl Genet. 101: 292-300.
- Hayati, P.K., Hartana A., Suharsono dan Aswidinnoor H. 2000. Keanekaragaman kelapa Genjah Jombang berdasarkan RAP DNA. Hayati 7 (2): 35-40.
- Heckel, D.T. 1995. Randomly Amplified Polymorphic DNA Differences Between Strains of Diamondback Moth (Lepidoptera: Plutellidae) Susceptible or Resistant to *Bacillus thuringiensis*. Journal Annal of the Entomological Society of America. 88 (4): 20-34.
- Ismayanti, R. 2013. Kemiripan Genetik dan Pola Penyebaran Serbuk Sari Populasi Kelapa Kopyor Berdasarkan Analisis Marka SSR dan SNP.[Tesis]. Sekolah Pasca Sarjana IPB. Bogor.
- Kamaral, L. C. J., S. A. C. N. Perera, K. L. N. S. Perera and P. N. Dassanayaka. 2014. Genetic Diversity of The Sri Lanka Yellow Dwarf Coconut Form as Revealed by Microsatellite Markers. Tropical Agricultural Research 26 (1): 131-139.
- Karp, A., Kresovich S., Bhat K.V., Ayad W.G. and Hodgkin T. 1995. Molecular tools in plant genetic resources conservation: a guide to the technologies. IPGRI. Rome. p.46
- Karp, A. and Edwards K.J. 1997. Techniques for analysis, characterization, and conservation of plant genetic resources. Di dalam : Karp et al (Ed). Molecular tools in plant genetic resources conservation. A guide to the technologies. IPGRI.p.11-22.
- Kimura M .1983. Rare variant alleles in the light of the neutral theory. Mol. Biol. Evol. 1: 84-93.
- Kirkpatrick, B.W. 1992. Identification of a conserved microsatellite site in the porcine and bovine insulin-like growth factor-I gene 5' flank. J. Animal Genetics Vol. 23:543-54.
- Larekeng, S., H., I. Maskromo, A. Purwito, N. A. Mattjik dan Sudarsono. 2015. Penyebaran Polen Berdasarkan Analisis SSR Membuktikan Penyerbukan Kelapa Dalam Kalianda Normal ke Kopyor. Buletin Palma. 16(1): 77-92.
- Lebrun, P., Baudouin L., Bourdeix R, Konan JL., Barker J.H., Aldam C., Herran A. and Ritter E. 2001. Construction of a linkage map of the Rennel Island Tall coconut type (*Cocos nucifera* L.) and QTL analysis for yield characters. Genome 44 (6): 962-70.
- Lengkong E.F., Hartana A., dan Suharsono. 1999. Penggunaan penanda molekuler pada analisis keragaman genetika kelapa. Di dalam Prosiding



Simposium Hasil Penelitian Tanaman Kelapa dan Palma Lain. Manado, 10 Maret 1999. Balitbang Kehutanan dan Perkebunan, Balai Penelitian Tanaman Kelapa dan Palma Lain. Hlm:1-10.

Liu, B.H. 1998. Statistical genomics, linkage mapping and QTL analysis. CRC Press. New York. P.45-83.

Marshall D, Brown A. 1975. Optimum sampling strategies in genetic conservation. A basic sampling strategy: theory and practice Diakses tanggal: April 08, 2018, tersedia :<http://cropgenebank.sgrp.cgiar.org/images/file/procedures/collecting1995/Chapter5.pdf>.

Maskromo, I, H. Novarianto dan Sudarsono. 2011. Fenologi pembungaan tiga varietas kelapa genjah kopyor Pati. Prosiding Seminar Nasional PERHORTI, Lembang, Indonesia. 23-24 November 2011.

Mawikere, N. D. 1998. Identifikasi dan kloning DNA ruas berulang tanaman kelapa kultivar Genjah Kuning Nias. Makalah Seminar Hasil Program Pasca Sarjana IPB-Bogor.

Mawikere, N.D. 2005. Plasma nutfah kelapa Papua dan hubungan kekerabatannya dengan populasi kelapa Indonesia lainnya dan Papua New Guinea berdasarkan penanda RAPD. Disertasi Doktor Sekolah Pascasarjana, IPB. Bogor.

McCough SR., Chen X., Panaud O., Temnykh S., Xu Y., Cho YG., Huang N., Ishii T., Blair M. 1997. Mikrosatellite marker development, mapping and applications in rice genetics and breeding. *Plant Mol Biol.* 35: 89-99.

Menon, K.P.V. and Pandalai, K.M. 1958. The coconut. A Monograph. Indian Central Coconut Committee.

Miftahorrachman. 2010. Sistem Penyerbukan Kelapa Genjah Salak (*Cocos nucifera* L.). *Buletin Palma.* No.39: 111-118.

Millar, M. A., Byrne, M., Nuberg, I., & Sedgley, M. 2008. High outcrossing and random pollen dispersal in a planted stand of *Acacia saligna* subsp. *saligna* revealed by paternity analysis using microsatellites. *ree genetics & Genomes*, 4, 367-377.

Narayana, G.V. and John, C.M. 1949. Varieties and forms of the coconut. *Madras Agricultural Journal* 36: 349-366.

Narvel, J.M., Chu, W., Fehr, W.R., Cregan, P.B., Shoemaker, R.C. 2000. Development of multiplex sets of simple sequence repeat DNA markers covering the soybean genome. *Molecular Breeding.* 6: 175-183.

Noël K. K. J., K. K. Edmond, Konan K. J. L. and K. K. Eugene. 2011. Microsatellite gene diversity within Philippines dwarf coconut palm (*Cocos nucifera* L.) resources at Port-Bouët, Côte d'Ivoire. *Scientific Research and Essays Vol. 6 (28): 5986-5992.*



- Novarianto, H., dan J. Kumaunang. 1999. Keragaman morfologi plasma nutfah kelapa. *Buletin Plasma Nutfah* 5 (1): 16-23.
- Novarianto, H. 2005. *Plasma Nutfah & Pemuliaan Kelapa*. Manado. Balai Penelitian Tanaman Kelapa dan Palma Lain.
- Novarianto, H. 2010. Karakteristik bunga dan buah hasil persilangan kelapa hibrida Genjah x Genjah. *Buletin Palma*. No.39: 100-110.
- Okoye M.N., Uguru M.I., Bakoume C., Singh R., Okwuagwu C.O. 2016. Assessment of genetic diversity of NIFOR oil palm main breeding parent genotypes using microsatellite markers. *American J. Plant Sci.*7:218-237.
- Palombi, M.A. and C. Damiano. 2002. Comparison between RAPD and SSR molecular markers in detecting genetic variation in kiwifruit (*Actinidia deliciosa* A. Chev). *Genetics and Genomics* 20: 1061-1066.
- Pandin, D.S. 2008. Pelacakan tetua populasi kelapa Dalam Mapanget No. 32 (DMT-32) menggunakan analisis aliran gen (gen flow) berdasarkan penanda mikrosatelit (SSR). *Jurnal Littri* 14 (4): 131-140.
- Pandin, D.S. 2009. Identifikasi pita spesifik berkaitan dengan karakter produksi buah pada tanaman kelapa berdasarkan penanda Mikrosatelit (SSR). *Prosiding Simposium Penelitian dan Pengembangan Perkebunan*. hlm.123-134.
- Pandin, DS. 2009a. Keragaman genetik kultivar kelapa Dalam Mapanget (DMT) dan Dalam Tenga (DTA) berdasarkan penanda *Random Amplified Polymorphic DNA* (RAPD). *Buletin Palma*. 36: 17-29.
- Pandin, D.S. 2009b. Keragaman genetik kelapa Dalam Bali (DBI) dan Dalam Sawarna (DSA) berdasarkan penanda *Random Amplified Polimorphic DNA* (RAPD). *Buletin Palma*. 37 :152-165.
- Peakall R., Smouse P.E. 2012. GenAEx 6,5: genetic analysis in Excel. Population genetic software for teaching and research an update. *Bioinformatics*.28:2537-2539.
- Perera, L., Russell J.R., Provan J., and Powell W. 2000. Use of microsatellite DNA markers to investigate the level of genetic diversity and population genetic structure of coconut (*Cocos nucifera* L). *Genome* 43:15-21.
- Perera, L., L. Boudouin and I. Mackay. 2016. SSR Markers indicate common origin of self-pollinating dwarf coconut in South-East Asia under domestication. *Scientia Horticulturae* 211: 255-262.
- Perera, L., Russell, J.R., Provan, J. and Powell, W. 2003. Studying genetic relationships among coconut varieties/populations using microsatellite markers. *Euphytica* 132:121-128.
- Perera L. 2010. Hybrid testing and variety identification of coconut (*Cocos nucifera*



L.) in Sri Lanka using microsatellite markers. Intl J Coconut R & D. 26 (1): 39-43.

Pesik, A. 2016. Keragaman Genetik Plasma Nutfah Kelapa Indonesia dan Penentuan Identitas Kelapa Hibrida Berdasarkan Marka Molekular. [Disertasi]. Sekolah Pasca Sarjana IPB. Bogor.

Peterson, A.H., Tanksley, S.D., Sorrels, M.E. 1991. DNA markers in plant improvement. *Agron.* 46: 39-90.

Powel W, Gordon CM, Jim P. 1996. Polimorphism revealed by simple sequence repeat. *Trend Plant Sci.* 1: 215-221.

Preethi, P., M.K. Rajesh, C.U. Rahul, B.A. Jerard, K. Samsudeen, Regi Jacob Thomas and A. Karun. 2016. Identification and utilization of informative EST-SSR markers for genetic purity testing of coconut hybrid. *Journal of Plantation Crop*, 44(2): 77-84.

Rajesh, M.K., Arunachalam, V., Nagarajan, P., Lebrun, P., Samsudeen, K. and Thampan, C. 2008. Genetic survey of ten Indian coconut landraces by simple sequence repeats (SSRs). *Scientia Horticulturae* 118: 282-297.

Rajesh MK, Thomas RJ, Rijith J, Shareefa M and Jacob PM. 2012. Genetic purity assessment of D x T hybrids in coconut with SSR markers. *Indian Journal of Genetics and Plant Breeding* 72: 472-474.

Rajesh MK, Jerard BA, Preethi P, Regi Jacob Thomas, Fayas TP, Rachana KE and Anitha Karun. 2013. Development of a RAPD-derived SCAR marker associated with tall-type palm trait in coconut. *Scientia Horticulturae* 150: 312-316. 41

Rajesh, M.K. Jerard, B.A., Preethi, P., Thomas, R.J. and A. Karun. 2014. Application of RAPD markers in hybrid verification in coconut. *Crop Breeding and Applied Biotechnology* 14 (1): 36-41.

Rajora O.P., Rahman M.H., Buchert G.P., Dancik B.P. 2000. Microsatellite DNA analysis of genetic effects of harvesting in old-growth eastern white pine (*Pinus strobus*) in Ontario, Canada. *Mol Ecol.* 9(3):339-348.

Ritter, E., Rodriguez, M.J.B., Herran A., Estioko, L., Becker, D., Rohde, W. 2000. Analysis of quantitative trait loci (QTL) based on linkage maps in coconut (*Cocos nucifera* L). In *Plant genetic engineering towards thierd millennium*. Ed.by A.Arencibia. Elsevier Science BV, AmsteHeliyantordam, The Netherlands.hlm.42-48.

Rivera, R., Edwards K.J., Barker J.H.A., Arnold G.M., Ayad G., Hodgkin T., and Karp A. 1999. Isolation and characterization of poly-morphic microsatellites in *Cocos nucifera* L. *Genom* 42:668-675.

Rohde W., Kullaya A., Rodriguez J. and Ritter E., 1995. Genetic analysis of *Cocos*



- nucifera L. by PCR amplification of spacer sequences separating a subset of copia-like EcoRI repetitive elements. *J. Genet. Breed.* 49:179–186.
- Runtunuwu S.D., Hartana, Suharsono. 1999. Penanda RAPD untuk Penyakit Phytophthora Gugur Buah pada Kelapa. [Http://repository.ipb.ac.id/handle/123456789/25608](http://repository.ipb.ac.id/handle/123456789/25608). [26 April 2017].
- Santos, G.A., Batugal, P.A., Othman, A., Baudouin, L. and Labouisse, J.P. 1996. Manual on standardized research techniques in coconut breeding. IPGRI, Rome.
- Sangare A., Rognon F., de Nuce de Lemote. 1978. Male and female phases in inflorescence of the coconut. *Oleagineux* 30: 609-617.
- Selkoe K.A. and Toonen RJ. 2006. Microsatellites for ecologists: a practical guide to using and evaluating microsatellite markers. *Ecol Lett.* 9: 615-629.
- Semagn K, Bjornstad A, Ndjionjop MN. 2006. An overview of molecular marker methods for plants. *African J Biotech.* 5: 2540-2568.
- Shalini, K.V, Manjunatha S., Lebrun P., Berger A., Baudouin L., Pirany N., Rangananth RM, Prasad DT. 2007. Identification of molekular markers associated with mite resistance in coconut (*Cocos nucifera* L.). *Genome.* 50: 35-42.
- Sneath, P.H. and R.R. Sokal. 1973. Numerical Taxonomi. W.H. Freeman and company. San Fransisco. P.114-132.
- Swaminathan, M.S. and Nambiar M.C. 1961. Cytology and origin of the Dwarf coconut palm. *Nature* 192: 85-86.
- Tampake, H. 1990. Penyerbukan Beberapa Kultivar Kelapa Genjah di Kebun Percobaan Mapanget. *Buletin Balitka.* No.10. (Seminar): 6-9.
- Teulat, B., Aldam C., Trehnin R., Lebrun P., Barker J.H.A., Arnold G.M., Karp A., Boudouin L., and Rognon F. 2000. An analysis of genetic diversity in coconut (*Cocos nucifera*) population from across the geographic range using sequencetagged micro-satellite (SSRs) and AFLPs. *Theor. Appl.Genet.* 100:764-771.
- Ulfa, M., Retnoningsih, A. 2010. Penanda mikrosatelit sebagai penciri jati "plus". *Floribunda.* 4(1): 5-14.
- Vavilov N I. 1949. The Origin, Immunity and Breeding of Cultivated Plants. *Chronica Botanica*, Vol 13. The Chronica Botanica Co. Waltham, Mass, USA. hlm.364.
- Wanget, S.A., H. Novariant, E. Awuy dan T. Kaligis. 1998. Morfologi dan sitologi daun beberapa kultivar kelapa. *Prosiding Seminar Regional Hasil Penelitian Kelapa dan Palma Lain.* Manado, 25-26 Februari 1998.p.26-32.



- Wardiana, E. 1996. Depresi silang dalam beberapa karakter pada sepuluh nomor famili Kelapa Dalam Bali. *Zuriat* 7(2): 64-68.
- Weising, K., Nybom H., Wolff K., and Meyer W. 1995. *DNA Finger Printing in Plants and Fungi*. Boca Raton-Florida: CRC Pr.
- Williams J.G.K., A.R. Kubelik, Kenneth J.L., J. A. Rafalski and S.V. Tingey. 1990. DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Research* 18 (22): 6531-6535.
- Wright J.M., P. Bentzen. 1994. Microsatellites: genetic markers for the future. *Reviews in Fish Biology and Fisheries* (4): 38.



ANALISA PENANDA GENETIK (SSR DAN RAPD) KELAPA (*Cocos nucifera* L.) GENJAH DAN DALAM WEDA MAKARTI MAHAYU, Dr. Ir. Taryono M. Sc

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

UNIVERSITAS
GADJAH MADA