

LIST OF CONTENTS

| | |
|--|-----|
| COVER | i |
| ENDORSEMENT | ii |
| DECLARATION | iii |
| ACKNOWLEDGEMANTS | iv |
| LIST OF CONTENTS | v |
| LIST OF TABLES | vii |
| LIST OF FIGURES | ix |
| ABSTRACT | xi |
| CHAPTER I. INTRODUCTION | |
| A. Background | 1 |
| B. Problem Statements | 4 |
| C. Original Research..... | 4 |
| D. Research objectives and Goals | 5 |
| E. Scope of Study..... | 6 |
| CHAPTER II. LITERATUR REVIEW | |
| A. Planning | 7 |
| B. Transportation System | 7 |
| C. Transportation Planning..... | 9 |
| D. Environment..... | 12 |
| E. Traffic Management..... | 13 |
| CHAPTER III. THEORETICAL BACKGROUND | |
| A. Modeling Concept..... | 17 |
| 1. Trip Generation..... | 18 |
| 2. Trip Distribution..... | 19 |
| 3. Modal Split..... | 19 |
| 4. Trip Assignment..... | 20 |
| B. Basic Trip Assignment Process..... | 21 |
| C. Trip Assignment Models..... | 20 |

| | | |
|--|------------------------------------|----|
| D. | Time of Day Modeling | 23 |
| E. | Generalized Cost..... | 24 |
| F. | Cube Program..... | 25 |
| CHAPTER IV. METHODOLOGY | | |
| A. | Preparation Phase..... | 31 |
| B. | Data Collection Phase..... | 32 |
| C. | Process And Analyze Phase..... | 33 |
| D. | Final Phase..... | 36 |
| CHAPTER V. DATA COLLECTION | | |
| A. | Site Selection..... | 37 |
| B. | Zona Selection..... | 38 |
| C. | Data Requirement..... | 40 |
| 1. | OD Matrix..... | 40 |
| 2. | Traffic Counting..... | 45 |
| CHAPTER VI. DATA ANALYSIS | | |
| A. | Capacity Calculation..... | 47 |
| B. | Origin and Destination Matrix..... | 47 |
| C. | Transportation Modeling..... | 52 |
| 1. | Trip Generation..... | 52 |
| 2. | Trip Distribution..... | 57 |
| 3. | Trip Assignment..... | 66 |
| D. | Time of Day Modeling..... | 73 |
| E. | Generalized Cost..... | 74 |
| CHAPTER VII. ASSIGNMENT TRAFFIC IN CIMAHI | | |
| A. | Scenario 1..... | 78 |
| B. | Scenario 2..... | 83 |
| C. | Scenario 3..... | 87 |
| D. | Scenario 4..... | 91 |
| E. | Summarize..... | 95 |



CHAPTER VIII. CONCLUSION AND RECOMENDATION

A. Conclusion..... 96
B. Recommendation..... 98

REFERENCES

- APPENDIX A (Home Interview Survey Form)**
- APPENDIX B (Roadside Interview Survey Form)**
- APPENDIX C (Traffic Counting Survey Form)**
- APPENDIX D (Capacity Calculation)**
- APPENDIX D (Cube Program Report)**

LIST OF FIGURES

| | |
|---|----|
| Figure 1.1 Location of Cimahi-Bandung City..... | 2 |
| Figure 1.2 Density of Cimahi..... | 2 |
| Figure 1.3 Location of Cimahi..... | 3 |
| Figure 1.2 Transportation Macro Systems..... | 7 |
| Figure 2.2 System Approach to Transportation Planning..... | 11 |
| Figure 2.3 The Relationship Between Speed and V/C Ratio..... | 15 |
| Figure 3.1 The Classic Four Stage Transport Model..... | 18 |
| Figure 3.2 The Basic Assignment Process..... | 20 |
| Figure 3.3 Use-Equilibrium Concept..... | 21 |
| Figure 3.5 Module of Cube Voyager..... | 25 |
| Figure 3.4 Flows, Density and Speed..... | 27 |
| Figure 4.1 Chart of Research Methodology..... | 30 |
| Figure 4.2 Modeling transportation..... | 33 |
| Figure 4.3 Trip Generation Chart..... | 34 |
| Figure 4.4 Highway Chart | 35 |
| Figure 4.5 Time of Day Modeling..... | 36 |
| Figure 5.1 Network Data..... | 38 |
| Figure 5.2 Internal Zona Map..... | 39 |
| Figure 5.3 Travel Pattern Percentage..... | 42 |
| Figure 5.4 Trip Purposes Percentage | 42 |
| Figure 5.6 The movements pattern..... | 44 |
| Figure 5.7 The Transportation mode compositions..... | 46 |
| Figure 6.1 The Trip Production Regression..... | 55 |
| Figure 6.2 The Trip Attraction Regression..... | 55 |
| Figure 6.3 The Build Highway Network Dialog..... | 66 |
| Figure 6.4 The True Link Shape Dialog..... | 67 |
| Figure 6.5 Output of The Network..... | 68 |
| Figure 6.6 Highway Chart..... | 68 |
| Figure 6.7 Task Monitor..... | 70 |



UNIVERSITAS
GADJAH MADA

| | |
|--|----|
| Figure 6.8 The Assignment Result..... | 72 |
| Figure 6.9 Percentage Time of Day..... | 73 |
| Figure 6.10 The Assignment Result in Peak Hour..... | 74 |
| Figure 7.1 The base Condition (with Emission Cost)..... | 77 |
| Figure 7.3 Scenario 1 (with Emission Cost)..... | 79 |
| Figure 7.4 Scenario 1 (without Emission Cost)..... | 80 |
| Figure 7.5 Scenario 2 (with Emission Cost)..... | 86 |
| Figure 7.6 Scenario 2 (without Emission Cost)..... | 87 |
| Figure 7.7 Scenario 3..... | 89 |
| Figure 7.8 Scenario 3(without Emission Cost)..... | 91 |
| Figure 7.9 Scenario 4(with Emission Cost)..... | 92 |
| Figure 7.10 Scenario 4(without Emission Cost)..... | 92 |
| Figure 7.11 The Comparision Result of All Scenario..... | 95 |

LIST OF TABLES

| | |
|---|----|
| Table 2.1 Benefits of Alternative and Mobility Management..... | 13 |
| Table 2.2 Level of Services Classification..... | 14 |
| Table 3.1 Basic Of Choosing Assignment Techniques..... | 23 |
| Table 3.2 Time of Day Assignment..... | 24 |
| Table 5.1 Type of Road Network Selected..... | 37 |
| Table 5.2 Internal and External Zona..... | 39 |
| Table 5.3 Home Interview matrix..... | 41 |
| Table 5.4 The Result of Road Side Interview Survey..... | 43 |
| Table 5.5 Traffic Counting..... | 45 |
| Table 6.1 OD Matrix in Sample..... | 48 |
| Table 6.2 OD Matrix in Population..... | 50 |
| Table 6.3 OD Matrix..... | 51 |
| Table 6.4 Production Variables..... | 53 |
| Table 6.5 Attraction Variables..... | 54 |
| Table 6.6 The Balancing of Production and Attraction..... | 56 |
| Table 6.7 The Attraction and Production Factor..... | 58 |
| Table 6.8 The Fist Iteration..... | 60 |
| Table 6.9 The Second Iteration..... | 61 |
| Table 6.10 The Third Iteration..... | 62 |
| Table 6.11 The Distance Matrix..... | 63 |
| Table 6.12 TLD Target Value for Calibration..... | 64 |
| Table 6.13 The last Iteration..... | 65 |
| Table 6.14 Percentage of Errors..... | 72 |
| Table 6.15 Ernission Cost..... | 72 |
| Table 7.1 Base Condition Result..... | 78 |
| Table 7.2 Scenario 1 Result with emission cost (Uncongested Links)..... | 81 |
| Table 7.3 Scenario 1 Result without emission cost (Uncongested Links)..... | 81 |
| Table 7.4 Scenario 1 Result (Congested Links on Arterial Road)..... | 81 |
| Table 7.5 Scenario 1 Result (Congested Link/with emission Cost)..... | 82 |
| Table 7.6 Scenario 1 Result (Congested Link on arterial road)..... | 82 |



| | | |
|-------------------|--|-----------|
| Table 7.7 | Scenario 1 Result without emission cost (Congested Link)..... | 83 |
| Table 7.8 | Scenario 2 Result with emission cost (Congested Links)..... | 84 |
| Table 7.9 | Scenario 2 Result without emission cost (Congested Links)..... | 84 |
| Table 7.10 | Scenario 2 Result with emission cost (Uncongested Links)..... | 85 |
| Table 7.11 | Scenario 2 Result with emission cost (Uncongested Links)..... | 86 |
| Table 7.12 | Scenario 3 Result with emission cost (Congested Links)..... | 88 |
| Table 7.13 | Scenario 3 Result with emission cost (Congested Link)..... | 88 |
| Table 7.14 | Scenario 3 Result without emission cost (Uncongested Link)..... | 89 |
| Table 7.15 | Scenario 3 Result without emission cost (Congested Link)..... | 90 |
| Table 7.16 | Scenario 4 Result with emission cost (Congested Links)..... | 93 |
| Table 7.17 | Scenario 4 Result with emission cost (Uncongested Link)..... | 93 |
| Table 7.18 | Scenario 4 Result without emission cost (Congested Link)..... | 94 |
| Table 7.19 | Scenario 4 Result without emission cost (Uncongested Link)..... | 94 |