UNIVERSITAS
GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aculey, P. C., Snitkjaer, P., Owusu, M., Bassompiere, M., Takrama, J., Nørgaard, L. dan Nielsen, D. S. (2010). Ghanaian cocoa bean fermentation characterized by spectroscopic and chromatographic methods and chemometrics. *Journal of Food Science* **75** (6): S300-307.

Afoakwa, E. O., Paterson, A., Fowler, M. dan Ryan, A. (2008). Flavour formation and character in cocoa and chocolate: a critical review. *Critical Reviews in Food Science and Nutrition* **48** : 840-857.

Afoakwa, E. O., Paterson, A., Fowler, M. dan Ryan, A. (2009). Matrix effects on flavour volatiles release in dark chocolates varying in particle size distribution and fat content using GC–mass spectrometry and GC–olfactometry. *Food Chemistry* **113** (1): 208–215.

Afoakwa, E. O. (2010). *Chocolate Science and Technology*. Wiley-Blackwell Publishers, Oxford, UK. pp 3-22.

Afoakwa, E. O. dan Paterson, A. (2010). *Cocoa Fermentation: Chocolate Flavour Quality*. In: Encyclopedia of Biotechnology in Agriculture and Food. Taylor & Francis Publishing Inc. Oxford, U.K. pp. 457 – 468.

Afoakwa, E. O., Quao, J., Takrama, F. S., Budu, A. S. dan Saalia, F. K. (2012). Changes in total polyphenols, o-diphenols and anthocyanin concentrations during fermentation of pulp pre-conditioned cocoa (Theobroma cacao) beans. *International Food Research Journal* **19** (3): 1071 – 1077.

Afoakwa, E. O., Kongor, J. E., Takrama, J. dan Budu, A. S. (2013). Changes in nib acidification and biochemical composition during fermentation of pulp pre-conditioned cocoa (*Theobroma cacao*) beans. *International Food Research Journal* **20**(4): 1843-1853.

Afoakwa, E.O., Budu A.S., Brown, H.M., Takrama,J.F. dan Akomanyi, E. (2014). Changes in Biochemical and Physico-chemical Qualities during Drying of Pulp Preconditioned and Fermented Cocoa (Theobroma cacao) Beans. *Journal of Nutritional Health & Food Science.Opinion article.*

Amic, D., Davidovic-Amic, D., Beslo, D., Rastija, V., Lucic, B. dan Trinajstic, N. (2007). SAR and QSAR of the antioxidant activity of flavonoids. *Current Medicinal Chemistry* **14** (7): 827–845

UNIVERSITAS GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Anonim [a]. (2016). *Statistik Perkebunan Indonesia Komoditas Kakao* 2015 - 2017. Direktorat Jenderal Perkebunan. 3-7 pp.

Anonim[b]. (2008). SNI 01-2323-2008. Biji kakao. ICS 67.140.30. Badan Standardisasi Nasional.Jakarta.

Anonymous[a], (2016). https://www.ncbi.nlm.nih.gov/pccompound. html. [4 February 2018].

Anonymous[b], (2016). The Good Scents Company. http://www.thegoodscentscompany.com/search2.html. [9 July 2016]

Aprotosoaie, A. C., Luca, S. V. dan Miron, A. (2016). Flavor Chemistry of Cocoa and Cocoa Products-An Overview: Flavor chemistry of cocoa. *Comprehensive Reviews in Food Science and Food Safety* **15** (1): 73–91.

Atmaja-Prawira, M.I., Haryadi. dan Supriyanto. (2016). Peningkatan kualitas biji kakao non fermentasi melalui perlakuan pendahuluan sebelum inkubasi. *J.ITDP*. **3**(1) : 11-20.

Association of Official Analytical Chemists (AOAC). (1997). Official Methods of Analysis of the association of analytical chemists. AOAC. Washington, DC.

Bamidele, O., Fasogbon, M., Adebowale, O. dan Adeyanju, A. (2017). Effect of blanching time on total phenolic, antioxidant activities and mineral content of selected green leafy vegetables. Current Journal of Applied Science and Technology **24** (4): 1–8. DOI:10.9734/CJAST/2017/34808

Beauchamp, P. (2016). *Advanced Organic Spectroscopy Tools for Beginning Organic Spectroscopists: Using Simulated Spectra to Learn How to Solve Complicated Organic Structures*. Create Space Independent Publishing Platform.

Belitz, H.D., Grosch, W. dan Schieberle, P. (2009). *Food Chemistry*.4th Revised and Extended Ed. Springer-Verlag.Berlin Heidelberg.

Benlloch, M.T., Igual, M., Rodrigo, D. dan Martínez, N.N. (2013).Comparison of *microwave*s and conventional thermal treatment on enzymes activityand antioxidant capacity of kiwifruit puree.*Innovative Food Science and Emerging Technologies* **19**: 66–172.

Bernaert, H., Blondeel, I., Allegaert, L. dan Lohmueller, T. (2012). Industrial treatment of cocoa in chocolate production: Health implications. *Dalam* : R. Paoletti, A. Poli, A. Conti and F. Visioli (ed.). *Chocolate and Health*, pp: 17-32. SpringerVerlag, Italia.

UNIVERSITAS GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Camu, N., Winter, T.D., Addo, S.K., Takrama, J.S., Bernaert, H. dan Vuyst, L.C. (2008). Fermentation of cocoa beans: influence of microbial activities and polyphenol concentration on the flavour of chocolate. *Journal Science Food and Agriculture.* 2288 – 2297.

Cervellati, R., Greco, E., Costa, S., Guerra, M.C. dan Speroni, E. (2008). A comparison of antioxidant properties between artisan-made and factory-produced chocolate. *International Journal of Food Science and Technology* **43**: 1866 – 1870.

Chandrasekaran, S., Ramanathan, S. dan Basak, T. (2013). *Microwave* food processing—A review. *Food Research International* **52**(1): 243–261.

Chávez-Reyes, Y., Dorantes-Alvarez, L., Arrieta-Baez, D., Osorio-Esquivel, O. dan Ortiz-Moreno, A. (2013). Polyphenol Oxidase Inactivation by *Microwave* Oven and Its Effect on Phenolic Profile of Loquat Fruit. *Food and Nutrition Sciences* **04**(09): 87–94.

Cheynier, V. (2005). Polyphenols in foods are more complex than often thought. *The American Journal of Clinical Nutrition*. **81**: 223 – 229.

Chutintrasri, B. dan Noomhorm, A. (2006). Thermal inactivation of polyphenoloxidase in pineapple puree. *LWT - Food Science and Technology* **39** (5): 492–495.

Cieslik, E., Greda, A. dan Adamus, W. (2006). Contents of polyphenols in fruit and vegetables.*Food Chemistry*. **94**: 135 – 142.

Alvarez, C., Perez, E., Lares, M.D.C.L., Boulanger, R., Davrieux, F., Assemat, S., dan Cros, E. (2016). Identification of the Volatile Compounds in the roasting Venezuela Criollo cocoa beans by Gas Chromatography. *Journal of Nutritional Health & Food Engineering* **5**(4) : 00178.

Cosovic, B., Vojvodic, V., Boskovic, N., Plavsic, M. dan Lee, C., (2010). Characterization of natural and synthetic humi substances (melanoidins) by chemical composition and adsorption measurements. *Org.Geochem*. **41**: 200 – 205.

Counet, C., Callemien, D., Ouwerx, C. dan Collin, S. (2002). Use of Gas Chromatography−Olfactometry To Identify Key Odorant Compounds in Dark Chocolate. Comparison of Samples before and after Conching. *Journal of Agricultural and Food Chemistry* **50**(8) : 2385–2391.

Dai, J. dan Mumper, R. J. (2010). Plant Phenolics: Extraction, Analysis and Their Antioxidant and Anticancer Properties. *Molecules* **15** (10): 7313–7352.

UNIVERSITAS
GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

De Brito, E.S., Garcia, N.H.P., Gallao, M.I., Cortelazzo, A.L., Feveiro, P.S dan Braga, M.R. (2000). Structural and chemical changes in cocoa (*Theobroma cacao* L) during fermentation and roasting. *Journal of the Science Food and Agriculture* **81**: 281-288.

De Brito, E.S., Narain, N., Garcia, N.H.P., Valente, A.L. dan Pin, G.F. (2002). Effect of glucose and glycine addition to cocoa mass before roasting on maillard prekursor consumption and pirazine formation.*Journal of the science of food and agriculture* **82**: 534-537.

Dewanto, V., Wu, X., dan Liu, R. H. (2002). Processed Sweet Corn Has Higher Antioxidant Activity. *Journal of Agricultural and Food Chemistry* **50**(17): 4959–4964.

Dewi, N.A.P.S. (2013). Sifat kimia coklat batang dari biji kakao kering non fermentasi dan fermentasi yang dikeringkan dengan berbagai metode pengeringan. *Tesis.* Fakultas Teknologi Pertanian. Universitas Gadjah mada.Yogyakarta.

Dreosti, I. E. (2000). Antioxidant polyphenols in tea, cocoa and wine. *Nutrition*, **16**, 7–8.

Durmaz, G. dan Gökmen, V. (2010). Impacts of roasting oily seeds and nuts on their extracted oils. *Lipid Technology* **22** (8) :179–182.

Echavarría, A. P., Pagán, J. dan Ibarz, A. (2013). Antioxidant activity of the melanoidin fractions formed from D-Glucose and D-Fructose with L-Asparagine in the Maillard reaction. *Scientia Agropecuaria* **4**(1): 45–54.

Eskin, N.A.M., Handerson, H.M., and Towsend,R.J. (1991). *Biochemistry of Foods*. Academic Pr. New York.

Febrianto, N.A. (2013). Effect of Fermentation and Roasting Treatment on Fat of Rambutan (Nephelium lappaceum L.) Seed and Its Potential Utilization as Confectionery Fat. . *Thesis*. Universiti Sains Malaysia, Penang, Malaysia.

Fellows, P.J. (2000). *Food Processing Technology Principle and Practice* Second Edition.CRC Press. New York.

Fennema. (2007). *Food Chemistry*, Fourth Edition. CRC Press.

Fisher, C. dan Scott, T. R. (1997). *Food flavors: biology and chemistry*. Royal Society of Chemistry, Information Services. Cambridge:

Forsyth, W.G.C. (1952). Cocoa polyphenolic substances. Changes during fermentation. *Biochem. J*. **51**: 516-520.

UNIVERSITAS
GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Frauendorfer, F. dan Schieberle, P. (2006). Identification of the Key Aroma Compounds in Cocoa Powder Based on Molecular Sensory Correlations. *Journal of Agricultural and Food Chemistry* **54** (15): 5521–5529.

Frauendorfer, F., and Schieberle, P. (2008). Changes in Key Aroma Compounds of Criollo Cocoa Beans During Roasting. *Journal of Agricultural and Food Chemistry* **56** (21): 10244–10251.

Galvez, S.L., Loiseau, G., Paredes, J.L., Barel, M dan Guiraud, J.P. (2007). Study on the microflora and biochemistry of cocoa fermentation in the Dominican Republic. *International Journal of Food Microbiology*. **114**: 124–130.

Ghoul, M dan Ioannou, I. (2013). Prevention of enzymatic browning in Fruit and vegetables.*European Scientific Journal* **9** (30): 1857 – 7881.

Ginz, M., Balzer, H.H., Bradbury, A.G.W dan Maier, H.G. (2000). Formation of aliphatic acids by carbohydrate degradation during roasting of coffee. *Eur. Food Res.Technol* **211**, 404–410

Goodenough P.W. (1995). Food Enzymes and the New Tehchnology. Di dalam: Tucker dan Woods LFJ, editor. *Enzyme in Food Processing*. Ed ke-2. London: Chapman & Hall.

Gulati, A., Rawat, R., Singh, B. dan Ravindranath, S. D. (2003). Application of *Microwave* Energy in the Manufacture of Enhanced-Quality Green Tea. *Journal of Agricultural and Food Chemistry* **51**(16): 4764–4768.

Guo, L., Ma,Y., Shi, J. dan Xue,S. (2009). The purification and characterisation of polyphenol oxidase from green bean (Phaseolus vulgarisL.). *Food Chemistry* **117**: 143–151.

Haenen, G. R., Arts, M. J., Bast, A. dan Coleman, M. D. (2006). Structure and activity in assessing antioxidant activity in vitro and in vivo: A critical appraisal illustrated with the flavonoids. *Environmental Toxicology and Pharmacology* **21**(2):191–198.

Halliwell, B. (2002). Food-Derived Antioxidants: How to Evaluate Their Importance in Food and In Vivo. National University of Singapore. Singapore.

Hart, H., Craine, L.E. dan Hart.D.J. (2003). *Kimia Organik*: Suatu Kuliah Singkat. (Edisi XI) (Terjemahan Suminar Setiadi Achmadi). Penerbit Erlangga. Jakarta.

UNIVERSITAS
GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Hashim, P., Selamat, J., Muhammad, K. dan Ali, A. (1999). Effect of drying time, bean depth and temperature on free amino acid, peptide-N, sugar and pyrazine concentrations of Malaysian cocoa beans. *Journal of the Science of Food and Agriculture* **79** (7):987–994.

Hashim, P., Selamat, J., Syed Muhammad, S. K. dan Ali, A. (1998). Changes in free amino acid, peptide-N, sugar and pyrazine concentration during cocoa fermentation. *Journal of the Science of Food and Agriculture* **78** (4), 535–542.

Hayat, K., Zhang, X., Chen, H., Xia, S., Jia, C. dan Zhong, F. (2010). Liberation and separation of phenolic compounds from citrus mandarin peels by microwave heating and its effect on antioxidant activity. *Separation and Purification Technology* **73** : 371-376.

Hernani dan Haliza, W. (2013).Optimasi komposisi nutrient untuk pembentukan cita rasa pada fermentasi biji kakao asalan.*J.Pascapanen* **10**(2): 74 – 82.

Hii, C.L., Law, C.L., Suzannah,S., Misnawi, dan Cloke. M. (2009). Polyphenols in cocoa (*Theobroma cacao*L.).*Asian Journal of Food and Agro-Industry*. **2**(4): 702-722.

Hinneh, M., Semanhyia, E., Van de Walle, D., De Winne, A., Tzompa-Sosa, D. A., Scalone, G. L. L. dan Dewettinck, K. (2018). Assessing the influence of pod storage on sugar and free amino acid profiles and the implications on some Maillard reaction related flavor volatiles in Forastero cocoa beans. *Food Research International* **111**: 607–620.

Hu, S., Kim, B.-Y. dan Baik, M.-Y. (2016). Physicochemical properties and antioxidant capacity of raw, roasted and puffed cacao beans. *Food Chemistry* **194** : 1089–1094.

Hu, Y., Pan, Z. J., Liao, W., Li, J., Gruget, P., Kitts, D. D. dan Lu, X. (2016). Determination of antioxidant capacity and phenolic content of chocolate by attenuated total reflectance-Fourier transformed-infrared spectroscopy. *Food Chemistry* **202** : 254–261.

Huang, M., Liu, P., Song, S., Zhang, X., Hayat, K., Xia, dan S.Gu, F. (2011). Contribution of sulfur-containing compounds to the colour-inhibiting effect and improved antioxidant activity of Maillard reaction products of soybean protein hydrolysates. *Journal of the Science of Food and Agriculture* **91**(4): 710–720.

Huang, Y. dan Barringer, S. A. (2010). Alkylpyrazines and Other Volatiles in Cocoa Liquors at pH 5 to 8, by Selected Ion Flow Tube-Mass Spectrometry (SIFT-MS). *Journal of Food Science* **75** (1): C121–C127.

UNIVERSITAS
GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Huang, M., Zhang, X., dan Karangwa, E. (2015). Comparation sensory characteristic, non-volatile compounds, volatile compounds and antioxidant activity of MRPs by novel gradient temperature-elevating and traditional isothermal methods. *Journal of Food Science and Technology* **52**(2), 858–866.

Ioannone, F., Di Mattia, C. D., De Gregorio, M., Sergi, M., Serafini, M. dan Sacchetti, G. (2015). Flavanols, proanthocyanidins and antioxidant activity changes during cocoa (Theobroma cacao L.) roasting as affected by temperature and time of processing. *Food Chemistry* **174**, 256–262.

Ioannou, I., Hafsa, I., Hamdi, S., Charbonnel, C. dan Ghoul, M. (2012). Review of the effects of food processing and formulation on flavonol and anthocyanin behaviour. *Journal of Food Engineering* **111**(2) : 208–217.

Jalil, A.M.M dan Ismail A. (2008). Polyphenols in cocoa and cocoa products : is there a link between antioxidant properties and health. *Review Molecules* **13**: 2190 – 2219.

Jinap, S., Ikrawan, Y., Bakar, J., Saari, N. dan Lioe, H. N. (2008). Aroma Prekursors and Methylpyrazines in Underfermented Cocoa Beans Induced by Endogenous Carboxypeptidase. *Journal of Food Science*, **73**(7) : H141–H147.

Jinap, S., Harun, S.M. dan Ghazali, N.M. (1994). Formation of methyl pirazine during cocoa bean fermentation.*Pertanika J. Trop Agri Sci.* **17**(1): 27 – 32.

Jinap, S. (1994). Organic acids in cocoa beans - a review. *ASEAN Food Journal (Malaysia).*

Jinap, S., Rosli, W. W., Russly, A. R. dan Nordin, L. M. (1998). Effect of roasting time and temperature on volatile component profiles during nib roasting of cocoa beans (Theobroma cacao). *Journal of the Science of Food and Agriculture* **77** (4): 441–448.

Jinap, S., Lioe, H., Yusep, I., Nazamid, S. dan Jamilah, B. (2010). Role of carboxypeptidases to the free amino acid composition, Methylpyrazine formation and sensory characteristic of under-fermented cocoa beans.*International Food Research Journal* **17**: 763-774.

Jousse, F., Jongen, T., Agterof, W., Russell, S., dan Braat, P. (2002). Simplified kinetic scheme of flavor formation by the Maillard reaction. *Journal of Food Science* **67** (7): 2534–2542

UNIVERSITAS
GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN
MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Kanade, S. R., Paul, B., Rao, A. G. A. dan Gowda, L. R. (2006). The conformational state of polyphenol oxidase from field bean (*Dolichos lablab*) upon SDS and acid-pH activation. *Biochemical Journal* **395** (3): 551–562.

Kattenberg, H.R. (2000). Nutritional functions of cocoa and chocolate. The Manufacturing Confectioner. 33–37.

Katz, D. L., Doughty, K. dan Ali, A. (2011). Cocoa and Chocolate in Human Health and Disease. *Antioxidants & Redox Signaling* **15** (10): 2779–2811.

Khairy, H. L., Saadoon, A. F., Zzaman, W., Yang, T. A. dan Mat Easa, A. (2018). Identification of flavor compounds in rambutan seed fat and its mixture with cocoa butter determined by SPME-GCMS. *Journal of King Saud University – Science* **30**(3): 316–323.

Kim, H. dan Keeney, P. G. (1984). (-) Epicatechin content in fermented and unfermented cocoa beans. *Journal of Agricultural and Food Chemistry*, **47**: 3693–3701.

Kim, H. dan Keeney, P.G. (1984). (–)-Epicatechin content in fermented and unfermented cocoa beans. *Journal of Food Science* **49** (4): 1090–1092.

Kim, T. J., Silva, J. L., Kim, M. K. dan Jung, Y. S. (2010). Enhanced antioxidant capacity and antimicrobial activity of tannic acid by thermal processing. *Food Chemistry* **118** (3):740–746.

Kofink, M., Papagiannopoulos, M. dan Galensa, R. (2000). (-)-Catechin in cocoa and chocolate: occurence and analysis of an atypical flavan-3-ol enantiomer. *Molecules* **12**(7): 1274–1288.

Kothe, L., Zimmermann, B. F. dan Galensa, R. (2013). Temperature influences epimerization and composition of flavanol monomers, dimers and trimers during cocoa bean roasting. *Food Chemistry* **141**(4):3656–3663.

Krysiak, W. dan Motyl-Patelska, L. (2006). Effects of air parameters on changes in temperature inside roasted cocoa beans. *Acta Agrophysica* **7**(1):113–127.

Krysiak, W., Adamski, R. dan Żyżelewicz, D. (2013). Factors Affecting the Color of Roasted Cocoa Bean. *Journal of Food Quality* **36**(1): 21–31.

Kyi, T . M., Daud, W. R. W., Mohammad, A. B., Samsudin, M. W., Kadhum, A. A. H. dan Talib, M.Z.M. (2005). The kinetics of polyphenol degradation during the drying of Malaysian cocoa beans. *International Journal of Food Science and Technology*. **40**: 323–331

UNIVERSITAS GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Lada, Y.G. (2014).Pengaruh Perendaman Biji Kakao Kering dan Bahan Alat Sangrai terhadap Sifat Fisik dan Profil Senyawa Volatil Kakao Sangrai Serta Sifat Sensoris Cokelat Batang Yang Dihasilkan. *Tesis*. Fakultas Teknologi Pertanian. Universitas Gadjah mada.Yogyakarta.

L. Dorantes-Álvarez, G. V., Barbosa-Cánovas, dan G. Gu-tiérrez-López, (2000). Inovations in Food Processing, Food Preservation Technology Series. Blanching of Fruit and Vegetables Using Microwaves. *Technomic Publishing Company*. 149-161.

Lee, S.Y., Yoo, S.S., Lee, M.J., Kwon, I.B. dan Pyun, Y.R. (2001). Optimization of nib roasting in cocoa bean processing with Lotte-better taste and color process.*Journal of Food and Science Biotechnology* **10**: 286-293.

Lee, K. W., Kim, Y. J., Lee, H. J. dan Lee, C. Y. (2003). Cocoa Has More Phenolic Phytochemicals and a Higher Antioxidant Capacity than Teas and Red Wine. *Journal of Agricultural and Food Chemistry* **51** (25): 7292–7295.

Lee, J., Koo, N. dan Min, D. B. (2004). Reactive oxygen species, aging and antioxidative nutraceuticals, *Comprehensive Reviews In Food Science And Food Safety* **3**: 21-33

Lee, M.-Y., Choi, D., Jang, M.-S. dan Lee, J. H. (2018). Biocompatible and Biodegradable Fe^{3+} –Melanoidin Chelate as a Potentially Safe Contrast Agent for Liver MRI. *Bioconjugate Chemistry* **29** (7) : 2426–2435.

Liu, Y., dan Kitts, D.S. (2013). Confirmation that the Maillard reaction is the principle contributor to the antioxidant capacity of coffee brews. *Food Research International* **44**: 2418–2428.

Lopez, A.S. (1986). Chemical change occurring during the processing of cacao. *Proceeding of The Cacao Biotechnology Symposium*. Dept. Of Food Science College of Agricultutre. The Pennsylvania State University. Pennsylvania. USA.

Madhavi, D. L., Deshpande, S. S. dan Salunkhe, D. K. (1995). *Food Antioxidants: Technological: Toxicological and Health Perspectives*. CRC Press.

Magi, E., Bono, L. dan Di Carro, M. (2012). Characterization of cocoa liquors by GC-MS and LC-MS/MS: focus on alkylpyrazines and flavanols: Alkylpyrazines and flavanols in cocoa liquors. *Journal of Mass Spectrometry* **47** (9): 1191–1197.

UNIVERSITAS GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Magrone, T., Russo, M. A. dan Jirillo, E. (2017). Cocoa and Dark Chocolate Polyphenols: From Biology to Clinical Applications. Frontiers in Immunology **8**.

Manach, C., Scalbert, A., Morand, C., Re´me´sy, C. dan Jime´nez, L. (2004). Polyphenols: food sources and bioavailability. *American Journal of Clinical Nutrition* **79**: 727–747.

Martins, S., Jongen, W. dan Van Boekel, M. (2001) A review of the Maillard reaction in food and implications to kinetic modeling. *Trends Food Sci Tech* **11**: 364–373.

Maskan, M. (2001). Kinetics of colour change of kiwifruits during hot air and microwave drying. *Journal of Food Engineering* **48** : 169-175.

Matsui, K. N., Gut, J. A. W., de Oliveira, P. V. dan Tadini, C. C. (2008). Inactivation kinetics of polyphenol oxidase and peroxidase in green coconut water by *microwave* processing. *Journal of Food Engineering* **88**(2): 169-176.

Mayer, A.M. (2006). Polyphenol oxidases in plants and fungi: Going places? *A review Phytochemistry* **67**: 2318–2331.

Mazzeo, T., N'Dri, D., Chiavaro, E., Visconti, A., Fogliano, V. dan Pellegrini, N. (2011). Effect of two cooking procedures on phytochemical compounds, total antioxidant capacity and colour of selected frozen vegetables. Food Chemistry **128**(3):627–633.

Menon, A. S., Hii, C. L., Law, C. L., Suzannah, S. dan Djaeni, M. (2015). Effects of water blanching on polyphenol reaction kinetics and quality of cocoa beans. In *AIP Conference Proceedings* **1699**: pp. 030006. AIP Publishing.

Minifie, B. W. (1989). *Chocolate, Cocoa and Confectionery: Science and Technology*. Dordrecht: Springer Netherlands.

Meynier, A. dan Mottram, D. S. (1995). The effect of pH on the formation of volatile compounds in meat-related model systems. *Food Chemistry* **52**(4): 361–366.

Miller, D.D. (1998). Food Chemistry :*A Laboratory Manual*. J Wiley & Sons Inc.New york.

Minnifie, B. W. (1989). *Chocolate, Cocoa and Confectionary*: *Science and Technology*, 3rdEdition. Avi Publishing Co., Inc. Van Nostrand Reinhold.

UNIVERSITAS
GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Misnawi, S. J., Nazamid, S. dan Jamilah, B. (2002). Activation of remaining key enzymes in dried under-fermented cocoa beans and its effect on aroma prekursor formation. *Food Chemistry* **78**(4): 407–417.

Misnawi dan Jinap S. (2003). Effect ofcocoa bean polyphenols on sensory properties and their changes during fermentation. *Pelita Perkebunan* **19**(2): Pusat Penelitian Kopi dan Kakao Indonesia. Assosiasi Peneliti Perkebunan Indonesia.

Misnawi, Jinap, S, jamilah, B dan Nazamid, S. (2004). Effect of polyphenol concentration on pyrazine formation during cocoa liquor roasting. *Food Chemistry* **85**: 73–80.

Misnawi. (2005). Peranan Pengolahan Terhadap Pembentukan Citarasa Cokelat. *Warta.* Pusat Penelitian Kopi dan Kakao **21**(3): 43 – 48.

Misnawi, Mulato,S., Widyotomo,S., Sewet, A dan Sugiyono. (2005). Optimasi Suhu dan Lama Penyangraian Biji Kakao Menggunakan Penyangrai Skala Kecil Tipe Silinder. *Jurnal Pelita perkebunan* **21**(3): 169 – 183.

Misnawi, (2008). Physico-chemical changes during cocoa Fermentation and key enzymes involved. *Review Penelitian Kopi dan Kakao* **24**(1): 47 – 64.

Misnawi, Sumartono,B., Wahyudi,T., Ismayadi, C., Riyanto, S dan Zakaria, F. (2008). Aspek kesehatan biji kakao dan hasil-hasil penelitiannya. Disampaikan pada Simposium Kakao 2008, 28 – 29 Oktober 2008 di Denpasar Bali.Pusat Penelitian Kopi dan Kakao Indonesia.Jember.

Mizobutsi, G. P., Finger, F. L., Ribeiro, R.A., Puschmann dan da Mota, W.F. (2010). Effect of pH and temperature on peroxidase and polyphenoloxidase activities of litchi pericarp. *Sci. Agric. (Piracicaba, Braz.)* **67**(2): 213-217

Molyneux, P. (2004). The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin J Sci Technol*, **26**(2): 211–219.

Morales, J. F., dan Jimenez-Perez, S. (2001). Free radical scavenging capacity of Maillard reaction products as related to color and fluorescence. *Food Chem*. **72**: 119–125.

Movasaghi, Z., Rehman, S. dan ur Rehman, D. I. (2008). Fourier Transform Infrared (FTIR) Spectroscopy of Biological Tissues. *Applied Spectroscopy Reviews* **43**(2): 134–179.

UNIVERSITAS GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Muchtadi, T.R. dan Ayustangniwarno, F. (2010). *Teknologi Proses Pengolahan Pangan* cetakan keempat. Alfabeta. Bandung.

Mulato. (2005). *Petunjuk Teknis Pengolahan Produk Primer dan Sekunder Kakao*. Pusat Penelitian Kopi dan Kakao Indonesia; edisi 2. Jember.

Mulato, S., Widyotomo, S., dan Handaka. (2006). *Disain Teknologi Pengolahan Pasta, Lemak, dan Bubuk Cokelat untuk Kelompok Tani*. Pusat Penelitian Kopi dan Kakao Indonesia. Jember.

Mulato, S., S. Widyotomo. dan Suharyanto. (2009). *Cocoa Processing Technology Development an Integrated Approach.* Agro Inovasi. Indonesian Coffee and Cocoa Research Institute. Jember. 35-37.

Nasution M.Z., Tjiptadi, W., dan Laksmi B.S. (1985). Pengolahan Cokelat. Bogor. Agroindustri Press. Bogor.

Nazaruddin, R., Hassan, O., Said, M., Samsudin, W. dan Noraini, I. (2006). Influence of roasting conditions on volatile flavor of roasted Malaysian cocoa beans. *Journal of Food Processing and Preservation* **30**(3): 280-298.

Ndiaye,C., Xu, S.Y. dan Wang, Z. (2009). Steam blanching effect on polyphenoloxidase, peroxidase and colour of mango (*Mangifera indica* L.) slices.*Food Chemistry* **113**(1): 92-95.

Noor–Soffalina, S.S., Jinap, S., Nazamid, S. dan Nazimah, H.A.S. (2009). Effect of polyphenol and pH on cocoa Maillard-related flavor prekursors in a lipidic model system. *International Journal of Food Science and Technology* **44**: 168-180.

Nursten, H. E. (2005). *The Maillard reaction: chemistry, biochemistry and implications*. Cambridge: Royal Society of Chemistry.

Nuwiah, A. (2008). Model roasting asam amino hidrofobik dan fruktosa dalam lemak kakao untuk mendapatkan cita rasa khas coklat.*Tesis.* Pascasarjana Fakultas Teknologi Pertanian. UGM.Yogyakarta.

Oge, L. (2007). Pengaruh penambahan triptofan dan glukosa terhadap perubahan fisik, kimia dan cita rasa pasta cokelat kakao lindak hasil penyangraian. *Tesis.* Pascasarjana Fakultas Teknologi Pertanian. UGM.Yogyakarta.

Oliviero, T., Capuano, E., Cämmerer, B. dan Fogliano, V. (2009). Influence of Roasting on the Antioxidant Activity and HMF Formation of a Cocoa Bean Model Systems. *Journal of Agricultural and Food Chemistry* **57**(1), 147–152.

UNIVERSITAS
GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Oracz, J. dan Nebesny, E. (2014). Influence of roasting conditions on the biogenic amine content in cocoa beans of different Theobroma cacao cultivars. *Food Research International* **55**: 1–10.

Oracz, J. dan Nebesny, E. (2016). Antioxidant Properties of Cocoa Beans (*Theobroma cacao* L.): Influence of Cultivar and Roasting Conditions. *International Journal of Food Properties* **19**(6): 1242–1258.

Osman, H., Nazaruddin, R. dan Lee, S. L. (2004). Extracts of cocoa (*Theobroma cacao* L.) leaves and their antioxidation potential. *Food Chemistry* **86**: 41–45.

Owusu, M., Petersen, M. A. dan Heimdal, H. (2012). Effect of Fermentation Method, Roasting And Conching Conditions on The Aroma Volatiles Of Dark Chocolate: Processing Conditions On Heap And Tray Chocolates. *Journal of Food Processing and Preservation* **36**(5): 446–456.

Palma-Orozco, G., Sampedro, J. G., Ortiz-Moreno, A. dan Nájera, H. (2012). In situ Inactivation of Polyphenol Oxidase in Mamey Fruit (Pouteria sapota) by Microwave Treatment. *Journal of Food Science* **77**(4), C359–C365.

Pavia, D. L., Lampman, G. M. dan Kriz, G. S. (2001). *Introduction to Spectroscopy: A Guide for Students of Organic Chemistry*. Harcourt College Publishers.

Patras, A., Brunton, N. P., O'Donnell, C. dan Tiwari, B. K. (2010). Effect of thermal processing on anthocyanin stability in foods; mechanisms and kinetics of degradation. *Trends in Food Science & Technology* **21**(1): 3–11.

Payne, M. J., Hurst, W. J., Miller, K. B., Rank, C. dan Stuart, D. A. (2010). Impact of Fermentation, Drying, Roasting, and Dutch Processing on Epicatechin and Catechin Content of Cacao Beans and Cocoa Ingredients. *Journal of Agricultural and Food Chemistry* **58**(19) : 10518–10527.

Permana, I. D. G. M. (1992). Penyebaran senyawa polifenol dan aktivitas fenolase dalam biji kakao hasil pengolahan petani untuk mengatasi penyebab slaty. *Tesis*. Fakultas Pascasarjana UGM. Yogyakarta

Pokorny, J., N. Yanishleva, dan M. Gordon. (2001). *Antioxidant in Food*. Woodhead Publishing Ltd. England.

Pujimulyani, D., Raharjo, S., Marsono, Y. dan Santoso, U. (2012). Pengaruh Blanching Terhadap Aktivitas Antioksidan, Kadar Fenol, Flavonoid, dan Tanin Terkondensasi Kunir Putih (*Curcuma mangga Val*.). *Agritech* **30** (3): 141-147.

UNIVERSITAS
GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Putra, G.P.G., Sutardi, dan Kartika, B. (1991). Pembentukan Flavor Bubuk Coklat, Kajian Peranan Waktu Fermentasi Biji Kakao.*Agritech* **12**(3):1 – 10.

Putra, G. P. G., Wartini, N. M., dan Anggreni, A. A. M. D. (2012). Karakterisasi Enzim Polifenol Oksidase Biji Kakao (*Theobroma cacao Linn*.) Characterization of Polyphenol Oxidase Enzyme of Cocoa Beans (*Theobroma cacao Linn*.). *Jurnal Agritech* **30** (03).

Queiroz, C., Mendes Lopes, M. L., Fialho, E. dan Valente-Mesquita, V. L. (2008). Polyphenol Oxidase: Characteristics and Mechanisms of Browning Control. *Food Reviews International* **24**(4): 361–375.

Quinones, M., Miguel, M., Muguerza, B. dan Aleixandre, A. (2011). Effect of a cocoa polyphenol extract in spontaneously hypertensive rats. *Food Funct* **2**: 649 – 653.

Puziah, H., Jinap, S., Sharifah, K.S.M. dan Asbi, A. (1998). Changes in free amino acids, peptide-N, sugar and pyrazine concentration during cocoa fermentation.*Journal of the Science of Food and Agriculture* **78**: 535 – 542.

Raharjo. (2006). *Kerusakan oksidatif pada makanan*. Gadjah Mada University Press. Yogyakarta.

Rahmadewi, Y.M. (2013). Evaluasi coklat batang dari biji kakao rakyat hasil pengeringan menggunakan penjemuran dan pengeringan mekanis. *Tesis*. Program pasca sarjana fakultas teknologi Pertanian universitas Gadjah Mada.Yogyakarta.

Ramadhan, T. dan Aminah, S. (2014). Pengaruh Pemasakan Terhadap Kandungan Antioksidan Sayuran. *Buletin Pertanian Perkotaan* **4**.

Rawel, H. M dan Kulling S. E. (2007).Nutritional contribution of coffee, cacao and tea phenolics to human health. *J. Verbr. Lebensm* **2**: 399 – 406.

Reineccius, G. A., Anderson, D. A., Kavanagh, T. E. dan Keeney, P. G. (1972). Identification and quantification of the free sugars in cocoa beans. *Journal of Agricultural and Food Chemistry* **20**: 199 – 202.

Reineccius, G. (2016). *Flavor chemistry and technology*. CRC press.

Reische, D.W., Dorris A. L. dan Ronald R. E. (2008).Antioxidants. *Dalam* Akoh, C.C. dan Min, D.B. *Food Lipids*. Chemistry, Nutrition and Biotechnology. Third Edition. CRC Press Taylor & Francis Group. New York.

UNIVERSITAS
GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Reyes, Y.C., Alvarez, L. D, Baez, D. A., Esquivel, O.O. dan Moreno, A.O. (2013). Polyphenol Oxidase Inactivation by Microwav*e* Oven and Its Effect on Phenolic Profile of Loquat (*Eriobotrya japonica*) Fruit. *Food and Nutrition Science*s **4**: 87 – 94.

Rizzi, G.P. dan Bunke, P.R. (1998). The Use of Roasting Kinetics Data to Characterize Natural and Artificial Chocolate Aroma Precursors. Elsevier Scientific Publishing Company. New York.

Robbins, R. J., Kwik-Uribe, C., Hammerstone, J. F. dan Schmitz, H. H. (2006). Analysis of flavanols in foods: what methods are required to enable meaningful health recommendations? *Journal of Cardiovascular Pharmacology* **47**: S110–S118.

Robinson, T. (1995). Kandungan organik tumbuhan tinggi. Edisi Keenam. Penerbit ITB Bandung.Bandung.

Rodriguez-Campos, J., Escalona-Buendía, H. B., Contreras-Ramos, S. M., Orozco-Avila, I., Jaramillo-Flores, E. dan Lugo-Cervantes, E. (2012). Effect of fermentation time and drying temperature on volatile compounds in cocoa. *Food Chemistry* **132**(1): 277–288.

Rohan, T.A. (1964). The precursors of chocolate aroma: A comparative study of fermented and unfermented cocoa beans. *Journal of food science*. 456 – 459.

Rohan, T.A. (1963). *Processing of Raw for the Market.* FAO of the United Nations. Roma.

Rohan, T.A. (1964). The precursors of chocolate aroma :changes in sugar the roasting of cocoa beans. *Journal of food science*. 206 – 209.

Rosida, D.F. (2009). Aktivitas antioksidan fraksi-fraksi moromi, kecap manis dan model produk reaksi maillard berdasarkan berat molekul. *Disertasi.* Sekolah Pascasarjana Institut Pertanian Bogor. Bogor.

Sanbongi, C., Osakabe, N., Natsume, M., Takizawa, T., Gomi, S. dan Osawa, T. (1998). Antioxidative polyphenols isolated from *Theobroma cacao*. *Journal of Agricultural and Food Chemistry.* **46**: 454-457

Sandhar, H.K., Kumar, B., Prasher, S., Tiwari,P., Salhan,M. dan Sharma, P. (2011). A Review of Phytochemistry and Pharmacology of Flavonoids. *Internationale Pharmaceutica Sciencia* **1**(1) : 25-41.

Santoso, U. (2006). *Antioksidan*. Gadjah Mada University Press. Yogyakarta.

UNIVERSITAS
GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Sacchetti, G., Ioannone, F., De Gregorio, M., Di Mattia, C., Serafini, M. dan Mastrocola, D. (2016). Non enzymatic browning during cocoa roasting as affected by processing time and temperature. *Journal of Food Engineering* **169**: 44–52.

Scapagnini, G., Davinelli, S., Di Renzo, L., De Lorenzo, A., Olarte, H. H., Micali, G. dan Gonzalez, S. (2014). Cocoa Bioactive Compounds: Significance and Potential for the Maintenance of Skin Health. *Nutrients* **6**(8), 3202–3213.

Schinella, G., Mosca,S., Jovellanos, E.C., Pasamar, M.A., Muguerza,B., Ramón, D. dan Ríos, J.L. (2010). Antioxidant properties of polyphenol-rich cocoa products industrially processed. *Food Research International* **43**: 1614–1623.

Schwan, R.F (1998). Cocoa fermentation conducted with a defined microbial cocktail inoculum. *Applied and Environmental Microbiology* **64**(4): 1477 – 1483.

Schwan, R.F dan Wheals, A.E. (2004).The microbiology of cocoa fermentation and its role in chocolate quality. *Critical review in Food Science and Nutrition* **44**: 205 -221.

Serra-Bonvehi, J dan Ventura-Coll, F. (1997). Evaluation of Bitterness and Astringency of Polyphenolic Compounds in Cocoa Powder.*Food Chemistry* **6**(3) : 356-370.

Serra-Bonvehí, J dan Ventura-Coll, F. (1998). Evaluation of smoky taste in cocoa powder. *Journal of Agricultural and Food Chemistry* **46**(2): 620–624.

Serra-Bonvehí, J dan Ventura-Coll, F. (2002). Factors Affecting the Formation of Alkylpyrazines during Roasting Treatment in Natural and Alkalinized Cocoa Powder. *Journal of Agricultural and Food Chemistry* **50**(13): 3743–3750.

Serra-Bonvehi, J dan Ventura Coll, F. (2000). Evaluation of purine alkaloids and diketopiperazines contents in processed cocoa powder. *European Food Research and Technology* **210**: 189–195.

Serra-Bonvehi, J. (2005). Investigation of aromatic compounds in roasted cocoa powder. *European Food Research and Technology* **221**(1–2): 19–29.

Severini, C., Giuliani, R., De Filippis, A., Derossi, A. dan De Pilli, T. (2016). Influence of different blanching methods on colour, ascorbic acid and phenolics content of broccoli. *Journal of Food Science and Technology*, **53**(1): 501–510.

UNIVERSITAS
GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Shahidi, F. (1997). *Natural Antioxidants: Chemistry, Health Effects, and Applications*. Canada: The American Oil Chemists Society.

Shahidi, F. dan Zhong, Y. (2005). *Antioxidants*: *Regulatory Status*. Bailey Industrial Oil and Fats Products. 6th. Ed. 6:257-285. John Wiley and Sons Inc, Canada

Singleton, V. L., Orthofer, R. dan Lamuela-Raventós, R. M. (1999). Analysis of total phenols and other oxidation substrates and antioxidants by means of FolinCiocalteu reagent. *Methods in Enzymology.* **299**: 152-178.

Steinberg, M.K. (2002). The Globalization Of A Ceremonial Tree: the case of cacao (theobroma cacao) among the mopan maya. *Economic Botany* **56** (1): 58 – 65.

Stuart, B. (2004). *Infrared spectroscopy: fundamentals and applications*. Chichester, West Sussex, England ; Hoboken, NJ: J. Wiley.

Sudarmadji, S., Haryono, B., dan Suhardi, (1989). Analisis bahan makanan dan Pertanian. Liberty. Yogyakarta.

Sun, W., Zhao. M., Cui. C., Zhao, Q. dan Yang. B, (2010). Effect of maillard reaction products derived from the hydrolysate of mechanically deboned chicken residu on the antioxidant, textural and sensory properties of cantonese sausages. *Meat Science* **86**: 276-282h

Supriyanto, Haryadi, Rahardjo, B. dan Marseno, D.W. (2010). Antioxidant Activity of Crude Polyphenol Extract from *Microwave* Roasted Cocoa Bean. *Jurnal Teknologi dan Industri Pangan* **17**(3): 176.

Supriyanto, S., Haryadi, H., Rahardjo, B., dan Marseno, D. W. (2014). Perubahan Suhu, Kadar Air, Warna, Kadar Polifenol dan Aktivitas Antioksidatif Kakao Selama Penyangraian dengan Enerji Gelombang Mikro. *Jurnal Agritech* **27**(01).

Supriyanto, dan Marseno.D.W. (2010). Penyangraian hancuran nib kakao dengan enerji gelombang mikro untuk menghasilkan cokelat bubuk. *Agritech*. **30**(4): 243 – 249.

Supriyanto, (2007). Perubahan Polifenol Selama Pemanggangan Hancuran Keping Biji Kakao Menggunakan Enerji Gelombang Mikro dan Panas Konveksi. *Disertasi*. Program Studi Ilmu Pangan, Sekolah Pasca Sarjana, Universitas Gadjah Mada, Yogyakarta.

UNIVERSITAS
GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Supriyanto, Haryadi, Rahardjo, B. dan Marseno, D.W. (2007). Changes in temperature, moisture content, colour, polyphenol content and antioxidatif activity of cocoa during *microwave* roasting. *Agritech* **27**: 18 – 26.

Tagliazucchi, D., Verzelloni, E., and Conte, A. 2010. Contribution of melanoidins to the antioxidant activity of traditional balsamic vinegar during aging: traditional balsamic vinegar aging and melanoidins. *Journal of food biochemistry, 34*(5): 1061–1078.

Tamaroh, S. (2017). The Effect of Blanching Time of Purple Yam (*Dioscorea Alata*, L) on Anthocyanins Content and AntioxidantActivity. *International Journal Science Technoloedge* **6**: 125-131.

Tamrin, Harijono, Yuwono, S.S., Estiasih, T. dan Santoso, U. (2012). Various Temperature of Vacuum and Conventional Roasting on Color Alteration and Polyphenols Content of Cocoa Powder. *Journal of Food Science and Engineering* **2** : 642-651.

Terefe, N. S., Yang, Y. H., Knoerzer, K., Buckow, R. dan Versteeg, C. (2010). High pressure and thermal inactivation kinetics of polyphenol oxidase and peroxidase in strawberry puree. *Innovative Food Science & Emerging Technologies* **11**(1): 52–60.

Thompson, S.S., Miller, K.B. and Lopez, A.S. (2001). *Food Microbiology Cocoa and Coffee.* ASM Press. Washington, D.C. 721-733.

Tomas-Barberán, F. A., Cienfuegos-Jovellanos, E., Marín, A., Muguerza, B., Gil-Izquierdo, A., Cerdá, B., dan Espín, J. C. (2007). A New Process To Develop a Cocoa Powder with Higher Flavonoid Monomer Content and Enhanced Bioavailability in Healthy Humans. *Journal of Agricultural and Food Chemistry* **55** (10): 3926–3935.

Turkmen, N., Sari, F., dan Velioglu, Y. (2005). The effect of cooking methods on total phenolics and antioxidant activity of selected green vegetables. *Food Chemistry* **93**(4): 713–718.

Utami, R.R. 2018. Potensi dan identifikasi senyawa antioksidan dalam kulit biji kakao hasil proses fermentasi dan penyangraian. *Disertasi.* Fakultas Teknologi Pertanian Universitas Gadjah Mada. Yogyakarta.

Van-Boekel, M.A.J.S. 2006. Formation of flavour compounds in the Maillard reaction. *Research review paper. Biotechnology Advances* **24**: 230 – 233.

Vasi, S. dan Austin, A., 2009. Antioxidant potential of eugenia jambolana lam seeds. J of Biological Sciences **9**(8): 894-898.

UNIVERSITAS
GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Vignoli, J. A., Viegas, M. C., Bassoli, D. G. dan Benassi, M. de T. (2014). Roasting process affects differently the bioactive compounds and the antioxidant activity of arabica and robusta coffees. *Food Research International* **61**: 279–285.

Wahyudi dan Yusianto, (2008). Bab 17 Industri Hilir, dalam Wahyudi, T.,Panggabean, R. dan Pujiyanto (Ed). *Panduan Lengkap Kakao Managemen Agribisnis dari Hulu Hingga Hilir*. Penebar Swadaya. Jakarta. 256 h.

Wang, J., Yang, X.-H., Mujumdar, A. S., Wang, D., Zhao, J.-H., Fang, X.-M. dan Xiao, H.W. (2017). Effects of various blanching methods on weight loss, enzymes inactivation, phytochemical contents, antioxidant capacity, ultrastructure and drying kinetics of red bell pepper (*Capsicum annuum* L.). *LWT* **77**: 337–347.

Wang, H. Y., Qian, H. dan Yao, W.R. (2011). Melanoidins produced by the Maillard reaction : Structure and biological activity. *Food Chemistry* **128** : 573 – 584.

Whitaker, J. R. (1994). *Principles of Enzymology for the Food Sciences*. Second Edition. Maecel Dekker, Inc., New York.

Wollgast, J dan Anklam, E. (2000). Review on polyphenols in Theobroma cacao: changes in composition during the madnufacture of chocolate and methodology for identifcation and quantification. *Food Research International* 423 - 447 h.

Wood, G.A.R dan Lass.R.A. (2001).*Cocoa (Tropical Agricultural Series).* Fourth Edition. Blackwell Science. USA.

Xiao, H.-W., Bai, J.-W., Sun, D.-W. dan Gao, Z.-J. (2014). The application of superheated steam impingement blanching (SSIB) in agricultural products processing – A review. *Journal of Food Engineering* **132**: 39–47.

Xiao, H.-W., Pan, Z., Deng, L.-Z., El-Mashad, H. M., Yang, X.-H., Mujumdar, A. S. dan Zhang, Q. (2017). Recent developments and trends in thermal blanching – A comprehensive review. *Information Processing in Agriculture* **4**(2): 101–127.

Yen, G. C. dan Chen, H. Y. (1995). Antioxidant activity of various tea extracts in relation to their antimutagenicity. *Journal of Agricultural and Food Chemistry* **43**: 27-32.

Yilmaz, Y. dan Toledo, R. (2005). Antioxidant activity of water-soluble Maillard reaction products. *Food Chemistry* **93**(2): 273–278.

UNIVERSITAS
GADJAH MADA
REKAYASA PROSES PENGOLAHAN BIJI KAKAO UNTUK MEMPERTAHANKAN ANTIOKSIDAN ALAMI POLIFENOL DAN MENINGKATKAN KOMPONEN SENYAWA CITA RASA DAN AROMA COKELAT
NURHAYATI, Prof. Dr. Ir. Supriyanto, M.S; Prof. Dr. Ir. Djagal Wiseso Marseno, M.Agr; Dr. nat.techn. F.M.C. Sigit Se
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Yokotsuka, T. (1960). Aroma and flavor of Japannese soy sauce. *Adv food res* (30): 195-329.

Yoshida, H., Mieno, A., Takagi, S., Yamaguchi, M. dan Kajimoto, G. (1995). Microwave Roasting Effects on Acyl Lipids in Soybeans (Glycine max. L.) at Different Moisture Contents. *Journal of Food Science* **60** : 801-805.

Yoshimura, Y., Lijima, T., Watanabe, T. dan Nakazawa H. (1997) Antioxidative effect of Maillard reaction products using glucose-glycine model system. *J Agric Food Chem* **45** (10):4106–4109.

Yusianto, Wahyudi,T dan Sulistyowati. 2008. Bab 15 Pasca Panen. dalam Wahyudi, T., Panggabean, R. dan Pujiyanto (Ed). *Panduan Lengkap Kakao Managemen Agribisnis dari Hulu Hingga Hilir*. Penebar Swadaya. Jakarta. 207 h.

Ziegleder, G. (2009). Flavour Development in Cocoa and Chocolate. In *Industrial Chocolate Manufacture and Use, Fourth Edition*. Wiley-Blackwell. (pp. 169–191)

Ziegleder, G. dan D. Sandmeier (1983). Antioxidative effect of cocoa. *Review for Chocolate, Confectionery and Bakery* **8**: 3-6.