

DAFTAR PUSTAKA

- Ároch, R., Sokol, M., & Venglar, M. (2016). Structural Health Monitoring of Major Danube Bridges in Bratislava. *Procedia Engineering*, 156, 24–31. <https://doi.org/10.1016/j.proeng.2016.08.263>
- Bannazadeh, B., Zomorodian, Z. S., & Maghareh, M. R. (2012). A Study on Cable-Stayed Bridges. *Applied Mechanics and Materials*, 193–194(December 2015), 1113–1118. <https://doi.org/10.4028/www.scientific.net/AMM.193-194.1113>
- Beal, J. M., Shukla, A., Brezhneva, O. A., & Abramson, M. A. (2008). Optimal sensor placement for enhancing sensitivity to change in stiffness for structural health monitoring. *Optimization and Engineering*, 9(2), 119–142. <https://doi.org/10.1007/s11081-007-9023-1>
- Chae, M. J., Yoo, H. S., Kim, J. Y., & Cho, M. Y. (2012). Development of a wireless sensor network system for suspension bridge health monitoring. *Automation in Construction*, 21(1), 237–252. <https://doi.org/10.1016/j.autcon.2011.06.008>
- Di, Q., Li, Y., Xing, Y., & Hu, X. (2017). Modal Analysis of the Saint-Bachi Suspension Aqueduct Bridge Considering Fluid – Structure Interaction. *Journal of Bridge Engineering*, 22(11). [https://doi.org/10.1061/\(ASCE\)BE.1943-5592.0001126](https://doi.org/10.1061/(ASCE)BE.1943-5592.0001126)
- Fei, Q. G., Li, A. Q., Han, X. L., & Miao, C. Q. (2009). Modal identification of long-span Runyang Bridge using ambient responses recorded by SHMS. *Science in China, Series E: Technological Sciences*, 52(12), 3632–3639. <https://doi.org/10.1007/s11431-009-0360-5>
- Glišić, B., Posenato, D., Inaudi, D., & Figini, A. (2008). Structural health monitoring method for curved concrete bridge box girders. *Sensors and Smart Structures Technologies for Civil, Mechanical, and Aerospace Systems 2008*, 6932, 693204. <https://doi.org/10.1117/12.778643>
- Heylen, W., & Sas, P. (1998). *Modal Analysis Theory and Testing*. Belgium.
- K. Y. Koo, J. M. W. Brownjohn, D. I. L. and R. C. (2013). Structural health monitoring of the Tamar suspension bridge. *Structural Control and Health Monitoring*, 20, 609–625. <https://doi.org/10.1002/stc>
- Kammer, D. C. (1991). Enhancement of on-orbit modal identification of large space structures through sensor placement. *Journal of Sound and Vibration*, 171(1), 119–139. <https://doi.org/10.1006/jsvi.1994.1107>
- Kangas, S., Helmicki, A., Hunt, V., Sexton, R., & Swanson, J. (2012). Cable-Stayed Bridges: Case Study for Ambient Vibration-Based Cable Tension Estimation. *Journal of Bridge Engineering*, 17(6), 839–846. [https://doi.org/10.1061/\(ASCE\)BE.1943-5592.0000364](https://doi.org/10.1061/(ASCE)BE.1943-5592.0000364)
- Larson, C. B., Zimmerman, D. C., & Marek, E. L. (1994). A comparison of modal

test planning techniques: excitation and sensor placement using the NASA 8-bay truss. *SPIE - The International Society for Optical Engineering*, 205–211.

- Li, D. (2012). *Sensor placement methods and evaluation criteria in structural health monitoring*. Siegen.
- Li, J., Zhang, X., Xing, J., Wang, P., Yang, Q., & He, C. (2015). Optimal sensor placement for long-span cable-stayed bridge using a novel particle swarm optimization algorithm. *Journal of Civil Structural Health Monitoring*, 5(5), 677–685. <https://doi.org/10.1007/s13349-015-0145-4>
- Moreu, F., Li, X., Li, S., & Zhang, D. (2018). Technical Specifications of Structural Health Monitoring for Highway Bridges: New Chinese Structural Health Monitoring Code. *Frontiers in Built Environment*, 4(March), 1–12. <https://doi.org/10.3389/fbuil.2018.00010>
- Nagarajaiah, S., & Erazo, K. (2016). Structural monitoring and identification of civil infrastructure in the United States. *Structural Monitoring and Maintenance*, 3(1), 51–69. <https://doi.org/10.12989/smm.2016.3.1.051>
- Olund, J., & DeWolf, J. (2007). Passive Structural Health Monitoring of Connecticut's Bridge Infrastructure. *Journal of Infrastructure Systems*, 13(December), 330–339. [https://doi.org/10.1061/\(ASCE\)1076-0342\(2007\)13:4\(330\)](https://doi.org/10.1061/(ASCE)1076-0342(2007)13:4(330))
- Ryu, S., & Park, G. (2015). Displacement Conversion Algorithm and Performance Evaluation by Tunnel Tilt Meter Sensors, 6(1), 48–53.
- Sousa, H., Cavadas, F., Henriques, A., Bento, J., & Figueiras, J. (2013). Bridge deflection evaluation using strain and rotation measurements. *Smart Structures and Systems*, 11(4), 365–386. <https://doi.org/10.12989/sss.2013.11.4.365>
- Sumitro, S., Matsui, Y., Kono, M., Okamoto, T., & Fujii, K. (2001). Long span bridge health monitoring system in Japan. *6th Annual International Symposium on NDE for Health Monitoring and Diagnostics*, 4337, 517–524. <https://doi.org/10.1117/12.435628>
- Sumitro, S., Kurokawa, S., Shimano, K., Hida, K., & Wang, M. L. (2003). Monitoring based maintenance by utilizing actual-stress sensory technology. *Structural Health Monitoring and Intelligent Infrastructure - Proceedings of the 1st International Conference on Structural Health Monitoring and Intelligent Infrastructure*, 2, 937–945. Diambil dari <http://www.scopus.com/inward/record.url?eid=2-s2.0-84863229225&partnerID=tZOtx3y1>
- Sun, H., & Büyüköztürk, O. (2015). Optimal sensor placement in structural health monitoring using discrete optimization. *Smart Materials and Structures*, 24(12). <https://doi.org/10.1088/0964-1726/24/12/125034>
- Tong, K. H., Bakhary, N., Kueh, A. B. H., & Yassin, A. Y. M. (2014). Optimal

sensor placement for mode shapes using improved simulated annealing. *Smart Structures and Systems*, 13(3), 389–406.
<https://doi.org/10.12989/sss.2014.13.3.389>

Triatmodjo, B. (2002). *Metode Numerik*. Yogyakarta: Beta Offset.

Wang, H., Li, A., Niu, J., Zong, Z., & Li, J. (2013). Long-term monitoring of wind characteristics at Sutong Bridge site. *Journal of Wind Engineering and Industrial Aerodynamics*, 115, 39–47.
<https://doi.org/10.1016/j.jweia.2013.01.006>

Webb, G. T., Vardanega, P. J., Ph, D., Asce, M., Fidler, P. R. A., Middleton, C. R., ... Eng, C. (2014). Analysis of Structural Health Monitoring Data from Hammersmith Flyover. *Journal of Bridge Engineering*, 19(6), 1–11.
[https://doi.org/10.1061/\(ASCE\)BE.1943-5592.0000587](https://doi.org/10.1061/(ASCE)BE.1943-5592.0000587).

Welch, P. D. (1967). The Use of Fast Fourier Transform for Estimation of Power Spectra: A Method Based on Time Averaging Over Short, Modified Periodograms, 274(2), 1989–1991.

Wijayanto, A., Nasution, A., & Zarkasi, I. (2017). Evaluasi Integritas Sistem Struktur Jembatan Dr . Ir . Soekarno, 24(2), 125–138.
<https://doi.org/10.5614/jts.2017.24.2.3>

Xu, Y., & Xia, Y. (2007). Structural Health Monitoring of Long-Span Suspension Bridges. *Isis*.

Zhang, W., Sun, L. M., & Sun, S. W. (2017). Bridge-Deflection Estimation through Inclinometer Data Considering Structural Damages. *Journal of Bridge Engineering*, 22(2), 04016117. [https://doi.org/10.1061/\(ASCE\)BE.1943-5592.0000979](https://doi.org/10.1061/(ASCE)BE.1943-5592.0000979)