

DAFTAR PUSTAKA

- Ancelin, M. L., Calas, M., Vidal-Sailhan, V., Herbute, S., Ringwald, P., and Vial, H. J., 2003, Potent Inhibitors of Plasmodium Phospholipid Metabolism with a Broad Spectrum of In Vitro Antimalarial Activities. *Antimicrobial Agents and Chemotherapy*, 47(8), 2590–2597.
- Anonim, 2018, Latest global cancer data: Cancer burden rises to 18.1 million new cases and 9.6 million cancer deaths in 2018, World Health Organisation, Geneva
- Anonim, 2015, *World Malaria Report 2015*. World Health Organization, Geneva.
- Anonim, 2013, Understanding Cervical Cancer, Foundation for Women’s Cancer, 1–16. Retrieved from foundationforwomenscancer.org/cervicalcancer
- Arora, S., Agarwal, S., and Singhal, S., 2014, Anticancer Activities of Thiosemicarbazides/ Thiosemicarbazones: A Review. *International Journal of Pharmacy and Pharmaceutical Sciences, Innovare Academic Sciences*, 6(9), 34–41.
- Ashley, E. A., and Phyto, A. P., 2018, Drugs in Development for Malaria. *Drugs*, 78(9), 861–879. Springer International Publishing.
- Asojo, O. A., Afonina, E., Gulnik, S. V., Yu, B., Erickson, J. W., Randad, R., Medjahed, D., 2002, Structures of Ser205 mutant plasmepsin II from Plasmodium falciparum at 1.8 Å in complex with the inhibitors rs367 and rs370. *Acta Crystallographica Section D: Biological Crystallography*, 58(12), 2001–2008.
- Basilico, N., Pagani, E., Monti, D., Olliaro, P., and Taramelli, D., 1998, A microtitre-based method for measuring the haem polymerization inhibitory activity (HPIA) of antimalarial drugs. *Journal of Antimicrobial Chemotherapy*, 42(1), 55–60.
- Batool, S., Malik, M. F., Muhammad, C., and Malik, F., 2016, Plasmodium and mosquito behavior: A review. *Journal of Entomology and Zoology Studies*, 4(45), 615–620.
- Bekono, B. D., Ntie-kang, F., Owono, L. C. O., and Megnassan, E., 2018,

Targeting Cysteine Proteases from *Plasmodium falciparum*: A General Overview, Rational Drug Design and Computational Approaches for Drug Discovery. *Current Drug Targets*, 19, 501–526.

Bendre, R. S., Rajput, J. D., Bagul, S. D., and Karandikar, P. S., 2016, Outlooks on Medicinal Properties of Eugenol and its Synthetic Derivatives. *Natural Products Chemistry and Research*, 4(3), 1–6.

Bhattacharjee, A. ., and Karle, J. . M., 1996, Molecular Electronic Properties of a Series of 4-Quinolinecarbinolamines Define Antimalarial Activity Profile. *Journal of Medicinal Chemistry*, 39(23), 4622–4629.

Biamonte, M. A., Wanner, J., and Le Roch, K. G., 2013, Recent advances in malaria drug discovery. *Bioorganic and Medicinal Chemistry Letters*, 23(10), 2829–2843. Elsevier Ltd.

Bruice, P. Y., 2004, *Organic Chemistry* (4th ed.). New York, Pearson.

Carey, F. A., 2000, *Organic Chemistry*. New York: McGraw Hill.

Carvalho, A. A., Andrade, L. N., Batista, É., Sousa, V. De, and Sousa, D. P. De., 2015, Antitumor Phenylpropanoids Found in Essential Oils, 2014.

Cowman, A. F., Healer, J., Marapana, D., and Marsh, K., 2016, Malaria: Biology and Disease. *Cell*, 167(3), 610–624. Elsevier Inc.

Egan, T. J., 2008, Haemozoin formation, 157, 127–136.

Fadilah, F., Yanuar, A., Arsianti, A., and Andrajati, R., 2017, Phenylpropanoids, Eugenol Scaffold, and Its Derivatives As Anticancer. *Asian Journal of Pharmaceutical and Clinical Research*, 10(3), 41. Retrieved from <http://www.innovareacademics.in/journals/index.php/ajpcr/article/view/16071>

Felipe, F., José, F., Monte, Q., Leda, T., Lemos, G. De, Georgina, P., Kelly, A., 2018, Eugenol derivatives : synthesis , characterization , and evaluation of antibacterial and antioxidant activities. *Chemistry Central Journal*, 1–9. Springer International Publishing.

Fidock, D. A., Rosenthal, P. J., Croft, S. L., Brun, R., and Nwaka, S., 2004, Antimalarial drug discovery: Efficacy models for compound screening. *Nature Reviews Drug Discovery*, 3(6), 509–520.

- Fong, K. Y., 2016, Investigations of Antimalarial Inhibition of Hemozoin Formation in. *Dissertation*, 160.
- Fujioka, H., and Aikawa, M., 2002, Structure and Life Cycle Hisashi. *Malaria Parasites and Disease*, 80, 1–7.
- Golden, E. B., Cho, H.-Y., Hofman, F. M., Louie, S. G., Schönthal, A. H., and Chen, T. C., 2015, Quinoline-based antimalarial drugs: a novel class of autophagy inhibitors. *Neurosurgical Focus*, 38(3), E12
- Goodman, C. D., Buchanan, H. D., and Mcfadden, G. I., 2017, Is the Mitochondrion a Good Malaria Drug Target? *Trends in Parasitology*, 33(3), 185–193.
- Guamán-ortiz, L. M., 2018, From Mutagenesis to Metastasis: A General Description of Cancer Development, 6.
- Hejimadi, M. (2010). *Download free books at*.
- Van Huijsduijnen, R. H., Guy, R. K., Chibale, K., Haynes, R. K., Peitz, I., Kelter, G., Phillips, M. A., 2013, Anticancer properties of distinct antimalarial drug classes. *PLoS ONE*, 8(12), 1–11.
- Jain, P. and Bele, D.S., 2017, Study of Potential to Inhibit Hemozoin Formation of Some Novel Aminopropanols, *IJPSR* 8(6), 2567–2572.
- Jain, P., and Bele, D. S., 2017, Some Novel Aminopropanols as Antimalarials: Synthesis, Characterization and Biological Evaluation, *Int. J. Pharm. Life Sci.*, 8(1), 5400–5406.
- Kashyap, M., Sohpal, V. K., and Mahajan, P., 2016, In silico approaches for inhibitor designing against Plasmeprin-II of malarial parasite, *Plasmodium malariae*. *Biosci. Res. Comm.*, 9(1), 25–31.
- Kaufman, T. S., 2015, The Multiple Faces of Eugenol: A Versatile Starting Material and Building Block for Organic and Bio-Organic Synthesis and a Convenient Precursor Toward Bio-Based Fine Chemicals. *J. Braz. Chem. Soc*, 26(6), 1055–1085.
- Correia, S. and Bosne de Matos, D., 2014. Characterization of *Plasmodium falciparum* membrane transporters as potential antimalarial targets, *Thesis*, Universite Paris-Sud, France.

- Matthias, D., Vandekerckhove, S., Mollet, K., Vervisch, K., Dekeukeleire, S., Lehoucq, L., Lategan, C., 2011, Synthesis of 2-amino-3-arylpropan-1-ols and evaluation of their antimalarial activity. *Beilstein J. Org. Chem.*, 7, 1745–1752.
- Metz, J., 2007, Folic acid metabolism and malaria. *Food and Nutrition Bulletin*, 28(4), 540–549.
- Molette, J., Routier, J., Abla, N., Besson, D., Bombrun, A., Brun, R., Burt, H., 2013, Identification and optimization of an aminoalcohol-carbazole series with antimalarial properties. *ACS Medicinal Chemistry Letters*, 4(11), 1037–1041.
- Niekerk, D. D. Van, Penkler, G. P., Toit, F., and Snoep, J. L., 2016, Targeting glycolysis in the malaria parasite *Plasmodium falciparum*, *The FEBS Journal*, 283, 634–646.
- Pérez-silanes, S., Berrade, L., Sánchez, R. N. G., Mendoza, A., Galiano, S., Pérez-solórzano, B. M., Nogal-ruiz, J. J., 2009, New 1-Aryl-3-Substituted Propanol Derivatives as Antimalarial Agents, *Molecules*, 14, 4120–4135.
- Quiliano, M., and Aldana, I., 2013, Quinoxaline and arylaminoalcohol derivatives as antiplasmodial and leishmanicidal agents: A review of our first ten years in the field. *Revista Virtual de Química*, 5(6), 1120–1133.
- Quiliano, M., Mendoza, A., Fong, K. Y., Pab, A., Goldfarb, N. E., Fabing, I., Vettorazzi, A., 2016, Exploring the scope of new arylamino alcohol derivatives : Synthesis , antimalarial evaluation , toxicological studies , and target exploration. *International Journal for Parasitology : Drugs and Drug Resistance*, 6, 184–198.
- Ramachandran, K.I, Deepa, G., and Naboori, K., 2008, *Computational Chemistry and Molecular Modelling: Principles and Applications*. Berlin: Springer-Verlag.
- Robin, A., Brown, F., Bahamontes-Rosa, N., Wu, B., Beitz, E., Kun, J. F. J., and Flitsch, S. L., 2007, Microwave-assisted ring opening of epoxides: A general route to the synthesis of 1-aminopropan-2-ols with anti malaria parasite activities. *Journal of Medicinal Chemistry*, 50(17), 4243–4249.

- Rosenthal, P. J., 2003, Antimalarial drug discovery: old and new approaches. *Journal of Experimental Biology*, 206(21), 3735–3744.
- Rutledge, G. G., Böhme, U., Sanders, M., Reid, A. J., Cotton, J. A., Maiga-Ascofare, O., Djimdé, A. A., 2017, Plasmodium malariae and P. ovale genomes provide insights into malaria parasite evolution. *Nature*, 542(7639), 101–104.
- Tacon, C., Guantai, E. M., Smith, P. J., and Chibale, K., 2012, Synthesis, biological evaluation and mechanistic studies of totarol amino alcohol derivatives as potential antimalarial agents. *Bioorganic and Medicinal Chemistry*, 20(2), 893–902.
- Fong, K. Y. and Wright, D. W., 2013, Hemozoin and antimalarial drug discovery, *Future Med. Chem.*, 5(12), 1437–1450.
- Vianello, C., Salzano, E., and Maschio, G., 2016, Kinetics and Safety Analysis of Peracetic Acid, *Chemical Engineering Transactions*, 48, 559–564.
- Vyas, V., Jain, A., Jain, A., and Gupta, A., 2008, Virtual screening: A fast tool for drug design. *Scientia Pharmaceutica*, 76(3), 333–360.
- Wells, T. N. C., Van Huijsduijnen, R. H., and Van Voorhis, W. C., 2015, Malaria medicines: A glass half full? *Nature Reviews Drug Discovery*, 14(6), 424–442.
- Wong, Y. K., Xu, C., Kalesh, K. A., He, Y., Lin, Q., Wong, W. S. F., Shen, H. M., 2017, Artemisinin as an anticancer drug: Recent advances in target profiling and mechanisms of action. *Medicinal Research Reviews*, 37(6), 1492–1517.
- Xue-bing, Z., Ting, Z., Yu-jie, Z., and De-hua, L. I. U., 2008, Preparation of Peracetic Acid from Acetic Acid and Hydrogen Peroxide : Experimentation and Modeling, *The Chinese Journal of Processing Engineering*, 8(1), 35-41.
- Yu, S., Kim, T., Yoo, K. H., and Kang, K., 2017, The T47D cell line is an ideal experimental model to elucidate the progesterone-specific effects of a luminal A subtype of breast cancer. *Biochemical and Biophysical Research Communications*, 486(3), 752–758.