

DAFTAR PUSTAKA

- Abdel-Ghaffar, A., & Scalan, R. (1985). Ambient Vibration Studies of Golden Gate. *Journal of Engineering Mechanics*, *111*(4), 463–482.
- Alberto Riveros Jerez, C., Fabián García, E., & Enrique Rivero Jerez, J. (2013). A Comparative Study of Sensor Placement Techniques For Structural Damage Detection, *10*(20), 23–37. <https://doi.org/10.14508/reia.2013.10.20.23-37>
- Anderson, D., & McNeill, G. (1992). *Artificial Neural Networks Technology*. Kaman Sciencess Corporation. <https://doi.org/10.1093/rpd/ncm084>
- Atharva Kekare1. (2014). Bridge Health Monitoring System. *IOSR Journal of Electronics and Communication Engineering (IOSR-JECE)*, *9*(3), 08-14. Diambil dari <http://www.iosrjournals.org/iosr-jece/papers/Vol. 9 Issue 3/Version-4/B09340814.pdf>
- Beale, M. H., Hagan, M. T., & Demuth, H. B. (2015). *Neural Network Toolbox User's Guide*. The MathWorks, Inc. <https://doi.org/10.1016/j.neunet.2005.10.002>
- Benedettini, F., & Gentile, C. (2011). Operational modal testing and FE model tuning of a cable-stayed bridge. *Engineering Structures*, *33*, 2063–2073. <https://doi.org/10.1016/j.engstruct.2011.02.046>
- Brownjohn, J. M. W., Lee, J., & Cheong, B. (1999). Dynamic performance of a curved cable-stayed bridge. *Engineering Structures*, *21*, 1015–1027. [https://doi.org/10.1016/S0141-0296\(98\)00046-7](https://doi.org/10.1016/S0141-0296(98)00046-7)
- Chae, M. J., Yoo, H. S., Kim, J. Y., & Cho, M. Y. (2012). Development of a wireless sensor network system for suspension bridge health monitoring. *Automation in Construction*, *21*(1), 237–252. <https://doi.org/10.1016/j.autcon.2011.06.008>
- Chamidah, N., Wiharto, & Salamah, U. (2012). Pengaruh Normalisasi Data pada Jaringan Syaraf Tiruan Backpropagasi Gradient Descent Adaptive Gain (BPGDAG) untuk Klasifikasi. *ITSMART: Jurnal Teknologi dan Informasi*, *1*(1), 28–33. <https://doi.org/10.5194/nhessd-1-3529-2013>
- Chang, M., & Pakzad, S. N. (2014). Optimal Sensor Placement for Modal Identification of Bridge Systems Considering Number of Sensing Nodes.

Journal of Bridge Engineering. [https://doi.org/10.1061/\(ASCE\)BE.1943-5592.0000594](https://doi.org/10.1061/(ASCE)BE.1943-5592.0000594)

Chen, G. W., Omenzetter, P., & Beskhyroun, S. (2017). Operational modal analysis of an eleven-span concrete bridge subjected to weak ambient excitations. *Engineering Structures*, *151*, 839–860. <https://doi.org/10.1016/j.engstruct.2017.08.066>

Comanducci, G., Ubertini, F., & Materazzi, A. L. (2015). Structural health monitoring of suspension bridges with features affected by changing wind speed. *Journal of Wind Engineering and Industrial Aerodynamics*, *141*, 12–26. <https://doi.org/10.1016/j.jweia.2015.02.007>

Cross, E. J., Koo, K. Y., Brownjohn, J. M. W., & Worden, K. (2013). Long-term monitoring and data analysis of the Tamar Bridge. *Mechanical Systems and Signal Processing*, *35*, 16–34. <https://doi.org/10.1016/j.ymssp.2012.08.026>

Cunha, A., Caetano, E., & Delgado, R. (2001). Dynamic Tests on Large Cable Stayed Bridge. *The Dictionary of Genomics, Transcriptomics and Proteomics*, *6*, 54–62. <https://doi.org/10.1002/9783527678679.dg03645>

Das, S., & Saha, P. (2018). A review of some advanced sensors used for health diagnosis of civil engineering structures. *Measurement: Journal of the International Measurement Confederation*, *129*, 68–90. <https://doi.org/10.1016/j.measurement.2018.07.008>

Davalos, E. (2000). Structural Behaviour of Cable - Stayed Bridges. *Thesis*, 1–74.

Fang, I.-K., Chen, C.-R., & Chang, I.-S. (2004). Field Static Load Test on Kao-Ping-Hsi Cable-Stayed Bridge. *Journal of Bridge Engineering*, *9*(6), 531–540. [https://doi.org/10.1061/\(asce\)1084-0702\(2004\)9:6\(531\)](https://doi.org/10.1061/(asce)1084-0702(2004)9:6(531))

Fenerci, A., Øiseth, O., & Rønnquist, A. (2017). Long-term monitoring of wind field characteristics and dynamic response of a long-span suspension bridge in complex terrain. *Engineering Structures*, *147*, 269–284. <https://doi.org/10.1016/j.engstruct.2017.05.070>

Gastineau, A., Johnson, T., & Schultz, A. (2009). *Bridge Health Monitoring and Inspections Systems - A Survey of Methods*. Minnesota Department of Transportation. University of Minnesota.

- Gul, M., & Catbas, F. N. (2008). Ambient Vibration Data Analysis for Structural Identification and Global Condition Assessment. *Journal of Engineering Mechanics*, 134(8), 650–662. [https://doi.org/10.1061/\(asce\)0733-9399\(2008\)134:8\(650\)](https://doi.org/10.1061/(asce)0733-9399(2008)134:8(650))
- Han, H., Wang, J., Meng, X., & Liu, H. (2016). Analysis of the dynamic response of a long span bridge using GPS/accelerometer/anemometer under typhoon loading. *Engineering Structures*, 122, 238–250. <https://doi.org/10.1016/j.engstruct.2016.04.041>
- He, C., Xing, J., Li, J., Yang, Q., Wang, R., & Zhang, X. (2013). A Combined Optimal Sensor Placement Strategy for the Structural Health Monitoring of Bridge Structures. *International Journal of Distributed Sensor Networks*, 2013.
- Heo, G., Wang, M. L., & Satpathi, D. (1997). Optimal transducer placement for health monitoring of long span bridge. *Soil Dynamics and Earthquake Engineering*, 16, 495–502. [https://doi.org/10.1016/S0267-7261\(97\)00010-9](https://doi.org/10.1016/S0267-7261(97)00010-9)
- Jayalakshmi, T., & Santhakumaran, A. (2011). Statistical Normalization and Back Propagation for Classification. *International Journal of Computer Theory and Engineering*, 3(1), 89–93. <https://doi.org/10.7763/IJCTE.2011.V3.288>
- Kammer, D. C. Sensor Placement for on orbit modal identification and correlation of large space structures. *Journal of Guidance*, 1991.
- Kalooop, M. R., Sayed, M. A., & Kim, D. (n.d.). Damage Detection Of Cable-Stayed Bridge Using Combined Gps And Accelerometer Observations.
- Kibboua, A., Farsi, M. N., Chatelain, J. L., Guillier, B., Bechtoula, H., & Mehani, Y. (2008). Modal analysis and ambient vibration measurements on Mila-Algeria cable stayed bridge. *Structural Engineering and Mechanics*, 29(2), 171–186. <https://doi.org/10.1016/j.gca.2009.12.022>
- Kooi, K. Van Der, Hoult, N. A., ASCE, M., & Le, H. (2018). Monitoring an In-Service Railway Bridge with a Distributed Fiber Optic Strain Sensing System. *Bridge Engineering*, 23(10), 1–13. [https://doi.org/10.1061/\(ASCE\)BE.1943-5592.0001281](https://doi.org/10.1061/(ASCE)BE.1943-5592.0001281).
- Kusuma, D., 2004. Jaringan Syaraf Tiruan. Graha Ilmu: Yogyakarta

- Lardies, J., & Minh-Ngi, T. (2011). Modal parameter identification of stay cables from output-only measurements. *Mechanical Systems and Signal Processing*, 25, 133–150. <https://doi.org/10.1016/j.ymsp.2010.05.020>
- Larson, C.B., Zimmerman, D.C., Marek, E.I., 1994. A Comparison of modal test planning techniques: excitation and sensor placement using the NASA 8-bay truss. In: Proceedings of SPIE-The International Society for Optical Engineering, 2251, pp.205.
- Li, B., Li, D., Zhao, X., & Ou, J. (2012). Optimal sensor placement in health monitoring of suspension bridge. *Science China Technological Sciences*, 55(7), 2039–2047. <https://doi.org/10.1007/s11431-012-4815-8>
- Li, D. (2012). *Sensor placement methods and evaluation criteria in structural health monitoring*. Siegen. Diambil dari <http://dokumentix.ub.uni-siegen.de/opus/volltexte/2012/593/>
- Li, H., dkk. (2006). “Structural health monitoring system for the Shandong Binzhou yellow river highway bridge.” *Comput. Aided Civ. Infrastruct. Eng.*, 21(4), 306–317.
- Li, H., & Ou, J. (2016). The state of the art in structural health monitoring of cable-stayed bridges. *Journal of Civil Structural Health Monitoring*, 6, 43–67. <https://doi.org/10.1007/s13349-015-0115-x>
- Li, J., Zhang, X., Xing, J., Wang, P., Yang, Q., & He, C. (2015). Optimal sensor placement for long-span cable-stayed bridge using a novel particle swarm optimization algorithm. *Journal of Civil Structural Health Monitoring*, 5, 677–685. <https://doi.org/10.1007/s13349-015-0145-4>
- Liu, X., Lu, Z., Yang, W., Huang, M., & Tong, X. (2018). Dynamic monitoring and vibration analysis of ancient bridges by ground-based microwave interferometry and the ESMD method. *Remote Sensing*, 10. <https://doi.org/10.3390/rs10050770>
- Loutas, T., & Bourikas, A. (2017). Strain Sensors Optimal Placement for Vibration-based Structural Health Monitoring. In *Structural Health Monitoring 2017*. <https://doi.org/10.12783/shm2017/13944>
- Loutas, T. H., & Bourikas, A. (2017). Strain sensors optimal placement for

- vibration-based structural health monitoring. *Journal of Sound and Vibration*, 410, 217–230. <https://doi.org/10.1016/j.jsv.2017.08.022>
- Magalhães, F., Caetano, E., Cunha, Á., Flaman, O., & Grillaud, G. (2012). Ambient and free vibration tests of the Millau Viaduct: Evaluation of alternative processing strategies. *Engineering Structures*, 45, 372–384. <https://doi.org/10.1016/j.engstruct.2012.06.038>
- Magalhães, F., Cunha, Á., & Caetano, E. (2008). Dynamic monitoring of a long span arch bridge. *Engineering Structures*, 30, 3034–3044. <https://doi.org/10.1016/j.engstruct.2008.04.020>
- Mao, J.-X., Wang, H., & Li, J. (2018). Fatigue Reliability Assessment of a Long-Span Cable-Stayed Bridge Based on One-Year Monitoring Strain Data. *Journal of Bridge Engineering*, 24(1), 05018015. [https://doi.org/10.1061/\(asce\)be.1943-5592.0001337](https://doi.org/10.1061/(asce)be.1943-5592.0001337)
- Meo, M., & Zumpano, G. (2005). On the optimal sensor placement techniques for a bridge structure. *Engineering Structures*, 27, 1488–1497. <https://doi.org/10.1016/j.engstruct.2005.03.015>
- Modares, M., Asce, A. M., Waksanski, N., & Asce, S. M. (2013). Overview of Structural Health Monitoring for Steel Bridges, 18(August), 187–191. [https://doi.org/10.1061/\(ASCE\)SC.1943-5576.0000154](https://doi.org/10.1061/(ASCE)SC.1943-5576.0000154)
- Modares, M., & Waksanski, N. (2012). Overview of Structural Health Monitoring for Steel Bridges. *Practice Periodical on Structural Design and Construction*, 18(3), 187–191. [https://doi.org/10.1061/\(asce\)sc.1943-5576.0000154](https://doi.org/10.1061/(asce)sc.1943-5576.0000154)
- Morse, G. G. M., & Huston, D. R. (1993). Modal Identification of Cable Stayed Pedestrian Bridge, 119(11), 3384–3404.
- Muria-vila, B. D., Gomez, R., & King, C. (1991). CABLE-STAYED T A M P I C O BRIDGE pico bridge was constructed in order to join a span of 1 , 543 m over the cable-stayed bridge constructed in Mexico in less than 15 years , the Highway decided to initiate a monitoring program in these types of structures, 117(11), 3396–3416.
- Ni, Y. Q., Zhou, H. F., Chan, K. C., & Ko, J. M. (2008). Modal flexibility analysis of cable-stayed Ting Kau bridge for damage identification. *Computer-Aided*

Civil and Infrastructure Engineering, 23, 223–236.
<https://doi.org/10.1111/j.1467-8667.2008.00521.x>

Ni, Y. Q., Zhou, H. F., & Ko, J. M. (2009). Generalization Capability of Neural Network Models for Temperature-Frequency Correlation Using Monitoring Data. *Journal of Structural Engineering*, 135(10), 1290–1300.
[https://doi.org/10.1061/\(asce\)st.1943-541x.0000050](https://doi.org/10.1061/(asce)st.1943-541x.0000050)

Oken, A. (2017). An Introduction To and Applications of Neural Networks, 1–30.

Peng, Z.-R., Yin, H., Zhao, Y., & Pan, A. (2014). *Optimal Sensor Placement in Bridge Structure Based on Immune Genetic Algorithm. Sensors & Transducers* (Vol. 180). Diambil dari <http://www.sensorsportal.com>

Ren, W.-X., Zhao, T., & Harik, I. E. (2004). Experimental and Analytical Modal Analysis of Steel Arch Bridge. *Journal of Structural Engineering*, 130(7), 1022–1031. [https://doi.org/10.1061/\(ASCE\)0733-9445\(2004\)130:7\(1022\)](https://doi.org/10.1061/(ASCE)0733-9445(2004)130:7(1022))

Rutka, G. (2005). Neural Network Models for Internet Traffic Prediction. *Elektronika ir Elektrotechnika*, 68(4), 55–58.
<https://doi.org/10.5755/J01.EEE.68.4.10651>

Schanke, S. A., & Øiseth, O. A. (2015). Operational Modal Analysis of Large Bridges.

Shan, D., Wan, Z., & Qiao, L. (2011). Optimal sensor placement for long-span railway steel truss cable-stayed bridge. In *Proceedings - 3rd International Conference on Measuring Technology and Mechatronics Automation, ICMTMA 2011* (hal. 795–798). Sichuan.
<https://doi.org/10.1109/ICMTMA.2011.482>

Shenton, III, H. W., Chajes, M. J., Wenczel, G., Ramanna, N., Al-Khateeb, H., Davidson, K., & Marquez, P. (2014). Structural Health Monitoring of Delaware's Indian River Inlet Bridge: Year One Update. *Structures Congress 2014*. <https://doi.org/10.1061/9780784413357.032>

Singh, S., & Kaur, E. M. (2014). Comparison of Two Transfer Functions in Feed-Forward Neural Network for Character Recognition phase in LPR System, 3(8), 214–217.

Stephan, C. (2012). Sensor placement for modal identification. *Mechanical Systems*

- and Signal Processing*, 27, 461–470.
<https://doi.org/10.1016/j.ymssp.2011.07.022>
- Sudarsono, A. (2016). Jaringan Syaraf Tiruan Untuk Memprediksi Laju Pertumbuhan Penduduk Menggunakan Metode Backpropagation (Studi Kasus Kota Bengkulu). *Media Infotama*, 12(1), 61–69.
- Suhendro, B. (2012). The Role of Structural Health Monitoring in Sustainability of Civil Engineering Structures (hal. 16–25). Yogyakarta: The 1st International Conference on Sustainable Civil Engineering Structures and CONstruction Materials.
- Teng, C. (2012). *Structural Health Monitoring of Bridge Using Wireless Sensor Network*. Western Michigan University.
<https://doi.org/10.4156/jcit.vol7.issue5.4>
- Tong, K. H., Bakhary, N., Kueh, A. B. H., & Yassin, A. Y. M. (2014). Optimal sensor placement for mode shapes using improved simulated annealing. *Smart Structures and Systems*, 13(3), 389–406.
<https://doi.org/10.12989/sss.2014.13.3.389>
- Van Der Linden, G. W., Emami-Naeini, A., Kosut, R. L., Sedarat, H., & Lynch, J. P. (2011). Optimal Sensor Placement for Health Monitoring of Civil Structures. In *American Control Reference* (hal. 3116–3121). San Fransisco.
https://doi.org/10.0/Linux-x86_64
- Weng, J. H., Loh, C. H., Lynch, J. P., Lu, K. C., Lin, P. Y., & Wang, Y. (2008). Output-only modal identification of a cable-stayed bridge using wireless monitoring systems. *Engineering Structures*, 30, 1820–1830.
<https://doi.org/10.1016/j.engstruct.2007.12.002>
- Xu, Y.-L., & Yong Xia. (2012). *Structural Health Monitoring of Long-Span Suspension Bridges*. London and New York: Spon Press. Diambil dari
<http://dx.doi.org/10.1109/ACC.2001.945586>
- Xu, Y. L., Zhang, X. H., Zhu, S., & Zhan, S. (2016). Multi-type sensor placement and response reconstruction for structural health monitoring of long-span suspension bridges. *Science Bulletin*, 61(4), 313–329.
<https://doi.org/10.1007/s11434-016-1000-7>

- Yang, D. H., Yi, T. H., Li, H. N., & Zhang, Y. F. (2018). Monitoring and analysis of thermal effect on tower displacement in cable-stayed bridge. *Measurement: Journal of the International Measurement Confederation*, 115(October 2017), 249–257. <https://doi.org/10.1016/j.measurement.2017.10.036>
- Yang, X.-M., Liu, H., Yi, T.-H., Li, H.-N., & Qu, C.-X. (2019). Automated Eigensystem Realization Algorithm for Operational Modal Identification of Bridge Structures. *Journal of Aerospace Engineering*, 32(2), 04018148. [https://doi.org/10.1061/\(asce\)as.1943-5525.0000984](https://doi.org/10.1061/(asce)as.1943-5525.0000984)
- Yi, T. H., & Li, H. N. (2012). Methodology developments in sensor placement for health monitoring of civil infrastructures. *International Journal of Distributed Sensor Networks*, 2012. <https://doi.org/10.1155/2012/612726>
- Yu, S., & Ou, J. (2016). Structural Health Monitoring and Model Updating of Aizhai Suspension Bridge. *Journal of Aerospace Engineering*, 30(2), B4016009. [https://doi.org/10.1061/\(asce\)as.1943-5525.0000653](https://doi.org/10.1061/(asce)as.1943-5525.0000653)
- Zhang, Y., Kurata, M., & Lynch, J. P. (2016). Long-Term Modal Analysis of Wireless Structural Monitoring Data from a Suspension Bridge under Varying Environmental and Operational Conditions: System Design and Automated Modal Analysis. *Journal of Engineering Mechanics*, 143(4), 04016124. [https://doi.org/10.1061/\(asce\)em.1943-7889.0001198](https://doi.org/10.1061/(asce)em.1943-7889.0001198)
- Zhang, Y., Kurata, M., & Lynch, J. P. (2017). Long-Term Modal Analysis of Wireless Structural Monitoring Data from a Suspension Bridge under Varying Environmental and Operational Conditions: System Design and Automated Modal Analysis. *Journal of Engineering Mechanics*, 143(4), 04016124. [https://doi.org/10.1061/\(ASCE\)EM.1943-7889.0001198](https://doi.org/10.1061/(ASCE)EM.1943-7889.0001198)
- Zhou, G.-D., & Yi, T.-H. (2013). Recent Developments on Wireless Sensor Networks Technology for Bridge Health Monitoring. *Mathematical Problems in Engineering*, 2013. <https://doi.org/10.1155/2013/947867>
- Zhou, G.-D., Yi, T.-H., Chen, B., & Chen, X. (2018). Modeling Deformation Induced by Thermal Loading Using Long-Term Bridge Monitoring Data. *Journal of Performance of Constructed Facilities*, 32(3), 04018011. [https://doi.org/10.1061/\(asce\)cf.1943-5509.0001154](https://doi.org/10.1061/(asce)cf.1943-5509.0001154)

Zhou, J., Li, X., Xia, R., Yang, J., & Zhang, H. (2017). Health monitoring and evaluation of long-span bridges based on sensing and data analysis: A survey. *Sensors (Switzerland)*, 17. <https://doi.org/10.3390/s17030603>