

DAFTAR PUSTAKA

- Allison, R.W., dan Little, S.E. 2013. Invited Review: Diagnosis of rickettsial diseases in dogs and cats. *Vet Clin Pathol.* (2013): 1-18.
- Ángel Sainz, Xavier Roura, Guadalupe Miró, Agustín Estrada-Peña, Barbara Kohn, Shimon Harrus and Laia Solano-Gallego. 2016. Guideline for veterinary practitioners on canine ehrlichiosis and anaplasmosis in Europe. Sainz et al. *Parasites & Vectors* (2015) 8:75 DOI 10.1186/s13071-015-0649-0
- Aroch, I., Bark, H., Harrus, S. and Lavy, E. (1997) Clinical manifestations of infectious canine cyclic thrombocytopenia. *Vet. Rec.*, 141: 247-250
- Batmaz H, Nevo E, Waner T, Senturk S, Ylmaz Z, Harrus S (2001) Seroprevalence of ehrlichia canis antibodies among dogs in Turkey. *Vet Rec.* 148: 665–666.
- Beard D.a., Vinnakota K.C., Wu F. Detailed enzyme kinetics in terms of biochemical species: study of citrate synthase. *PLoS One* 3 (3), 2008.
- Bélangier M, Sorenson HL, France MK, Bowie MV, Barbet AF, Breitschwerdt EB and Alleman AR. 2002. Comparison of Serological Detection Methods for Diagnosis of *Ehrlichia canis* Infections in Dogs. *J Clin Microbiol.* 40(9):3506-3508.doi:10.1128/JCM.40.9.3506–3508.2002.
- Beutler, E and C West. 1979. The Storage of Hard-Packed Red Blood Cells in CitratePhosphate-Dextrose (CPD) and CPDAdenine (CPDA-1). *Blood* Vol. 54, No. 1 (July). California.
- Bijanti, Retno, M. Gandul A. Yuliani, Rento S. Wahjuni, R. Budi Utomo. 2010. *Buku Ajar Patologi Klinik Veteriner Edisi Pertama*. Airlangga University Press: Surabaya
- Bilgic H., Karagenc T., Simuunza M., Shiels B., Tait A., Eren H., Weir W. 2012. Development of a multiplex PCR assay for simultaneous detection of *Theileria annulata*, *Babesia bovis* and *Anaplasma marginale* in cattle. *Experimental Parasitology* 133: 222-229
- Birtles, R. J., and D. Raoult. 1996. Comparison of partial citrate synthase gene (*gltA*) sequences for phylogenetic analysis of Bartonella species. *Int. J. Syst. Bacteriol.* 46:891–897.
- Botros BA, Elmolla MS, Salib AW, Calamaio CA, Dasch GA, Arthur RR (1995) Canine ehrlichiosis in Egypt: sero-epidemiological survey. *Onderstepoort J Vet Res.* 62: 41–43

- Cardenas AM, Doyle CK, Zhang X, Nethery K, Corstvet RE, Walker DH, McBride JW (2007) Enzyme-linked immunosorbent assay with conserved immunoreactive glycoproteins gp36 and gp19 has enhanced sensitivity and provides species-specific immune-diagnosis of Ehrlichia canis infection. *J Clin Vaccine Immunol.* 14:123–128.
- Carvalho, F.S., A.A. Wenceslau, R.S.A. Carlos and G.R. Albuquerque. (2008). Epidemiological and molecular study of Ehrlichia canis in dogs in Bahia, Brazil. *Genetics and Molecular Research* 7 (3): 657-662
- Clarridge JE. Impact of 16S rRNA Gene Sequence Analysis for Identification of Bacteria on Clinical Microbiology and Infectious Diseases. *Clin. Microbiol. Rev.* 2004. 17(4): 840-62
- David, H. Walker; Tais B Saito. 2016. *Ehrlichioses: An Important One Health Opportunity.* *Vet. Sci.* 2016, 3,20; doi:10.3390/vetsci3030020 www.mdpi.com/journal/vetsci
- De Castro MB, Machado RZ, de Aquino LP, Alessi AC, Costa MT. *Experimental acute canine monocytic ehrlichiosis: clinicopathological and immunopathological findings.* *Vet Parasitol* 2004, 119:73-86
- Dumler JS, Barbet AF, Bekker CP, Dasch GA, Palmer GH, Ray SC, Rikihisa Y, Rurangirwa FR (2001) Reorganization of genera in the families Rickettsiaceae and Anaplasmataceae in the order Rickettsiales: unification of some species of Ehrlichia with Anaplasma, Cowdria with Ehrlichia and Ehrlichia with Neorickettsia, descriptions of six new species combinations and designation of Ehrlichia equi and ‘HGE agent’ as subjective synonyms of Ehrlichia phagocytophila. *Int J Syst Evol Microbiol* 51:2145–65.
- Ewing, S. A. 1969. Canine ehrlichiosis. *Adv. Vet. Sci. Comp. Med.* 13:331-354. Lewis Jr GE, Ristic M, Smith RD, Lincoln T, Stephenson EH (1977) The brown dog tick Rhipicephalus sanguineus and the dog as experimental hosts of Ehrlichia canis. *American Journal of Veterinary Research* 38: 1953–1955.
- Erawan, I Gusti Made Krisna, I Wayan Sumardik2, I Gusti Agung Gde Putra Pemayun, Ida Bagus Komang Ardana. 2017. Laporan Kasus: Ehrlichiosis Pada Anjing Kintamani Bali. *Indonesia Medicus Veterinus.* 6(1): 71-77. DOI: 10.19087/imv.2017.6.1.71
- Fatchiyah, Estri L. Arumingtyas, Sri Widyarti, dan Sri Rahayu. 2011. *Biologi Molekuler.* Prinsip Dasar Analisis. Jakarta: Erlangga.
- Feldman, BF, JG Zinkl, and N C Jain. 2000. *Veterinary Hematology* 5th ed. Lea and Febiger. Philadelphia.
- Freire M.N.; T.S. Azevedo; M.O. Cunha; E.F.C. Guerra; A.A.F. Rocha; S.B. Moura; T. Peneluc; R.B. Cerqueira. 2009. *Canine Ehrlichiosis: Clinical,*

Hematological and Serological Investigation of 100 Dogs. World Small Animal Veterinary Association Corld Congress Proceedings.

Ismail, Nahed, Karen C. Bloch, and Jere W. McBride. 2010. Human *Ehrlichiosis* and *Anaplasmosis*. *Clinics in Laboratory Medicine* 30.1 (2010): 261-92

Javier López, Katia Abarca, M. Isabel Mundaca, Carla Caballero y Fernando Valiente-Echeverría. Molecular identification of *Ehrlichia canis* in a dog from Arica, Chile. *Rev Chilena Infectol* 2012; 29 (5): 527-530.

Joblet, C., V. Roux, M. Drancourt, J. Gouvernet, and D. Raoult. 1995. Identification of Bartonella (Rochalimaea) species among fastidious gram negative bacteria on the basis of the partial sequence of the citrate-synthase 3038 Inokuma et al. *J. Clin. Microbiol. gene. J. Clin. Microbiol.* 33:1879–1883.

Jones, Ellen O. Jeff M. Gruntmeir, Sarah A. Hamer, Susan E. Little. Temperate and tropical lineages of brown dog ticks in North America. *Veterinary Parasitology: Regional Studies and Reports* 7 (2017) 58–61. <http://dx.doi.org/10.1016/j.vprsr.2017.01.002>

Hadi UK, Rusli VL (2006) Infestasi Caplak Anjing *Rhipicephalus sanguineus* (Parasitiformes: Ixodidae) di Daerah Kota Bogor. *J Med Vet Indones* 10: 55-60.

Hadi UK, Soviana S, Pratomo IRC (2016) Prevalence of Ticks and Tick-Borne Diseases in Indonesian Dogs. *J Veterinar Sci Techno* 7: 330.

Harrus S, Kenny M, Miara L, et al. Comparison of simultaneous splenic sample PCR with blood sample PCR for diagnosis and treatment of experimental *Ehrlichia canis* infection. *Antimicrob Agents Chemother.* 2004;48:4488-4490.

Harrus S, and Waner T. 2011. Diagnosis of canine monocytotropic ehrlichiosis (*Ehrlichia canis*): An overview. *The Vet Journal* 187: 292–296.

Harrus S, Waner T, Neer TM. *Ehrlichia and Anaplasma* infections. In: Greene CE, ed. *Infectious Diseases of the Dog and Cat*. 4th ed. St. Louis, MO: Elsevier Saunders; 2012:227-238.

Hisashi Inokuma, Philippe Brouqui, Michel Drancourt, and Didier Raoul. 2001. Citrate Synthase Gene Sequence: a New Tool for Phylogenetic Analysis and Identification of Ehrlichia. *Journal of Clinical Microbiology*: Vol 39. No 9.

Inokuma H, Fujii K, Okuda M, et al. Determination of the nucleotide sequences of heat shock operon *groESL* and the citrate synthase gene (*gltA*) of *Anaplasma (Ehrlichia) platys* for phylogenetic and diagnostic studies. *Clin Diagn Lab Immunol.* 2002;9:1132–1136.

- Inokuma H, Watanabe M, Okuda M, Tsuji M,. Seroepidemiological study of canine ehrlichial infections in Yamaguchi prefecture and surrounding areas of Japan. *Vet Parasitol.* 2004;124(1–2):101–7
- Inpankaew, T., Hii, S.F, Chimnoi, W and Rebecca, J. 2016. Canine vector-borne pathogens in semidomesticated dogs residing in northern Cambodia. *Parasites & Vectors Journal*
- Ismail, Nahed, Karen C. Bloch, and Jere W. McBride. 2010. Human *Ehrlichiosis* and *Anaplasmosis*. *Clinics in Laboratory Medicine* 30.1 (2010): 261-92
- Kledmanee K., Suwanpakdee S., Krajangwong S., Chatsiriwech J., Suksai P., Suwannachat P., Sariya L., Buddhirongawatr R., Charoonrut P., Chaichoun K. 2009. Development of multiplex polymerase chain reaction for detection of *Ehrlichia canis*, *Babesia* spp., and *Hepatozoon canis* in canine blood. *Southeast Asian Journal of Tropical Medicine and Public Health* 40: 35-39.
- Levine, ND. 1994. *Buku Pelajaran Parasitologi Veteriner*. Terjemahan dari: Study Book of Veterinary Parasitology. Penerjemah: Ashadi G. Yogyakarta: Gadjah Mada University Press. 416-417.
- Marsilio, Fulvio, Barbara Di Martino, Ilaria Meridiani, Paolo Bianciardi. 2006. Direct identification of *Ehrlichia canis* by a novel polymerase chain reaction method and molecular analysis of the citrate synthase (*gltA*) gene from various Italian strains. *J Vet Diagn Invest* 18:215–217.
- Mavromatis K, Doyle CK, Lykidis A, Ivanova N, et al. (2006). The genome of the obligately intracellular bacterium *Ehrlichia canis* reveals themes of complex membrane structure and immune evasion strategies. *J. Bacteriol.* 188: 4015-4023
- McManus PM, Litwin C, Barber L. Immune-mediated neutropenia in 2 dogs. *J Vet Intern Med.* 1999;13:372-374.
- Moreira, S. M.; Machado, R. Z.; Passos, L. F. Detection of *Ehrlichia canis* in bone marrow aspirates of experimentally infected dogs. *Ciência Rural*, v. 35, n. 4, p. 958-960, 2005
- Moulder JW (1974): *The Rickettsials*. In Buchanan, R. E., N. E. Gibbons, S. T. Cowan, J. G. Holt, J. Liston, R. G. E. Murray, C. F. Niven, A. W. Ravin. and R. Y. Stanier. *Bergey's Manual of Determinative Bacteriology*. 8th ed. Williams & Wilkins. Baltimore.
- Muladno. 2010. *Teknologi Rekayasa Genetika Edisi Kedua*. Bogor. IPB press
- Murphy GL, Ewing SA, Whitworth LC, Fox JC, et al. (1998). A molecular and serologic survey of *Ehrlichia canis*, *E. chaffeensis*, and *E. ewingii* in dogs and ticks from Oklahoma. *Vet. Parasitol.* 79: 325-33

- Mylonakis ME, Day MJ, Siarkou V, et al. Absence of myelofibrosis in dogs with myelosuppression induced by *Ehrlichia canis* infection. *J Comp Pathol* 2009;142:328-331.
- Nazari M, Lim SY, Watanabe M, Sharma RSK, Cheng NABY, Watanabe M. 2013. Molecular Detection of *Ehrlichia canis* in Dogs in Malaysia. *PLoS Negl Trop Dis*. 7(1):e1982:1-4.doi:10.1371/journal.pntd.0001982.
- Oriá AP, Neto FAD, Machado RZ, Santana ÁE, Guerra JL, da Silva VLD, Bedford PGC, Laus JL. 2008. Ophthalmic, Hematologic and Serologic Findings in Dogs with Suspected *Ehrlichia canis* Infections. *R Bras Ci Vet*. 15(2):94-97.
- Otranto, D.F. Dantas-Torres, E.B. Breitschwerdt, Managing canine vector-borne diseases of zoonotic concern: part one, *Trends Parasitol*. 25 (2009) 157–163.
- Pereira CP, Oliveira PR, Furquim KC, Bechara GH, Camargo-Mathias MI. *Effects of fipronil (active ingredient of Frontline) on salivary gland cells of Rhipicephalus sanguineus females* (Latreille, 1806) (Acari: Ixodidae). *Vet Parasitol*. 2009;166(1–2):124–30.
- Peters J., Janovitz E. 2000. Canine ehrlichiosis. Winter 2000 Newsletter. <https://www.addl.purdue.edu/newsletters/2000/winter/ce.shtml> diakses 20 Agustus 2018.
- Plumb, D. C., 2008. *Plumb's Veterinary Drug Handbook* 6th edition. The IOWA State University Press. Ames.
- Pratomo, Ignatius Resa C. 2014. *Infestasi Caplak Anjing Dan Kaitannya Dengan Penyakit Yang Ditularkannya*. Bogor: IPB.
- Price, S. A. dan Wilson, L. M. (2006). *Patofisiologi : Konsep Klinis Proses-Proses Penyakit, Edisi 6, Volume 1*. Jakarta: EGC
- Quorollo B.A., A.C. Davenport, B.M. Sherbert, C.B. Grindem, A.J. Birkenheuer, and E.B. Breitschwerdt. 2013. Infection with Panama Mountain *Ehrlichia sp.* in a Dog with Atypical Lymphocytes and Clonal T-Cell Expansion. *J Vet Intern Med* 2013;27:1251-1255.
- Rikihisa Y, Ewing SA, Fox JC, Siregar AG, Pasaribu FH, Malole MB. 1992. Analyses of *Ehrlichia canis* and a Canine Granulocytic Ehrlichia Infection. *J Clin Microbiol*. 30(1):143-148.doi:0095-1137/92/010143-06\$02.00/0.
- Rikihisa Y. 1999. Ehrlichiae of veterinary importance. In: *Rickettsiae and rickettsial diseases at the turn of the third millennium. Rickettsioses in animals*. (Eds. D. Raoult, P. Brouqui). Elsevier, Paris, France: 393- 405.

- Rikihisa Y. 2010. *Anaplasma phagocytophilum* and *Ehrlichia chaffeensis*: Subversive Manipulators of Host Cells. *Nat Rev Microbiol.* 8(5):328-39. doi:10.1038/nrmicro2318.
- Rojas, A., Rojas, D., Montenegro, V., Gutiérrez, R., Yasur-Landau, D. and Baneth, G. (2014) Vector-borne pathogens in dogs from Costa Rica: First molecular description of *Babesiavogeli* and *Hepatozooncanis* infections with a high prevalence of monocytic ehrlichiosis and the manifestations of coinfection. *Vet. Parasitol.* 199(3): 121-128
- Roux, V., E. Rydkina, M. Ereemeeva, and D. Raoult. 1997. Citrate synthase gene comparison, a new tool for phylogenetic analysis, and its application for the rickettsiae. *Int. J. Syst. Bacteriol.* 47:252–261.
- Sacchini F, Cessford RJ, Robinson BM (2007) Outbreak of canine ehrlichiosis in Saudi Arabia. *J Vet Clin Pathol.* 36: 331–335
- Sainz A, Roura X, Miro G, Estrada-Pena A, Kohn B, Harrus S, Solano-Gallego L. *Guidelines for veterinary practitioners on canine ehrlichiosis and anaplasmosis in Europe.* Parasit Vectors 2015,8:75.
- Sambrook J, Fritschi EF dan Maniatis, T. 2001. *Molekuler cloning: A laboratory Manual 3 th Edition.* Cold Spring Harbor Laboratory Press, New York
- Schaefer JJ, Needham GR, Bremer WG,. *Tick acquisition of Ehrlichia canis* from dogs treated with doxycycline hyclate. *Antimicrob Agents Chemother.* 2007;51:3394-3396.
- Skotarczak B. 2003. Canine Ehrlichiosis. *Ann Agric Environ Med.* 10:137-141.
- Stockham, S.L. & Scott, M.A., 2002, *Fundamentals of Veterinary Clinical Pathology*, 1st Ed., State Pr. Blackwell Publishing Co., Iowa
- Tampubolon M. 1992. *Petunjuk Laboratorium Protozoologi.* Bogor (ID): IPB Pr.
- Thompson, J.D., Plewniak, F., dan Poch, O.A. 1999. Comprehensive Comparison of Multiple Sequence Alignment Programs. *Nucleic Acids Research.* 27 (13): 2682-2690.
- Unver A, Rikihisa Y, Kawahara M, Yamamoto S. Analysis of 16S rRNA gene sequences of *Ehrlichia canis*, *Anaplasma platys*, and *Wolbachia* species from canine blood in Japan. *Ann N Y Acad Sci.* 2003;990:692–698.
- Waner, T. and Harrus, S. (2000) “Canine monocytic ehrlichiosis (CME).” Recent advances in canine infectious diseases. International Veterinary Information Service, Ithaca, NY
- Weiss, D.J. and J.K. Wardrop. 2010. *Schalm’s Veterinary Hematology 6th Edition.* Blackwell Publishing, Iowa

- Widodo, Setyo. 2011. *Diagnostik Klinik Hewan Kecil*. Bogor: IPB Press.
- Wiegarg, G., and S. J. Remington. 1986. Citrate synthase: structure, control, and mechanism. *Annu. Rev. Biophys. Chem.* 15:97–117.
- Wijayanti, Upi. 2017. *Identifikasi Molekuler Babesia sp. Pada Anjing Berdasarkan Gen 18S rRNA di Yogyakarta* [Tesis]. Yogyakarta (ID): Universitas Gadjah Mada.
- Willard MD: Clinical manifestations of gastrointestinal disorders. In Nelson RW, Couto CG, editors: *Small animal internal medicine*, ed 3, St. Louis, 2003, Mosby, p 343.
- Ybañez, Adrian P.; Ybañez, Rochelle Haidee D.; Villavelez, Rex R.; Malingin, Honey Pearl F.; Barrameda, Dana Natasha M.; Naquila, Sharmaine V.; Olimpos, Shiella Mae B.(2016) Retrospective analyses of dogs found serologically positive for *Ehrlichia canis* in Cebu, Philippines from 2003 to 2014. *Veterinary World*, EISSN: 2231-0916.
- Ybañez, A.P., Ybañez, R.H.D., Yokoyama, N. and Inokuma, H. (2015) RNA polymerase sub-unit β (*rpoB*) characterization of *Ehrlichia canis* detected from dogs and *Rhipicephalus sanguineus* ticks in Cebu, Philippines. *Philippines. Vet. Arch.*, 85: 601-608.
- Yuwono, T. 2006. *Teori dan Aplikasi Polymerase Chain Reaction*. Andi: Yogyakarta