

## DAFTAR PUSTAKA

- Ahmad, U. (2005). *Pengolahan Citra Digital dan Teknik Pemrogramannya*. Graha Ilmu, Yogyakarta.
- Alfian, A.N. (2016). Implementasi Regresi Logistik Untuk Mendeteksi Ikan Berformalin Berbasis Android Berdasarkan Citra dan Sifat Fisik Ikan. Skripsi. Jurusan Teknik Informatika. Fakultas Sains dan Teknologi. UIN Maulana Malik Ibrahim, Malang.
- Amalia, N. (2017). Analisa Kandungan Formalin Pada Ikan Bersisik Menggunakan Pengolahan Citra Dengan Metode Profiling. Skripsi, Jurusan Fisika. FMIPA Universitas Lampung, Bandar Lampung.
- Ashuri, W.C. (2016). Model Segmentasi dan Prospek Budidaya Ikan Nila (*Oreochromis* sp.) Di Kawasan Pertambakan Pesisir Utara Jawa Barat. Tugas Akhir, Program Magister. Program PascaSarjana Universitas Terbuka, Jakarta.
- Balaban, M.Ö. (2008). Quantifying nonhomogeneous colors in agricultural materials. Part I: Method development. *J. Food. Sci.* 73 (9): S431–S437.
- Bhowmik, S., Begum, M., Hossain, A., Rahman, M., Alam, A.K.M.N. (2017). Determination of formaldehyde in wet marketed fish by HPLC analysis: A negligible concern for fish and food safety in Bangladesh. *The Egyptian Journal of Aquatic Research* 43(3): 245–248. <http://doi.org/10.1016/j.ejar.2017.08.001>.
- Burhanuddin, Hendrajat, E.A. (2010). Pertumbuhan Ikan Nila Merah Gift F 1 Dan Nila Merah Gift F 2 di Tambak. *Prosiding Forum Inovasi Teknologi Akuakultur*: 1193–1200.
- Cortes, C., Vapnik, V. (1995). Support-Vector Networks. Dalam: L. Saitta (Ed.), *Machine Learning*, Vol. 20 hal.: 273-297. Kluwer Academic Publishers, Boston.
- Dixon, S.J., Brereton, R.G. (2009). Chemometrics and Intelligent Laboratory Systems Comparison of performance of five common classifiers represented as boundary methods: Euclidean Distance to Centroids, Linear Discriminant Analysis, Quadratic Discriminant Analysis, Learning Vector Quantization dan Support Vector Machines, as dependent on data structure. *Chemometrics*

*and Intelligent Laboratory Systems*95(1):1–17.  
<http://doi.org/10.1016/j.chemolab.2008.07.010>

Dutta, M.K, Issac, A., Minhas, N., Sarkar, B. (2016). Image processing based method to assess fish quality and freshness. *Journal of Food Engineering* 177: 50–58. <http://doi.org/10.1016/j.jfoodeng.2015.12.018>

Ershad, S.F. (2011). Color Texture Classification Approach Based on Combination of Primitive Pattern Units and Statistical Features. *The International Journal of Multimedia & Its Applications (IJMA)* 3(3):1-13.

FAO [Food and Agriculture Organization]. (2014). Cultured Aquatic Species Information Programme: *Oreochromis niloticus*(Linnaeus,1758). Retrieved Agustus 2017, from [http://www.fao.org/fishery/culturedspecies/Oreochromis\\_niloticus/en](http://www.fao.org/fishery/culturedspecies/Oreochromis_niloticus/en)

Fatmawati, E. (2012). Uji Kandungan Formalin Dalam Bakso Kakap Dengan Metode Non Destruktive Evaluation (NDE) Menggunakan Gelombang Ultrasonik. Tugas akhir.Fakultas Sains dan Matematika. UKSW, Salatiga.

Fayyad, U., Piatetsky-shapiro, G., Smyth, P. (1996). From Data Mining to Knowledge Discovery in Databases. *AI Magazine*17(3): 37–54.

Ghasemi-varnamkhasti, M., Goli, R., Forina, M., Saeid, S., Shafiee, S., Naderiboldaji, M., Mohtasebi, S.S. (2016). Application of Image Analysis Combined with Computational Expert Approaches for Shrimp Freshness Evaluation Application of Image Analysis Combined with Computational Expert Approaches for Shrimp Freshness Evaluation.*International Journal of Food Properties*19(10): 2202-2222  
<http://doi.org/10.1080/10942912.2015.1118386>.

Gorunescu, F. (2011). Data Mining. Dalam: J. Kacprzyk, & L. Jain (Eds.), *Intelligent Systems Reference Library*, Volume 12. Springer-Verlag, Berlin Heidelberg.

Greenacre, M. (2010). *Biplots in Practice*. Fundacion BBVA, Bilbao.

Gunawan, B., Sudarmadji,A. (2017). Aplikasi Jaringan Syaraf Tiruan Pada Sistem E-Nose. *Prosiding SNATIFke-4*.

Hasan, M.M., Alam, M.Z., Kabir, M.H., & Mony, S.A. (2008). Effects of irradiation on formaldehyde concentration and nutritional changes of formalin treated fish, *Pampus chinensis*. *Bangladesh J. Fish. Res.* 12(2): 173–178.

- Haralick, R.M., Shanmugam,K., Dinstein,I. (1973). Texture features for image classification. *IEEE Transactions on Systems, Man, and Cybernetics SMC-3* :610-622.
- Hastuti, S. (2010). Analisis Kualitatif dan Kuantitatif Formaldehid Pada Ikan Asin di Madura.*Agrointek* , 4 (2).
- Hechenbichler, K., Schliep, K. (2004). Weighted k-Nearest-Neighbor Techniques and Ordinal Classification.*Sonderforschungsbereich 386*, Paper 399.
- Hoque, M.Z., Islam, M.S., Khalil, M.I., Bari, M.R. (2016). Formalin Treated Fish Marketing and Its Impact on Public Health. *International Journal of Academic Research dan Development* 1(1): 07-12.
- Hossain, M.M. (2011). Consumption in Rural Bangladesh: Households, Lifestyles, dan Identities. Academic Dissertation presented to Consumer Economics Unit Department of Economics dan Management. University of Helsinki, Finland.
- Hu, J., Li, D., Duan, Q., Han, Y., Chen, G., Si, X. (2012). Fish species classification by color, texture and multi-class support vector machine using computer vision. *Comput. Electron. Agric* (88): 133–140. <http://doi.org/10.1038/s41598-017-15389-3>.
- IARC [International Agency for Research on Cancer]. (2006). Monographs on the Evaluation of Carcinogenic Risks to Humans. 88. WHO, France.
- John,G.H., Kohavi, R.; Pflieger, P. (1994). Irrelevant features dan the subset selection problem. Proceedings of the Eleventh International.
- Kausar, I.A. (2007). About 80,000 kg formalin fish enter country every day: No policy for fish import yet. A Report Published in Daily Star.
- Kira, K., Rendell, L.A. (1992). A practical approach to feature selection. Dalam: Machine Learning. Proceedings of the Ninth International Conferencehal:249-256.
- Kohavi, R.,John, G.H. (1997). Wrappers for feature subset selection. Artificial Intelligence. Retrieved from [https://intranet.cs.aau.dk/fileadmin/user\\_upload/Education/Courses/2010/DWML/](https://intranet.cs.aau.dk/fileadmin/user_upload/Education/Courses/2010/DWML/)

- Kononenko, I. 1994. Estimating attributes: analysis dan extensions of relief. *Proceedings of European Conference on Machine Learning (ECML)* hal: 171–182. Springer-Verlag New York, Inc.
- Kuhn, M. (2016). caret: classification and regression training. Available at <https://cran.rproject.org/package=caret>.
- Landis, J.R, Koch, G.G. (1977). The measurement of observer agreement for categorical data. *Biometrics* 33(1):159-74.
- Leo, M., Distante, C., Bernabei, M., & Persaud, K. (2014). An Efficient Approach for Preprocessing Data from a Large-Scale Chemical Sensor Array. *Sensors* 14: 17786–17806. <http://doi.org/10.3390/s140917786>
- Lukman, A., Winantu, A. (2016). Identifikasi Ikan Mentah Berformalin Menggunakan Nilai HSV dan Jaringan Syaraf Tiruan Learning Vector Quantization (LVQ) Dari Citra. *Indonesia Journal on Networking dan Security* 5 (1).
- Majid, I., Nayik, G.A., Nanda, V. (2015). Ultrasonication and food technology : A review. *Cogent Food & Agriculture* 20(1): 1–11. <http://doi.org/10.1080/23311932.2015.1071022>
- Mathiassen, J.R., Jansson, S., Veliyulin, E., Njaa, T., Lønseth, M., Bondø, M., Skavhaug, A. (2006). Automatic weight dan quality grading of whole pelagic fish. *Proceedings of NFTC International Technology Conference, Ekspertutvalget for fisk* hal: 101–107. Trondheim, Norway.
- Niswah, C., Pane, E.R., Resanti, M. (2016). Uji Kandungan Formalin Pada Ikan Asin di Pasar Km 5 Palembang. *Jurnal Bioilmi* 2 (2): 121-128.
- Noordiana, N., Fatimah, A.B, Farhana, Y.C. (2011). Formaldehyde content and quality characteristics of selected fish and seafood from wet markets. *International Food Research Journal* 18: 125-136.
- Olafsdottir, G., Nesvadba, P., Di, C., Careche, M., Schubring, R., Kroeger, M., Heia, K., ... Jørgensen, B.M. (2004). Multisensor for fish quality determination. *Trends Food Sci. Technol* 15: 86–93. <http://doi.org/10.1016/j.tifs.2003.08.006>.
- Oza, N.C., Tumer, K. (1999). Dimensionality Reduction Through Classifier Ensembles. *Technical Report NASA-ARC-IC-1999-124*. Computational Sciences Division, NASA. Ames Research Center, Moffett Field, CA.

- Paul, L., Mondal, D.K., Paul, M., Ali, A., Riar, M.G.S. (2014). Intensity of formalin misuse for fish preservation in five markets of Jessore district, Bangladesh. *International Journal of Natural and Social Sciences* 1(2): 77-81.
- Pechenizkiy, M., Tsymbal, A., Puuronen, S. (2006). On combining principal components with Fisher' linear discriminants for supervised learning. *Found. Comput. Decis. Sci*, 31: 59–74.
- Permenkes RI [Peraturan Menteri Kesehatan Republik Indonesia] Nomor 1168/Menkes/Per/X/1999. (1999). Tentang Perubahan Atas Peraturan Menteri Kesehatan Nomor 722/Menkes/Per/IX/1988 Tentang Bahan Tambahan Makanan.
- Peters, J.F. (2017). Foundations of Computer. Dalam: J. Kacprzyk, & L. C. Jain (eds.), *Intelligent Systems Reference Library*, Vol. 124, hal. 87-123. Springer International Publishing, Swiss.
- Popma, T., Masser, M. (1999). *Tilapia Life History and Biology*. Southern Regional Aquaculture Center Publication No. 283. New York, US:
- Rachmad, A. (2013). Ekstraksi Fitur Menggunakan Metode LDA dan Pemilihan Eigen Value Pada Cacat Kertas Duplek. *Jurnal SimanteC* 3(3): 142-149.
- Radi, Rivai, M., & Purnomo, M.H. (2015). GA-SVC Based Search Applied For Optimization Of Image Features Subset In Quality Estimation System Of Bulk. *ARPN Journal of Engineering and Applied Sciences* 10(22): 17177–17185.
- Reza, M.S., Bapary M.A.J., Ahasan, C.T., Islam, M.N., Kamal, M. (2009). Shelf life of several marine fish species of Bangladesh during ice storage. *Int. J. Food Science Technology* 44: 1485–1494.
- Riyadi, P.H., Bambang, A.N., Agustini, T.W. (2007). Analisis Kebijakan Keamanan Pangan Produk Hasil Perikanan di Pantura Jawa Tengah dan DIY. *Jurnal PasirLaut* 2 (2): 30-39.
- Rosyidah, K. (2015). Sistem Pendeteksi Ikan Berformalin Berdasarkan Image Mata dan Insang Menggunakan Metode Naive Bayes Classifier. Skripsi, Jurusan Teknik Informatika. Fakultas Sains dan Teknologi. UIN Maulana Malik Ibrahim, Malang.
- Saberioon, M., Čisár, P., Labbé, L., Souček, P., Pelissier, P., Kerneis, T. (2018). Comparative Performance Analysis of Support Vector Machine, Random Forest, Logistic Regression dan k-Nearest Neighbours in Rainbow Trout

(*Oncorhynchus Mykiss*) Classification Using Image-Based Features. *Sensors*, 18 (1027): 1-15.

Sanusi, M. (2018). rri.co.id. Hasil Uji Sampel Puluhan Jenis Ikan di Takengon Mengandung Formalin, Ini Daftarnya. [http://rri.co.id/takengon/post/berita/530622/daerah/hasil\\_uji\\_sampel\\_puluhan\\_jenis\\_ikan\\_di\\_takengon\\_mengandung\\_formalin\\_ini\\_daftarnya.html#](http://rri.co.id/takengon/post/berita/530622/daerah/hasil_uji_sampel_puluhan_jenis_ikan_di_takengon_mengandung_formalin_ini_daftarnya.html#) diakses tanggal 1 Desember 2018

Sanyal, S., Sinha, K., Saha, S., & Banerjee, S. (2017). Formalin in fish trading : an inefficient practice for sustaining fish quality, *Arch. Pol. Fish.* 25: 43-50. <http://doi.org/10.1515/aopf-2017-0005>.

Schryver, S. (1910). The Photochemical Formation of Formaldehyde in Green Plants. *Proc. Roy. Soc. Series B* , 82 (554) hal. 227. London.

Sengar, N., Dutta, M.K., & Sarkar, B. (2018). Computer vision based technique for identification of fish quality after pesticide exposure. *International Journal of Food Properties*. <http://doi.org/10.1080/10942912.2017.1368553>

Singgih, H. (2013). Kandungan Formalin Pada Ikan Asin Menggunakan Sensor Warna Dengan Bantuan FMR (*Formalin Main Reagent*). *Jurnal ELTEK11* (01):55-70.

Sudha, M., & Kumaravel, A. (2014). Performance Comparison based on Attribute Selection Tools for Data Mining, *indjst* 7(S7): 61–65.

Suryanarayana, I., Braibanti, A., Sambasiva Rao, R., Anantha Ramam, V., Sudarsan, D., Nageswara Rao, G. (2008). *Neural networks* in fisheries research. *Fisheries Research* 92: 115–139.

Venables, W.N., Ripley B.D. (2002). *Modern applied statistics* with S. Springer, New York.

Villacampa, O. (2015). Feature Selection and Classification Methods for Decision Making: A Comparative Analysis. Doctoral dissertation. Retrieved from NSUWorks, College of Engineering and Computing.(63). [https://nsuworks.nova.edu/gscis\\_etd/63](https://nsuworks.nova.edu/gscis_etd/63).

Wang, S., Cui, X., Fang, G. (2007). Rapid determination of formaldehyde and sulfur dioxide in food products and Chinese herbals. *Food Chem.* 103(4):1487-1493. DOI:10.1016/j.foodchem.2006.09.023.

- WHO [World Health Organization]. (2002). Formaldehyde: Concise International Chemical Assessment Document 40. Wissenschaftliche Verlagsgesellschaft hal:1-74.
- Wicaksono, S.S. (2011). Analisis Formalin Dalam Udang dan Ikan Segar Dengan Perekasi Schryver Yang Dimodifikasi. Skripsi . FMIPA, Prodi Sarjana Ekstensi Farmasi. Universitas Indonesia, Depok.
- Wickham, H. (2009). ggplot2: elegant graphics for data analysis. Springer-Verlag, New York.
- Wulandari, S. (2013). Analisis Kinerja Instrumen Uji Formalin pada Tahu Berbasis Elektronik Nose. *JNTETI* Vol. 2 (4).
- Young, E.G., Conway, C.F. (1941). On The Estimation of Allantoin by the Rimini-Schryver Reaction. *J. Biol. Chem* 55: 849.
- Zhang, G.P. (2000). *Neural networks for Classification: A Survey. IEEE Transactions On Systems, Man, And Cybernetics—Part C: Applications And Reviews* 30(4): 451–462.
- Zhou, H., Luo, D., Gholamhosseini, H., Li, Z., & He, J. (2017). Identification of Chinese Herbal Medicines with Electronic Nose Technology: Applications and Challenges. *Sensors* 17:1–21. <http://doi.org/10.3390/s17051073>.