

DAFTAR PUSTAKA

- Al-Deeb, M.A., S.T. Mahmoud & E.M. Sharif. 2012. Use of light traps and differing light color to investigate seasonal abundance of the date palm pest, *Oryctes agamemnon arabicus* (Coleoptera: Scarabaeidae). *Journal of economic entomology*, 105(6): 2062-2067.
- Amuwitagama, I. 2002. Analysis of pest management methods used for Rice stem borer (*Scirpophaga incertulas*) in Sri Lanka based on the concept of Sustainable Development. Lund University, November.
- Baehaki, S.E., E.H. Iswanto, D. Munawar, & N. Sumaryono. 2016. Light Traps Abilities of Mercury (ML-160 Watt) BSE Models and Light Traps of Solar Cell (CFL-20 Watt) to Capture of Pests in the Rice Field. *American Journal of Engineering Research (AJER)*, 5(11): 138-144.
- Bandong, J.P. & J.A. Litsinger. 2005. Rice crop stage susceptibility to the rice yellow stemborer *Scirpophaga incertulas* (Walker)(Lepidoptera: Pyralidae). *International Journal of Pest Management*, 51(1): 37-43.
- Barr, R.A., T.A. Smith, & M.M. Boreham. 1960. Light intensity and the attraction of mosquitoes to light traps. *Journal of Economic Entomology*, 53(5): 876-880.
- BBPOPT. 2017. Evaluasi Prakiraan Serangan Organisme Pengganggu Tumbuhan Utama Padi, Jagung dan Kedelai MT 2017/2018 dan Prakiraan Serangan Organisme Pengganggu Tumbuhan Utama Padi, Jagung dan Kedelai MT 2017 di Indonesia. Kerawang.
- Beddington, J.R., C.A. Free, & J.H. Lawton. 1978. Characteristics of successful natural enemies in models of biological control of insect pests. *Nature*, 273(5663): 513.
- Bernays, E.A. & R.F. Chapman. 1994. Host-Plant Selection by Phytophagous Insects. New York. Thomson Publishing Company. 312p.
- Bernhard, C.G. & D. Ottoson. 1960. Studies on the relation between the pigment migration and the sensitivity changes during dark adaptation in diurnal and nocturnal Lepidoptera. *The Journal of General Physiology*, 44(1): 205-215.
- Bernhard, C.G. & D. Ottoson. 1964. Quantitative studies on pigment migration and light sensitivity in the compound eye at different light intensities. *The Journal of general physiology*, 47(3):465-478.
- Bhutto, A.A., J.I. Chandio, T.J. Ursani, K.H. Dhiloo, & F. Khan. 2015. Light trap study to determine emergence and peak of adult moths of yellow rice stem borer & sex ratio study to collect male and female moths under field conditions. *European Academic Research*, 3(6): 6068-6078.
- Briscoe, A.D., & L. Chittka. 2001. The evolution of color vision in insects. *Annual Review of Entomology*, 46(1): 471-510.
- Broda, H., & R. Willmund. 1981. Fast phototaxis and electroretinograms in red-eyed and white-eyed retinal degeneration mutants of *Drosophila melanogaster*. *Journal of Insect Physiology*, 27(11): 789-792.
- Burkett, D.A., J.F. Butler, & D.L. Kline. 1998. Field evaluation of colored light-emitting diodes as attractants for woodland mosquitoes and other Diptera in north central Florida. *Journal of the American Mosquito Control Association-Mosquito News*, 14(2): 186-195.

- Callahan, P.S. 1971. Far Infrared Stimulation of Insects with the "Glagolewa-Arkadiewa" Mass Radiator". *Florida Entomologist*: 201-204.
- Calor, A.R. & R. Mariano. 2012. UV light pan traps for collecting aquatic insects. *EntomoBrasilis*, 5(2): 164-166.
- Chandrakar, G., S. Sharma, S. Baghel, & Y.S. Nirala. 2016. Effect of Planting Time Manipulation on the Intensity of Rice Stem Borer Under Different Varieties. *Advances in Life Sciences*, 5(7): 2622-2625.
- Charnov, E.L., R.L. Los-den Hartogh, W.T. Jones, & J. Van den Assem. 1981. Sex ratio evolution in a variable environment. *Nature*, 289(5793): 27.
- Chatterjee, S., I. Dana, C. Gangopadhyay, & P. Mondal. 2017. Monitoring of yellow stem borer, *Scirpophaga incertulas* (Walker) using pheromone trap and light trap along with determination of field incidence in kharif rice. *Journal of Crop and Weed*, 13(1): 156-159.
- Cohen, M.B., A.M. Romena, & F. Gould. 2000. Dispersal by larvae of the stem borers *Scirpophaga incertulas* (Lepidoptera: Pyralidae) and *Chilo suppressalis* (Lepidoptera: Crambidae) in plots of transplanted rice. *Environmental entomology*, 29(5): 958-971.
- Collett, T.S. & M. Collett. 2002. Memory use in insect visual navigation. *Nature Reviews Neuroscience*, 3 (7): 542-552
- Cuong, N.L. & M.B. Cohen. 2003. Mating and dispersal behaviour of *Scirpophaga incertulas* and *Chilo suppressalis* (Lepidoptera; Pyralidae) in relation to resistance management for rice transformed with *Bacillus thuringiensis* toxin genes. *International journal of pest management*, 49(4): 275-279.
- Davies, T.W., J. Bennie, R. Inger, N.H. Ibarra, & K.J. Gaston. 2013. Artificial light pollution: are shifting spectral signatures changing the balance of species interactions?. *Global Change Biology*, 19(5): 1417-1423.
- Duehl, A.J., L.W. Cohnstaedt, R.T. Arbogast, P.E.A. & Teal. 2011. Evaluating light attraction to increase trap efficiency for *Tribolium castaneum* (Coleoptera: Tenebrionidae). *Journal of Economic Entomology*, 104(4): 1430-1435.
- Endo, N., M. Wakakuwa, K. Arikawa, & M. Hironaka. 2014. Spectral reference in a free-flying condition of the southern green stink bug, *Nezara viridula* (Heteroptera: Pentatomidae). *Japanese Journal of Applied Entomology and Zoology*. 58: 23-38.
- Finke, D.L. & R.F. Denno. 2004. Predator diversity dampens trophic cascades. *Nature*, 429(6990): 407.
- Fraenkel, G.S. & D.L. Gunn. 1961. *The Orientation of Animals*. Dover Publications, Inc. New York. 376p.
- Freedman, G.A. 2011. *Contemporary Esthetic Dentistry*. Elsevier Health Sciences. Netherlands. 832p.
- Friedrich, M. 2003. Evolution of insect eye development: first insights from fruit fly, grasshopper and flour beetle. *Integrative and Comparative Biology*, 43(4): 508-521.
- Geffen, K.G., E. Eck, R.A. Boer, R.H. Grunsven, L. Salis, F. Berendse, & E.M. Veenendaal. 2015. Artificial light at night inhibits mating in a Geometrid moth. *Insect Conservation and Diversity*, 8(3): 282-287.

- Geros, V., M. Santamouris, A. Tsangrasoulis, & G. Guarracino. 1999. Experimental evaluation of night ventilation phenomena. *Energy and Buildings*, 29(2), 141-154.
- Gorostiza, E. A., J. Colomb, & B. Brembs. 2016. A decision underlies phototaxis in an insect. *Open Biology*, 6(12): 160229.
- Green, D., D. MacKay, & M. Whalen. 2012. Next generation insect light traps: The use of LED light technology in sampling emerging aquatic macroinvertebrates. *The Australian Entomologist.*, 39(3): 189.
- Gullan, P. J., & P.S. Cranston. 2014. *The Insects: An Outline of Entomology* 5th Edition. John Wiley & Sons. Oxford. 624p.
- Hagstrum, D.W. & G.A. Milliken. 1988. Quantitative analysis of temperature, moisture, and diet factors affecting insect development. *Annals of the Entomological Society of America*, 81(4): 539-546.
- Hamilton, W.D., 1967. Extraordinary sex ratios. *Science*, 156(3774): 477-488.
- Hardwick Jones, R., S. Westra, & A. Sharma. 2010. Observed relationships between extreme sub-daily precipitation, surface temperature, and relative humidity. *Geophysical Research Letters*, 37(22): 1-5.
- Hays, J.B. & Q. Pang. 1994. UV-B-inducible and constitutive genes that mediate repair and toleration ff UV-damaged DNA in the plant *Arabidopsis thaliana*. In *Stratospheric ozone depletion/UV-B radiation in the biosphere* (pp. 107-122). Springer, Berlin, Heidelberg.
- Hecht, E., 2017. *Optics* 5th Edition. Pearson Education. London. 722p.
- Hendarsih, S. & N. Usyati. 2005. The stem borer infestation on rice cultivars at three planting times. *Indonesian Journal of Agricultural Science*. Indonesia Agency for Agricultural Research and Development. 6(2):39-45.
- Hendarsih, S., D. Kertoseputro, & N. Kurniawati. 2007. *Penyebaran penggerek batang padi di Pulau Jawa*. Laporan DIPA 2007.
- Hironaka, M., S. Tojo, & T. Hariyama. 2007. Light compass in the provisioning navigation of the subsocial shield bug, *Parastrachia japonensis* (Heteroptera: Parastrachiidae). *Applied Entomology and Zoology*, 42(3): 473-478.
- Ho, D.T. & K.S. Reddy. 1983. Monitoring of lepidopterous stem-borer population by pheromone and light traps. *International Journal of Tropical Insect Science*, 4(1-2): 19-23.
- Hodek I. & A. Honěk. 1996. *Ecology of Coccinellidae*. Kluwer Academic Publishers, Dordrecht. 464p.
- Hoffman, D.J., F.R. Lawson, & B. Peace. 1966. Attraction of blacklight traps baited with virgin female tobacco hornworm moths. *Journal of Economic Entomology*, 59(4): 809-811.
- Höglund, G., K. Hamdorf, & G. Rosner. 1973. Trichromatic visual system in an insect and its sensitivity control by blue light. *Journal of Comparative Physiology*, 86(3): 265-279.
- Hori, M., K. Shibuya, M. Sato, & Y. Saito. 2014. Lethal effects of short-wavelength visible light on insects. *Scientific reports*, 4: 7383.

- Howe, R. W. 1967. Temperature effects on embryonic development in insects. *Annual Review of Entomology*, 12(1): 15-42.
- Huang, S., L. Wang, L. Liu, Q. Fu, & D. Zhu. 2014. Nonchemical pest control in China rice: a review. *Agronomy for sustainable development*, 34(2): 275-291.
- Inger, R., J. Bennie, T.W. Davies, & K.J. Gaston. 2014. Potential biological and ecological effects of flickering artificial light. *PloS one*, 9(5): e98631.
- Ivanovic, J. 2018. *Hormones and Metabolism in Insect Stress*. CRC Press. Boca Raton. 184p.
- Kaiser, W., & J. Steiner-Kaiser. 1983. Neuronal correlates of sleep, wakefulness and arousal in a diurnal insect. *Nature*, 301(5902): 707.
- Kalshoven, L.G.E. 1981. *The Pests of Crops in Indonesia*. Ichtiar Baru Van Hoeve. Jakarta. 701p.
- Karindah, S., B. Yanuwadi, & L. Sulistyowati. 2017. Biology and Predatory Behavior of *Metioche vittaticollis* (Stal)(Orthoptera: Gryllidae). *Journal of Tropical Plant Protection*, 1(1): 1-9.
- Kelber, A. 2001. Receptor based models for spontaneous colour choices in flies and butterflies. *Entomologia Experimentalis et Applicata*, 99(2): 231-244.
- Kelber, A., A. Balkenius, & E.J. Warrant. 2002. Scotopic colour vision in nocturnal hawkmoths. *Nature*, 419(6910): 922
- Khan Z.R., J.A Litsinger., A.T Barrion., F.F.D Villanueva., N.J Fernandez., & L.D Taylor. 1991. *World Bibliography of Rice Stem Borers 1794 - 1990*. IRRI – ICIPE. 415p.
- Kim, C.H., H.W. Liang, S.H. Han, J.Y. Kim, K.W. Ryang, & C. Kim. 2016. Optimizing spectral distribution character of the LEDs to decrease discoloring of the collections in museum. *arXiv preprint arXiv:1604.06389*.
- Kim, M.G., J.Y. Yang, & H.S. Lee. 2013. Phototactic behavior: repellent effects of cigarette beetle, *Lasioderma serricorne* (Coleoptera: Anobiidae), to light-emitting diodes. *Journal of the Korean Society for Applied Biological Chemistry*, 56(3): 331-333.
- Klaassen, H.E. & A.M. Kadoum. 1979. Distribution and retention of atrazine and carbofuran in farm pond ecosystems. *Archives of environmental contamination and toxicology*. 8(3): 345-353.
- Kozai, T., 2016. Why LED Lighting for Urban Agriculture?. In *LED Lighting for Urban Agriculture* (pp. 3-18). Springer, Singapore.
- Kuhlmann, F. & C. Müller. 2009. Development-dependent effects of UV radiation exposure on broccoli plants and interactions with herbivorous insects. *Environmental and Experimental Botany*, 66(1): 61-68.
- Kusprayogie, Y., U. Nuzulullia, & D.R. Gabriel. 2016. Prakiraan Serangan OPT Utama Padi pada MT 2016/2017. *Buletin Peramalan OPT Volume 15 Nomor 2*. 40p.
- Lazzari C.R. & T.C. Insausti. 2008. Circadian rhythms in insects, p. 1–18. In M.L. Fanjul, Moles & R.A. Roblero (eds.), *Comparative aspects of circadian rhythms*. Transworld Research Network. 37/661 (2), Fort P.O., Trivandrum-695 023, Kerala, India.

- Lerner, A., N. Meltser, N. Sapir, C. Erlick, N. Shashar, & M. Broza. 2008. Reflected polarization guides chironomid females to oviposition sites. *Journal of Experimental Biology*, 211(22): 3536-3543.
- Lima, D.C.B., Costa, A.A.V. and Silva, F.S., 2015. Abundance and night hourly dispersal of the vesicating beetles of the genus *Paederus* (Coleoptera: Staphylinidae) attracted to fluorescent, incandescent, and black light sources in the Brazilian savanna. *Journal of medical entomology*, 52(1): 50-55.
- Litsinger, J. A., A.L. Alviola, C.G. Dela Cruz, B.L. Canapi, E.H. Batay-An III, & A.T. Barrion. 2006. Rice white stem borer *Scirpophaga innotata* (Walker) in southern Mindanao, Philippines. I. Supplantation of yellow stem borer *S. incertulas* (Walker) and pest status. *International Journal of Pest Management*, 52(1): 11-21.
- Liu, Y.N., Y.J. Liu, Y.C. Chen, H.Y. Ma, & H.Y. Lee. 2017. Enhancement of mosquito trapping efficiency by using pulse width modulated light emitting diodes. *Scientific reports*, 7: 40074.
- Longcore, T., H.L. Aldern, J.F. Eggers, S. Flores, L. Franco, E. Hirshfield-Yamanishi, L.N. Petrinec, W.A. Yan, & A.M. Barroso. 2015. Tuning the white light spectrum of light emitting diode lamps to reduce attraction of nocturnal arthropods. *Phil. Trans. R. Soc. B*, 370(1667): 20140125.
- Lopez, P. M., L.B. Abraham, M.R. Ralph, & V.S. Valentinuzzi. 2018. Circadian system responses to nocturnal and diurnal hosts in the kissing bug, *Triatoma infestans*. *Chronobiology International*, 1-11.
- Lyytinen, A., L. Lindström, & J. Mappes. 2004. Ultraviolet reflection and predation risk in diurnal and nocturnal Lepidoptera. *Behavioral Ecology*, 15(6): 982-987.
- Manikandan, N., J.S. Kennedy, & V. Geethalakshmi. 2016. Effect of elevated temperature on life-history parameters of rice yellow stem borer (*Scirpophaga incertulas* Walker). *Current Science*, 110(5): 851.
- Medeiros, B.A.S.D., A. Barghini, & S.A. Vanin. 2017. Streetlights attract a broad array of beetle species. *Revista Brasileira de Entomologia*, 61(1): 74-79.
- Menzel, R. & M. Blakers. 1976. Colour receptors in the bee eye—morphology and spectral sensitivity. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology*. 108(1): 11-13.
- Menzi, U. 1987. Visual adaptation in nocturnal and diurnal ants. *Journal of Comparative Physiology A*, 160(1): 11-21.
- Meyer-Rochow, V.B. & H. Waldvogel. 1979. Visual behaviour and the structure of dark and light-adapted larval and adult eyes of the New Zealand glowworm *Arachnocampa luminosa* (Mycetophilidae: Diptera). *Journal of insect physiology*, 25(7): 601-613.
- Meyer-Rochow, V.B., T. Kashiwagi, & E. Eguchi. 2002. Selective photoreceptor damage in four species of insects induced by experimental exposures to UV-irradiation. *Micron*, 33(1): 23-31.
- Millán, M.S., M.J. Yzuel, J. Campos, & C. Ferreira. 1992. Different strategies in optical recognition of polychromatic images. *Applied Optics*, 31(14): 2560-2567.

- Milly, P.C.D., J. Betancourt, M. Falkenmark, R.M. Hirsch, Z.W. Kundzewicz, D.P. Lettenmaier, & R.J. Stouffer. 2008. Stationarity is dead: Whither water management?. *Science*, 319(5863): 573-574.
- Mochida, O. M., R.C. Joshi, & J.A. Litsinger. 1987. Climatic factors affecting the occurrence of insect pests. *Weather and rice*, 149-164.
- Morin, P.J., 2011. Predation and communities: empirical patterns (pp. 90-119). John Wiley & Sons, Ltd.
- Murata, M., T. Hariyama, Y. Yamahama, M. Toyama, & I. Ohta. 2018. Effects of the range of light wavelengths on the phototactic behaviour and biological traits in the melon thrips, *Thrips palmi* Karny (Thysanoptera Thripidae). *Ethology Ecology & Evolution*, 30(2): 101-113.
- Murphy, T.M., 1983. Membranes as targets of ultraviolet radiation. *Physiologia Plantarum*, 58(3): 381-388.
- Nakamoto, Y., & H. Kuba. 2004. The effectiveness of a green light emitting diode (LED) trap at capturing the West Indian sweet potato weevil, *Euscepes postfasciatus* (Fairmaire)(Coleoptera: Curculionidae) in a sweet potato field. *Applied Entomology and Zoology*, 39(3): 491-495.
- Narendra, A., B. Greiner, W.A. Ribí & J. Zeil. 2016. Light and dark adaptation mechanisms in the compound eyes of *Myrmecia* ants that occupy discrete temporal niches. *Journal of Experimental Biology*, 219(16): 2435-2442.
- Nalepa, C.A. 2013. Coccinellidae captured in blacklight traps: Seasonal and diel pattern of the dominant species *Harmonia axyridis* (Coleoptera: Coccinellidae). *European Journal of Entomology*, 110(4): 593.
- Nonci, N. & F.T. Ladja. 2008. Pengaruh insektisida terhadap musuh alami telur penggerek batang pada *Scirpophaga incertulas* Walker. *Agroland*, 13(3).
- Nowinszky, L. & J. Puskás. 2010. Possible reasons for reduced light trap catches at a full moon: shorter collecting distance or reduced flight activity. *Adv Biores*, 1, pp.205-20.
- Oh, M.S., C.H. Lee, S.G. Lee, & H.S. Lee. 2011. Evaluation of high power light emitting diodes (HPLEDs) as potential attractants for adult *Spodoptera exigua* (Hübner)(Lepidoptera: Noctuidae). *Journal of the Korean Society for Applied Biological Chemistry*, 54(3): 416-422.
- Oh, M.S. & H.S. Lee. 2010. Development of phototactic test apparatus equipped with light source for monitoring pests. *Journal of Applied Biological Chemistry*, 53(4): 248-252.
- Okada, Y., K. Tomioka, & Y. Chiba. 1991. Circadian phase-response curves for light in nymphal and adult crickets, *Gryllus bimaculatus*. *Journal of insect physiology*, 37(8):583-590.
- Oonincx, D.G.A.B., N. Volk, J.J.E. Diehl, J.J.A. Van Loon, & G. Belušič. 2016. Photoreceptor spectral sensitivity of the compound eyes of black soldier fly (*Hermetia illucens*) informing the design of LED-based illumination to enhance indoor reproduction. *Journal of insect physiology*, 95: 133-139.
- Padhi, G. & S.M. Chatterji. 1984. Oviposition preference of *Scirpophaga (Tryporyza) incertulas* (Walker) on different varieties of rice under caged conditions. *Journal of entomological research*. 8: 81-85.

- Pathak M. D & Z. R. Khan. 1994. Insect Pest of Rice. International Rice Research Institute (IRRI). Manila. 89p.
- Peshin, R. & A.K. Dhawan. 2009. Integrated Pest Management. Vol. 1, Innovation-development Process. Springer Netherlands. 690p.
- Philipsborn, A. & T. Labhart. 1990. A behavioural study of polarization vision in the fly, *Musca domestica*. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 167(6): 737-743.
- Pittendrigh, C.S. 1993. Temporal organization: reflections of a Darwinian clock-watcher. Annual review of physiology, 55(1): 17-54.
- Prokopy, R.J. & E.D. Owens. 1983. Visual detection of plants by herbivorous insects. Annual review of entomology, 28 (1): 337-364.
- Rahman, M., & M. Khalequzzaman. 2004. Temperature requirements for the development and survival of rice stemborers in laboratory conditions. Insect Science, 11(1): 47-60.
- Ramamurthy, V.V., M.S. Akhtar, N.V. Patankar, P. Menon, R. Kumar, S.K. Singh, S. Ayri, S. Parveen, & V. Mittal. 2010. Efficiency of different light sources in light traps in monitoring insect diversity. Munis Entomology & Zoology, 5(1): 109-114.
- Ramsden, M., R. Menendez, S. Leather, & F. Wäckers. 2017. Do natural enemies really make a difference? Field scale impacts of parasitoid wasps and hoverfly larvae on cereal aphid populations. Agricultural and Forest Entomology, 19(2): 139-145.
- Rani, P.U., S.I. Kumari, T. Sriramakrishna, & T.R. Sudhakar. 2007. Kairomones extracted from rice yellow stem borer and their influence on egg parasitization by *Trichogramma japonicum* Ashmead. Journal of Chemical Ecology, 33(1): 59-73.
- Reisenman, C. E., C.R. Lazzari, & M. Giurfa. 1998. Circadian control of photonegative sensitivity in the haematophagous bug *Triatoma infestans*. Journal of Comparative Physiology A, 183(4): 533-54
- Reji, G., S. Chander, & P.K. Aggarwal. 2008. Simulating rice stem borer, *Scirpophaga incertulas* Wlk., damage for developing decision support tools. Crop Protection, 27(8): 1194-1199.
- Rich, C & T. Longcore. 2006. Ecological Consequences of Artificial Night Lighting. Island Press. Washington. 458p.
- Rivas, G.B., R. Teles-de-Freitas, M.G. Pavan, J.B. Lima, A.A. Peixoto, & R.V. Bruno. 2018. Effects of light and temperature on daily activity and clock gene expression in Two Mosquito Disease Vectors. Journal of Biological Rhythms, 33(3): 272-288.
- Robinson, A.S., 1983. Sex-ratio manipulation in relation to insect pest control. Annual review of genetics, 17(1): 191-214.
- Robson, T.M., K. Klem, O. Urban, & M.A. Jansen. 2015. Re-interpreting plant morphological responses to UV-B radiation. Plant, cell & environment, 38(5): 856-866.

- Roja, A. 2009. Pengendalian Hama dan Penyakit Secara Terpadu (PHT) Pada Padi Sawah. Sukarami: Balai Pengkajian Teknologi Pertanian Sumatera Barat. 22p.
- Rozema, J., J. van de Staaïj, L.O. Björn, & M. Caldwell. 1997. UV-B as an environmental factor in plant life: stress and regulation. *Trends in Ecology & Evolution*, 12(1): 22-28.
- Rubia, E. G., F.W. Vries, & T. Penning. 1990. Simulation of rice yield reduction caused by stemborer (SB). *IRRN*. 15(1):34.
- Ryan, M.F., 2002. *Insect Chemoreception*. Kluwer Academic Publishers. New York. 330p.
- Sahayaraj, K. & N. Auxelia. 2012. Stress response of different exposure time by UV 254 on the biology and body total protein and genomic DNA content of red cotton bug. *Journal of Biological Sciences*, 12(3): 192-196.
- Sanes, J.R. & S.L. Zipursky. 2010. Design principles of insect and vertebrate visual systems. *Neuron*, 66(1): 15-36.
- Saunders, D.S. 2012. Insect photoperiodism: seeing the light. *Physiological Entomology*, 37(3): 207-218.
- Shao, Y., J.J. Cheng, & F. Liu. 2013. Research on phototaxis in *Sogatella furcifera* and its natural enemy, *Cyrtorhinus lividipennis*. *Chinese Journal of Applied Entomology*, 3: 019.
- Sharma, H.C., 2008. *Biotechnological Approaches for Pest Management and Ecological Sustainability*. CRC Press. 546p.
- Sheikh, A. A., I. Khursheed, M.J. Ahmad, I. Ahad, F.A. Tali, & S.U. Nabi. 2017. Role of infochemicals to enhance the efficacy of biocontrol agents in pest management. *International Journal of Chemical Studies*, 5(3): 655-662.
- Shepard, B.M., 1995. *Rice-feeding Insects of Tropical Asia*. International Rice Research Institute (IRRI). Manila. 228p.
- Shi, P., B. Wang, M.P. Ayres, F. Ge, L. Zhong, & B.L. Li. 2012. Influence of temperature on the northern distribution limits of *Scirpophaga incertulas* Walker (Lepidoptera: Pyralidae) in China. *Journal of Thermal Biology*, 37(2): 130-137.
- Shimoda, M. & K.I. Honda. 2013. Insect reactions to light and its applications to pest management. *Applied Entomology and Zoology*, 48(4): 413-421.
- Smolka, J., E. Baird, B. el Jundi, T. Reber, M.J. Byrne, & M. Dacke. 2016. Night sky orientation with diurnal and nocturnal eyes: dim-light adaptations are critical when the moon is out of sight. *Animal Behaviour*, 111: 127-146.
- Somers-Yeates, R., D. Hodgson, P. K. McGregor, & A. Spalding. 2013. Shedding light on moths: shorter wavelengths attract noctuids more than geometrids. *Biology letters*, 9 (4): 20130376.
- Stark, W.S. & S.D. Carlson. 1984. Blue and ultraviolet light induced damage to the *Drosophila* retina: ultrastructure. *Current Eye Research*, 3(12): 1441-1454.
- Sun, X. & A. May. 2013. A comparison of field-based and lab-based experiments to evaluate user experience of personalised mobile devices. *Advances in Human-Computer Interaction*, 2013: 2.

- Taylor, L. R. 1963. Analysis of the effect of temperature on insects in flight. *The Journal of Animal Ecology*, 32(1) 99-117.
- Umeh, N., E.Doris, & R.C. Joshi. 1993. Aspects of the biology, ecology and natural biological control of the African rice gall midge, *Orseolia oryzivora* Harris and Gagné (Dipt., Cecidomyiidae) in south east Nigeria. *Journal of Applied Entomology*, 116(1-5): 391-398.
- van Langevelde, F., J.A. Ettema, M. Donners, M.F. WallisDeVries, & D. Groenendijk. 2011. Effect of spectral composition of artificial light on the attraction of moths. *Biological Conservation*, 144(9): 2274-2281.
- von Frisch K. 1914. Der Farbensinn und Formensinn der Biene. *Zool Jahrb Abt All Zool Physiol Tiere*. 35:1-179.
- Walcott, B., 1971. Cell movement on light adaptation in the retina of *Lethocerus* (Belostomatidae, Hemiptera). *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology*, 74(1): 1-16.
- Wang, C., S. Yu, W. Chen, & C. Sun. 2013. Highly efficient light-trapping structure design inspired by natural evolution. *Scientific Reports*, 3:1025.
- Watanabe, T., N. Mori, & F. Nakamura. 1992. A new superbright LED stimulator: photodiode-feedback design for linearizing and stabilizing emitted light. *Vision Research*, 32(5): 953-961.
- Williams, E.W. & R. Hall. 1978. *Luminescence and the Light Emitting Diode: The Basics and Technology of LEDs and the Luminescence Properties of the Materials*. Pergamon Press. Oxford. 254p.
- Wilson, M. 1975. Angular sensitivity of light and dark adapted locust retinula cells. *Journal of Comparative Physiology*, 97(4): 323-328.
- Woelke, J.B., T. Bukovinszky, & M.E. Huigens. 2017. Nocturnal parasitism of moth eggs by *Trichogramma* wasps. *Biocontrol Science and Technology*, 27(6): 769-780.
- Xia, J. Y., F.P. De Vries, & J.A. Litsinger. 1991. Model of population dynamics of *Scirpophaga incertulas* (Walker) (Lepidoptera: Pyralidae). *Environmental Entomology*, 20(3): 832-840.
- Yang, H.B., G. Hu, G. Zhang, X. Chen, Z.R. Zhu, S. Liu, Z.L. Liang, X.X. Zhang, X.N. Cheng, & B.P. Zhai. 2014. Effect of light colours and weather conditions on captures of *Sogatella furcifera* (Horváth) and *Nilaparvata lugens* (Stål). *Journal of applied entomology*, 138(10): 743-753.
- Yang, J.Y., M.G. Kim, & H.S. Lee. 2012. Phototactic behavior: attractive effects of *Spodoptera litura* (Lepidoptera: Noctuidae), tobacco cutworm, to high-power light-emitting diodes. *Journal of the Korean Society for Applied Biological Chemistry*, 55(6): 809-811.
- Yudin, L.S., W.C. Mitchell, & J.J. Cho. 1987. Color preference of thrips (Thysanoptera: Thripidae) with reference to aphids (Homoptera: Aphididae) and leafminers in Hawaiian lettuce farms. *Journal of Economic Entomology*, 80(1): 51-55.
- Yunus, M., E. Martono, A. Wijanarko, & R.C.H. Susilohadi. 2011. Aktivitas Ngengat *Scirpophaga incertulas* di Wilayah Kabupaten Klaten (The Activities of *Scirpophaga incertulas* Adult from Klaten Regency). *Jurnal Perlindungan Tanaman Indonesia*, 17(1):18-25.



- Zhang, C.Y., J.Y. Meng, X.P. Wang, F. Zhu, & C.L. Lei. 2011. Effects of UV-A exposures on longevity and reproduction in *Helicoverpa armigera*, and on the development of its F1 generation. *Insect science*, 18(6): 697-702.
- Zheng, L. X., Y. Zheng, W.J. Wu, , & Y.G. Fu. 2014. Field evaluation of different wavelengths light-emitting diodes as attractants for adult *Aleurodicus dispersus* Russell (Hemiptera: Aleyrodidae). *Neotropical entomology*, 43(5): 409-414.