



DAFTAR PUSTAKA

- Abdel Mohdy, F.A., Abdel-Halim, E.S., Abu-Ayana, Y.M., and El-Sawy, S.M. 2008. Rice Straw as A New Resource for Some Beneficial Uses. Carbohydrate Polymers. 75: 44-51
- Achmadi. 1990. Kimia Kayu. Bahan Pengajaran Universitas Ilmu Hayati. Institut Pertanian Bogor.
- Anonim, 2007. Pemanfaatan Ampas Tebu (bagasse) Untuk Bahan Baku Pulp dan Kertas Masih Hadapi Kendala. http://www.dephut.go.id/informasi/HUMAS/2007/563_05htm. 2007. Diakses pada tanggal 30 April 2015.
- Anonim. 2010. Pabrik Ethanol dari Tandan Kosong Kelapa Sawit (elaeis guineensis) dengan Proses Fermentasi. <http://webcache.googleusercontent.com/search?q=1/SKRIPSIKU.docx%3Fnm> <http://webcache.googleusercontent.com/search?q=d%3D175480615+Teknik+fermentasi+ethanol+dari+TKKS&cd=9&hl=id&ct=clnk&gl=id&client=firefox-a>. Diakses tanggal 30 April 2015.
- Anonim 2011. Apa Itu Enzim. <http://apa-itu-enzim.html>. di unduh 30 april 2015.
- Apriyantono, D. FA. 1989. Petunjuk Laboratorium Analisis Pangan. Departemen Pendidikan Dan Kebudayaan Direktorat Jenderal Pendidikan Tinggi Pusat Antar Universitas Pangan Dan Gizi IPB. Bogor
- Arifin, Y. 2009. Biobutanol sebagai biofuel generasi kedua di Indonesia. http://yalun.wordpress.com/2008/10/01/biobutanol-sebagai-biofuel-generasi-kedua-di-indonesia/?referer=sphere_related_content/. Diakses tanggal 30 April 2015.
- Badger, P.C. 2002. Ethanol from cellulose: A general review. P 17-21 In: J. Janick and A. Whipkey Eds Trenin new crop and new uses. ASHS Press, Alexandria, VA., USA.



- Ballesteros, M.; Oliva, J.M.; Negro, M.J.; Manzanares, P. and Ballesteros, I. (2000). Ethanol from lignocellulistic materials by a simultaneous saccharification and fermentation process (SFS) with *Kluyveromyces marxianus* CECT 10875. *Process Biochemistry*, Vol.39, No.12, (October 2000), pp. 1843-1848, ISSN 1359-5113.
- BKPM, 2008. Sentra dan Wilayah Potensi Komoditi Tebu. <http://regionalinvestment.bkpm.go.id/newsipid/id/commodity.php>
- Brownell, H.H. and Sadler, J.N. 1986. Steam Pretreatment of Lignocellulosic Material for Enhanced Enzymatic Hydrolysis. *Biotechnology and Bioengineering* XXIX :228-235.
- Canettieri, E.V., de Moraes Rocha, G.J., de Carvalho Jr., J.A. and de Almeida and Silva, J.A. 2007. Optimization of acid hydrolysis from the hemicellulosic fraction of *Eucalyptus grandis* residue using response surface methodology. *Bioresource Technology* 98, 422-428.
- Cardona, C.A., Quintero, and J.A., Paz, I.C., 2010. Production of Bioethanol from Sugarcane Bagasse: Status and Perspectives, *Bioresour. Technol.* 101(13), 4754-66
- Carvalheiro, F., Esteves, M.P., Parajo, J.C., Pereira, H., and Girio, F.M. 2004. Production of Polysaccharides by Autohydrolysis of Brewery's Spent Grain. *Bioresources Technology* 91 (1) : 93-100
- Cheng, K., Ping Ge, J., Zhang, J., Ling, H., Zhou Y., Yang, M., and Ming Xu, J. 2007. Fermentation of pretreated sugarcane bagasse hemicellulose hydrolysate to ethanol by *Pachysolen tannophilus*. *Biotechnol Lett* 2007 29 : 1051-1055.
- Cheng, Y.S. 2002. Hydrolysis of Lignocellulosic materials for ethanol production : review. *Biores. Tecnol* 83, 1-11.
- Chen, Hongzhang and Wenjie Sui. 2015. Water Transfer in Steam explosion Process on Corn Stalk. *Journal of Industrial Crops and Products* Vol 76 : 977-986.



Chen, Hongzhang and Wenjie Sui. 2016. *Effects of Water States on Steam Explosion of Lignocellulosic Biomass*. Journal of Bioresource Technology 199, page 155-163.

Chiaramonte, D., Prussi, M., Ferrero, S., Oriani, L., Ottonello, P., Torre, P., and Cherchi, F., 2012. Review of Pretreatment Processes for Lignocellulosic Ethanol Production, and Development of An Innovative Method. *Biomass Bioenergy* 46, 25–35.

Cui., Zhong Liu., Lanfeng Hui., Neng Kang, and Ting Zhao. 2012. “*Steam Explosion of Wheat Straw*,” Influence of steam explosion pretreatment on the composition and structure of wheat straw. *BioResources* 7(3), 4202-4213. 4202.

Datta, R 1981. Acidogenic fermentation of lignocellulose acid yield and conversion of components. *Biotechno. Dioeng* 23. Hlm 2167-2170.

Dirjenbun 2014. Statistik perkebunan tebu di Indonesia 2012-2014.

Duff, S and Murray, W. 1996. Bioconversion of Forest Products Industry Waste Cellulosics to fuel ethanol: a review. *Bioresource Technol* 55:1–33

Fan, S., Zhang, P., Li, F., Jin, S., Wang, S., dan Zhou S. 2016. A Review of Lignocellulose Change During Hydrothermal Pretreatment for Bioenergi Production. *Current Organic Chemistry* 20 : 1-11.

Fengel, D. and Wegener, G. 1995. Kayu: Kimia, Ultrastruktur, Reaksi-reaksi. Diterjemahkan oleh Gajah Mada University Press. Yogyakarta. Hal 155-159.

Gokhan, C., Burhan, A.M., Nisa, U, and Hatice, G. 2002. Some Properties of Crude Carboxymethyl Cellulase of *Aspergillus niger* Z10 Wild-Type Strain. *Biology* 26:209-213.

Gomez, L.D., Steel-King, C.G., and Mc Queen-Mason, J. 2008. Sustainable liquid biofuels from biomass : the writing's on the wall. *New Phytologist* 178 : 473-485.



- Hamelinck. 2005. Ethanol from lignocellulosic biomass: Techno-economic performance in short-, middle- and long-term.
- Handayani, S.U. 2008. Pemanfaatan Bioetanol Sebagai Bahan Bakar Pengganti Bensin. Jurnal Teknik UNDIP: 99-102.
- Hendrik, A.T., and Zeeman, G., 2009, Pretreatments to Enhance The Digestibility Of Lignocellulosic Biomass. Bioresource Technology, 100 : 10-18.
- Hermiati, E., Mangunwidjaya, D., Sunarti, T., and Prasetyo, B. 2010. Pemanfaatan Biomassa Lignoselulosa Ampas Tebu untuk Produksi Bioetanol. Jurnal Litbang Pertanian 29 (4) : 121-130.
- Hidayat, M. R. 2013. Teknologi Pretreatment Bahan Lignoselulosa Dalam Proses Produksi Bioethanol. Biopropal Industri 4,1 : 33-48.
- Husin 2007. Analisis Serat Bagas, <http://www.free.vlsm.org/>
- Howard, R. L., Abotsi, E., Jansen van Rensburg, E.L., and Howard, S. 2003. Lignocellulose biotechnology: issue of bioconversion and enzyme production. African Journal of biotechnol. 2 (12) 602-619.
- Holtzapple, M.T. 2003. Hemicelluloses. In Encyclopedia of Food Sciences and Nutrition. pp. 3060-3071. Academic Press.
- Indriani and Sumiarsih. 1992. Pembudidayaan Tebu di Lahan Sawah dan Tegal. Penebar Swadaya. Jakarta.
- Jaquet, N, Maniet G. Vanderghem, C. Delvine F., and Richel A. 2015. Application of Steam explosion As Pretreatment On Lignocellulosic Material : A Review. Ind. Eng. Che. Res.2015,54, 2593-2598.
- Kumar, D.M. Barrett, M.J. Delwiche,. P StroevenMethods for pretreatment of lignocellulosic biomass for efficient hydrolysis and biofuel production Ind. Eng. Chem. Res., 48 (8) 2009, pp. 3713-3729.
- Kuo, C. H. dan Lee, C. K. 2008, "Enhanced Enzymatic Hydrolysis of Sugarcane Bagasse by N-methylmorpholin-N-oxida Pretreatment, Bioresource Technology, Vol. 100. hal.866-871



- Ladisch, M.R., 1989. Hydrolysis. In: Hall, C.W., Kitani, O. (Eds.), Biomass Hand Book. Gordon and Breach, London, pp. 434–451.
- Lai, L. and Idris, A. 2013. Disruption of oil palm trunks and fronds by microwave-alkali pretreatment. BioResources 8(2):2792-2804.
- Lay, A., Hutapea, R.T.P., Tuyuwale, J., Sondakh, J.O., Polakitan, A.L. 2004. Pengembangan Komoditas Aren di Daerah Minahasa Sulawesi Utara. Prosiding Seminar Nasional Pengembangan Tanaman Aren Tondano.
- Lehninger, A.L. 1993. Dasar-dasar biokimia. Jilid 1, 2, 3. Erlangga, Jakarta.
- Liu, W., Yuan, Z.R., Mao, C.B., Hou, Q.X., Li, K.C., 2012. Extracting hemicelluloses prior to aspen chemi-thermomechanical pulping: effects of pre-extraction on pulp properties.
- Mandels, M., Andreotti R.E., and Roche C. 1976. Measurement of Celullose. Boitechnol. 3: 153.
- Martín, C., Galbe, M., Nilvebrant, N.-O., and Jönsson, L. J. 2002. “Comparison of the fermentability of enzymatic hydrolysates of sugarcane bagasse pretreated by steam explosion using different impregnating agents,” Appl. Biochem. Biotechnol.
- Martin, C., 2007. *Dilute Sulfuric Acid Pretreatment of Agriculture and Agro-Industrial Residues for Ethanol Production. Applied Biochemistry and Biotechnology* Vol 136-140.
- Menon V dan Rao M. 2012. Trends in bioconversion of lignocellulose: Biofuels, platform chemicals & biorefinery concept. Progress in Energi and Combustion Science 8(4): 522–550.
- Mosier, N., 2005. Features of Promising Technologies for Pretreatment of Lignocellulosic Biomass. Bioresource Technology 96: 673-686.
- Nugraha, N. 2008. Pengaruh Penambahan Inokulum Jamur Hasil Isolasi dari Sampah Organik terhadap Kecepatan Waktu Pengomposan Sampah



Organik Secara Aerobik. Skripsi sarjana pada FPMIPA UPI Bandung : tidak diterbitkan.

Overend, R.P dan Chornet, E. 1987. *Fractionation of Lignocellulosic By Steam Aqueous Steam Explosion*. Phil.Trans.R.Soc.Land A 321 :532-536.

Pandey, K.K. and Pitman, A.J. 2003 FTIR studies of the changes in wood chemistry following decay by brown-rot and white-rot fungi. International Biodeterioration and Biodegradation, 52, 151-160.

Palmsquist, E., and Hahn-Hargerdal, B. 2000. *Bioresource Technology*, 74, 25-33.

Poedjiati, A., 1994. Dasar-Dasar Biokimia (Edisi Revisi). UI-Press. Jakarta.

Pramono, S.S 2004. Studi Mengenai Komposisi Sampah Perkotaan di Negara-negara Berkembang. Jakarta: Universitas Gunadarma.

Rachmaniah, O., Krisnanta W, A. dan Ricardo, D. 2009. *Acid Hydrolysis Perlakuan pendahuluan of Bagasse Lignocellulosic Material for Bioethanol Production*. ITS : Surabaya.

Ramos, L. P. 2003. *The Chemistry Involved in The Steam Treatment of Lignocellulosic Materials*. Quin Nova 26 (6) : 863-871.

Rocha, G. J. M., Goncalves, A. R., Oliveira, B. P., Olivares, E. G., and Rossell, C. E. V. 2012. “*Steam explosion pretreatment reproduction and alkaline delignification reactions performed on a pilot scale with sugarcane bagasse for bioethanol production*,” *Ind. Crop. Prod.* 35, 274-279. DOI: 10.1016/j.indcrop.2011.07.010

Ruiz, H.A., Rodriguez-Jasso, R.M., Fernandes, B.D., Vicente, A.A. dan Teixeira, J.A. 2013. Hydrothermal Processing as an alternative for upgrading agriculture residues and marine biomass according to the Biorefinery Concept : A review. *Renewable and Sustainable Revies* 21 : 35-51.

Samsuri, M., Gozan,M., Mardias,R., Baiquni, Hermansyah, Wijanarko, Prasetya dan Nasikin. 2007. Pemanfaatan Selulosa Ampas Tebu untuk Produksi



Ethanol Melalui Sakarifikasi Dan Fermentasi Serentak dengan Enzim Xylanase. Makara Teknologi, 11 (1) :17:24.

Samsuri, M., Gozan, M., Prasetya, B., dan Nasikin. 2009. Enzymatic hydrolysis of lignocellulosic baggase for bioethanol production. biotechnol. Research in Tropical Region. 2.

Sen, D.C. 1989. Ethanol Fermentation Biomass Handbook. Gordon & Braeach.

Simanjuntak, H. M. 1994. Mempelajari Pengaruh Komposisi Larutan Pemasak dan Suhu Pemasakan pada Pengolahan Pulp Acetosolv Kayu Eucalyptus Deglupta. Skripsi Fakultas Teknologi Pertanian IPB. Bogor.

Sjostrom, E. 1981. Kimia Kayu , Dasar-Dasar dan Penggunaan. Diterjemah oleh Hardjonosastro Hamidjojo. Gajah Mada University Press. Yogyakarta.

Sofiyanta. 2009. Indonesia sebagai Lumbung Bioenergi Dunia. www.briquette.co.cc. Diakses pada tanggal 30 April 2015.

Soerawidjaja, H.T. 2009. Bioetanol Generasi Kedua. [http:// www.majarimagazine.com/2009/02/bioetanol-generasi-kedua](http://www.majarimagazine.com/2009/02/bioetanol-generasi-kedua)

Sudiani, Y, Waluyo, J., Riandy, A.P., Primandaru, P. Dan Novia. 2015. Pengaruh dan Waktu Tinggal pada Perlakuan Awal Bagas Sorgum dengan Metode Steam Explosion. Jurnal Teknik Kimia 4 (21) : 47-56.

Sulistyorini,L. 2005. Pengelolaan Sampah dengan Cara Menjadikannya Kompos : Kesehatan Lingkungan FKM Universitas Airlangga. 2 (1) : 77-82.

Sumada, K., Tamara, P.E., dan Alkani, F. 2011. Isolation Study Of A Cellulose From Waste Plant Stem Manihot esculenta Crantz. Jurnal Teknik Kimia UPN Veteran Jawa Timur 5 (2) : 434-438.

Sun, Y.; Cheng, J. (2002). Hydrolysis of Lignocellulosic Materials for Ethanol Production : A Review. Bioresource technology Y 83 (1) : 1-11.

Sun, X.F.; Xu, F.; Sun, R.C.; Geng, Z.C.; Fowler, P. & Baird, M.S. 2005. Characteristics of degraded hemicellulosic polymers obtained from steam



exploded wheat straw. Carbohydrate Polymers, Vol. 60, No. 1, pp. 15-26,
ISSN 0144-8617.

Sun, T.S., Wang, K., Yang, G.H., Yang, H.Y., dan Xu, F. 2014. Hydrothermal treatment and enzymatic Saccharification of Corn Cob. Bioresources 9 (2) : 3000-3013.

Sutikno., Hidayati, S., Nawansih, O., Nurainy, F., Rizal, S., Marniza., dan Arion, R. 2010. Tingkat Degradasi Lignin Bagas Tebu Akibat Perlakuan Basa Pada Berbagai Kondisi. Disampaikan Dalam Seminar Nasional Teknologi Tepat Guna di Politeknik Negeri Lampung Pada Bulan April. <http://blog.unila.ac.id/sutiknounila /category/research-activities>.

Syafii, W. 2000. Sifat Pulp Daun Kayu Lebar dengan Proses Organosolv. Jurnal Teknik Industri Pertanian.

Taherzadeh, M.J., and Karimi, K. 2007. Acid-based hydrolysis processes for ethanol from lignocellulosic materials : A review. BioResources 2 (3) : 472-499.

Ursula, Helga N. 2018. Steam Explosion Sebagai Perlakuan Pendahuluan Pada Isolasi Selulosa Pelepah Kelapa Sawit (*Elaeis Gueneensis Jacq*) Menggunakan Metode Alkali. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.

Winarno, F. G. 1984. Kimia Pangan dan Gizi. PT Gramedia Pustak Utama. Jakarta. 253 hlm.

Wustenberg, T. 2012. Cellulose and Cellulose Derivatives in the Food Industry: Fundamentals dan Applications. Wiley-VCH Verlag GmbH dan Co KGaA. Weinheim. Germany.

Xiao, X., Bian, J., Peng, X.P., Xu, H., Xiao, B., dan Sun, R.C. 2013. Autohydrolysis of Bamboo (*Dendrocalamus giganteus Munro*) culm for The production of xylo-oligosaccharides. Bioresources Technology 117 : 7-12.



Yu, Zhengdao., Bailiang Zhang, Fuqiang Yu, Guizhuan Xu, Andong Song. 2012.

A Real Explosion : The Requirement of Steam explosion Pretreatment.

Journal Bioresource Technology 121 : 335 – 341.

Yudiarto, M.A. 2006. Pemanfaatan sorgum sebagai bahan baku bioetanol. Balai Besar Teknologi Pati (B2TP), Badan Pengkajian dan Penerapan Teknologi (BPPT), Lampung.

Zaldivar J., J. Nielsen dan L. Olsson. 2001. Fuel Ethanol Production from Lignocellulosa: A Challenge for Metabolic Engineering and Process Integration. Appl. Microbiol. Bioethanol.

Zhu,J.Y., Pan, X.J., Wang, G.S., Gleisner, R., 2009. Sulfite pretreatment for robust enzymatic saccharification of spruce and redpine. Bioresour. Technol. 100, 2411–2418.

Zhou, C. dan Wu, Q. 2012. Recent Development in Applications of CelluloseNanocrystals for Advanced Polymer-Based Nanocomposites by Novel Fabrication Strategies. Intech. Croatia.