

DAFTAR PUSTAKA

- Adler, A.I., Stevens, R.J., Neil, A., Stratton, I.M., Boulton, A.J.M., Holman, R.R., 2002. UKPDS 59 : Hyperglycemia and Other Potentially Modifiable Risk Factors for Peripheral Vascular Disease in Type 2 Diabetes. *Diabetes Care*; 25 : 894-99.
- Al Zahrani, H.A., Al Bar, H.M., Bahnassi, A., 1997. The distribution of peripheral arterial disease in a defined population of elderly high-risk Saudi patients. *Int. Angiol.*; 16 : 123-8.
- American Diabetes Association. 2003. Peripheral Arterial Disease in People With Diabetes. *Diabetes Care*; 21 (112) : 3333-41.
- Asdie, A.H., Rizka, H.A., Wangi, H., 2005. Pathophysiology of Occlusive Peripheral Artery Disease in Diabetics, *dalam*. H.A.H. Asdie, H.M. Sja'bani, K. Widayati, R. Ikhsan (eds): *Naskah Lengkap Pertemuan Ilmiah Tahunan VII Ilmu Penyakit Dalam Fakultas Kedokteran UGM*, pp. 151-8. Medika FK UGM, Yogyakarta.
- Bagg, W., Ferri, C., Desideri, G., Gamble, G., Ockelford, P., Braatvedt, G.D., 2001. The Influences of Obesity and Glycemic Control on Endothelial Activation in Patient with Type 2 Diabetes. *J Clin Endocrinol Metab*; 86 : 5491-97.
- Beckman, J.A., Creager, M.A., Libby, P., 2002. Diabetes and Atherosclerosis. Epidemiology, Pathophysiology and Management. *JAMA*; 287 (19) : 2570-81.
- Bonetti, P.O., Lerman, L.O., Lerman, A., 2003. Endothelial Dysfunction : A Marker of Atherosclerotic Risk. *Arterioscler Thromb Vasc Biol.*; 23 : 168-75.
- Braunwald, E., 2005. Heart Failure and Cor Pulmonale, *dalam* : E., Braunwald, A.S., Fauci, D.L., Kasper, S.L., Hauser, D.L., Logo, J.L., Jameson, (eds): *Harrison's Principles of Internal Medicine*, Vol. II, 16th edition, pp. 1376-8. Mc. Graw Hill, New York, USA.
- Bude, U. & Schnepfenbein, R., 2001. Von Willebrand Factor and Von Willebrand Disease. *Rev Clin Exp Hematol.*; 54: 335-67.
- Calles-Escandon, J. & Cipolla, M., 2001. Diabetes and Endothelial Dysfunction : A Clinical Perspective. *Endocrine Reviews*; 22(1) : 36-52.
- Chen, J.W., Gall, M.A., Deckert, M., 1995. Increased Serum Concentration of von Willebrand Factor in NIDDM patients with and without Diabetic Nephropathy. *BMJ*; 1405-9.

- Chobanian, A.V., Bakris, G.L., Black, H.R., Cushman, W.C., Green, L.A., Izzo, J.L., Jones, D.W., Materson, B.J., Oparil, S., Wright Jr, J.T., Rocella, E.J., 2003. The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. *Hypertension*; 42 : 1206-52.
- Chung, N.A., Lydakis, C., Belgore, F., Li-Saw-Hee, F.L., Blann, A.D., Lip, G.Y.H., 2003. Angiogenesis, thrombogenesis, endothelial dysfunction and angiographic severity of coronary artery disease. *Heart*; 89 : 1411-15.
- Cines, D.B., Pollak, E.S., Buck, C.A., Loscalzo, J., Zimmerman, G.A., McEver, R.P., Pober, J.S., Wick, T.M., Konkle, B.A., Schwartz, B.S., Barnathan, E.S., McCrae, K.R., Hug, B.A., Schmidt, A.M., Stern, D.M., 1998. Review Article: Endothelial Cells in Physiology and in the Pathophysiology of Vascular Disorder. *Blood J Am Soc Hem.*; 91 :10-20.
- Das, S., 2001. Current Understanding of Risk Factors and Mechanism in the Pathogenesis of Macrovascular Disease in Diabetes Melitus. *J Indian Academy Clin Med.*; 2(3) : 215-21.
- Desseins, B.P., Jaffe, Singh, S., 2005. Biomarker of Endothelial Dysfunction, Cardiovascular Risk Factor and Atherosclerosis in Rheumatoid Arthritis. *Heart View.*; 5 : 79-88.
- Dolan, N.C., Liu, K., Criqui, M.H., Greenland, P., Guralnik, J.M., Chan, C., Schneider, J.R., Mandapat, A.L., Martin G., McDermott, M.M., 2002. Peripheral Artery Disease, Diabetes, and Reduced Lower Extremity Functioning. *Diabetes Care*; 25 : 113-20.
- Donnelly, R., Hinwood, D., London, N.J.M., 2000. ABC of Arterial and Venous Disease. Non invasive methods of arterial and venous assessment. *BMJ*; 320 : 698-701.
- Eckel, R.H., Wassef, M., Chait, A., Sobel, B., Barrett, E., King, G., Lopes-Virella, M., Reusch, J., Ruderman, N., Steiner, G., Vlassara, H., 2002. Prevention Conference Proceedings. Prevention Conference VI : Diabetes and Cardiovascular Disease. Writing Group II : Pathogenesis of Atherosclerosis in Diabetes. *Circulation*; 105 : e 138 – e 143.
- Folsom, A.R., Rosamond, W.D., Shahar, E., Cooper, L.S., Aleksic, N., Nieto, F.J., Rasmussen, M.L., Wu, K.K., 1999. Prospective Study of Markers of Hemostatic Function With Risk of Ischemic Stroke. *Circulation*; 100 : 736-42.
- Fowkes, F.G., Housley, E., Cawood, E.H., MacIntyre C., Ruckley, C.V., Prescott, R.J., 1991. Edinburgh Artery Study : Prevalence of asymptomatic patients and symptomatic peripheral arterial disease in the general population. *Int J epidemiol.*; 20 : 384-92.
- Guerci, B., Kearney, S.A., Bohme, P., Zannad, F., Drouin, P., 2001. Endothelial Dysfunction and Type 2 Diabetes Part 1 : Physiology and Methods for Exploring the Endothelial Function, *Diabetes Metab.*; 27 : 425-34.

- Hendromartono, 2002. The Role of Antiplatelet on Abnormalities of hemorrheology in Diabetes Mellitus with PAOD, dalam. R. Djoko Moeljanto, Darmono, T. Suhartono, T.G.D., Pemayun, (eds). *Naskah Lengkap Konggres Nasional V. Persatuan Diabetes Indonesia (PERSADIA)*, pp. 167-80. Badan Penerbit Universitas Diponegoro, Semarang.
- Hiatt, W.R., 2001. Medical Treatment of Peripheral Arterial Disease and Claudication. *N Engl J Med.*; 334 (21) : 1608-21.
- Hirsch, A.T., Haskal. Z.J., Hertzner, N.R., 2006. ACC/AHA Guidelines for the Management of Patients with Peripheral Arterial Disease (Lower Extremity, Renal, Mesenteric, and Abdominal Aortic). *JACC* ; XX (X) : 1-75.
- Hoogeveen, E.K., Kostense, P.J., Jakobs, C., Rauwerda, J.A., Dekker, J.M., Nijpels, G., Bouter, L.M., Heine, R.J., Stehouwer, D.A., 2000. Hyperhomocysteinaemia is not associated with isolated crural arterial occlusive disease : The Hoorn Study. *J Intern Med.*; 247 : 442-8.
- Hutajulu, S.H., Kurnianda, J., Purwanto, I., Rizka, H.A., Wiyono P., Asdie, H.A.H., 2006. Fibrinogen and Plasminogen Activator Inhibitor-1 level in Peripheral Arterial Disease of Type 2 Diabetes Patients. *Indones J Intern Med.*; 38 (3) : 126-30.
- Jager, A., Victor, W.M., van Hinsbergh, Kostense, P.J., Emeis, J.J., Yudkin, J.S., Nijpels, G., Dekker, J.M., Heine, R.J., Bouter, L.M., Stehouwer, C.A.D., 1999. Von Willebrand Factor, C-Reactive Protein, and 5-Year Mortality in Diabetic and Nondiabetic Subjects. The Hoorn Study. *Arterioscler Thromb Vasc Biol.*; 19 : 3071-78.
- Kadikoylu, G., Bolaman, A.Z., Sonmez, H.M., Oge, A., Guney, E., Akyol, A., Dundar, S., Senturk, T., 2002. Does von Willebrand Factor Have an Effect on the Occurrence of the Diabetic Complication ? *Turk J Hematol.*; 19 (1) : 31-7.
- Kumari, M., Marmot, M., Brunner, E., 2000. Social Determinants of von Willebrand Factor The Whitehall II Study. *Atheroscler Thromb Vasc Biol.*; 20 : 1842-7.
- Li, J., Hasimu, B., Yu, J., Wang, J., Hu, D., 2006. Prevalence of Peripheral Arterial Disease and Risk Factor for the low and high Angkle-Brachial Index in Chinese patients with Type 2 Diabetes. *J Health science*; 52 (2) : 97 - 102.
- Lip, G.Y.H. & Blann, A., 1997. Von Willebrand Factor: A marker of endothelial dysfunction in Vascular Disorders ? *Cardiovascular Research*; 34 : 255-65.
- Mannucci, P.M., 1998. Von Willebrand Factor. A Marker of Endothelial Damage ? *Arterioscler Thromb Vasc Biol.*; 18 : 1359-62.
- Mathies, R., 2003. Who and how to make the diagnosis of peripheral arterial disease. *J Kardiol*; 10 (4) : 142-5.

- McDermott, M.M., Greenland, P., Liu, K., Guralnik, J.M., Celic, L., Criqui, M.H., Chan C., Martin, G.J., Schneider, J., Pearce, W.H., Taylor, L.M., Clark, E., 2002. The Angkle Brachial Index is associated with leg function and Physical Activity. The Walking and Leg Circulation Study. *Ann Intern Med.*; 136 : 873–83.
- Meijer, W.T., Hoes, A.W., Rutgers, D., Bots, R.M., Hofman, A., Grobbee, D.E., 1998. Peripheral Arterial Disease in the Elderly : The Rotterdam Study. *Arterioscler. Thromb. Vasc. Biol.*; 18 : 185-92.
- Mohler, E.R., 2006. Non invasive diagnosis of peripheral vascular disease. Up to Date 14.2.
- Muller, A.M., Hermanns, M.I., Skrzynski, C., Nesslinger, M., Muller, K.M., Kilpatrick, C.J., 2002. Expression of the Endothelial Marker PECAM-1, vWF and CD34 in Vivo and in Vitro. *Experimental and Molecular Pathology*; 72 : 221–9.
- Murabito, J.M., D’Agostino, R.B., Silbershatz, H., Wilson, W.F., 1997. Intermittent claudication : a risk profile from the Framingham Heart Study. *Circulation*; 96 : 44-9.
- Ouriel, K., 2001. Peripheral Arterial Disease. *Lancet*; 358 (13) : 1257-64.
- Perkeni, 2006. Konsensus Pengelolaan Dan Pencegahan Diabetes Melitus tipe 2 di Indonesia. Pengurus Besar Perkumpulan Endokrinologi Indonesia, Jakarta.
- Perkin, S.L., 1999. Normal Blood and Bone marrow Values in Human, dalam G.R. Lee, J. Foster, J. Lukens, F. Paraskevas, J. Green, G.M. Rodgers (eds): *Wintrob’s Clinical Hematology*, vol. 24th, pp. 2738–48. William & Wilkin, Pensylvania, USA,.
- Pernerstorfer, T., Eichler, H.G., Stohlawetz, P., Speiser, W., Jilma, B., 2001. Effect of heparin and aspirin on circulating P-selectin, E-selectin and von Willebrand factor levels in healthy men. *Atherosclerosis* ; 155(2): 389-93.
- Premalatha, G., Shanthirani, S., Deepa, R., Markovitz, J., Mohan, V., 2000. Prevalence and risks factor of peripheral arterial disease in a selected South Indian population : The Chennai Urban Population Study. *Diabetes Care*; 23 : 1295-300.
- Rehman, H.U., 2001. Vascular Endothelium as An Endocrine Organ. *Proc R Coll Physicians Edinb.*; 31 : 149–54.
- Reksodiputro, A.H., 2003. Disfungsi Endotel Pada Trombosis, dalam. W. Prodjosudjadi, S. Setiati, I. Alwi (eds): *Pertemuan Ilmiah Nasional I (PB PABDI)*, pp. 182–92. Pusat Informasi dan Penerbitan Bagian Ilmu Penyakit Dalam FKUI, Jakarta.
- Rick, M.E., 2006. Biology and Normal Function of von Willebrand Factor. Up To Date Version 14.2.
- Ross, R., 1999. Atherosclerosis—An Inflammatory Disease. *N Engl J Med.*; 340 (2) : 115-26.

- Smith, F.B., Lee, A.J., Fowkes, F.G.R., Price, J.F., Rumley, A., Lowe, G.D.O., 1997. Hemostatic factors as predictors of ischemic heart disease and stroke in the Edinburgh Artery Study. *Arterioscler Thromb Vasc Biol.*; 17 : 3321-5.
- Stehouwer, C.D.A., 1997. Von Willebrand Factor, Dysfunction of the Vascular Endothelium and the Development of Renal and Vascular Complications in Diabetes, dalam. C.A. Mogensen, (ed): *The Kidney and Hypertension in Diabetes Melitus*, 3rd ed., pp. 155-63. Kluwer Academic Publisher London.
- Szmitko, P.E., Wang, C.H., Weisel, R.D., de Almeida, J.R., Anderson, T.J., Verma, S., 2003. New Markers of Inflammation and Endothelial Cell Activation. *Circulation*; 108 : 1917-23.
- Tseng, C.H., 2003. Prevalence and risk factors of peripheral arterial disease in Taiwanese type 2 diabetic patients. *Angiology*; 54 : 331-8.
- Verma, S., Buchanan, M.R., Anderson, T.J., 2003. Endothelial Function Testing as a Biomarker of Vascular Disease. *Circulation*; 108 : 2054-9.
- Whincup, P.H., Danesh, J., Walker, M., Lennon, A., Thomson, A., Appleby, P., Rumley, A., Lowe, G.D.O., 2002. von Willebrand factor and coronary heart disease. Prospective study and meta-analysis. *Eur Heart J.*; 23 : 1764-70.
- Willerson, J.T. & Kereiakes, D.J., 2003. Endothelial Dysfunction. *Circulation*; 108 : 2060-1.
- Vinik, A.L. & Vinik, E., 2003. Advanced in Diabetes Care: Prevention of The Complications of Diabetes. *Am J Manag Car.*; 9 : 3-6.
- Wood, A.J.J., 2001. Medical Treatment of Peripheral Arterial Disease and Claudication. Review Article. *N Engl J Med.*; 344(21) : 1608-21.
- Yarnell, J.W., Sweetnam, P.M., Rumley, A., Lowe, G.D., 2000. Lifestyle and hemostatic risk factors for ischemic heart disease : the Caerphilly Study. *Arterioscler Thromb Vasc Biol.*; 20 : 271-9.