

### Daftar Pustaka

- Adams, M.R., C.L. Little & M.C. Easter.1991. Modelling the effect of pH, acidulant and temperature on growth of *Yersinia enterocolitica*. J. Appl. Bacteriol 71: 65–71.
- Afkhami, M., A. Mokhlesi, K.D. Bastami, R. Khoshnood, N. Eshaghi & M. Ehsanpour. 2011. Survey of some chemical compositions and fatty acids in cultured common carp (*Cyprinus carpio*) and grass carp (*Ctenopharyngodon idella*), noshahr, Iran. World Journal of Fish and Marine Sciences 3(6):533-538.
- Allen, D.G Jr. 2004. Regulatory control of histamin production in North Carolina harvested mahi-mahi (*Coryphaena hippurus*) and yellowfin tuna (*Thunnus Albacares*): a HACCP-based industry survey. Thesis. Raleigh: Department Food Science, North Carolina State University
- Ariyani, F., Yulianti & T. Martati. 2004. Studi perubahan kadar histamin pada pindang tongkol (*Euthynnus affinis*) selama penyimpanan. *Jurnal Penelitian Perikanan Indonesia*.10(3): 35-46.
- Bajc, Z. & K.S. Gačnik. 2009. Densitometric KLT analysis of histamine in fish and fishery products. Journal of Planar Chromatography 22 1: 15–17
- Baty, F. & M.L. Delignette-Muller. 2004. Estimating the bacterial lag time: Which model, which precision. International Journal of Food Microbiology 91: 261-277.
- Baranyi, J. & T.A. Roberts. 1994. A dynamic approach to predicting bacterial growth in food. Int.l J. of Food Microbiology 23(3-4): 277-94.
- Baranyi, J. & T.A. Roberts. 1995. Mathematics of predictive food microbiology. Int Journal of Microbiology 26: 199-218
- Behling, A.R. & S.L. Taylor. 1982. Bacterial histamine production as a function of temperature and time of incubation. J. Food Sci. 47:1311–1317.
- Bernardet, J.F. 1996). Bacterial fish pathogen: Outcome of molecular studies for taxonomy, epidemiology and identification. Zool. Stud. 35: 71–77.
- Bjornsdottir-Butler. K., G.E. Bolton, L.A. Jaykus, P.D. McClellan-Green & D.P. Green. 2010. Development of molecular-based methods for determination of high histamine producing bacteria in fish. Int J Food Microbiol 139:161–7
- [BSN] Badan Standarisasi Nasional. 2006. Cara pengujian bakteri TPC. (SNI 01-2332.3-2006). Jakarta: Badan Standarisasi Nasional

- Chen, C.M., C.I. Wei, J.A. Koburger & M.R. Marshall. 1989. Comparison of four agar media for detection of histamine-producing bacteria in tuna. *Journal of Food Protection* Vol. 52, No. II, Pages 808-813
- Chen, H.C., Y.R. Huan, H.H. Hsu, C.S. Lin, W.C. Chen, C.M. Lin & Y.H. Tsai. 2010. Determination of histamin and biogenic amines in fish cubes (*Tetrapturus angustirostris*) implicated in a food-borne poisoning. *Food Control* 21: 13 – 18
- Dalgaard, P. 1995. Modelling of microbial activity and prediction of shelf life for packed fresh sh. *Int. J. Food Microbiol* 26: 305–317.
- Dalgaard, P., O. Mejlholm & H.H. Huss. 1997. Application of an iterative approach for development of a microbial model predicting the shelf-life of packed sh. *Int. J. Food Microbiol* 38: 169–179.
- Dalgaard, P., J. Emborg, A. Køjlbj, N.D. Sørensen & N.Z. Ballin. 2008. Improving seafood product for the customer. England: Woodhead Publishing Limited.
- Den Besten, H.M.W., M. Mataragas, R. Moezelaar, T. Abee & M.H. Zwietering. 2006. Quantification of the effects of salt stress and physiological state on thermo tolerance of *Bacillus cereus* ATCC 10987 and ATCC 14579. *Appl. Environ. Microbiol.* 72: 5884–5894.
- Dislautkan DIY. 2015. Buku Monografi. Dinas Kelautan dan Perikanan Daerah Istimewa Yogyakarta. Yogyakarta
- Dwidjoseputro, D. 1994. Dasar-Dasar Mikrobiologi. Cet ke-12. Jakarta: Djambatan.
- [EC] European Commission. 2004. Regulation (EC) No 853/2004 of the European Parliament and of the Council of 29 April 2004 laying down specific hygiene rules for food of animal origin. *Official J of European Union* 226: 22-82.
- [EC] European Commission. 2011. Notification list in Rapid Alert System for Food and Feed (RASFF) Portal. <https://webgate.ec.europa.eu/rasff-window/portal/index>. (diakses 31 Desember 2011)
- Ekawati, Y. 2014. Perubahan komposisi asam amino dan mineral ikan cakalang (*Katsuwonus pelamis*) akibat proses penggorengan. Skripsi. Institut Pertanian Bogor
- Emborg, J., P. Ahrens & P. Dalgaard. 2007. *Morganella psychrotolerans* - Identification, histamine formation and importance for histamine fish poisoning. Disertasi. Denmark: Danish Institute for Fisheries Research. Denmark
- Emborg, J & P. Dalgaard. 2008. Growth, inactivation and histamine formation of *Morganella psychrotolerans* and *Morganella morganii* — development and evaluation of predictive models. *International Journal of Food Microbiology* 128: 234–243.

- Etienne, M., Ifremer & Nantes. 2005. Methods for chemical quality assessment-methodology for histamin and biogenic amines analysis. France: EC.
- Etsy, J.R. & K.F. Meyer. 1922. The heat resistance of the spores of *C. botulinum* and allied anaerobes. J. Infect. Des 34 : 650-663.
- Fakruddin, Md., R.M. Mazumder & K.S.B. Mannan. Predictive microbiology: Modeling microbial responses in food. Ceylon Journal of Science (Bio. Sci.) 40 (2): 121-131
- FDA (Food and Drug Administration). 2001. FDA and EPA safety level in regulation and guidance, 3rd Edition. Washington DC: FDA.
- FDA (Food and Drug Administration). 2010. Detention without physical examination of seafood and seafood products from specific manufacturers/shippers due to decomposition and/or histamins. <http://www.fda.gov> (diakses 31 Desember 2010)
- FDA (Food and Drug Administration). 2011. *Fish and fishery products hazard and control guidance*. Fourth Edition. Washington DC. Chapter 7 : Scrombotoxin (Histamin) Formation.
- Fitri, R. 2012. Jenis asam amino terpenting. <http://www.amazine.com> (diakses 16 Desember 2013)
- Fox, G.E, J.D. Wisotzkey & J.P. Jurtshuk. 1992. How close is close: 16S rRNA sequence identity may not be sufficient to guarantee species identity. Int. J. Syst. Bacteriol. 42: 166-170.
- Gaman, P.M & K.B. Sherrington. 1994. Pengantar ilmu pangan, nutrisi dan mikrobiologi. Edisi kedua. Yogyakarta
- Garbutt, J. 1997. Essentials of food microbiology. London: Arnold.
- Geneaid. 2015. Presto™ mini gdna bacteria kit protocol. USA.
- Janda, J.M & S.L. Abbott "Genus XXI. Morganella Fulton 1943, 81<sup>AL</sup>" in *Bergey's manual of systematic bacteriology*, 2. edn, vol. 2 part B G. M. Garrity et al., eds., pp. 707-709.
- Jay, J.M. 2000. Modern food microbiology. Edisi ke-6. Maryland: Aspen Publisher, Inc.
- Kanki, M., T. Yoda, T. Tsukamoto & T. Shibata. 2002. *Klebsiella pneumoniae* produces no histamin: *Raoultella planticola* and *Raoultella ornithinolytica* strains are histamin producers. Applied and Enviromental of Microbiology 68 (7): 3462-3466.

- Kanki, M., T. Yoda, M. Ishibashi & T. Tsukamoto. 2004. *Photobacterium phosphoreum* caused a histamine fish poisoning incident. *International Journal of Food Microbiology*. 92: 79-87
- Kanki, M., T. Yoda, T. Tsukamoto & E. Baba. 2007. Histidine decarboxylases and their role in accumulation of histamine in tuna and dried saury. *Applied and Environmental Microbiology*. Mar 1467–1473
- Keer, M., L. Paul, A. Sylvia & R. Carl. 2002. Effect of storage condition on histamin formation in fresh and canned tuna. Victoria: Comissioned by Food Safety Unit.
- Kim, S.H., B.B. Gigirey, J.B. Velaquez, R.J. Price & H. An. 2000. Histamin and biogenic amine production by *Morganella morganii* isolated from temperature-abused albacore. *Journal of Food Protection* 63(2): 244-251
- Kim, S.H., R.J. Price, M.T. Morrissey, K.G. Field, C.I. Wei & H. An. 2002. Histamin production by *Morganella morganii* in mackerel, albacore, mahi-mahi, and salmon at various storage tempera tures. *J Food Sci* 67(4):1522–8.
- [KKP] Kementerian Kelautan dan Perikanan. 2017. Analisis data pokok Kementerian Kelautan dan Perikanan 2017. Pusat Data Statistik dan Informasi KKP. Jakarta
- Kung, H.F., Y.C. Lee, C.W. Lin, Y.R. Huang, C.A. Cheng, C.M. Lin & Y.H. Tsai. 2016. The effect of vacuum packaging on histamin changes of milkfish sticks at various storage temperatures. *J Food Drug Analysis* I-7
- International Trade Center. 2017. Trade Map. Trade statistics for international business development. Available online <https://marketanalysis.intracen.org/> (diakses 19 Desember 2017)
- Jørgensen, L.V., H.H. Huss & P. Dalgaard. 2000. The effect of biogenic amine production by single bacterial cultures and metabiosis in cold-smoked salmon. *Journal of Applied Microbiology* 89: 920-934.
- Lehane L dan Olley J. 2000.Histamin (scromboid) fish poisoning, a review in a risk assessment framework. Canberra: National Office of Animal and Plant Health.
- Lopez-Sabater, E.I., J.J. Rodriguez-Jerez, M. Herna ´dez-Herrero & M.A.T. Mora-Ventura. 1994. Evaluation of histidine decarboxylase activity of bacteria isolated from sardine (*Sardina pilchardus*) by an enzymatic method. *Lett Appl Microbiol*. 19: 70–75.
- Mangunwardoyo, W., R.A. Sophia & E.S. Heruwati. 2007. Seleksi dan pengujian aktivitas enzim *L-Histidine Decarboxylase* dari bakteri pembentuk histamin. *Makara Sains* 10(2): 104-109.

- Mavromatis, P & P.C. Quantick. 2002. Histamin toxicity and scombroid fish poisoning: a review in seafoods - Quality, technology and nutraceutical applications, C. Alasalvar & T. Taylor, eds., Springer-verlag Berlin Heidelberg New York, pp. 89-103.
- McKellar, R & X. Lu. 2004. Modeling microbial responses in food. CRC Press. London. New York. Washington DC.
- McLauchin, J., C.L. Little, K.A. Grant & V. Mithani. 2005. Scombrototoxin fish poisoning. *Public Health* 28: 61-62. DOI: 10.1093/pubmed/fdi063
- McMeekin, T. A., R.E. Chandler, P.E. Doe, C.D. Garland, J. Olley, S. Putro & D.A. Ratkowsky. 1987. Model for the combined effect of temperature and salt concentration/water activity on growth rate of *Staphylococcus xylosum*. *J. Appl. Bacteriol* 62: 543-550.
- Molenaar, D., J.S. Bosscher, B.T. Brink, A.J. Driessen & W.N. Konings. 1993. Generation of a proton motive force by histidine decarboxylation and electrogenic histidine/histamine antiport in *Lactobacillus buchneri*. *J. Bacteriol.* Vol 175 (10): 2864-2870.
- Muchtadi, D & S.K. Betty. 1980. Petunjuk praktek mikrobiologi hasil pertanian 2. Jakarta: Departemen Pendidikan Tinggi dan Kebudayaan.
- Niven, C.F., M.B. Jeffrey & D.A. Corlett. 1981. Differential plating medium for quantitative detection of histamine-producing bacteria. *Applied and Environmental Microbiology* 41 (1):321-322
- Nurjanah, Zulhamsyah, Kustiyariyah. 2005. Kandungan mineral dan proksimat kerang darah (*Anadara granosa*) yang diambil dari Kabupaten Boalemo, Gorontalo. *Buletin Teknologi Hasil Perikanan* 8(2):15-24
- Omura, Y., R.J. Price & H.S. Olcott. 1978. Histamin-forming bacteria isolated from spoiled skipjack tuna and jack mackerel. *J. Food Sci* 43: 1779-1781
- Ozogul, F. 2004. Production of biogenic amines by *Morganella morganii*, *Klebsiella pneumoniae* and *Hafnia alvei* using a rapid HPLC method. *Eur Food Res Technol* 219: 465-469
- Ratkowsky, D.A., R.K. Lowry, T.A. McMeekin, A.N. Stokes & R.E. Chandler. 1983. Model for bacterial culture growth rate throughout the entire biokinetic temperature range. *Journal of Bacteriology* 154: 1222-1226
- Ray, B. 2001. *Fundamental food microbiology*. Ed-2. New York: CRC Press.
- Ross, T & P. Dalgaard. 2004. "Secondary models" in modelling microbial responses in food, R. C. McKellar & X. Lu, eds., CRC Press, Boca Raton, pp. 63-150.

- Ryser, E. T., S.L. Taylor & E.H. Marth. 1984. Amine production during associative growth of gram-negative bacteria in tuna fish infusion broth. *Systematic and Applied Microbiology* 5: 545-554.
- Saanin, H. 1983. Taksonomi dan kunci identifikasi ikan. Jilid 1 dan 2. Binacipta. Bogor. 245 hal.
- Shahidi, F & J.R. Botta. 1994. *Seafoods: Chemistry, processing technology and quality*. London : Blackie Academic and Professional : 10-33.
- Sumner, J., T. Ross & L. Ababouch. 2004. *Application of risk assessment in the fish industry*. Rome: FAO.
- Takahashi, H., M. Ogai, S. Miya, T. Kuda & B. Kimura. 2015. Effects of environmental factors on histamine production in the psychrotrophic histamine-producing bacterium *Photobacterium iliopiscarium*. *Food Control*, 52: 39-442
- Tanabe, T., S. Kayama & M. Ogura. 2003. Precise age determination of young to adult skipjack tuna (*Katsuwonus pelamis*) with validation of otolith daily increment. *Standing Committee on Tuna and Bilfish*.
- Tapingkae, W., S. Tanasupawat, K.L. Parkin, S. Benjakul & W. Visessanguan. 2010. Degradation of histamine by extremely halophilic archaea isolated from high salt fermented fishery products. *Enzyme and Microbial Technology* 46: 92-99.
- Taylor S., L.S. Guthertz, M. Leatherwood & E.R. Lieber. 1979. Histamine production by *Klebsiella pneumoniae* and an incident of scombroid fish poisoning. *Applied. Environmental and Microbiology* 37: 274-278
- Taylor, T & C. Alasalvar. 2002. *Seafood-Quality, technology and nutraceutical applications*. Berlin: Springer.
- Taylor, S.L & N.A. Woychik. 1982. Simple medium for assessing quantitative production of histamine by Enterobacteriaceae. *Journal of Food Protection* 45: 747-751
- Torido, Y., C. Ohshima., H. Takashi, S. Miya & A. Iwakawa. 2014. Distribution of psychrophilic and mesophilic histamine-producing bacteria in retailed fish in Japan. *Food Control* 46: 338 – 342
- Torres, S., M. Roeckel & M.C. Marti. 2002. Histamine formation By *Morganella Morganii* isolated from *Trachurus Murphii* (Chilean Mackarel). *Latin America Applied Research* 32: 209-214
- Whiting, R.C & R.L. Buchanan. 1993. A classification of models for predictive microbiology. *Food Microbiol* 10: 175-177.



Zwietering, M.H., I. Jongenburger, F.M. Rombouts & K. Van't Reit. 1990. Modeling of the bacterial growth curve. *Appl. Environ. Microbiol* 56: 1875–1881.

Yanuardi, A. 2011. Pendugaan pertumbuhan dan ketahanan *Salmonella typhimurium* pada udang dengan penyimpanan suhu dingin dan penambahan sodium metabisulfit. Skripsi. Institut Pertanian Bogor.