

DAFTAR PUSTAKA

- Adeleke, O.R., O.Q. Adiamo, O.S. Fawale, dan G. Olamiti. 2017. Effect of soaking and boiling on anti-nutritional factors, oligosaccharide contents and protein digestibility of newly developed bambara groundnut cultivars. Turkish Journal of Agriculture. Vol 5: 1006-1014.
- Agbede, J.O. dan Aletor, V.A. 2005. Studies of The Chemical Composition and Protein Quality Evaluation of Differently Processed *Canavalia ensiformis* and *Mucuna pruriens* Seed Flours. Journal of Food Composition and Analysis. Vol 18:89-103.
- Agbenorhevi, J.K., Oduro, I, Ellis, W.O., Abodakpi, V.D., dan Eleblu, S.E. 2007. Effect of soaking, autoclaving and repeated boiling on oligosaccharides in cowpea. Nigerian Food Journal. Vol 25: 88-94.
- Akrapunam, M.A. 1985. Effects of blanching, soaking, and cooking on the HCN yields, nitrogen, ash, and minerals of lima beans (*Phaseolus lunatus*). Journal of Food Science Vol 50: 1191-1192.
- Almasyhuri, Yuniati, H., Slamet, D.S. 1990. Kandungan Asam Fitat dan Tanin dalam Kacang-Kacangan yang Dibuat Tempe. The Journal of Nutrition and Food Research. Vol 13: 65-72.
- Aloisi, I., Parrotta, L., Ruiz, K.B., Landi, C., Bini, L., Cai, G., Biondi, S., Duca, S.D. (2016). New Insight Into Quinoa Seed Quality Under Salinity: Changer in Proteomic and Amino Acid Profiles, Phenolic Content, and Antioxidant Activity of Protein Extracts. Frontiers in Plant Science. Vol. 7.
- Al-Snafi, A.E. 2017. The Pharmacology and Medical Importance of Dolicos lablab (*Lablab purpureus*) – A Review. IOSR Journal of Pharmacy. Vol. 7:22-30.
- Arianto, A., Nohong, B., Nurhaedah. 2014. Analisis Kandungan Asam Sianida (HCN) pada Kacang Koro Pedang (*Canavalia ensiformis*) dengan Menggunakan Lama Perendaman NaCl yang Berbeda. Jurnal Galung Tropika. Vol 3:186-191.
- Aritra, O.P. 2014. Potensi Kacang Koro Pedang Putih (*Canavalia ensiformis*) dalam Pelet Pakan Ikan Ditinjau dari Aspek Teknis dan Finansial. Skripsi Teknologi Industri Pertanian. UGM. Yogyakarta.

Artari, R. Potensi Tersembunyi Koro Benguk.
<http://balitkabi.litbang.pertanian.go.id>. Diakses 25 Januari 2018 pukul 4.22
WIB

Association of Official Analytical Chemist (AOAC). 1995. Official Methods of
Analysis Chemist. Vol. 1A. AOAC, Inc., Washington.

Astanto, A. M. 2013. Perubahan Aktivitas Antioksidan dan Kandungan Beta
Karoten Cookies dari Tepung Ubi Jalar (*Ipomoea batatas*) dan Tepung
Kacang Tunggak (*Vigna unguiculata*). Tesis Ilmu dan Teknologi Pangan.
Universitas Gadjah Mada. Yogyakarta.

Astawan, M. 2009. Sehat dengan Hidangan Kacang dan Biji-Bijian. Penebar
Swadaya. Bogor.

Beuchat, L.R. dan Nail, B.J. 1987. Fermentation of Peanut Milk with *Lactobacillus*
bulgaricus and *L. Acidophilus*. Journal of Food Science. Vol 43.

Bria, E. J. 2016. Keragaman dan Hubungan Kekerabatan Fenetik Kacang Kratok
(*Phaseolus lunatus* L.) Asal Pulau Timor dan Yogyakarta Berdasarkan
Karakter Morfologis dan Anatomis. Tesis Fakultas Biologi. Universitas
Gadjah Mada. Yogyakarta.

Butt, M.S. dan R. Batool. 2010. Nutritional and functional properties of some
promising legumes protein isolates. Pakistan Journal of Nutrition. Vol 9:
373:379.

Carbonaro, M., Maselli, P., Nucara, A. 2015. Structural Aspects of Legume
Proteins and Nutraceutical Properties. Food Research International. Vol
76:19-30.

Chel-Guerrero, L., Domínguez-Magaña, M., Martínez-Ayala, A., Dávila-Ortiz, G.,
Betancur-Ancona, D. 2012. Lima Bean (*Phaseolus lunatus*) protein
hydrolysates with ACE-I inhibitory activity. Food Nutrition Sciences. Vol
3: 511-521.

deMan, J.M. 1997. Kimia Makanan. Terjemahan Penerbit ITB. Bandung.

Diarra, K., Nong, Z.G., Jie, C. 2005. Peanut Milk and Peanut Milk Based Products
Production: A Review. Food Science and Nutrition. Vol 45:405-423.

Diniyah, N., Windrati, W.S., Maryanto. 2013. Pengembangan Teknologi Pangan
Berbasis Koro-Koroan Sebagai Bahan Pangan Alternatif Pensubstitusi
Kedelai. Seminar Nasional: Pengembangan Sumber Daya Lokal untuk
Mendorong Ketahanan Pangan dan Ekonomi. UPN "Veteran" Jawa Timur.

- Direktorat Jenderal Hortikultura. 2015. Statistik Produksi Hortikultura Tahun 2014. Kementerian Pertanian. Jakarta.
- Egounlety, M., Aworh, O.C. 2003. Effect of Soaking, Dehulling, Cooking and Fermentation with *Rhizopus oligosporus* on The Oligosaccharides, Trypsin Inhibitor, Phytic Acid and Tannins of Soybean (*Glycine max* Merr.), cowpea (*Vigna unguiculata* L. Walp) and Groundbean (*Macrotyloma geocarpa* Harms). Journal of Food Engineering. Vol 56:249-254.
- Erbersdobler, H.F., Barth, C.A., Jahreis, G. 2017. Legumes in human nutrition Nutrient content and protein quality of pulses. *Ernaehrungs Umschau International*. Vol 9: 134-139.
- Fachruddin, L. 2000. Budi Daya Kacang-Kacangan. Kanisius. Yogyakarta.
- Fitriasari, R.M. 2010. Kajian Penggunaan Tempe Koro Benguk (*Mucuna pruriens*) dan Tempe Koro Pedang (*Canavalia ensiformis*) dengan Perlakuan Variasi Pengecilan Ukuran (Pengirisan dan Penggilingan) terhadap Karakteristik Kimia dan Sensoris Nugget Tempe Koro. Skripsi Teknologi Hasil Pertanian. Universitas Sebelas Maret. Surakarta.
- Gunenc, A., Yeung, M.H., Laverigne, C., Bertinato, J., Hosseinian, F. 2017. Enhancements of Antioxidant Activity and Mineral Solubility of Germinated Wrinkled Lentils During Fermentation in Kefir. *Journal of Functional Food*. Vol 32: 72-79.
- Haliza, W., Purwani, E.Y., Thahir, R. 2007. Pemanfaatan kacang-kacangan lokal sebagai substitusi bahan baku tempe dan tahu. *Buletin Teknologi Pascapanen Pertanian*. Vol 3:1-8.
- Hartoyo, A., 2008. Kacang Komak.Alternatif.Pengganti.Kedelai. <<https://nasional.kompas.com/read/2008/01/17/18201428/kacang.komak.alternatif.pengganti.kedelai>>. Diakses pada 28 Februari 2019.
- Haryoto. 2000. Tempe Benguk. Kanisius. Yogyakarta.
- He, L.D., Guo, X.N., Zhu, K.X. 2019. Effect of Soybean Milk Addition on the Quality of Frozen-Cooked Noodles. *Food Hydrocolloids*. Vol. 87: 187-193.
- Hedley, C.L. 2001. Carbohydrates in Grain Legume Seeds: Improving Nutritional Quality and Argonomic Charecteristics. CABI Publishing. London.
- Hefnawi, T.H. 2011. Effect of Processing Methods on Nutritional Composition and Anti-Nutritional Factors in Lentils (*Lens culinaris*). *Annals of Agricultural Science*. Vol. 56(2): 57-61

- Hutami, F.D., Harijono. 2014. Pengaruh penggantian larutan dan konsentrasi NaHCO_3 terhadap penurunan kadar sianida pada pengolahan tepung ubi kayu. *Jurnal Pangan dan Agroindustri*. Vol 2: 220-230.
- Iqbal, A., Khalil, I.A., Ateeq, N., Khan, M.S. 2005. Nutritional quality of important food legumes. *Food Chemistry*. Vol 97: 331-335.
- Isanga, J., Zhang, G. 2009. Production and Evaluation of Some Physicochemical Parameters of Peanut Milk Yoghurt. *LWT-Food Science and Technology*. Vol 42: 1132-1138.
- Jeong, D., Han, J.A., Liu, Q., Chung, H.J. 2019. Effect of Processing, Storage, and Modification on In Vitro Starch Digestion Characteristics of Food Legumes: A Review. *Food Hydrocolloids*. Vol. 90: 367-376.
- Kasno, A. 2016. Prospek Aneka Kacang Potensial: Koro Pedang sebagai Pengganti Kedelai. Balitkabi.litbang.pertanian.go.id. Diakses 20 Juli 2017 pukul 11.56.
- Karmas, E., Harris, R.S. 1988. *Nutritional Evaluation of Food Processing*. Van Nostrand Reinhold. New York.
- Lampariello, L.R., Cortelazzo, A., Guerranti, R., Sticozzi, C., Valacchi, G. 2011. The Magic Velvet Bean of *Mucuna pruriens*. *Journal of Traditional and Complementary Medicine*. Vol. 2: 331-339.
- Li, J., Zhou, R., Ren, Z., Fan, Y., Hu, S., Zhuo, C., Deng, Z. 2019. Improvements of Protein Quality and Degradation of Allergen in Soybean Meal Fermented by *Neuspora crassa*. *LWT-Food Science and Technology*. Vol. 101: 220-228.
- Liu, S.X., Singh, M., Wayman, A.E., Chen, D., Kenar, J.A. 2017. Evaluation of Soybean-Navy Bean Emulsions Using Different Processing Technologies. *Beverages* 3. Vol 3.
- Lv, Y.C., Song, H.L., Li, X., Wu, L., Guo, S.T. 2011. Influence of blanching and grinding process with hot water on beany and non-beany flavor in soymilk. *Journal of Food Science*. Vol 76: 20-25.
- Ma, M., Wang, Y., Wang, M., Jane, J., Du, S. 2017. Physicochemical Properties and In Vitro Digestibility of Legume Starches. *Food Hydrocolloids*. Vol 63:249-255.
- Maharani, E.P., 2018. Optimasi Sintesis Hdroksipropil Selulosa dari Kulit Koro Pedang Putih (*Canavalia ensiformis* L. (DC.)). Tesis Ilmu dan Teknologi Pangan. Universitas Gadjah Mada. Yogyakarta.

- Makkar, H.P.S., Siddhuraju, P., Becker, K. 2007. Plant Secondary Metabolites. Humana Press. New Jersey.
- Mamilla, R.K., Mishra, V.K. 2017. Effect of Germination on Antioxidant and ACE Inhibitory Activities of Legumes. Food Science and Technology. Vol 75: 51-58.
- Maphosa, Y., Jideani, V.A. 2017. The Role of Legumes in Human Nutrition. In Functional Food – Improve Health through Adequate Food. Chapter 6: 103-121.
- Mulsatrio, A.F. 2018. Pengaruh Waktu Perebusan Terhadap Sifat Fisik, Kimia, dan Sensoris Minuman Sari Koro Pedang Putih (*Canavalia Ensiformis* L.). Skripsi Fakultas Teknologi Pertanian. Universitas Gadjah Mada.
- Murdiati, A., Anggrahini, S., Supriyanto, 'Alim, A. 2015. Peningkatan Kandungan Protein Mie Basah dari Tapioka dengan Substitusi Tepung Koro Pedang Putih (*Canavalia ensiformis* L.). Agritech Vol. 35 No.3.
- Nedumaran S, Abinaya P, Jyosthnaa P, Shraavya B, Rao P, Bantilan C. 2015. Grain Legumes Production, Consumption and Trade Trends in Developing Countries. Working Paper Series No. 60. International Crops Research Institut for Semi-Arid Tropics (ICRISAT). Telangana: Internationan Crop Research Institute for Semin-Arid Tropics.
- Ngatchic, J.T.M., Sokeng, S.D., Njintang, N.Y., Maoundombaye, T., Oben, J., Mbofung, C.M.F. 2013. Evaluation of Some Selected Blood Parameters and Histopathology of Liver and Kidney of Rats Fed Protein-Substituted Mucuna Flour and Derived Protein Rich Product. Food and Chemical Toxicology Vol. 57: 46-53.
- Nyau, V., Prakash, S., Rodrigues, J., Farrant, J. 2017. Domestic Cooking Effects of Bambara Groundnuts and Common Beans in the Antioxidant Properties and Polyphenol Profiles. Journal of Food Research. Vol 6(2): 24-37.
- Nyombaire G, Siddiq M, Dolan KD. 2011. Physico-chemical and Sensory Quality of Extruded Light Red Kidney Bean (*Phaseolus vulgaris* L.) Porridge. LWT-Food Science and Technology. Vol 44:1597-1602.
- Pangastuti, H. A., Affandi, D. R., dan Ishartanti, D. 2013. Karakterisasi Sifat Fisik dan Kimia Tepung Kacang Merah (*Phaseolus vulgaris* L.) dengan Beberapa Perlakuan Pendahuluan. Jurnal Teknosains Pangan Vol. 2: 20-29.

- Pramita, D. S., 2008. Pengaruh Teknik Pemanasan terhadap Kadar Asam Fitat dan Aktivitas Antioksidan Koro Benguk (*Mucuna pruriens*), Koro Glinding (*Phaseolus lunatus*), dan Koro Pedang (*Canavalia ensiformis*). Skripsi Fakultas Pertanian. Universitas Sebelas Maret. Surakarta
- Parmar, N., Singh, N., Kaur, A., Thakur, S. 2017. Comparison of Color, Anti-Nutritional Factors, Minerals, Phenolic Profile and Protein Digestibility Between Hard-to-Cook and Easy-to-Cook Grains from Different Kidney Bean (*Phaseolus vulgaris*) Accessions. Food Scientist & Technology Vol 54:1023-1034.
- Postal, M., Martinelli, A.H.S., Becker-Ritt, A. B., Ligabue-Braun, R., Demartini, D. R., Ribeiro, S. F. F., Pasquali, G., Gomes, V. M., dan Carlini, C. R. 2012. Antifungal Properties of *Canavalia ensiformis* Urease and Derived Peptides. Peptides. Vol. 38: 22-23.
- Pratama, B.R., Sahaya, H.N. 2014. Strategi pengembangan usahatani kedelai untuk mewujudkan ketahanan pangan Indonesia. Journal of Economics and Policy. Vol 7: 100-202.
- Purwanto, I. 2007. Mengenal Lebih Dekat Leguminosae. Kanisius. Yogyakarta.
- Puspita, D., Palimbong, S., Toy, B., Notoedarmo, S. 2017. Identifikasi legum lokal di Pulau Timor yang berpotensi dalam pengembangan inovasi pangan lokal. Prosiding Seminar Nasional: Pengembangan Sumber Daya Perdesaan dan Kearifan Lokal Berkelanjutan. Vol 7: 17-18.
- Putri, R. G. 2018. Bubur Kacang Merah (*Phaseolus vulgaris* L.) Instan: Pengaruh Isomaltol-Oligosakarida dan Fibercreme Sebagai Pengganti Sukrosa Terhadap Sifat Sensoris dan Fisik Serta Perbaikan Profil Lipid pada Tikus Hiperkolesterol. Tesis Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Ratnaningsih, N. 2017. Sifat Fisik dan Kimia Resistant Starch Tipe 3 Pati Kacang Tunggak (*Vigna unguiculata*) dengan Perlakuan Autoclaving-Cooling serta Potensinya untuk Pencegahan Colitis-Associated Adenocarcinoma pada Tikus Sprague-Dawley. Disertasi Ilmu Pangan. Universitas Gadjah Mada. Yogyakarta.
- Reddy, N.R., Pierson, M.D., Sathe, S.K., Salunke, D.K., Beuchat, L.R. 1982. Legume-based fermented foods: their preparation and nutritional quality. Critical Reviews in Food Science and Nutrition. Vol 17: 335-370.
- Rukmana, R., Yuniarsih, Y. 1996. Kedelai: Budidaya dan Pascapanen. Kanisius. Yogyakarta.

- Shevkani, K., Singh, N., Kaur, A., Rana, J.C. 2015. Structural and Functional Characterization of Kidney Bean and Field Pea Protein Isolates: A Comparative Study. *Food Hydrocolloids*. Vol 43: 679-689.
- Shi, L., Mu, K., Arntfield, S.D., Nickerson, M.T. 2017. Changer in Levels of Enzyme Inhibitors Durng Soaking and Cooking for Pulses Available in Canada. *Food Scientist & Technology*. Vol 54:1014-1022.
- Singh, B., Singh, J.P., Kaur, A., Singh, N. 2017. Phenolic Composition and Antioxidant Potential of Grain Legume Seeds: A Review. *Food Research International*. Vol 101: 1-16.
- Smartt, J. 1990. *Grain Legumes: Evolution and Genetic Resources*. Cambridge University Press. Britain.
- Sridhar, K.R., Seena, S. 2006. Nutritional and Antinutritional Significance of Four Unconventional Legumes of the Genus *Canavalia* – A Comparative Study. *Food Chemistry*. Vol 99: 267-288.
- Subagio, A. 2010. Strategi Pencapaian Swasembada Kedelai dengan Pengembangan Sumber Protein Nabati Alternatif. *Pangan*. Vol 19: 127-134.
- Suharjanto, T. 2010. Respon hasil kacang komak terhadap intensitas cekaman kekeringan. *Agrika*. Vol 4: 30-38.
- Susanti, I., Hasanah, F., Siregar, N.C., Supriatna, D. 2013. Potensi kacang koro pedang (*C. ensiformis* DC) sebagai sumber protein produk pangan. *Jurnal Riset Industri*. Vol 7: 1-13.
- Ulfah, M. 2017. Diet Residu Ekstraksi Pati Tinggi Serat Koro Pedang Putih (*Canavalia ensiformis* L. DC) Autoclaving-Cooling Berulang untuk Memperbaiki Profil Lipid Serum Tikus Sprague-Dawley Hiperkolesterolemia. Tesis Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Vadivel, V., Janardhanan, K. 2001. Diversity in Nutritional Composition of Wild Jack Beas (*Canavalia ensiformis* L. DC) Seeds Collected From South India. *Food Chemistry*. Vol. 74:507-511.
- Wahono, F., Abduh, S.B.M., Nurwantoro. 2016. Perubahan konsentrasi biomassa, kadar asam sianida (HCN), pH dan tampilan sensori dari koro pedang selama proses fermentasi 4 hari. *Jurnal Aplikasi Teknologi Pangan* Vol 5: 123-128.

- Wani, I.A., Sogi, D.S., Shivare, U.S., Gill, B.S. 2015. Physico-chemical and Functional Properties of Native and Hydrolyzed Kidney Bean (*Phaseolus vulgaris* L.) Protein Isolates. Food Research International. Vol 76:11-18.
- Werner, D., dan Newton, W. E (Ed). 2005. Nitrogen Fixation in Agriculture, Forestry, Ecology and the Environment. Springer. Netherlands.
- Wijatniko, B. D. 2013. Formula Bubur MP-ASI dengan Mocaf, Beras Merah dan Tempe Koro Putih (*Phaseolus lunatus* L.). Skripsi Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.
- William, H.J., Edwards, T.G. 1980. Estimation of Cyanide with Alkaline Picrate. Journal of the Science of Food and Agriculture Vol. 31: 15-22.
- Winarsi, H. 2010. Protein Kedelai dan Kecambah, Manfaatnya Bagi Tubuh. Penerbit Kanisius. Yogyakarta.
- Yuwono, S.S., Hayati, K.K., Wulan, S.N. 2003. Karakterisasi Fisik, Kimia dan Fraksi Protein 7S dan 11S Sepuluh Varietas Kedelai Produksi Indonesia. Jurnal Tek. Pert. Vol 4(1):84-90.
- Zang, Z., Xie, Q., Che, L. 2018. Effects of Gamma Irradiation on Aflatoxin B₁ Levels in Soybean and on The Properties of Soybean Oil. Applied Radiation and Isotopes Vol.139: 224-230.