

## DAFTAR PUSTAKA

- Adam, B., Baillie, G.S., Douglas, L.J., 2002. Mixed species biofilms of *Candida albicans* and *Staphylococcus epidermidis*. *J Med. Microbiol*, 51 4, 344-9.
- Al-ani, I., Zimmerman, S., Reichling, J., Wink, M., 2015. Pharmacological synergism of bee and plant secondary metabolites against multi-drugs resistant microbial pathogens. *Phytomedicine* ; 22(2):245-55.
- Alasil, S.M., Omar, A., Ismail, S., Yusof, M.Y., 2014. Antibiofilm Activity, Compound Characterization and Acute Toxicity of Extract from a Novel Bacterial Species of *Paenibacillus*. *Int J Microbiol*. Volume 2014. Article ID 649420.
- Al-Fattani, M.A. & Douglas, L.J., 2004. Penetration of *Candida* biofilms by antifungal agents. *Antimicrob Agents Chemother*, 48 9, 3291-7.
- Al-Fattani, M.A. & Douglas, L.J., 2006. Biofilm matrix of *Candida albicans* and *Candida tropicalis*: chemical composition and role in drug resistance. *J Med. Microbiol*, 55 Pt 8, 999-1008.
- Álvarez-Lerma, F., Nolla-Salas, J., León, C., *et al.*, 2003. Candiduria in critically ill patients admitted to intensive care medical units, *Intensive Care Med* , vol. 29 (pg. 1069-1076)
- Ankit, Y. & Jha, S., 2015. To Study the Effect of Guava Leaf Extract on Biofilm Formation in *Pseudomonas aeruginosa*. *IOSR J. Dent Med Sci*, 14: 96-102.
- Archer, N.K., M.J. Mazaitis, J.W. Costerton, J.G. Leid, M.E. Powers, M.E. Shirtliff. 2011. *Staphylococcus Aureus* Biofilms Properties, Regulation and Roles in Human Disease. *Virulence*, Sep-Oct 2(5):445-59.
- August, E.G., 2000. *Kajian Lipase Amobil Dari Aspergillus Niger Pada Pembuatan MAG Yang Bersifat Antibakteri Dari Minyak Kelapa* [Tesis]. Institut Pertanian Bogor. Bogor.
- Azeredo, J., Azevedo, N.F., Briandet, R., Cerca, N., Coenye, T., Costa, A.R., *et al.*, 2017. Critical review on biofilm methods. *Crit Rev Microbiol*, 43 3, 313-351.
- Bartlett, J.G., 2001. *Pedoman Terapi Penyakit Infeksi*. Jakarta: Penerbit Buku Kedokteran EGC. Hal. 295-298.
- Bartoletti, M., Giannella, M., Tedeschi, S.K., Viale, P., 2018. Multidrug-Resistant Bacterial Infections in Solid Organ Transplant Candidates and Recipients. *Infect Dis Clin North Am*, 32 3, 551-580 .

- Becker K, Skov R, von Eiff C., 2015. *Staphylococcus, Micrococcus, and Other Catalase-Positive Cocci*, p 308-30. In Jorgensen J, Pfaller M, Carroll K, Funke G, Landry M, Richter S, Warnock D (ed), *Manual of Clinical Microbiology, Eleventh Edition*. ASM Press, Washington, DC. doi: 10.1128/9781555817381.ch21
- Bergamo, V.Z., Balbuena, E., Hatwig, C., Pippi, B., Lana, D.F., Donato, R.K., *et al.*, 2015. 1-n-Hexadecyl-3-methylimidazolium methanesulfonate and chloride salts with effective activities against *Candida tropicalis* biofilms. *Lett Appl Microbiol*, 61 5, 504-10.
- Bergsson, G., Arnfinnsson, J., Steingrímsson, O., Thormar, H., 2001. In vitro killing of *Candida albicans* by fatty acids and monoglycerides. *Antimicrob Agents Chemother*, 45 11, 3209-12.
- Berlanga, M. & Guerrero, R., 2016. Living together in biofilms: the microbial cell factory and its biotechnological implications. *Microb Cell Fact*, 15:165
- Bizerra, F.C., Nakamura, C.V., Poersch, C.D., Svidzinski, T.I., Quesada, R.M., Goldenberg, S., *et al.*, 2008. Characteristics of biofilm formation by *Candida tropicalis* and antifungal resistance. *FEMS Yeast Res*, 8 3, 442-50.
- Bouza, E.S., Burillo, A., Muñoz, P., Guinea, J., Marín, M., Rodríguez-Créixems, M., 2013. Mixed bloodstream infections involving bacteria and *Candida* spp. *J Antimicrob Chemother*, 68 8, 1881-8.
- Brander, G.C., Pugh D.M., Bywater, R.J., Jenkins, W.L., 1991. *Veterinary Applied Pharmacology and Therapeutics*. 5th Ed. ELBS, Bailliere Tindall.
- Brooks, G.F., Butel, J.S., Morse, S.A., 2013. *Jawetz, Melnick, Adelberg's Medical Microbiology*, 25th Ed., The McGraw-Hill Companies, United State. Terjemahan Penerbit Buku Kedokteran EGC, Mikrobiologi Kedokteran Edisi 25. Jakarta: EGC.
- Brooks, G.F., Janet, S.B., Stephen A.M., 2005. *Jawetz, Melnick and Adelbergs, Mikrobiologi Kedokteran (Medical Microbiology)* Buku I, Alih Bahasa oleh Mudihardi, E., Kuntaman, Wasito, E.B., Mertaniasih, N.M., Harsono, S., dan Alimsardjono, L. Jakarta : Salemba Medika. pp. 317-25, 358-60.
- Calderone, R.A., 2002. Introduction and historical perspectives), p. 15–25. In R. A. Calderone (ed.), *Candida and Candidiasis*. ASM Press, Washington, DC.
- Carpó, B.G., Verallo-Rowell, V.M., Kabara, J., 2007. Novel antibacterial activity of monolaurin compared with conventional antibiotics against organisms from skin infections: an in vitro study. *J Drugs Dermatol*, 6 10, 991-8.

- Cerca, N., Martins, S., Cerca, F., Jefferson, K.K., Pier, G.B., Oliveira, R., *et al.*, 2005. Comparative assessment of antibiotic susceptibility of coagulase-negative staphylococci in biofilm versus planktonic culture as assessed by bacterial enumeration or rapid XTT colorimetry. *J Antimicrob Chemother* ; 56(2):331-6.
- Chai, L.Y., Denning, D.W., Warn, P.A., 2010. *Candida tropicalis* in human disease. *Crit Rev Microbiol*, 36 4, 282-98.
- Chakrabarti, A., Chatterjee, S.S., Rao, K.L., Zameer, M., Shivaprakash, M.R., Singhi, S., Singh, R., Varma, S.C., 2009. Recent experience with fungaemia: change in species distribution and azole resistance. *Scand J Infect Dis*, 41 4, 275-84.
- Chandra, J., Kuhn, D.M., Mukherjee, P.K., Hoyer, L.L., McCormick, T., Ghannoum, M.A., 2001. Biofilm formation by the fungal pathogen *Candida albicans*: development, architecture, and drug resistance. *J Bacteriol*, 183 18, 5385-94.
- Clarke, A., 2006. Minimal Inhibitory Concentration of Fatty acids in Mothers Milk Againsts Some Microorganismes, In Lauricidin, The Natural Way To Better Health, : <http://www.lauricidin.com>, 2402.
- Clinical and Laboratory Standards Institute (CLSI), 2015. Methods for Dilution Antimicrobial Susceptibility Tests for Bacteria 487 That Grow Aerobically. M07 -A10. Clinical and Laboratory Standards Institute, 488 Wayne, PA
- Clinical and Laboratory Standards Institute (CLSI), 2008. Reference Method for Broth Dilution Antifungal Susceptibility Testing of Yeast; *Fourth International Supplement*. CLSI document M27-S4. Wayne, PA: Clinical and Laboratory Standards Institute.
- Code of Federal Regulations., 2018. Title 21. Food and drugs. Chapter I. Food and Drug Administration. Subchapter B. Food for human consumption. Part 184. Direct food substances affirmed as generally recognized as safe. Subpart B. Listing of specific substances affirmed as GRAS. 21 CFR 184.1505 - mono- and diglycerides. <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?fr=184.1505> dan <https://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/ucm510908.pdf>.
- Colombo, A.L., Nucci, M., Park, B.J., *et al.*, 2006. Epidemiology of Candidemia in Brazil: a nationwide sentinel surveillance of candidemia in eleven medical centers, *J Clin Microbiol*, vol. 44 (pg. 2816-2823)

- Cushnie, T.P. & Lamb, A.J., 2005, Antimicrobial activity of Flavonoids, *Int J Antimicrob Agents*, 2005, 26 (5), 343-356.
- d'Enfert, C., 2009. Hidden Killer: persistence of opportunistic fungal pathogens in the humas host. *Curr Opin Microbiol* ; 12, 358-364.
- Davidson, P. M. & Branen, A. L. *Antimicrobials in Foods* 2<sup>nd</sup> Edition. Marcel Dekker Inc, New York
- Donlan, R.M., 2002. *Biofilm* : Microbial Life on Surfaces. *Emerg Infect Dis*, 8: 881-890.
- Dornelas-Ribeiro, M., Pinheiro, E.O., Guerra, C., Braga-Silva, L.A., Carvalho, S.M., Santos, A.L., *et al.*, 2012. Cellular characterisation of *Candida tropicalis* presenting fluconazole-related trailing growth. *Mem Inst Oswaldo Cruz*, 107 1, 31-8.
- Dunne, W.M., Mason, E.O., Kaplan, S.L., 1993. Diffusion of rifampin and vancomycin through a *Staphylococcus epidermidis* biofilm. *Antimicrobial agents and chemotherapy*, 37 12, 2522-6.
- Eddouzi, J., Parker, J.E., Vale-Silva, L., Coste, A.T., Ischer, F., Kelly, S., *et al.*, 2013. Molecular mechanisms of drug resistance in clinical *Candida* species isolated from Tunisian hospitals. *Antimicrob Agents Chemother*, 57 7, 3182-93.
- Eggimann, P., Garbino, J., Pittet, D., 2003. Epidemiology of *Candida* species infections in critically ill non-immunosuppressed patients, *Lancet Infect Dis*, vol. 3 (pg. 685-702)
- Elliot T, Worthington T, Osman H, Gill M., 2007. *Lecture Notes Medical Microbiology And Infection*. 4th Edition. Blackwell Publishing. Terjemahan Penerbit Buku Kedokteran EGC, Mikrobiologi Kedokteran & Infeksi. Edisi 4. Jakarta: Penerbit Buku Kedokteran EGC.
- Elving, G.J., Mei, H.C., Busscher, H.J., Weissenbruch, R.V., Albers, F., 2002. Comparison of the microbial composition of voice prosthesis biofilms from patients requiring frequent versus infrequent replacement. *Ann Otol Rhinol Laryngol*, 111 3 Pt 1, 200-3.
- Fidel, P.L., Jose, Vasquez, J.A., Sobel, J.D., 1999. *Candida glabrata* : Review of Epidemiology, Pathogenesis and Clinical Disease with Comparison to *C.albicans*. *Clin. Microbiol Rev*. 12(1) : 80-96.
- Forastiero, A., Mesa-Arango, A.C., Alastruey-Izquierdo, A., Alcàzar-Fuoli, L., Bernal-Martínez, L., Peláez, T., *et al.*, 2013. *Candida tropicalis* antifungal

cross-resistance is related to different azole target (Erg11p) modifications. *Antimicrob Agents Chemother*, 57 10, 4769-81.

Giaouris E., Chorianopoulos N., Doulgeraki A., Nychas G.-J., 2013. Co-culture with *Listeria monocytogenes* within a dual-species biofilm community strongly increases resistance of *Pseudomonas putida* to benzalkonium chloride. *PLoS ONE* 8: e77276

Gladwin, M. & Trattler, B., 2011, *Clinical Microbiology: Made Ridiculously Simple Edition 5*, International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases

Götz, F., 2002. Staphylococcus and biofilms. *Mol Microbiol*, 43 6, 1367-78.

Gunardi, W.D., 2014. Peranan Biofilm dalam Kaitannya dengan Penyakit Infeksi. *Jurnal Kedokteran Meditek* Vol. 15 No. 39a.

Ham, Y. & Kim., T.J., 2016. Inhibitory activity of monoacylglycerols on biofilm formation in *Aeromonas hydrophila*, *Streptococcus mutans*, *Xanthomonas oryzae*, dan *Yersinia enterocolitica*. *Springerplus*. 5:1526.

Harriott M.M. & Noverr M.C., 2009. *Candida albicans* and *Staphylococcus aureus* form polymicrobial biofilms: effects on antimicrobial resistance. *Antimicrob Agents Chemother* 53: 3914–3922.

Harriott, M.M. & Noverr, M.C., 2011. Importance of Candida-bacterial polymicrobial biofilms in disease. *Trends Microbiol*, 19 11, 557-63.

Hawser, S., Lociuero, S., Islam, K., 2006. Dihydrofolate reductase inhibitors as antibacterial agents. *Biochem Pharmacol*.71:941-948.

Hentzer, M., Wu, H., Andersen, J.B., Riedel, K., Rasmussen, T.B., Bagge, N., Kumar, N., *et al.*, 2003, Attenuation of *Pseudomonas aeruginosa* Virulence by Quorum sensing Inhibitors, *EMBO J.*, 22, 3803 – 3815.

Hess, D.J., Henry-Stanley, M.J., Wells, C.L., 2014. Antibacterial Synergy of Glycerol Monolaurate and Aminoglycosides in *Staphylococcus aureus* Biofilms. *Antimicrob Agents Chemother*, 58, p 6970-6973.

Hess, D.J., Henry-Stanley, M.J., Wells, C.L., 2015. The Natural Surfactant Glycerol Monolaurate Significantly Reduces Development of *Staphylococcus aureus* dan *Enterococcus faecalis* Biofilms. *Surg Infec (Larchmt)*, Vol. 16, No. 5.

Hetrick, E.M., Shin, J.M., Paul, H.S., Schoenfisch, M.H., 2009. Anti-Biofilm Efficacy of Nitric Oxide-Releasing Silica Nanoparticles. *Biomaterials* 30(14): 2782-89.

- Hieholzer, J.C. & Kabara, J.J., 1982, In vitro effects of monolaurin compounds on enveloped RNA and DNA viruses. *J. Food Safety.*, 4, 13-34.
- Hughes, D. & Karlen, A., Discovery and Preclinical Development of New Antibiotics. *Ups J Med Sci* ; 119(2): 162-169.
- Jay J.M., Loessner M.J., Golden D.A., 2005. *Modern food microbiology*. 7th edition. Springer Science Business Media, Inc, New York. pp: 304-325.
- John, L.P., Lewis, M.A.O., Wiriawan., 1998. *Tinjauan Klinis Penyakit Mulut*. Jakarta: Widya Medika.
- Jothiprakasam, V., Sambantham, M., Chinnathambi, S., Vijayaboopathi, S., 2017. *Candida tropicalis* biofilm inhibition by ZnO nanoparticles and EDTA. *Arch Oral Biol*. 73, 21–24. <https://doi.org/10.1016/j.archoralbio.2016.09.003>
- Kabara, J.J., 1978, Fatty Acids and Derivatives as Antimicrobial Agents - A Review Symposium on the Pharmacological Effects of Lipids. *AOCS J. Am. Oil Chem. Soc.*, 6, 1-13
- Kabara, J.J., 1993. *Medium-Chain Fatty Acids and Esters from Antimicrobials in Foods*. Marcel Dekker, Inc., New York.
- Kaplan, J.B., Rangunath, C., Ramasubbu, N., Fine, D.H., 2003. Detachment of *Actinobacillus actinomycetemcomitans* biofilm cells by an endogenous beta-hexosaminidase activity. *J Bacteriol*, 185 16, 4693-8.
- Kaplan, J.B., Rangunath, C., Velliyagounder, K., Fine, D.H., Ramasubbu, N., 2004. Enzymatic detachment of *Staphylococcus epidermidis* biofilms. *Antimicrob Agents Chemother*, 48 7, 2633-6.
- Kauffman, C.A., Vazquez, J.A., Sobel, J.D., *et al.*, 2000. Prospective multicenter surveillance study of funguria in hospitalized patients, *Clin Infect Dis*, vol. 30 (pg. 14-18)
- Kawai, A., Yamagishi, Y., Mikamo, H., 2017. *Candida tropicalis* biofilm formation and efficacy of liposomal amphotericin B using time-lapse images. *Jpn J Infect Dis*, 70 (5):559-564
- Keller, D. & Costerton, J.W., 2009. Oral biofilm: entry and immune system response. *Compend Contn Educ Dent*; 30(1); 34-36.
- Kim, S., Yoon, Y.K., Kim, M.J., Sohn, J.W., 2013. Risk factors for and clinical implications of mixed *Candida*/bacterial bloodstream infections. *Clin Microbiol Infect*. 19 (1): 62-68
- Kojic, E.M. & Darouiche, R.O., 2004. *Candida* infections of medical devices. *Clin Microbiol Rev*, 17 2, 255-67.

- Koneman, E.W., 2006. *Koneman's color atlas and textbook of diagnostic microbiology*: Edisi ke-6: Lippincott Williams & Wilkins; Philadelphia.
- Larone, D., 2002. *Medically Important Fungi; A Guide to Identification*. 4th edn. ASM Press, Washington.
- Lasa, I., Pozo, J.L. del, Penadés, J.R., Leiva, J., 2005. Biofilms bacterianos e infección. *Anales del Sistema Sanitario de Navarra*, 28.
- Leading International Fungal Education (LIFE), 2017, *Candida tropicalis*. July. Online at <http://www.life-worldwide.org/fungal-diseases/candida-tropicalis1>.
- Lee, T.K., Pang, S., Abraham, S., Coombs, G.W., 2018. Antimicrobial Resistant CC17 Enterococcus faecium: The Past, the Present and the Future. *J Glob Antimicrob Resist*, 24:16 36-47.
- Lequette, Y., Boels, G., Clarisse, M., Faille, C., 2010. Using enzymes to remove biofilms of bacterial isolates sampled in the foodindustry. *Biofouling* 26:(4) 421-31.
- Li, Q., Estes, J.D., Schlievert, P., Duan, L., Brosnahan, A.J., Southern, P.J., *et al.*, 2009. Glycerol monolaurate prevents mucosal SIV transmission. *Nature*, 458(7241): 1034-8.
- Lindsay, J., 2008. *Staphylococcus: Molecular Genetics*. London: Caister Academic Press.
- Mack, D., Fischer, W., Krokotsch, A., Leopold, K., Hartmann, R., Egge, H., *et al.*, 1996. The intercellular adhesin involved in biofilm accumulation of *Staphylococcus epidermidis* is a linear beta-1,6-linked glucosaminoglycan: purification and structural analysis. *J Bacteriol*, 178 1, 175-83.
- Mahami, T. & Adu-Gyamfi, A., 2011. Biofilm-associated infections: public health implications. *International Research Journal of Microbiology (IRJM)* (ISSN: 2141-5463) Vol. 2(10) pp. 375-381.
- Mappiratu., 1999. Penggunaan Biokatalis Dedak Padi Dalam Biosintesis Antimikroba Monoasil Gliserol dari Minyak Kelapa [Disertasi]. Institut Pertanian Bogor. Bogor.
- Marcinkiewicz, J., Strus, M., Pasich, N., 2013. Antibiotic resistance: a “dark side” of biofilm-associated chronic infections. *Pol Arch Med Wewn* ;123(6):309-13.
- Maric, S. & Vrances, J., 2007. Characteristics and Significance of Microbial Biofilm Formation. *Period Biol*. Vol 109 No. 2.

- Marioni, J., Bresoli-Obach, R., Agut, M., Comini, L.R., Cabrera, J.L., Paraje, M.G., *et al.*, 2017. On the mechanism of *Candida tropicalis* biofilm reduction by the combined action of naturally occurring anthraquinones and blue light. *PLoS ONE* 12(7): e0181517.
- Martin, M.V., 1979. Germ-tube formation by oral strains of *Candida tropicalis*. *J Med Microbiol*, 12 2, 187-93.
- McAdam, A.J. & Sharpe, A.H., 2009, *Penyakit infeksi. Dalam: Dasar patologis penyakit*. Alih bahasa. Hartono A.: EGC Medical Publisher, Jakarta.
- Melo, A.S., Bizerra, F.C., Freymüller, E.H., Arthington-Skaggs, B.A., Colombo, A.L., 2011. Biofilm production and evaluation of antifungal susceptibility amongst clinical *Candida* spp. isolates, including strains of the *Candida parapsilosis* complex. *Med Mycol*, 49 3, 253-62.
- Meunier, F., Aoun, M., Bitar, N., 1992. Candidemia in immunocompromised patients. *Clin. Infect. Dis. J.* 14 (suppl 1): S120-S125
- Mintarti I.S. & Kusumah, S.H., 2017, Kajian Aktivitas Antimikroba Monoasilgliserol (MAG) dan Mono-Diasilgliserol (MDAG) dari Minyak Kelapa dan Minyak Inti Sawit, *Syntax Literate : Jurnal Ilmiah Indonesia*, 2(2), 65-76.
- Mueller, E.A. & Schilevert, P.M., 2015. Non-Aqueous Glycerol Monolaurate Gel Exhibits Antibacterial and Anti-Biofilm against Gram-Positive and Gram-Negative Pathogens. *PLoS ONE* 10(3): e0120280.
- Mukherjee, P.K., Zhou, G., Munyon, R., Ghannoum, M.A., 2005. *Candida* Biofilm: a well-designed protected environment. *Med Mycol* 43(3) : 191-208.
- Murray, P.R., 2009. *Medical Microbiology*. 6<sup>th</sup> ed. Mosby Elsevier : Philadelphia.
- Negri, M.F., Martins, M.A., Henriques, M., Svidzinski, T.I., Azeredo, J., Oliveira, R.T., 2010. Examination of Potential Virulence Factors of *Candida tropicalis* Clinical Isolates From Hospitalized Patients. *Mycopathologia*, 169, 175-182.
- Negri, M.F., Silva, S.D., Henriques, M., Oliveira, R.N., 2012. Insights into *Candida tropicalis* nosocomial infections and virulence factors. *Eur J Clin Microbiol Infect Dis*, 31, 1399-1412.
- Nikawa, H., Hamada, T., Yamamoto, T., Kumagai, H., 1997. Effect Salivary or Serum Pellicles on *Candida albicans* Growth and Biofilm Formation on Soft Lining Materials in-Vitro. *J Oral Rehabil*. 24(8) : 594-604.
- Nikolić, M., Vasić, S., Durdević, J., Stefanović, O., Čomić, L., 2014. Antibacterial and anti-biofilm activity of ginger (*Zingiber Officinale* (Roscoe)) ethanolic extract. *Kragujev J. Sci.* 129–136.

- Nitbani, F.O., 2016. Sintesis Beberapa Senyawa Mono Asil Gliserol Sebagai Bahan Antibakteri dan 1-Monolaurin Sebagai Bahan Immunostimulan dari Minyak Kelapa (*Cocos Nucifera* L) [Disertasi]. Universitas Gadjah Mada. Yogyakarta.
- Nitbani, F.O., Jumina, Siswanta, D., Sholikhah, E.N., Fitriastuti, D., 2018. Synthesis and Antibacterial Activity of 1-Monolaurin. *Oriental Journal of Chemistry*. Vol 34(2), pg. 863-867.
- Nuryastuti, T., 2010. Environmental signals affecting ica-expression in *Staphylococcus epidermidis* [Thesis]. University of Groningen. Netherlands.
- Nuryastuti, T., Mei, H.C., Busscher, H.J., Iravati, S., Aman, A.T., Krom, B.P., 2009. Effect of cinnamon oil on icaA expression and biofilm formation by *Staphylococcus epidermidis*. *Appl Environ Microbiol*, 75(21), 6850-5.
- O'Gara, J.P., 2007. ica and beyond: biofilm mechanisms and regulation in *Staphylococcus epidermidis* and *Staphylococcus aureus*. *FEMS Microbiol Lett*, 270 2, 179-88.
- Okawa, Y. & Goto, K., 2006. Antigenicity of *Candida tropicalis* strain cells cultured at 27 and 37 degrees C. *FEMS Immunol Med Microbiol*, 46 3, 438-43.
- Otto, M., 2009. *Staphylococcus epidermidis*--the 'accidental' pathogen. *Nat Rev Microbiol*. 7(8):555-67
- Paraje, M.G., 2011. Antimicrobial Resistance in Biofilm. *Science against microbial pathogens : communicating current research and technological advances*, Formatex, Argentina, 736-744.
- Patel, S., Bernice, F., 2018. Vancomycin. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2018 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK459263/>
- Peters, B.M., Noverr, M.C., 2013. *Candida albicans* - *Staphylococcus aureus* polymicrobial peritonitis modulates host innate immunity. *Infect Immun*, 81 6, 2178-89.
- Peterson, M.L. & Schlievert, P., 2006. Glycerol monolaurate inhibits the effects of Gram-positive select agents on eukaryotic cells. *Biochemistry*, 45 7, 2387-97.
- Pfaller, M.A., Jones, R.N., Messer, S.A., Edmond, M.B., Wenzel, R.P., 1998. National surveillance of nosocomial blood stream infection due to *Candida albicans*: Frequency of occurrence and antifungal susceptibility in the SCOPE Program. *Diagn. Microbiol Infect. Dis.* ;31:327-332.

- Polonio, R., Mermel, L.A., Paquette, G., Sperry, J.F., 2001. Eradication of biofilm-forming *Staphylococcus epidermidis* (RP62A) by a combination of sodium salicylate and vancomycin. *Antimicrob Agents Chemother*, 45 11, 3262-6.
- Prakash, B., Veeregowda, B.M., Krishnappa, G., 2003. Biofilms: A Survival Strategy of Bacteria. *Curr Sci*, 85, 9-10.
- Preuss, H.G., Echard, B., Dadgar, A., Talpur, N., Manohar, V., Enig, M., Baqchi, D., *et al.*, 2005. Effects of Essential Oils and Monolaurin on *Staphylococcus aureus*: In Vitro and In Vivo Studies. *J Food Safety*, 5, 1-15.
- PubChem, 2017. 1-Monolaurin – Compound Summary. Available from: <https://pubchem.ncbi.nlm.nih.gov/compound/Monolaurin#section=Top>. [Accessed 14 Juli 2017].
- Punithavathy, P.M., Nalina, K., Menon, T., 2012. Antifungal susceptibility testing of *Candida tropicalis* biofilms against fluconazole using calorimetric indicator resazurin. *Indian J Pathol Microbiol*, 55 1, 72-4.
- Radji, M., 2011, *Buku Ajar Mikrobiologi Panduan Mahasiswa Farmasi dan Kedokteran*, Jakarta, Buku Kedokteran EGC.
- Ramage, G., Walle, K.V., Wickes, B.L., López-Ribot, J.L., 2001. Biofilm formation by *Candida dubliniensis*. *J Clin Microbiol*, 39 9, 3234-40.
- Ramani, R. & Chaturvedi, V., 2000. Flow cytometry antifungal susceptibility testing of pathogenic yeasts other than *Candida albicans* and comparison with the NCCLS broth microdilution test. *Antimicrob Agents Chemother* 44: 2752-2758.
- Ryan, K.J., 2010. *Staphylococci In Sherri Medical Microbiology*. 5<sup>th</sup>. Appleton & Lange : Connecticut.
- Sandasi, Leonard, C.M, Viljoen, A.M., 2010. The In Vitro Antibiofilm Activity of Selected Culinary Herb and Medical Plants Against *Listeria Monocytogenes*. *Lett Appl Microbiol*. (50). Page : 30-35.
- Sapaar, B., Nur, A., Hirota, K., Yumoto, H., Murakami, K., Amoh, T., *et al.*, 2014. Effects of extracellular DNA from *Candida albicans* and pneumonia-related pathogens on *Candida* biofilm formation and hyphal transformation. *J Appl Microbiol*. 116, 1531–1542. <https://doi.org/10.1111/jam.12483>
- Sauer, K., Rickard, A.H., Davies, D.G., 2007. Biofilms and biocomplexity. *Microbe*. 2 (7) : 347–353
- Schilevert, P.M. & Peterson, M.L., 2012. Glycerol Monolaurate Antibacterial Activity in Broth and Biofilm Cultures. *PLoS ONE*, 7(7): e40350.

- Schwering M., Song J., Louie M., Turner R.J., Ceri H., 2013. Multi-species biofilms defined from drinking water microorganisms provide increased protection against chlorine disinfection. *Biofouling*. 29: 917–928.
- Seleem, D., Chen, E., Benso, B., Pardi, V., Murata, R.M., 2016. In vitro evaluation of antifungal activity of monolaurin against *Candida albicans* biofilms. *PeerJ*. 4: e2148.
- Sennang, N. & Wildena., Benny, R., 2010. Methicilin resistant *Staphylococcus aureus*, antimicrobial susceptibility laboratory test. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 17(1):5-8
- Shin, J.H., Kee, S.J., Shin, M.G., Kim, S.H., Shin, D.H., Lee, S.K., *et al.*, 2002. Biofilm production by isolates of *Candida* species recovered from nonneutropenic patients: comparison of bloodstream isolates with isolates from other sources. *J Clin Microbiol* 40, 1244–1248.
- Silva, S.M., Negri, M.F., Henriques, M., Oliveira, R.T., Williams, D.W., Azeredo, J., 2012. *Candida glabrata*, *Candida parapsilosis* and *Candida tropicalis*: biology, epidemiology, pathogenicity and antifungal resistance. *FEMS Microbiol Rev*, 36(2), 288-305.
- Simoes, M., Simoes, L.C., Vieira, M.J., 2010. A Review of Current and Emergent Biofilm Control Strategies. *LWT- Food Science and Technology*. 43:573-583
- Simoes, M.J.V., 2003. Use of Biocides and Surfactants to Control *Pseudomonas Fluorescens* Biofilm Role of the Hydrodynamic Conditions [Doctoral Thesis]. University of Minho Department of Biological Engineering. Braga. Portugal.
- Sivaranjani, M., Prakash, M., Gowrishankar, S., Rathna, J., Pandian, S., Ravi, A, 2017. In vitro activity of alpha-mangostin in killing and eradicating *Staphylococcus epidermidis* RP62A biofilms. *Applied Microbiology and Biotechnology*, 101(8), pp.3349-3359.
- Strandberg, K., Peterson, M., Lin, Y., Pack, M., Chase, D. and Schlievert, P., 2009. Glycerol Monolaurate Inhibits *Candida* and *Gardnerella vaginalis* In Vitro and In Vivo but Not *Lactobacillus*. *Antimicrobial Agents and Chemotherapy*, 54(2), pp.597-601.
- Stephens, C., 2002, Microbiology Breaking Down Biofilms. *Curr Biol*, 12 (4), R132-R134.
- Susantina., Tyasrini, E., Winata, T., 2006. Hubungan antara Sifat dan Metabolit *Candida* spp. dengan Patogenesis Kandidiasis. *Jurnal Universitas Kristen Maranatha*, 6(01).

- Szczuka, E., Jablonska, L., Kaznowski, A., 2017. Effect of subinhibitory concentrations of tigecycline and ciprofloxacin on the expression of biofilm-associated genes and biofilm structure of *Staphylococcus epidermidis*. *Microbiology*. 163:712-718.
- Tan, Y., Leonhard, M., Ma, S.F., Moser, D., Schneider-Stickler, B., 2017. Efficacy of carboxymethyl chitosan against *Candida tropicalis* and *Staphylococcus epidermidis* monomicrobial and polymicrobial biofilms. *Int J Biol Macromol*, 110, 150-156 .
- Tan, Y., Leonhard, M., Ma, S.F., Schneider-Stickler, B., 2016. Influence of culture conditions for clinically isolated non-albicans *Candida* biofilm formation. *J Microbiol Methods*, 130, 123-128.
- Tan, Y., Leonhard, M., Moser, D., Schneider-Stickler, B., 2017. Inhibition activity of *Lactobacilli* supernatant against fungal-bacterial multispecies biofilms on silicone. *Microb Pathog*, 113, 197-201 .
- Tan, Y., Leonhard, M., Schneider-Stickler, B., 2017. Evaluation of culture conditions for mixed biofilm formation with clinically isolated non-albicans *Candida* species and *Staphylococcus epidermidis* on silicone. *Microb Pathog*, 112, 215-220.
- Tarigan, J.B., 2002. *Ester Asam Lemak*, Kimia, USU Digital Library, Sumatera Utara.
- Tarver, T., 2009. A Threat to Food Safety. *Food Technology*. 63: 46-50.
- Tortora, G.J., 2002. *Microbiology An Introduction*. Pearson Education, San Fransisco: 734-736.
- Trotter T.N. & Marshal L.D., 2003. Influence of pH and NaCl on monolaurin inactivation of *Streptococcus iniae*. *Food Microbiology*. 20 (2): 187-192.
- Tumbarello, M., Posteraro, B., Trecarichi, E.M., Fiori, B., Rossi, M., Porta, R., *et al.*, 2007. Biofilm production by *Candida* species and inadequate antifungal therapy as predictors of mortality for patients with candidemia. *J Clin Microbiol* 45, 1843–1850.
- Vandeputte, P., Larcher, G., Bergès, T., Rénier, G., Chabasse, D., Bouchara, J.B., 2005. Mechanisms of azole resistance in a clinical isolate of *Candida tropicalis*. *Antimicrob Agents Chemother*, 49 (11), 4608-15.
- Widiyarti, G., Hanafi, M., Soewarso, W.P., 2009. Study of Synthesis of Monolaurin as Antibacterial agent against *Staphylococcus aureus*, *Indo. J. Chem*, 9(1), 99-106.

- Winkelstroter, L.K., Tulini, F.L., De Martinis, E.C.P., 2015. Identification of the bacteriocin produced by cheese isolate *Lactobacillus paraplantarum* FT259 and its potential influence on *Listeria monocytogenes* biofilm formation. *LWT - Food Science and Technology* 64: 586-592.
- Wu, X., Santos, R.R., Fink-Gremmels, J., 2014. *Staphylococcus epidermidis* biofilm quantification : Effect of different solvent and dyes. *J Microbiol Methods*. 101: 63-66.
- Yoo, H.H., Park, J.H., Kwon, S.W., 2007. *In vitro* Cytotoxic Activity of Some Korean Medicinal Plants on Human Cancer Cell Lines: Enhancement in Cytotoxicity by Heat Processing. *Phytother. Res.*, **9**, 900–903
- Ziebuhr ,W, Hennig S, Eckart M, Kränzler H, Batzilla C, Kozitskaya S., 2006. Nosocomial infections by *Staphylococcus epidermidis*: how a commensal bacterium turns into a pathogen. *Int J Antimicrob Agents.*; 28:S14-20.