



DAFTAR PUSTAKA

- Aun, C.T.S. Propofol, as anesthetic intravenous properties. *Br J Anaesth*, 1999. 83: 29-41
- Baker MT, Naguib M., Propofol, the challenges of formulation. *Anesthesiology*, 2005, 103:860-76.
- Barnett P., Propofol for pediatric sedation. *Pediatric Emergency Care*. 2005, 21(2):111-4.
- Booker PD., Intravenous anesthetics. In: Bisonette. Penyunting. *Pediatric anesthesia: principles and practice* 1st ed. McGraw-Hill, New York, 2002. 245-7.
- Catterall W., Mackie K. Local Anesthetic In : Hardmann, Gillman, Limbird LD, editors. Pharmacological bases of therapeutic. 9th ed. New York : McGraw-Hill; 1996. 331-47
- Clarke R.S.J., Intravenous anaesthetic agent induction and maintenance, Healy T.E.J and Cohen P.J (Ed) in A Practice of Anaesthesia 6th ed. Wylie and Churchill Davidson, London, 1995. 99-100
- Chudnofsky C.R, Weber J.E, Stoyanoff, Colone P.D, Wilkerson M.D, Hallinen D.L. Clinical investigation : A Combination of midazolam and ketamin for procedural sedation and analgesia in adult emergency department patients. *Academic Emergency Medicine* (7); 2000. 3: 228-35
- Coetzee JF, Coetzer M., Propofol in paediatric anaesthesia. *Curr Opin Anaesthesiology*, 2003, 16:285-90.
- Dahl J.B., Mainiche S., Preemptive analgesia. *British Medical Bulletin*, 2004. 71: 13-27
- Davis PJ., Lerman J., Tovofic SP., Cook DR., Pharmacology of pediatric anesthesia. In: Motoyama EK, penyunting. *Smith's anesthesia for infants and children*. Edisi ke-7. Mosby Elsivier: Philadelphia, 2006, p. 191-208.
- D'souza, N., Garg, R., Perioperative Laryngospasm – Review of literature. *The internet journal of Anesthesiology*, 2009. Volume 20 Number 1

Fauzia B., Safia Z., Salim S., Sadqa A., Sultan S.T., Intravenous ketamin attenuates injection pain and arterial pressure changes during the induction of anesthesia with propofol: a comparison with lidocaine. *J Coll Physicians Surg Pak*, 2007;17:390-393

Fujii Y, Nakayama M. Efficacy of lignocaine plus ketamin at different doses in the prevention of pain due to propofol injection. *Clin Drug Investigation*, 2004. 25: 537-540

Go S.H., Chun C.Y., Shang S.K., Tso C.L., Shung T.H., Chih S.W., Intra articular ketamin for pain control following arthroscopic knee surgery. *Acta Anaesthesiology*. 2000. 38: 131-136

Harris RS, Lazar O, Johansen JW, Sebel PS., Interaction of propofol and sevoflurane on loss of consciousness and movement to skin incision during general anesthesia. *Anesthesiology*, 2006, 104:1170-5.

Heerden P.V., Sedation, Analgesia and MuscleRelaxation in the Intensive Care Manual in Oh's Intensive Care Manual 5th ed. *Elsevier Science*. 2003. 79: 833-840

Iman S., Erturgrul E., Abdulaziz B., Painless injection of propofol pretreatment with ketamin vs thiopental, meperidine and lidocain. *M.E.J anesthesia*. 2007. 19: 631-642

Iwama H., Nakane M., A potensial mechanism of propofol-induced pain on injection based on studies using nafamostat mesilate. *Br J Anaesth*. 1999. 83: 399-404

Katz, R., Levy, A., Slepian, B., Lagasse, R., Haemodynamic stability and ketamine-alfentanil anaesthetic induction. *British Journal of Anaesthesia*. 1998. 81:702-706

King SY., Davis FM., Wells., Elisabeth J., Lidocain for the prevention of pain due to injection of propofol. *Anesth Analg*. 1992. 74: 246-9

Kelly D.J., Ahmad M., Brull S.J., *Preemptive analgesia I: physiological pathways and pharmacological modalities*. *Can J Anesth*. 2001. 48:1000-1010

Laidler J.R., Local Anesthetic Pharmacology. In : Weinberg G.L, editor. Basic science review of anaesthesiology. Int ed. Chicago : McGraw-Hill; 1997. 33-41



Morgan G.E., Mikhail M.S., Murray M.D., Pain Management in Clinical Anesthesiology 4th ed. Appleton & Lange. 2006. 18: 359-411

Nandita K., Premila M., Jagdish D., Anil T., Ketamin pretreatment to alleviate the pain of propofol injection : A randomized, double blind study. *The Internet Journal of Anesthesiology*. 2009. Volume 20 Number 2.

Ozkocak I., Altunkaya H., Ozer Y., Ayoglu H., Demirel C.B, Cicek E., Comparison of ephedrine and ketamine in prevention of injection pain and hypotension due to propofol induction. *European Journal of Anaesthesiology*. 2005. 22: 44-48

Pedersen J., Gale T., Kehlet H., Peripheral analgesic effects of ketamine in acute inflammatory pain. *Anesthesiology*. 1998. 89:58-66

Picard P., Tramer M.R., Prevention of Pain on injection with Propofol: A Quantitative Systemic Review. *Anesth Analg*. 2000. 90: 963-969

Rainer., Marcel E., Ketamin : teaching and old drug new tricks, Review article. *Anesth Analg*. 1998; 87: 1186-93

Rang H.P., Urban L., Inflammatory and neurogenic Pain; New molecules, New mechanism. *Br J Anaesth*. 1995. 75: 145-146

Rathmell J.P., Acute Pain in Regional Anesthesia: The Requisites in *Anesthesiology series*. Ed: Elsevier Mosby. Philadelphia. 2004. 194-205

Ready L.B., Post operatif pain, in Miller R D. Anesthesia 3 rd Ed.. Churchill Living stone inc. New York. 1990: 213-46

Reves J.G., Glass P.S.A., Lubasrky D.A., Nonbarbiturate intravenous anesthetic in *Anesthesia* 5th ed. Miller R.D. (Ed). Churchill Livingstone, Philadelphia. 2000: 228-61

Robert B.S., Scott S.R., Gregory G., The dose-response relationship of ketorolac as a component of intravenous regional anesthesia with lidocain. *Anesth Analg*. 1998. 86: 791-3

Sastroasmoro S., Pemilihan subyek penelitian dalam *Dasar-dasar Metodologi Penelitian Klinis* 2nd ed. Sastroasmoro S, Ismael S, Sagung Seto-Jakarta. 2002. 66-77



Sastroasmoro S., Pemilihan subyek penelitian dalam *Dasar-dasar Metodologi Penelitian Klinis 2nd ed.* Sastroasmoro S, Ismael S, Sagung Seto-Jakarta. 2002. 66-77

Scott S.R., Robert B.S., Joel M.K., Karen M.D., Intravenous regional anesthesia using lidocain and ketorolac. *Anesth Analg.* 1995. 81: 110-3

Soerasdi E., Terapi Nyeri pada Artikuler dalam *Kumpulan Makalah Pertemuan Ilmiah Berkala X – IDSAI: Anestesiologi di Indonesia Menjelang Era Global.* Ed: Soerasdi E., Adipraja K, Bisri T. Bandung. 2000. 84-87

Steven M Green., Baruch Krauss, Clinical practice guideline for emergency department ketamine dissociative sedation in children. *Ann Emerg Med.* 2004

Stoelting R.K., Cyclooxygenase-2 Inhibitors and Nonspesific Nonsteroidal Antiinflammatory drugs in *Pharmacology and Physiology in Anesthetic Practice 4th ed.* Lippincot-William & Wilkins. 2006. 11: 276-291

Sumishida, Involvement Ketamin of Presurgical Pain in Preemptive Analgesia for Orthopedic Limb Surgery. *Dept. Anesthesiology.* Nigata Japan. 2004. 3: 89-95

Sunaryo, Anestesi Lokal. Dalam : Farmakologi dan Terapi. 3rd ed. Jakarta. Bagian Farmakologi Fakultas Kedokteran Universitas Indonesia. 1987. Hal 208-21

Suryono B. Mekanisme nyeri pasca bedah dalam *Suplemen Berkala Neuro Sains (BNS).* 2003. 4: 73-77

Sweetman S.C., Ketamine hydrochloride. *Martindale: The complete drug reference.* 33rd ed. London: The Pharmaceutical Press. 2002. 1262-3

Tanra H A., Therapeutic approach for postoperative pain dalam *Pain symposium Towards mechanism based treatment.* Jogjakarta. 2004. 99-103

Thaib.R., Ketamin is it still used for anesthesia practice? Department of Anesthesiology Medical Faculty University of Indonesia. Jakarta. 2006. 2-3

Waldman, Pain clinical and operative nerve block. In: *A practice of anaesthesia 5th ed.* Singapore, 1986: P.G Publishing Pte Ltd: 893-900

Whitwam J.G., Cloy R.F. Pharmacology Propofol in Principles and Practice of Sedation. *Delwest Grapies.* London. 1998. 27-31