

## DAFTAR PUSTAKA

- A. C. Nobre, A. Rao, dan G. N. Owen. 2008. *L-theanine, a natural constituent in tea, and its effect on mental state.: Discovery Service for Endeavour College of Natural Health Library*. Asia Pac. J. Clin. Nutr., 17: 167– 168.
- A. Mosblech, I. Feussner, dan I. Heilmann. 2009. *Oxylipins: Structurally Diverse metabolites from Fatty Acid Oxidation*, Plant Physiol. Biochem. 47: 511–517.
- Almajano, M.P., Carbó, R., Jiménez, J.A.L. dan Gordon, M.H. 2008. *Antioxidant and Antimicrobial Activities of Tea Infusions*. Food Chem. 108: 55–63.
- Ningrum, A., Minh, N. N., dan Schreiner, M. 2015. *Carotenoids and Norisoprenoids as Carotenoid Degradation Products in Pandan Leaves ( Pandanus amaryllifolius Roxb .)*. International Journal of Food Properties, 18(9): 1905–1914.
- Anjarsari I.R.D. 2016. *Indonesia Tea Catechin : Prospect and Benefits*. Jurnal Kultivasi, 15(2): 99–106.
- Anonim, 2016. *Statistika Perkebunan Indonesia Komoditas Teh 2015-2017*. Direktorat Jenderal Perkebunan, Jakarta.
- Anonim. 1970. *AOAC: Official Methods of Analysis of the Association of Official Analytical Chemist*. Association of Official Analytical Chemist, Washington DC.
- Anonim. 1991. Mitsui Norin Co, Ltd. Fujieda. Japan.
- Anonim. 2006. *Petunjuk Kultur Teknis Tanaman Teh Edisi 3*. Pusat Penelitian Teh dan Kina Gambung (PPTK).
- B. Frei dan J. V Higdon. 2003. *Role of Flavonoids in the Diet Antioxidant Activity of Tea Polyphenols In Vivo : Evidence from Animal*. February, hal. 3285–3292.
- Belitz, H. D., Grosch, W., dan Schieberle, P. (2009). *Food chemistry*. Springer. Switzerland AG
- C. Astill, M. R. Birch, C. Dacombe, P. G. Humphrey, dan P. T. Martin. 2001. *Factors Affecting The Caffeine and Polyphenol Contents of Black and Green Tea Infusions*. J. Agric. Food Chem., 49 (11) : 5340–5347.

- C. N. Chen, C. M. Liang, J. R. Lai, Y. J. Tsai, J. S. Tsay, dan J. K. Lin. 2003. *Capillary Electrophoretic Determination of Theanine, Caffeine, and Catechins in Fresh Tea Leaves and Oolong Tea and Their Effects on Rat Neurosphere Adhesion and Migration*. J. Agric. Food Chem., 51 (25) : 7495–7503.
- C. -W Chen dan C. -T Ho. 1995. *Antioxidant Properties of Polyphenols Extracted From Green and Black Teas*. J. Food Lipids, 2 (1) : 35–46.
- C. Zhang, C. L. C. Suen, C. Yang, dan S. Y. Quek. 2018. *Antioxidant Capacity and Major Polyphenol Composition of Teas as Affected By Geographical Location, Plantation Elevation and Leaf Grade*. Food Chem., 244 (Sep 2017) : 109–119.
- Cao, G., Sofic, E. dan Prior, R.L. 1996. *Antioxidant Capacity of Tea and Common Vegetables*. Journal of Agricultural and Food Chemistry, 44 : 3426–3431.
- Cleverdon, R., Elhalaby, Y., McAlpine, M., Gittings, W., dan Ward, W. 2018. *Total Polyphenol Content and Antioxidant Capacity of Tea Bags : Comparison of Black, Green, Red Rooibos, Chamomile and Peppermint over Different Steep Times*. Beverages, 4(15): 1–13.
- Chrismaaji, Y.D. 2018. *Penetapan Kadar Kafein dalam Kopi Bubuk Murni Robusta Merek “X” dengan Metode High Performance Liquid Chromatography (HPLC) Fase Terbalik*. Skripsi Universitas Sanata Dharma, Yogyakarta.
- D. Erba, P. Riso, A. Bordoni, P. Foti, P. L. Biagi, dan G. Testolin. 2005. *Effectiveness of Moderate Green Tea Consumption on Antioxidative Status and Plasma Lipid Profile in Humans*. J. Nutr. Biochem. 16, (3): 144–149.
- D. Rohdiana dan Shabri. 2012. *Analisis Individual Katekin Teh Hijau Hasil Ekstraksi dan Fraksionasi Kromatografi Kolom*. J. Penelit. Teh dan Kina, 15 (September 2007) : 81–88.
- D. Puangpronpitag & N, Niamsa & C, Sittiwet. 2009. *Anti-Microbial Properties of Clove ( Eugenia caryophyllum Bullock and Harrison) Aqueous Extract Against Food-Borne Pathogen Bacteria*. International Journal of Pharmacology
- D. Yang, Liu Y, Sun M, Zhao L, Wang Y, Chen X, Wei C, Gao L, dan Xia T. 2012. *Differential Gene Expression in Tea (Camellia Sinensis L.) Calli with Different Morphologies and Catechin Contents*. J. Plant Physiol., 169 (2) :163–175.
- De Garmo, E.P., W.G. Sullivan, dan C.R Candra. 1984. *Engineering Economy*. 7th edition Mc Millan Publ. Co. New York.

- E. H. Xia, Zhang HB, Sheng J, Li K, Zhang QJ,... Gao LZ. 2017. *The Tea Tree Genome Provides Insights into Tea Flavor and Independent Evolution of Caffeine Biosynthesis*. Mol. Plant, 10 (6) : 866–877.
- Graham, H. N. 1992. *Green Tea Composition, Consumption, and Polyphenol Chemistry*. Preventive Medicine, 21: 334–350
- Han, Z. X., Rana, M. M., Liu, G. F., Gao, M. J., Li, D. X., Wu, F. G., ... Wei, S. 2016. *Green Tea Flavour Determinants And Their Changes Over Manufacturing Processes*. Food Chemistry, 212 : 739–748
- Hara Y. 1999. *Tea in Japan*. In Jain N.K. (ed.). Global Advances in Tea Science. Aravali Book Int'l (P) Ltd., NewDelhi. 89-102
- Henning, S.M., Fajardo-Lira, C., Lee, H.W., Youssefian, A.A., Go, V.L.W. dan Heber, D. 2003. *Catechin Content of 18 Teas and A Green Tea Extract Supplement Correlates with The Antioxidant Capacity*. Nutrition and Cancer, 45: 226–235
- J.J. Cheong, dan Y.D. Choi. 2003. *Methyl Jasmonate as a Vital Substance in Plants*, Trends Genet. 19: 409–413.
- Jomova, K., dan Valko, M. 2013. *Health Protective Effects of Carotenoids and Their Interactions with Other Biological Antioxidants*. Eur. J. Med. Chem. 70: 102–110.
- Krisyando, P., D. Indradewa, dan S. Waluyo. 2012. *Potensi Hasil dan Toleransi Kekeringan Seri Klon Teh (Camellia sinensis (L.) Kuntze) PGL di Kebun Produksi Pagilaran Bagian Andongsili*. Vegetalika 1(1):160-172.
- Kuo, J.M., A. Hwang, D.B. Yeh, M.H. Pan, M.L. Tsai, dan B.S. Pan. 2006. *Lipoxygenase from Banana Leaf: Purification and Characterization of an Enzyme that Catalyses Linoleic Acid Oxygenation at the 9-Position*. J. Agric Food Chem, 54: 3151-3156.
- Kusmiyati, M., Sudaryat, Y., Lutfiah, I. A., Rustamsyah, A., and Rohdiana, D. 2015. *Aktivitas Antioksidan, Kadar Fenol Total, dan Flavonoid Total Teh Hijau (Camellia sinensis (L.) O. Kuntze) Asal Tiga Perkebunan Jawa Barat*. Jurnal Penelitian Teh Dan Kina, (March), 101–106.
- M. Akter, Islam, N., Sumit, A., Ahsan, N., Hossain, S., Ahmed, M., dan Akhand,. 2015. *Tea Extract Prevents Arsenic-Mediated DNA Damage and Death of Murine Thymocytes In Vitro*. Dhaka Univ. J. Pharm. Sci., 14 (1) : 79–85.

- M. Friedman, C. E. Levin, S. U. Lee, dan N. Kozukue. 2009. *Stability of Green Tea Catechins In Commercial Tea Leaves During Storage for 6 Months*, J. Food Sci. 74 (2)
- M. Narukawa, Y. Toda, T. Nakagita, Y. Hayashi, dan T. Misaka. 2014. *L-Theanine Elicits Umami Taste Via The T1R1 + T1R3 Umami Taste Receptor*, Amino Acids. 46 (6) : 1583–1587.
- Mahanta P.K. dan Baruah S. 1988. *Flavour Volatiles of Assam Ctc Black Teas Manufac- Tured from Different Plucking Standard and Orthodox Teas Manufactured from Different Altitudes of Darjeerling*. J. Sci. Food Agric. 45: 317-324.
- Martono, Y dan Martono S. 2012. *Analisis Kromatografi Cair Kinerja Tinggi Untuk Penetapan Kadar Asam Galat, Kafein Dan Epigallocatekin Galat Pada Beberapa Produk Teh Celup*. Agritech, 32 (4): 362-369
- Mulyaningsih, L. 1985. *Pendugaan Dini Potensi Kualitas Teh Hitam (Camellia sinensis (L.) O. Kuntze) Melalui Bulu Daun*. Tesis Fakultas Pertanian UGM. hal 38.
- Nakagawa M. 1970. *Constituents In Tea Leaf and Their Contribution To The Taste of Green Tea Liquor*. Japan Agricultural Research Quaterly 5(3): 43-47.
- Namal Senanayake, S. P. J. 2013. *Green Tea Extract: Chemistry, Antioxidant Properties and Food Applications - A Review*. Journal of Functional Foods, 5(4), 1529–1541.
- Nanjo, F., Goto, K., Seto, R., Suzuki, M., Sakai, M., dan Hara, Y. 1996. *Scavenging Effects of Tea Catechins and Their Derivatives on 1,1-Diphenyl-2-Picrylhydrazyl Radical*. Free Radical Biology & Medicine, 21: 895–902.
- Pelczar, M. J., Chan, E. C. S. and Krieg, N. R. 1993. *Microbiology Concepts and Application*. Mc Graw-Hill, Inc. New York.
- Ravichandran, R. 2002. *Carotenoid Composition, Distribution and Degradation to Flavour Volatiles during Black Tea Manufacture and The Effect of Carotenoid Supplementation on Tea Quality and Aroma*. Food Chemistry, 78(1), 23–28.
- Ribeiro, D., Freitas, M., Silva, A. M. S., Carvalho, F., dan Fernandes, E. 2018. *Antioxidant and Pro-Oxidant Activities of Carotenoids and Their Oxidation Products*. Food and Chemical Toxicology, 120 (Juli), 681–699.
- R. Jayabalan, P. Subathradevi, S. Marimuthu, M. Sathishkumar, dan K. Swaminathan. 2008. *Changes In Free-Radical Scavenging Ability of Kombucha Tea During Fermentation*. Food Chem. 109 (1) : 227–234.

- S. Khohar dan S.G. M.Magnusdottir. 2002. *Total Phenol, Catechin, and Caffeine Contents of Teas Commonly Consumed In The United Kingdom*. J.Agric. Food Chem., 50 : 565–570
- S. Mitrowihardjo, W. Mangoendidjojo, H. Hartiko, dan P. Yudono. 2012. *Kandungan Katekin dan Kualitas (Warna Air Seduhan, Flavor, Kenampakan) Enam Klon Teh (Camellia sinensis (L.) O. Kuntze) Di Ketinggian Yang Berbeda*. Agritech, 32 (2) : 199–206.
- S. Scharbert, N. Holzmann, dan T. Hofmann. 2004. *Identification of The Astringent Taste Compounds In Black Tea Infusions By Combining Instrumental Analysis and Human Bioresponse*, J. Agric. Food Chem. 52, (11): 3498–3508.
- Santoso, U. 2016. *Antioksidan Pangan*. Gadjah Mada University Press. Yogyakarta
- Saiful dan Sudarsono. 2013. *Influence of Tea Leaves Camelia Sinensis L. Phenolic Content as Preference Factor of Empoasca Sp.* Traditional Medicine Journal. 18(May): 3–4.
- Shete, V., dan Quadro, L., 2013. *Mammalian Metabolism of B-Carotene: Gaps In Knowledge*. Nutrients 5: 4849–4868.
- Siems, W., Wiswedel, I., Salerno, C., Crifo, C., Augustin, W., Schild, L., Langhans, C.D., dan Sommerburg, O., 2005. *B-Carotene Breakdown Products May Impair Mitochondrial Functions - Potential Side Effects of High-Dose B-Carotene Supplementation*. J. Nutr. Biochem. 16: 385–397.
- Singh, Kashmir & Rani, Arti & Kumar, Sanjay Sood, Payal and Mahajan, Monika & Yadav, Sudesh & Singh, Bikram & Ahuja, Paramvir. 2008. *An Early Gene of The Flavonoid Pathway, Flavanone 3-Hydroxylase, Exhibits A Positive Relationship With The Concentration of Catechins In Tea (Camellia Sinensis)*. Tree Physiol., 28 (9) : 1349–1356.
- T. H. Ofmannt. 2006. *Agricultural and Molecular and Sensory Studies on the Umami Taste of Tea*, hal: 2688–2694.
- T. Tsushida dan T. Takeo. 1984. *Occurrence of Theanine In Camellia Japonica and Camellia Sasanqua Seedlings*. Agric. Biol. Chem., 48 (11) : 2861–2862.
- Takeda Y. 1994. *Differences In Tea Caffeine and Tannin Contents Between Tea Cultivars and Application To Tea Breeding*. Japan Agricultural Research Quarterly 28 (2): 117-123.
- Tomasina, F., Carabio, C., dan Celano, L. 2012. *Analysis of Two Methods to*

*Evaluate Antioxidants*, 40(4), 266–270.

- Tsai, S. Y., Tsai, H. L., dan Mau, J. L. 2008. *Non-Volatile Taste Components of Agaricus Blazei, Agrocybe Cylindracea, and Boletus Edulis*. Food Chemistry, 107(3) : 977–983
- W. E. Price dan J. C. Spitzer. 1993. *Variations In The Amounts of Individual Flavonols In A Range of Green Teas*. Food Chem., 47 (3) : 271–276.
- W. W. Deng, S. Ogita, dan H. Ashihara. 2008. *Biosynthesis of Theanine (Γ-Ethylamino-L-Glutamic Acid) In Seedlings of Camellia Sinensis*. Phytochem. Lett., 1 (2) : 115–119.
- Wang, L., Xu, R., Hu, B., Li, W., Sun, Y., Tu, Y., dan Zeng, X. 2010. *Analysis Of Free Amino Acids In Chinese Teas And Flower of Tea Plant By High Performance Liquid Chromatography Combined With Solid-Phase Extraction*. Food Chemistry, 123(4) : 1259–1266.
- Windarwati, Sri. 2011. *Pemanfaatan Fraksi Aktif Ekstrak Tanaman Jarak Pagar (Jatropha Curcas Linn.) Sebagai Zat Antimikroba Dan Antioksidan Dalam Sediaan Kosmetik*. Tesis Sekolah Pascasarjana IPB, Bogor.
- Wu, C., Xu, H., Héritier, J., dan Andlauer, W. 2012. *Determination of Catechins and Flavonol Glycosides In Chinese Tea Varieties*. Food Chemistry, 132(1): 144–149.
- Yasir, Muhammad & Sultana, Bushra & Amicucci, Matt. 2016. *Biological activities of phenolic compounds extracted from Amaranthaceae plants and their LC/ESI-MS/MS profiling*. Journal of Functional Foods.
- Y. M. Nibir, A. F. Sumit, A. A. Akhand, N. Ahsan, dan M. S. Hossain. 2017. *Comparative Assessment of Total Polyphenols, Antioxidant And Antimicrobial Activity of Different Tea Varieties of Bangladesh*. Asian Pac. J. Trop. Biomed., 7 (4) : 352–357.
- Y. R. Liang, Ye, Q., Jin, J., Liang, H., Lu, J. L., Du, Y. Y., dan Dong, J. J. 2008. *Chemical and Instrumental Assessment of Green Tea Sensory Preference*. Int. J. Food Prop., 11 (2) : 258–272.
- Yang, Z., Baldermann, S., dan Watanabe, N. 2013. *Recent Studies of The Volatile Compounds In Tea*. Food Research International, 53(2) : 585–599.
- Yao, L., Jiang, Y., Datta, N., Singanusong, R., dan Liu, X. 2004. *HPLC Analyses of Flavonols and Phenolic Acids In The Fresh Young Shoots of Tea ( Camellia Sinensis ) Grown In Australia*. 84: 253–263.



Zhao, B.. 2003. *Antioxidant Effects of Green Tea Polyphenols*. Chin.Sci.Bull. 48: 315.

Zhonghua L., Huang J., Shi Z. dan Wang Z. 1995. *Studies on Some Factors Affecting The Quality of Tea Catechins*. Proceeding of '95 International Tea Quality Human Health Symposium. Shanghai. China. hal : 211