

DAFTAR PUSTAKA

- Afriani, Raguati dan P. Rahayu. (2009). Potensi bakteri asam laktat dadih dari Kabupaten Kerinci sebagai biopreservatif pangan. *Laporan Penelitian*. Fakultas Peternakan Universitas Jambi.
- Agustina, Fitri. (2016). Pola pertumbuhan dan produksi asam bakteri asam laktat *indigenus* pada fermentasi susu menggunakan kultur tunggal dan campuran. *Thesis*. Pascasarjana ITP FTP UGM Yogyakarta.
- Ahmad, S. (2013). *Buffalo Milk*. Dalam: Y.W. Park & G.F.W. Haenlein (ed.). *Milk and Dairy Products in Human Nutrition: Production, Composition and Health*, First Edition, pp. 519-553. John Wiley & Sons, Ltd.
- Anal, A. K., & Singh, H. (2007). Recent advances in microencapsulation of probiotics for industrial applications and targeted delivery. *Trends in Food Science and Technology*, 18(5), 240–251. <https://doi.org/10.1016/j.tifs.2007.01.004>
- Anggraini, B. R. (2018). Pengaruh penambahan sukrosa terhadap pertumbuhan *Lactobacillus plantarum* Dad 13 dan produksi asam pada fermentasi sari koro pedang putih (*Canavalia ensiformis L.*). *Skripsi*. TPHP FTP UGM, Yogyakarta.
- Anonim. (2009). *Standar Nasional Indonesia*. Standar Yogurt. SNI 2981:2009.
- AOAC. (2005). *Official Methods of Analysis*. Washington, DC.
- Champagne, C. P., & Fustier, P. (2007). Microencapsulation for the improved delivery of bioactive compounds into foods. *Food Biotechnology*, 18: 184–190.
- Chandan, R. C. & O'rell, K. R., (2006). Principles of yogurt processing. *Dalam: R.C Chandan, C. H. White, A. Kilara dan Y. H. Hui (ed.). Manufacturing yoghurt and fermented milks*, pp. 195 – 209. Ames, IA: Blackwell Publishing.
- Elida, M. (2002). Profil Bakteri Asam Laktat dari Dadih yang Difermentasi dalam Berbagai Jenis Bumbu dan Potensinya Sebagai Probiotik. Bogor: Tesis Pasca Sarjana Institut Pertanian Bogor.
- Fang, Z., & Bhandari, B. (2010). Encapsulation of polyphenols - a review. *Trends in Food Science & Technology*, 21, 510-523.

- FAO/WHO. (2001). Health and nutritional properties of probiotics in food including powder milk with live lactic acid bacteria. *Report of a Joint FAO/WHO Expert Consultation on Evaluation of Health and Nutritional Properties of Probiotics in Food Including Powder Milk with Live Lactic Acid Bacteria*. WHO, Geneva, Switzerland.
- Ferrando V., Quiberoni A., Reinheimer J., Suárez V. (2015). Resistance of functional *Lactobacillus plantarum* strains against food stress conditions. *Food Microbiol.* 48, 63–71.
- Gong, P., Zhang, L., Han, X., Shigwedha, N., Song, W., Yi, H., Du, M., dan Cao, C. (2014). Injury mechanisms of lactic acid bacteria starter cultures during spray drying: A review. *Drying Technology*, 32(7), pp. 793–800. doi: 10.1080/07373937.2013.860458.
- Heidebach, T., Forst, P., & Kulozik, U. (2009). Microencapsulation of probiotic cells by means of rennet-gelation of milk proteins. *Food Hydrocolloids*, 23, 1670–1677. <https://doi.org/10.1016/j.foodhyd.2009.01.006>
- Hosono, A., R. Wardoyo, & H. Otani. (1989). Microbial flora in dadih, a traditional fermented milk in Indonesia. *LebensmWiss. Technol.* 22: 20–24.
- Huang, S., Cauty, C., Dolivet, A., Loir, Y. L., Chen, X. D., Schuck, P., Jan, G., & Jeantet, R. (2016). Double use of highly concentrated sweet whey to improve the biomass production and viability of spray-dried probiotic bacteria. *Journal of Functional Foods*. Elsevier Ltd, 23, pp. 453–463. doi: 10.1016/j.jff.2016.02.050.
- Huang, S., Vignolles, M.-L., Chen, X. D., Loir, Y. Le, Jan, G., Schuck, P., & Jeantet, R. (2017). Spray drying of probiotics and other food-grade bacteria : A review. *Trends in Food Science & Technology*, 63, 1–17. <https://doi.org/10.1016/j.tifs.2017.02.007>
- Kasmianti, Utami, T., Harmayani, E., dan Rahayu, E. S., 2002. Potensi bakteri asam laktat *indigenous* untuk menurunkan kadar laktosa. Seminar Nasional PATPI. Malang, 30-31 Juli 2002.
- Kechagia, M., Basoulis, D., Konstantopoulou, S., Dimitriadi, D., Gyftopoulou, K., Skarmoutsou, N., & Fakiri, E. M. (2013). Health benefits of probiotics: a review. *ISRN nutrition*, 2013, 481651. doi:10.5402/2013/481651
- Koç, B., Sakin-Yilmazer, M., Kaymak-Ertekin, F., & Balkir, P. (2014). Physical properties of yoghurt powder produced by spray drying, *J Food Sci Technol*, 51(July), 1377–1383. <https://doi.org/10.1007/s13197-012-0653-8>

- Koc, B., Yilmazer, M. S., Balkır, P., & Ertekin, F. K. (2010). Spray drying of yogurt: Optimization of process conditions for improving viability and other quality attributes. *Drying Technology: An International Journal*, 28(4), 495–507.
- Kroger, M. (1975). Quality of yogurt. *Journal of Dairy Science*, 59(2), 344–350. [https://doi.org/10.3168/jds.S0022-0302\(76\)84208-7](https://doi.org/10.3168/jds.S0022-0302(76)84208-7)
- Kumar, P. & Mishra H.N. (2004) Yoghurt powder- A review of process technology, storage and utilization. *Food Bioprod Process* 82 (C2):133–142
- Lohiya, G. K., & Avari, J. G. (2016). Optimization of feed composition for spray drying of probiotics. *Journal of Innovations in Pharmaceuticals and Biological Sciences*, 3(1), 154–161.
- Lourens-hattingh, A., & Viljoen, B. C. (2001). Yogurt as probiotic carrier food. *International Dairy Journal*, 11, 1–17.
- Martin, M. J., Lara-Villoslada, F., Ruiz, M. A., & Morales, M. E. (2015). Microencapsulation of bacteria : A review of different technologies and their impact on the probiotic effects. *Innovative Food Science and Emerging Technologies*, 27, 15–25. <https://doi.org/10.1016/j.ifset.2014.09.010>
- Mitsuoka, T. (2014). Development of functional foods. *Bioscience of Microbiota, Food and Health*, 33(3), 117–128. <https://doi.org/10.12938/bmfh.33.117>
- Mortazavian, A. M., Ehsani, M. R., Azizi, A., Razavi, S. H., Mousavi, S. M., Sohrabvandi, S., & Reinheimer, J. A. (2008). Viability of calcium-alginate-microencapsulated probiotic bacteria in Iranian yogurt drink (Doogh) during refrigerated storage and under simulated gastrointestinal conditions. *Australian Journal of Dairy Technology*, 63, 24–29.
- Mortazavian, A. M., Khosrokhvar, R., Rastegar, H., & Mortazaei, G. R. (2010). Effects of dry matter standardization order on biochemical and microbiological characteristics of freshly made probiotic Doogh (Iranian fermented milk drink). *Italian Journal of Food Science*, 22, 98–102.
- Ngatirah (2000). Seleksi bakteri asam laktat yang berpotensi menurunkan kolesterol. *Thesis*. Pascasarjana Ilmu dan Teknologi Pangan. UGM, Yogyakarta.
- Pacifico, C.J., Wu, Wen-Hsin dan Fraley, M. (1999). Sensitive substance encapsulation. US Patent 6,251,478. Dalam: Setyaningsih, R. (2003). Penggunaan lipida terhidrogenasi sebagai enkapsulan untuk meningkatkan ketahanan hidup kultur yogurt dan isolat probiotik kering beku selama penyimpanan. *Skripsi*. TPHP FTP UGM, Yogyakarta.

- Gall, C. F. (2013). *Production Systems around the World*. Dalam: Y.W. Park & G.F.W. Haenlein (ed.). *Milk and Dairy Products in Human Nutrition: Production, Composition and Health*, First Edition, pp. 1-30. John Wiley & Sons, Ltd.
- Picot, A., & Lacroix, C. (2004). Encapsulation of bifidobacteria in whey protein-based microcapsules and survival in simulated gastrointestinal conditions and in yoghurt. *International Dairy Journal*, 14(6), 505–515. <https://doi.org/10.1016/j.idairyj.2003.10.008>
- Putra, A. A., Marlida, Y., Khasrad, Azhike, S. Y. D., & Wulandari, R. (2011). Perkembangan dan usaha pengembangan dadih: Sebuah review tentang susu fermentasi tradisional minangkabau. *Jurnal Peternakan Indonesia*, 13(3), 159–170.
- Quigley, L., O'Sullivan, O., Stanton, C., Beresford, T. P., Ross, R. P., Fitzgerald, G. F., & Cotter, P. D. (2013). The complex microbiota of raw milk. *FEMS Microbiol Rev*, 37, pp. 664–698. doi: 10.1111/1574-6976.12030.
- Rahayu, E. S. (2003). Lactic acid bacteria in fermented food of Indonesian origin. *Agritech*. <https://doi.org/http://dx.doi.org/10.22146/agritech.13515>
- Rahayu, E. S., Cahyanto, M. N., Mariyatun, Sarwoko, MA., Haryono, P., Windiarti, L., Sutriyanto, J., Kandarina, I., Nurfiani, S., Zulaichah, E. dan Utami, T. (2016). Effects of consumption of fermented milk containing indigenous probiotic *Lactobacillus plantarum* Dad-13 on the fecal microbiota of healthy Indonesian volunteers. *International Journal of Probiotics and Prebiotics*, 11(2), pp. 91–98.
- Robinson, R. K. dan Tamime, A. Y. 2000. *Yogurt Science and Technology*. Second edition. CRC Press, New York.
- Rutella, G. S., Tagliazucchi, D., & Solieri, L. (2016). Survival and bioactivities of selected probiotic lactobacilli in yogurt fermentation and cold storage : New insights for developing a bi- functional dairy food. *Food Microbiology*, 60, 54–61. <https://doi.org/10.1016/j.fm.2016.06.017>
- Sanguansri, L., & Augustin, M. A. (2010). Microencapsulation in functional food product development. Dalam J. Smith, & E. Charter (Eds.), *Functional food product development* (pp. 3e23). Blackwell Publishing Ltd.
- Schuck, P., Dolivet, A., Méjean, S., Hervé, C., & Jeantet, R. (2013). Spray drying of dairy bacteria : New opportunities to improve the viability of bacteria powders. *International Dairy Journal*, 31(1), 12–17. <https://doi.org/10.1016/j.idairyj.2012.01.006>

- Schrooyen, P. M. M., van der Meer, R. & De Kruif, C.G. (2001). Microencapsulation: Its application in nutrition. *The Proceedings of the Nutrition Society*. 60. 475-479. DOI: 10.1079/PNS2001112.
- Seth, D., Mishra, H. N. & Deka, S. C. (2016). Functional and reconstitution properties of spray-dried sweetened yoghurt powder as influenced by processing conditions. *International Journal of Food Properties*. Taylor & Francis, doi: 10.1080/10942912.2016.1214965.
- Sugitha, I.M. (1995). Dadih makanan tradisional Minang. Manfaat dan khasiatnya. Dalam Widyakarya Nasional Khasiat Makanan Tradisional. Kantor Menteri Negara Urusan Pangan, Jakarta. hlm. 532–540.
- Sumaryati, B. T., Utami, T., & Suparmo. (2009). Pengaruh infeksi *Escherichia coli* dan pemberian *Lactobacillus plantarum* Dad 13 terhadap mikrobiota feses tikus wistar. *Agritech*, 29(4), 165–170.
- Surono, I. S. (2015). Traditional Indonesian dairy foods. *Asia Pacific Journal Clinical Nutrition*, 24(December), 26–30. <https://doi.org/10.6133/apjcn.2015.24.s1.05>
- Surono, I. S., Collado, M. C., Salminen, S., & Meriluoto, J. (2008). Effect of glucose and incubation temperature on metabolically active *Lactobacillus plantarum* from dadih in removing microcystin-LR. *Food and Chemical Toxicology*, 46, 502–507. <https://doi.org/10.1016/j.fct.2007.08.017>
- Surono, I. S., Koestomo, F. P., Novitasari, N., & Zakaria, F. R. (2011). Anaerobe Novel probiotic *Enterococcus faecium* IS-27526 supplementation increased total salivary sIgA level and bodyweight of pre-school children: A pilot study. *Anaerobe*, 17(6), 496–500. <https://doi.org/10.1016/j.anaerobe.2011.06.003>
- Surono, I. S., Martono, P. D., Kameo, S., Suradji, E. W., & Koyama, H. (2014). Effect of probiotic *L. plantarum* IS-10506 and zinc supplementation on humoral immune response and zinc status of Indonesian pre-school children. *Journal of Trace Elements in Medicine and Biology*, 28(4), 465–469. <https://doi.org/10.1016/j.jtemb.2014.07.009>
- Taufik, E. (2004). Dadih susu sapi hasil fermentasi berbagai starter bakteri probiotik yang disimpan pada suhu rendah: Karakteristik kimiawi. *Media Peternakan*, (Desember), 88-100.
- Teixeira, P.C., Castro, M.H., Malcata, F.X., Kirby, R.M. (1995). Survival of *Lactobacillus delbrueckii* ssp *bulgaricus* following spray-drying. *Journal of Dairy Science* 78, 1025–1031.

- Tripathi, M. K., & Giri, S. K. (2014). Probiotic functional foods: Survival of probiotics during processing and storage. *Journal of Functional Foods*, *9*, 225–241. <https://doi.org/10.1016/j.jff.2014.04.030>
- Usmiati, S., & Risfaheri. (2013). Pengembangan dadih sebagai pangan fungsional probiotik asli Sumatera Barat. *Jurnal Litbang Pertanian*, *32*(1), 20–29.
- Utami, T., Kasmiati, Harmayani, E. dan Rahayu, E. S. (2016). Survival of *Lactobacillus plantarum* Dad 13 during spray drying and its application for yoghurt fermentation. *Int. Res. J. Biological Sci.*, *5*(2), pp. 16–22.
- Vedamuthu, E. R. (1998). Starter cultures for yogurt and fermented milks. Dalam: R.C. Chandan, C. H. White, A. Kilara, dan Y.H. Hui (ed.). *Manufacturing yoghurt and fermented milks*, pp. 89-115. Ames, I.A: Blackwell Publishing.
- Vieira da Silva, B., Barreira, J. C. M., & Oliveira, M. B. P. P. (2016). Natural phytochemicals and probiotics as bioactive ingredients for functional foods : Extraction, biochemistry and protected-delivery technologies. *Trends in Food Science & Technology*, *50*, 144–158. <https://doi.org/10.1016/j.tifs.2015.12.007>
- Wang, Y. C., Yu, R. C., & Chou, C. C. (2004). Viability of lactic acid bacteria and bifidobacteria in fermented soymilk after drying, subsequent rehydration and storage. *International Journal of Food Microbiology*, *93*, 209–217.
- Wardani, S. K., Cahyanto, M. N., Rahayu, E. S., & Utami, T. (2017). The effect of inoculum size and incubation temperature on cell growth, acid production and curd formation during milk fermentation by *Lactobacillus plantarum* Dad 13. *International Food Research Journal*, *24*(3), 921–926.
- Wood, J. M. (2011). Bacterial osmoregulation: A paradigm for the study of cellular homeostasis. *Annual Review of Microbiology*, *65*(1), pp. 215–238. <http://doi.org/10.1146/annurev-micro-090110-102815>.