

DAFTAR PUSTAKA

- Adamson, A.W., 1990, *Physical Chemistry of Surface*, 5th ed., John Wiley and Sons, New York.
- Airoidi, C., and Arakaki, L.N.H., 2001, Immobilization of Etylenesulfide on Silica Surface through Sol-Gel Process and Some Thermodynamic Data of Divalent Cation Interaction, *Polyhedron*, 20 : 929-936.
- Aklil A., Mouflih M., and Sebti S., 2004, Removal of Heavy Metal Ions From Water by Using Calcined Phosphate as New Adsorbent, *J. Hazard. Mater.*, A112 : 183-190.
- Akl, M.A.A., Kenawy, I.M.M., and Lasheen, R.R., 2004, Organically Modified Silica Gel and Flame Atomic Spectrometry: Employment for Separation and Preconcentration of Nine Trace Heavy Metals for Their Determination in Natural Aqueous System, *Microchem. J.*, 78 : 143-156.
- Alberty, R.A., and Daniel, F., 1987, *Physical Chemistry*, 5th ed., John Wiley and Sons, Inc., New York.
- Alcantara, E.F.C, Faria, E.A., Rodrigues, D.V., Evangelista, S.M., De Oliveira, E., Zara, L.F., Rabelo, D., and Prado, A.G.S, 2007, Modification of Silica Gel by Attachment of 2-Mercaptobenzimidazole for Use in Removing Hg(II) from Aqueous Media : A Thermodynamic Approach, *J. Colloid and Interface Sci.*, 311: 1-7.
- Arakaki, L.N.H. and Airoidi, C., 2000, Etylenimine in the Synthetic Routes of a New Silylating Agent: Chelating ability of Nitrogen and Sulfur Donor Atoms after Anchoring onto the Surface of Silica Gel, *Polyhedron*, 19: 367-373.
- Bachrie, S. dan Jamarun, N., 2000, Pengaruh Asam Organik Terhadap Pembentukan Gel Silika melalui Proses Sol-Gel, *Jurnal Kimia Andalas*, 6(1) : 35-38).
- Baghel, A., Boopathi, M., Singh, B., Pandey, P., Mahato, T.H., Gutch, P.K., and Sekhar, K., 2007, Synthesis and Characterization of Metal Ion Imprinted Nano-Porous Polymer for The Selective Recognition of Copper, *Biosensors and Bioelectronics*, 22 : 3326-3334.
- Bhatia and Rimple B., 1998, Direct Immobilization of Horseradish Peroxidase (HRP) in the Phenyl-Modified Hybrid Mesoporous Sol-Gel Materials, *J. Mater. Chem.*, 11: 29-35.

- Birlik, E., Ersoz, A., Denizili, A., and Say, R., 2006, Preconcentration of Copper Using Double-imprinted Polymer *via* Solid Phase Extraction, *Anal. Chim. Acta*, 565 : 145-151.
- Brinker, C.J., dan Scherer, W.J., 1990, *Sol-Gel Science : The Physics and Chemistry of Sol-Gel Processing*, Academic Press, New York.
- Buhani, Narsito, Nuryono dan Kunarti, E.S., 2010, Production of Metal Ion Imprinted Polymer from Mercapto-Silica through Sol-Gel Process as Selective Adsorbent of Cadmium, *Desalination*, 251 : 83-89.
- Buhani, Narsito, Nuryono and Kunarti, E.S., 2009, Amino and Mercapto-Silica Hybrid for Cd(II) Adsorption in Aqueous Solution, *Indo J. Chem.*, 9 (2) : 170-176.
- Buhani and Suharso, 2009, Immobilization of *Nannochloropsis sp* Biomass by Sol-gel Technique as Adsorbent of Metal ion Cu(II) from Aqueous Solution. *Asian J. Chem.*, 21(5): 3799-3808.
- Camel, V., 2003, Solid Phase Extraction of Trace Elements, *Spectrochim. Acta Part B*, 58: 1177-1233.
- Candan, N., Tuzmen, N., Andac M., Andac, C.E., Say, R. and Denizili, A., 2009, Cadmium Removal Out of Human Plasma Using Ion-Imprinted Beads in a Magnetic Volum, *Materials Sci. and Eng. C*, 29: 144-152.
- Cestari, A.R., Viera, E.F.S., Simosi, J.A., and Airoidi, C., 2000, Thermochemical Investigation on the Adsorption of Some Divalent Cations on Modified Silicas Obtained from Sol-Gel Process, *Thermochim Acta*, 348 : 25-31.
- Chang, X., Jiang, N., Zheng, H., He, Q., Hu, Z., Zhai, Y., and Cui, Y., 2007, Solid-Phase Extraction of Iron(III) with an Ion-Imprinted Functionalized Silica Gel Sorbent Prepared by a Surface Imprinting Technique, *Talanta*, 71 : 38-43.
- Chang, X., Wang, X., Jiang, Na., He, Q., Zhai, Y., Zhu, X., and Hu, Z., 2008, Silica Gel Surface-imprinted Solid-Phase Extraction of Zr(IV) from Aqueous Solution, *Microchim. Acta*, 162: 113-119.
- Chiron, N., Guilet, R., and Deydier, E., 2003, Adsorption of Cu(II) and Pb(II) onto Grafted Silica: Isotherms and Kinetic Models, *Water Res.*, 37: 3079-3086.
- Coates, J. 2000, *Interpretation of Infrared Spectra, A Practical Approach in Encyclopedia of Analytical Chemistry*, John Wiley & Sons Ltd, Chichester p: 10815 -10837.

- Coradin, T., and Lopez, P.J., 2003, Biogenic Silica Patterning Simple Chemistry or Subtle Biology, *ChemBioChem*, 72: 80-84.
- Cui, Y., Chang, X., Zhu, X., Luo, H., Hu, Z., Zou, X, He, Q., 2007, Chemically Modified Silica Gel with p-dimethylaminobenzaldehyde for Selective Solid-Phase Extraction and Preconcentration of Cr(III), Cu(II), Ni(II), Pb(II) and Zn(II) by ICP-OES, *Microchem. J.*, 8: 20-26.
- Dakova, I., Karadjova, I., Ivanov, I., Georgieva, V., Evtimova, B., and Georgiev, G., 2007, Solid Phase Selective Separation and Preconcentration of Cu(II) by Cu(II)-Imprinted Polymethacrylic Microbeads. *Anal. Chim. Acta*, 584: 196-203.
- Douglas, B., McDaniel, D., and Alexander, J., 1994, *Concepts and Models of Inorganic Chemistry*, John Wiley & Sons, Inc., New York.
- Elliott, H.A., Liberati, M.R. and Huang, C.P., 1986, Competitive Adsorption of Heavy Metals by Soils, *J. Environ. Qual.*, 15 (3): 214-219.
- Erzöz, A., Say, R., and Denizli, A., 2004, Ni(II) Ion-Imprinted Solid-Phase Extraction and Preconcentration in Aqueous Solutions by Packed-bed Columns. *Anal. Chim. Acta*, 502: 91-97.
- Etienne, M., and Walcarius, A., 2003, Analytical Investigation of Chemical Reactivity and Stability of Aminopropyl Grafted Silica in Aqueous Medium, *Talanta*, 59: 1173-1188.
- Evangelista, S.M., Deoliveira, E., Castro, G.R., Zara, L.F., and Prado, A.G.S., 2007, Hexagonal Mesoporous Silica Modified with 2- Mercaptothiazoline for Removing Mercury from Water Solution, *Surf. Sci.*, 601: 2194-2202.
- Fan, J., Qin, Y., Ye, C., Peng, P., and Wu, C., 2008, Preparation of the Diphenylcarbazone-Functionalized Silica Gel and its Application to on Line Selective Solid-Phase Extraction and Determination of Mercury by Flow-injection Spectrophotometry, *J. Hazard. Mater.*, 150: 343-350.
- Fan, Z., 2006, Hg(II)-Imprinted Thiol-functionalized Mesoporous Sorbent Micro-Column Preconcentration of Trace Mercury and Determination by Inductively Coupled Plasma Optical Emission Spectrometry, *Talanta*, 70: 1164-1169.
- Fang, G-Z., Tan, J. and Yan, X-P., 2005, An Ion-imprinted Functionalized Silica Gel Sorbent Prepared by a Surface Imprinting Technique Combine with a Sol-Gel Process for Selective Solid-Phase Extraction of Cadmium(II), *Anal. Chem.*, 77:1734-1739.

- Filha, V.L.S.A, Wanderley, A.F., de Sousa, K.S., Espinola, J.G.P., da Fonseca, M.G., Arakaki, T., and Arakaki, L.N.H., 2006, Thermodynamic Properties of Divalent Cations Complexed by Ethylenesulfide Immobilized on Silica Gel, *Colloids and Surface A: Physicochem. Eng. Aspects*, 279: 64-68.
- Filho, N.L.D., Gushikem, Y., and Polito, W.L., 1995, 2- Mercaptobenzothiazole Clays as Matrix for Sorption and Preconcentration of Some Heavy Metals From Aqueous Solution, *Anal. Chem. Acta.*, 306: 167-172.
- Filho, N.L.D., do Carmo, D.R., and Rosa A.H., 2006, An Electroanalytical Application of 2-Aminothiazole-Modified Silica Gel after Adsorption and Separation of Hg(II) from Heavy Metals in Aqueous Solution, *Electrochim. Acta*, 52: 965-972.
- Foschiera, J.L., Pizzolato, T.M., and Benvenuti, E.V., 2001, FTIR Thermal Analysis on Organo-Functionalized Silica Gel, *J. Braz. Chem. Soc.*, 12(2): 159-164.
- Fritz, J.S., 1999, *Analytical Solid-Phase Extraction*, John Wiley & Sons, New York.
- Gao, B., An, F., and Zhu, Y., 2007, Novel Surface Ionic Imprinting Materials Prepared *via* Couple Grafting of Polymer and Ionic Imprinting on Surface of Silica Gel Particle, 2007, *Polymer*, 48 : 2288-2297.
- Gawin, M., Konefal, J., Trzewik, B. Walas, S., Tobiasz A., 2010, Preparation of a New Cd(II)-imprinted polymer and Its Application to Determination of Cadmium(II) *via* Flow-injection-flame Atomic Absorption Spectrometry, *Talanta*, 80:1305-1310.
- Ghaedi, M., Ahmadi, F., and Soylak, M., 2007, Preconcentration and Separation of Nickel and Cobalt Using Solid Phase Extraction and Their Determination in Some Real Samples, *J. Hazard. Mater.*, 147: 226-231.
- Gonzales, O.Q., Burell, J.C.L., Martinez, E., Barrera, C., Acosta, R.M, and Ruiz, N., 2004, Obtaining, Characterization and Thermal Decomposition of Barium Nitrate, *Revista Cubana Quimica*, 16(1): 44-52.
- Gupta, R. and Kumar, 2008, Molecular Imprinting in Sol-gel Matrix, *Biotech. Advances*, 26: 533 – 547.
- He, Q., Chang, X., Zheng, H., Jiang, N., Wang, X., 2008, Determination of Chromium(III) and Total Chromium in Natural Waters Using a Surface Ion-Imprinted Silica Gel as Selective Adsorbent, *Intern. J. Environ. Anal. Chem.*, (88) 6: 373-384.

- Hernandez, G., and Rodriqueuz, R., 1999, Adsorption Properties of Silicas Sol Modified with Thiol Groups, *Journal of Non-Crystalline Solids*, 246: 209-215.
- Ho, Y.S., and McKay, G., 2000, The Kinetic of Sorption of Divalent Metal Ions onto Sphagnum Moss Peat, *Water. Res.* 34(3):735-742.
- Hoai, N. T., Yoo, D.K., and Kim, D., 2010, Batch and Column Separation Characteristic of Copper-imprinted Porous Polymer Micro-Beads Synthesized by a Direct Imprinting Method, *J. Hazard. Mater.* 173: 462-467.
- Huheey, J.E., Keiter, E.A., and Keitler, R.L., 1993, *Inorganic Chemistry: Principles of Structure as and Reactivity*, 4th Edition, Harper, Collins Collage Publisher, New York.
- Hyvönen, H., 2008, *Studies on Metal Complex Formation of Environmentally Friendly Aminopolycarboxylate Chelating Agents*, Dissertation, Faculty of Science Universitas of Helsinki, Finland.
- Jal, P.K., Patel, S., and Mishra, B.K., 2004, Chemical Modification of Silica Surface by Immobilization of Functional Groups for Extractive Concentration of Metal Ions, *Talanta*, 62: 1005-1028.
- Jiang, N., Chang, X., Zheng, H., He, Q., and Hu, Z., 2006, Selective Solid-Phase Extraction of Nickel(II) Using a Surface-Imprinted Silica Gel Sorbent, *Anal. Chim. Acta*, 577: 225-231.
- Jiang, X., Tian, W., Zhao, C., Zhang, H., and Liu, M., 2007, A Novel Sol-Gel Material Prepared by a Surface Imprinting Technique for The Selective Solid-Phase Extraction of Bisphenol A, *Talanta*, 72: 119-125.
- Kaim, W., and Schwederski, B., 1994, *Bioinorganic Chemistry; Inorganic Elements in the Chemistry of Life an Introduction and Guide*, John Wiley & Sons, Inc., Chichester.
- Kloprogge, J.T, Wharton, D, Hickey, L., and Frost, R.L., 2002, Infrared and Raman Study of Interlayer anion CO₃²⁻, NO₃⁻ and ClO₄⁻ in Mg/Al-Hydrotalcite, *American Mineralogist*, 87(5-6): 623-629.
- Krishnani , K.K., Meng, X., Christodoulatos, C., and Boddu, V. M , 2008, Biosorption Mechanism of Nine Different Heavy Metals onto Biomatrix from Rice Husk, *J. Hazard. Mater.* 153: 1222-1234.

- Kumar, A., Gaurav, Malik, A.K., Tewary, D.K, and Singh, B., 2008, A Review on Development of Solid Phase Micro extraction Fibers by Sol-gel Methods and Their Application, *Anal. Chim. Acta*, 610: 1-14.
- Lenza, R.F.S., and Vasconcelos, W.L., 2001, Preparation of Silica by Sol-Gel Method using Formamide, *Mater. Res.*, 4(3): 189-194.
- Lessi, P. Filho, N.L.D., Moreira, J.C., and Campos, J.T.S., 1996, Sorption and Preconcentration of Metal Ions on Silica Gel Modified with 2,5-Dimercapto-1,3,4-thiadiazole, *Anal. Chim. Acta.*, 327: 183-190.
- Li, F., Jiang, H., and Zhang, S., 2007, An Ion-Imprinted Silica-Supported Organic-Inorganic Hybrid Sorbent Prepared by a Surface Imprinting Technique Combined with a Polysaccharide Incorporated Sol-Gel Process For Selective Separation of Cadmium(II) from Aqueous Solution, *Talanta*, 71: 1487-1493.
- Machado, R.S.A., da Fonseca, M.G., Arakaki, L.N.H., Espinola, J.G.P., and Oliveira, S.F., 2004, Silica Gel Containing Sulfur, Nitrogen and Oxygen as Adsorbent Centers on Surface for Removing Copper Aqueous/ Ethanolic Solution, *Talanta*, 63: 317-322.
- Martell A.E., and Hancock, R.D., 1996, *Metal Complexes in Aqueous Solution*, Plenum Press, New York.
- Madrakian, T., Afkhami, A., Zolfigol, M.A., and Solgi, M., 2006, Separation, Preconcentration and Determination of Silver Ion From Water Samples Using Silica Gel Modified With 2,4,6-Trimorpholino-1,3,5-Triazin, *J. Hazard. Mater.*, B128: 67-72.
- Minear, R.A., and Keith, L.H., 1982., *Water Analysis*, Volume 1, Inorganic Species Part 1, Academic Press, Inc. New York.
- Miessler, G.L and Tarr, D.A., 1991, *Inorganic Chemistry*, Prentice Hall, New Jersey.
- Morel, F.M.M. and Hering, J.G., 1993, *Principles and Application of Aquatic Chemistry*, John Wiley & Sons, Inc., New York, p : 332-342.
- Mujiyanti, D.R., 2007, *Adsorpsi Multilogam Ag(I), Pb(II), Cr(III), Cu(II) dan Ni(II) pada Hibrida Merkapto-Silika dari Abu Sekam Padi*, Thesis, FMIPA UGM, Yogyakarta.
- Nuryono, Bassir, M., Setyaningsih, A., and Narsito, 2007, Synthesis of Amino-Silica Hybrid from Rice Hull Ash for Heavy Metal Ion Adsorption, *International Conference on Chemical Science*, Yogyakarta.

- Nuryono, 2006, Adsorption Thermodynamic of Cd(II), Ni(II) and Mg(II) on 3-Mercapto-1,2,4-triazole Immobilized Silica Gel, *Indo. J. Chem.*, 6(1): 52-55.
- Oscik, J., 1982, *Adsorption*, John Wiley & Sons, New York.
- Papirer, E., 2000, *Adsorption on Silica Surface*, Marcel Dekker, New York.
- Prado, A.G.S., Sales, J.A.A., Carvalho, R.M., Rubin, J.C., and Airoidi, C., 2004, Immobilization of 5-Amino-1,3,4-Tiodiazol-Tiol onto Silica Gel Surface by Heterogeneous and Homogeneous Routes, *J. Non-Crystal. Solids*, 333: 61-67.
- Price, P.M., Clark, J.H., and Macquarrie, D.J., 2000, Modified Silica's for Clean Technology, *J. Chem. Soc., Dalton Trans*: 101-110.
- Qu, R., Niu, Y., Sun, C., Ji, C., Wang, C., and Cheng, G., 2006, Syntheses, Characterization, and Adsorption Properties for Metal Ions of Silica-Gel Functionalized by Ester and Amino-Terminated Dendrimer-like Polyamidoamine Polymer, *Microporous and Mesoporous Mater.*, 97: 58-65.
- Quintanilla, D.P., Sanchez, A., del Hierro, I., Fajardo, M., and Sierra I., 2007, Preparation, Characterization, and Zn²⁺ Adsorption Behavior of Chemically Modified MCM-41 with 5-Mercapto-1-Methyltetrazole, *J. Colloid and Interface Sci.*, 313: 551-562.
- Quintanilla, D.P., del Hierro, I., Fajardo, M., and Sierra I., 2006, 2-Mercaptothiazoline Modified Mesoporous Silica for Mercury Removal from Aqueous Media, 2006, *J. Hazard. Mater.*, B134: 245-256.
- Ren Y., Xizhu, X., Zhang, M., 2008, Adsorption Character for Removal Cu(II) by Magnetic Cu(II) Ion Imprinted Composite Adsorbent, *J. Hazard. Mater.* 158:14-22.
- Rao, P.T., Daniel, S, Gladis, J.M., 2004, Tailored Materials for Preconcentration or Separation of Metals by Ion-Imprinted Polymers for Solid-Phase Extraction (IIP-SPE), *Trends in Anal. Chem.*, 23 (1): 29-35.
- Rao, P.T., Kala, R., and Daniel, S., 2006, Metal Ion-Imprinted Polymers- Novel Materials for Selective Recognition of Inorganic, *Anal. Chim. Acta*, 578: 105-116.
- Santos, E.A. Pagono, R.L., Simoni, J.A., Airoidi, C., Cestari, A.R., and Viera, E.F.S., 2001, The Influence of the Counter Ion Competition and Nature of

Solvent on the Adsorption of Mercury Halides on SH-modified Silica Gel, *Colloid and Surface*, 201: 25-282.

Santosa, S.J., Siswanta, D., Kurniawan, A., Rahmanto, W.H., 2007, Hybrid of Chitin and Humic Acid Performance Sorbent for Ni(II), *Surf. Sci.*, 601: 5155 - 5161.

Sastrohamidjojo, H., 1990, *Spektroskopi Inframerah*, Liberty, Yogyakarta.

Say, R., Birlik E., Ersoz, A., Yilmaz, F., and Gedikbey, T., 2003, Preconcentration of Copper on Ion-Selective Imprinted Polymer Microbeads, *Anal. Chim. Acta*, 480: 251-258.

Schubert, U., and Husing, N., 2000, *Synthesis of Inorganic Materials*, Wiley-Vch Verlag GmbH, Weinheim.

Seneviratne, J., and Cox, J.A., 2000, Sol-Gel Materials for the Solid Phase Extraction of Metals from Aqueous Solution, *Talanta*, 52: 801-806.

Shamsipur, M., Fasihi, J., Khanchi, A., Hassani, R., Afizadeh, K., and Shamsipur H., 2007, A Stoichiometric Imprinted Chelating Resin for Selective Recognition of Copper(II) Ions in Aqueous Media, *Anal. Chim. Acta*, 599 : 294-301

Shiver, D.F., Atkins, P.W., and Langford, C.H., 1990, *Inorganic Chemistry*, Oxford University Press, Oxford.

Simatupang, L., 2007, *Interaksi Simultan antara Mg(II), Zn(II), Ni(II), Cd(II) dan 3- Aminopropiltrimetoksisilan yang Diimobilisasikan pada Silika melalui Proses Sol-Gel*, Thesis, FMIPA Universitas Gadjah Mada, Yogyakarta.

Singh, D.K., and Mishra, S., 2009, Synthesis, Characterization and Removal of Cd(II) Using Cd(II)-ion Imprinted Polymer, *J. Hazard. Mater.*, 164: 1547-1551.

Somorjai, G.A., 1972, *Principle of Surface Chemistry*, Prentice-Hall, New Jersey.

Spiakov, B.Y., 2006, Solid Phase Extraction on Alkyl Bonded Silica Gels in Inorganic Analysis, *Anal. Chem.*, The Japan Society: 22.

Stum, W., and Morgan., J.J., 1981., *Aquatic Chemistry*, John Wiley and Sons, NewYork.

Su, H., Chen, S., and Tan, T., 2007, Surface Active Site Model for Ni²⁺ Adsorption of The Surface Imprinted Adsorbent, *Process Biochem.*, 42: 612-619.

- Sürdem, S., 2004, *On Line Preconcentration, Speciation and Determination of Chromium by Flame Atomic Absorption Spectrometry (FAAS) and Cheluminescence (CL)*, Thesis, Departement Chemistry, The Middle East Technical University, <http://etd.lib.metu.edu.tr/uploa>.
- Terrada K., Matsumoto, K., and Kimora H., 1983, Sorption Copper(II) by Some Complexing Agents Loaded on Various Support, *Anal. Chim. Acta*, 153: 237-247.
- Tokman, N., Akman S., and Ozcan, M., 2003, Solid-phase Extraction of Bismuth, Lead and Nickel From Seawater Using Silica Gel Modified With 3-Aminopropyltriethoxysilane in A Syringe Prior to Their Determination by Graphite Furnace Atomic Absorption Spectrometry, *Talanta*, 59: 201-205.
- Walas, S., Tobiasz, A., Gawin, M., Trzewik, B., Strojny, M., and Mrowiec, H., 2008, Application of Metal Ion-Imprinted Polymer Based on Salen-Cu Complex to Flow Injection Preconcentration and FAAS Determination of Copper, *Talanta*, 76: 96-101.
- Walcarius, A., Etiene., M., and Bessiere, J., 2002, Rate of Access to the Binding Sites in Organically Modified Silicates 1. Amorphous Silica Gels Grafted with Amine or Tiol Groups, *Chem. Matter*, 14: 2757-2766.
- Walcarius, A. Lutfi, N., Blin, J.L., Su, B.L., and Lamberts, 1999, Electrochemical Evaluation of Polysiloxane-immobilized Amine Ligands for The Accumulation of Copper(II) Species, *Electrochim. Act.*, 44: 4601-4610.
- Wilson, K., Lee, A.F., Macquarrie, D.J., and Clark, J.H., 2002, Structure and Reactivity of Sol-gel Sulphonic Acid Silicas, *Appl. Catal. A : General* , 228 : 127-133.
- Wogo, H.E., 2007, *Adsorpsi Simultan Mg(II), Zn(II), Ni(II) dan Cd(II) Pada Hibrida Etilendiaminopropil-Silika*, Tesis, FMIPA Universitas Gadjah Mada, Yogyakarta.
- Yang, H., Xu, R., Xue, X., Li, F., and Li, G., 2008, Hybrid Surfactant Templated Mesoporous Silica Formed in Ethanol and its Application for Heavy Metal Removal, *J. Hazard. Mater.*, 152: 690-698.
- Zareba-Grodz, I., Mista, W., Streck, W., Bukowska, Hermanowicz K., and Maruszewski K., 2004, Synthesis and Properties of an Inorganic-Organic Hybrid Prepared by Sol-Gel Method, *Optical Mater.* , 26 : 207-211.



- Zhai, Y., Liu, Y., Chang, X., Ruan, X., and Liu, J., 2008, Metal Ion-Small Molecule Complex Imprinted Polymer Membranes: Preparation and Separation Characteristics, *React. & Funct. Polymers*, 68: 284-291.
- Zhang, N., Hu, B., and Huang, C., 2007, A New Ion-Imprinted Silica Gel Sorbent for on Line Selective Solid-Phase Extraction of Dysprosium(III) with Detection by Inductively Coupled Plasma-Atomic Emission Spectrometry, *Anal. Chim. Acta*, 597: 12-18.
- Zhang, N., Suleiman, J.S., He, M., and Hu, B., 2008, Chromium(III)-Imprinted Silica for Speciation Analysis of Chromium in Environmental Water Samples with ICP-MS Detection, *Talanta*, 75: 536-543.
- Zhao, J., Han, B., Zhang, Y., and Wang, D., 2007, Synthesis of Zn(II) Ion-Imprinted Solid-Phase Extraction Materials and Its Analytical Application, *Anal. Chim. Acta*, 603: 87-92.



UNIVERSITAS
GADJAH MADA

Proses simultan sol gel dan imprinting ionik dalam pembuatan hibrida organo-silika untuk adsorben selektif logam transisi

BUHANI, Promotor Prof. Dr. Narsito

Universitas Gadjah Mada, 2010 | Diunduh dari <http://etd.repository.ugm.ac.id/>

