

Pustaka

- Bahranowski, K., Sior, B.G., Kielski, A., Podobnsqski, J., Serwicka, E.M, Vartikian, L. A. dan Wodnicka, K., 1998, Physico-chemical characterization and catalytic properties of copper-doped alumina-pillared montmorillonites, *Clays Clay Miner.*, 46(1): 98-102.
- Ciuparu, D., Ensuque, A., Shafeev, G. dan Bozon-Verduraz, F., 2000, Synthesis and apparent bandgap of nanophase zirconia, *J.Mat.Sci.Lett.*, 19:931– 933.
- Cotton, F.A. dan Wilkinson, G., 1980, *Advance Inorganic Chemistry, A Comprehensive Text*, John Wiley & Sons, Inc., New York.
- Davies, Bonini, Locateli, E. Dan Gonzo, S., 2005, Preparation and characterization of ZrO₂ prepared by sol-gel method, *Latin.Am.Appl.Res.*, 35:23-28.
- Devassy, B.M dan dan Halligudi, S.B., 2006, Effect of calcination temperature on the catalytic activity of zirconia-supported heteropoly acids, *J.Mol.Cat.A.*, 253: 8–15.
- Dubey, N., Rayalu, S., Labhsetwar, N., Naidu, R., Chatti, R., dan Devotta, R., 2006, Photocatalytic properties of zeolite-based materials for the photoreduction of methyl orange, *Appl.Cat.A.*, 303: 152–157.
- Fatimah, I., Shukla, P.R. dan Kooli, F., 2009, Combined photocatalytic and fenton oxidation of methyl orange dye using iron exchanged titanium pillared montmorillonite, *J. Applied Sci.* 9(20):3715-3722.
- Gandía, L.M., Vicente, M.A., dan Gil, A., 2000, Preparation and characterization of manganese oxide catalysts supported on alumina and zirconia-pillared clays, *Appl.Cat.A*, 196: 281–292.
- Gandía, L.M., Vicente, M.A., dan Gil, A., 2002, Complete oxidation of acetone over manganese oxide catalysts supported on alumina- and zirconia-pillared clays, *Appl. Cat. B.*, 38: 295–307.
- Jung, K.S. dan Park, S.B., 2004, Photoactivity of SiO₂/TiO₂ and ZrO₂/TiO₂ mixed oxides prepared by sol-gel method, *Mat. Lett.*, 58 (2004): 2897– 2900.
- Jung, K.S. dan Park, S.B., 2000, Enhanced Photoactivity of silica-embedded titania particles prepared by sol-gel process for the decomposition of trichloroethylene, *Appl.Cat.B.*, 25 (2000): 249–256.

- Klaas, K., Schulz-Ekloff, G. dan Jaeger, N., 1997, UV–Visible diffuse reflectance spectroscopy of zeolite-hosted mononuclear titanium oxide species, *J. Phys. Chem.*, 101: 1305-1311.
- Kloprogge, J.T., 1998, Synthesis of Smectites and Porous Pillared Clay Catalysts: A Review, *J.Por.Mat.*, 5: 5–41.
- Kloprogge, J.T., Duong dan Frost,R.L., 2005, A Review Of The Synthesis And Characterization Of Pillared Clays And Related Porous Materials For Cracking Of Vegetable Oils To Produce Biofuels, *Environ. Geol.* (2005), 47: 967–981.
- Kodama, H.,Kotlyar, L., dan Ripmeester, J.A., 1989, Quantification of crystalline and noncrystalline material in ground kaolinite by x-ray powder diffraction, infrared, solid-state nuclear magnetic resonance, and chemical-dissolution analyses, *Clays Clay Miner.*, 37(4): 364-370.
- Kooli, F., Bovey. J and Jones, W., 1997. Dependence of the properties of titanium-pillared clays on the host matrix: a comparison of montmorillonite, saponite and rectorite pillared materials, *J. Mater.Chem.*, 7(1), 153–158.
- Kooli, F dan Jones, B.W., 1997, Characterization and catalytic properties of a saponite clay modified by acid activation, *Clay Minerals* , 32, 633-643.
- Lenza,R. dan Vasconcelos,W., 2002, Synthesis of Titania-Silica Materials by Sol-Gel, *Mat.Res.*, 5(4): 497-502.
- Li, Y., White, T, dan Lim, S.H., 2003, Structure control and its influence on photoactivity and phase transformation of TiO₂ nano-particles, *Rev.Adv.Mater.Sci.*, 5: 211-215.
- Matthews, A., 1976, The Crystallization Of Anatase And Rutile From Amorphous Titanium Dioxide Under Hydrothermal Conditions, *American Mineralogist*, 61: 419-424.
- Mogyoro'si,K., Deka'ny,K., and Fendler, J. H., 2003. Preparation And Characterization Of Clay Mineral Intercalated Titanium Dioxide Nanoparticles. *Langmuir*, 19, 2938-2946.
- Monnier, J. , Charland, Brown, J. R., dan Wilson, M. F. in *New Frontiers in Catalysis* (L. Guzzi, F. Solymosi, and P. Te'te'nyi, eds.), 1993, *Studies in Surface Science and Catalysis*, 75, Elsevier Science, Amsterdam,: 1943.

- Pineda, M., Castillo, S., Asomoza, M., dan Gómez, R., 2002, Al₂O₃-TiO₂ sol-gel mixed oxides as suitable supports for the reduction of NO by CO, *React.Kinet.Catal.Lett.* **76**(1): 75-81.
- Quorzal, S., Tamimi, M dan Assabbane, 2006, Preparation of TiO₂ photocatalyst using TiCl₄ as a precursor and its photocatalytic performance, *J.Appl.Sci.*, **6**(7):1533-1559.
- Ramanathan, A., Villalobos, M.C.C., Kwakernaak, C., Telalovic, S., dan Hanefeld, U., 2008, Zr-TUD-1: A Lewis Acidic, Three-dimensional, mesoporous, zirconium- containing catalyst, *Chem. Eur. J.*, **14**, 961 – 972.
- Reddy, M., Reddy, G., dan Manorama, B., 2001, Preparation, characterization and spectral studies of nanocrystalline anatase TiO₂, *J.Solid State Chemistry*, **158**, 180-186.
- Rios, S.P., Pereira, R. Dan Cardoso, D., 1997, Synthesis and characterization of the TAPO-5 molecular sieve, *Mat.Res.* **5**(3): 315-320.
- Romero, A., Dorado, F., Asencio, I., Garcí'a, P.B., and Valverde, L., 2006. Ti-pillared clays: synthesis and general characterization. *Clays Clay Miner.*, **54**(6): 737–747.
- Sahu, H.R. dan Rao, G.R., 2000, Characterization of combustion synthesized zirconia powder by UV-vis, IR and Other Techniques, *Bull. Mater. Sci.*, **23**(5): 349–354.
- Sakka, S., 2005, Handbook of sol-gel science and technology: processing, characterization and application, Kluwer Academic Publisher, Amerika.
- Valverde, J.L., Sanchez, P., Dorado, F., Asencio, I., dan Romero, A., 2003, Preparation and characterization of Ti-pillared clays using Ti alkoxides. influence of the synthesis parameters, *Clays Clay Miner.*, **51**(1): 41–51.
- Vicente, M.A., Belver, C., Trujillano, R., Rives, V., Álvarez, A.C., Lambert, J.F., Korili, A., Gandía, L.M., and Gil, A., 2004. Preparation and characterisation of Mn- And Co-supported catalysts derived from al-pillared clays and Mn- and Co-Complexes, *Appl. Catal.A.*, **267**, 47-58.
- Wang, J., Merino, J., Aranda, P., Galva'n, J., dan Ruiz-Hitzky, E., 1998, Reactive nanocomposites based on pillared clays, *J. Mater. Chem.*, **9**: 161–168.

- Wang, H., Ren, C., Liu, B. dan Shih, Z., 1999, sol preparation from zirconyl chloride octahydrate in ammine-ammonia solution, *Journal of the Chinese Institute of Engineers*, 22(4): 423-433.
- Wu,C., Zhao,X., Ren,Y., Yue,Y., Hua,W., Cao, Y., Tang,Y dan Gao, Z., 2005, Gas-phase photo-oxidations of organic compounds over different forms of zirconia, *J.Mol.Cat.A.* (2005): 233–239.
- Yamazaki,S. Hayashi, dan Tomoko, 2003, Photocatalytic activity of TiO₂ synthesised by the sol-gel method, *J. Chem. Res.*, 2003(7): 423-425.
- Yuan, Peng , Yin, Xiaolin He, Hongping, Yang, Dan ,Wang, Linjiang Zhu, Jianxi, 2006. Investigation on the delaminated-pillared structure of TiO₂-PILC synthesized by TiCl₄ hydrolysis method, *Micro. Meso. Mat.*, 93(1-3): 240-247.
- Yoda,S. Sakurai, Y., Endo,A., Miyata,T., Yanagishita, H., Otake, K., and Tsuchiya, T., 2004, Synthesis of titania-pillared montmorillonite via intercalation of titanium alkoxide dissolved in supercritical carbon dioxide. *J.Mater.Chem* .14: 2763-2767.
- Zahedi-Niaki, M.H., Kapoor, M.P., dan Kaliaguine, S., 1998, H₂O₂ oxidation and epoxidation of hydrocarbons and alcohols over titanium aluminophosphates TAPO-5, TAPO-11, and TAPO-36, *J. Catal.*, 177(2): 231-239
- Zanjanchi , M.A. dan Rashidi, M.K., 1999, Structural charge transfer in the aluminophosphate molecular sieves by diffuse reflectance spectroscopy, *Spect. Act. A.*, 55(5): 947-954.
- Zanjanchi , M.A. dan Razavi, A., 2001, Identification and estimation of extra-framework aluminium in acidic mazzite by diffuse reflectance spectroscopy, *Spect. Act. A.*, 57: 119–127.